




Mode	802.11ax(HE20)	Channel	52
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	*	3992	45.23	0.05	45.28	74	-28.72	PK
	@	5260	82.51	18.91	101.42	N/A	N/A	PK
	@	5260	73.71	18.91	92.62	N/A	N/A	AVG
		5449.5	27.62	19.62	47.24	54	-6.76	AVG
		5451.6	39.02	19.62	58.64	74	-15.36	PK
	*	10520	31.24	17.63	48.87	68.2	-19.33	PK
Vertical		3992	56.88	0.05	56.93	74	-17.07	PK
		3992	40.3	0.05	40.35	54	-13.65	AVG
	@	5260	97.26	18.91	116.17	N/A	N/A	PK
	@	5260	88.9	18.91	107.81	N/A	N/A	AVG
		5350.2	31.49	18.7	50.19	54	-3.81	AVG
		5356.2	45.88	18.75	64.63	74	-9.37	PK
	*	10520	32.16	17.63	49.79	68.2	-18.41	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	60
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	*	3992	46.11	0.05	46.16	74	-27.84	PK
	@	5300	82.85	18.73	101.58	N/A	N/A	PK
	@	5300	73.43	18.73	92.16	N/A	N/A	AVG
		5443.5	39.25	19.56	58.81	74	-15.19	PK
		5454.6	27.55	19.63	47.18	54	-6.82	AVG
	*	10600	30.63	17.71	48.34	74	-25.66	PK
Vertical		3992	55.9	0.05	55.95	74	-18.05	PK
		3992	39.37	0.05	39.42	54	-14.58	AVG
	@	5300	96.22	18.73	114.95	N/A	N/A	PK
	@	5300	87.95	18.73	106.68	N/A	N/A	AVG
		5351.1	31.58	18.71	50.29	54	-3.71	AVG
		5352	42.64	18.72	61.36	74	-12.64	PK
	*	10600	31.92	17.71	49.63	74	-24.37	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	64
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	*	3992	46.63	0.05	46.68	74	-27.32	PK
	@	5320	81.11	18.72	99.83	N/A	N/A	PK
	@	5320	72.49	18.72	91.21	N/A	N/A	AVG
		5401.5	39.5	19.18	58.68	74	-15.32	PK
		5453.1	27.52	19.63	47.15	54	-6.85	AVG
	*	10640	31.05	17.67	48.72	74	-25.28	PK
Vertical		3992	55.14	0.05	55.19	74	-18.81	PK
		3992	38.64	0.05	38.69	54	-15.31	AVG
	@	5320	96.72	18.72	115.44	N/A	N/A	PK
	@	5320	86.54	18.72	105.26	N/A	N/A	AVG
		5350.2	50.75	18.7	69.45	74	-4.55	PK
		5350.2	34.55	18.7	53.25	54	-0.75	AVG
	*	10640	30.5	17.67	48.17	74	-25.83	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	100
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	*	3992	45.16	0.05	45.21	74	-28.79	PK
		5437.8	38.98	19.51	58.49	74	-15.51	PK
		5457.05	27.53	19.63	47.16	54	-6.84	AVG
		5465.45	38.58	19.65	58.23	68.2	-9.97	PK
	@	5500	76.51	19.69	96.2	N/A	N/A	PK
	@	5500	68.72	19.69	88.41	N/A	N/A	AVG
	*	11000	30.28	17.88	48.16	74	-25.84	PK
Vertical		3992	54.76	0.05	54.81	74	-19.19	PK
		3992	38.14	0.05	38.19	54	-15.81	AVG
		5447.25	40.27	19.6	59.87	74	-14.13	PK
		5459.85	29.45	19.64	49.09	54	-4.91	AVG
		5469.65	48.39	19.65	68.04	68.2	-0.16	PK
	@	5500	95.61	19.69	115.3	N/A	N/A	PK
	@	5500	85.63	19.69	105.32	N/A	N/A	AVG
	*	11000	30.21	17.88	48.09	74	-25.91	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	116
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	3992	45.31	0.05	45.36	74	-28.64	PK
		5442.35	39.15	19.55	58.7	74	-15.3	PK
		5449.7	27.56	19.62	47.18	54	-6.82	AVG
		5461.6	38.92	19.64	58.56	68.2	-9.64	PK
	@	5580	82.92	19.58	102.5	N/A	N/A	PK
	@	5580	73.02	19.58	92.6	N/A	N/A	AVG
		5734.6	40.38	19.92	60.3	68.2	-7.9	PK
	*	11160	30.6	18.05	48.65	74	-25.35	PK
Vertical		3992	56.47	0.05	56.52	74	-17.48	PK
		3992	39.96	0.05	40.01	54	-13.99	AVG
		5456.35	29.07	19.63	48.7	54	-5.3	AVG
		5456.7	40.16	19.63	59.79	74	-14.21	PK
		5468.25	42.87	19.65	62.52	68.2	-5.68	PK
	@	5580	100.45	19.58	120.03	N/A	N/A	PK
	@	5580	90.9	19.58	110.48	N/A	N/A	AVG
		5727.6	40.11	19.85	59.96	68.2	-8.24	PK
	*	11160	34.05	18.05	52.1	74	-21.9	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	140
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2037	50.28	-6.01	44.27	68.2	-23.93	PK
	*	3992	46.44	0.05	46.49	74	-27.51	PK
		5459.15	27.94	19.64	47.58	54	-6.42	AVG
		5459.5	39.91	19.64	59.55	74	-14.45	PK
	@	5700	78.31	19.6	97.91	N/A	N/A	PK
	@	5700	68.34	19.6	87.94	N/A	N/A	AVG
		5725.5	40.81	19.83	60.64	68.2	-7.56	PK
	*	11400	30.04	18.46	48.5	74	-25.5	PK
Vertical		2003	53.36	-6.21	47.15	68.2	-21.05	PK
		3992	56.02	0.05	56.07	74	-17.93	PK
		3992	34.3	0.05	34.35	54	-19.65	AVG
		5411.55	40.7	19.26	59.96	74	-14.04	PK
		5457.05	28.06	19.63	47.69	54	-6.31	AVG
	@	5700	87.76	19.6	107.36	N/A	N/A	PK
	@	5700	78.97	19.6	98.57	N/A	N/A	AVG
		5725.85	47.97	19.84	67.81	68.2	-0.39	PK
		11400	36.78	18.46	55.24	74	-18.76	PK
		11400	25.18	18.46	43.64	54	-10.36	AVG


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	144
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	3992	45.37	0.05	45.42	74	-28.58	PK
	*	11440	35.19	18.63	53.82	74	-20.18	PK
Vertical		3992	55.8	0.05	55.85	74	-18.15	PK
		3992	35.82	0.05	35.87	54	-18.13	AVG
		11440	43.12	18.63	61.75	74	-12.25	PK
		11440	34.96	18.63	53.59	54	-0.41	AVG




Mode	802.11ax(HE20)	Channel	149
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	3992	44.93	0.05	44.98	74	-29.02	PK
		5544	40.79	19.55	60.34	68.2	-7.86	PK
		5654.5	39.6	19.64	59.24	71.54	-12.3	PK
	@	5745	79.09	20.01	99.1	N/A	N/A	PK
		11490	35.93	18.86	54.79	74	-19.21	PK
		11490	28.23	18.86	47.09	54	-6.91	AVG
Vertical		3992	56.46	0.05	56.51	74	-17.49	PK
		3992	39.84	0.05	39.89	54	-14.11	AVG
		5556	40.22	19.55	59.77	68.2	-8.43	PK
	@	5696	44.16	19.6	63.76	102.25	-38.49	PK
		5745	96.6	20.01	116.61	N/A	N/A	PK
		11490	41.95	18.86	60.81	74	-13.19	PK
		11490	34.17	18.86	53.03	54	-0.97	AVG


TX, 802.11ax(HE20) (Ch 149)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 149)
Radiated Spurious Emission, Vertical



TX, 802.11ax(HE20) (Ch 149)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 149)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	157
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	3992	46.22	0.05	46.27	74	-27.73	PK
		5612	39.91	19.6	59.51	68.2	-8.69	PK
		5689	39.46	19.61	59.07	97.09	-38.02	PK
	@	5785	79.91	20.37	100.28	N/A	N/A	PK
		5914.5	39.88	20.71	60.59	75.94	-15.35	PK
		5978	40.33	20.78	61.11	68.2	-7.09	PK
	*	11570	34.73	18.65	53.38	74	-20.62	PK
Vertical		3992	55.56	0.05	55.61	74	-18.39	PK
		3992	38.98	0.05	39.03	54	-14.97	AVG
		5611.5	40.73	19.6	60.33	68.2	-7.87	PK
		5673	40.48	19.63	60.11	85.26	-25.15	PK
	@	5785	97.16	20.37	117.53	N/A	N/A	PK
		5881.5	40.49	20.69	61.18	100.37	-39.19	PK
		5949.5	40.92	20.75	61.67	68.2	-6.53	PK
		11570	41.19	18.65	59.84	74	-14.16	PK
		11570	34.53	18.65	53.18	54	-0.82	AVG





Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

TX, 802.11ax(HE20) (Ch 157)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 157)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 157)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 157)
Band Edge (Peak), Vertical


Mode	802.11ax(HE20)	Channel	165
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	3992	45.33	0.05	45.38	74	-28.62	PK
	*	11650	34.92	18.38	53.3	74	-20.7	PK
Vertical		3992	55.42	0.05	55.47	74	-18.53	PK
		3992	38.86	0.05	38.91	54	-15.09	AVG
		11650	41.54	18.38	59.92	74	-14.08	PK
		11650	34.96	18.38	53.34	54	-0.66	AVG



Mode	802.11ax(HE40)	Channel	38
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	3992	43.38	0.05	43.43	74	-30.57	PK
		5044.45	42.11	18.92	61.03	74	-12.97	PK
		5112	29.49	19.25	48.74	54	-5.26	AVG
	@	5190	71.95	19.12	91.07	N/A	N/A	PK
	@	5190	61.91	19.12	81.03	N/A	N/A	AVG
	*	10380	32.39	17.19	49.58	68.2	-18.62	PK
Vertical		3992	55.16	0.05	55.21	74	-18.79	PK
		3992	38.66	0.05	38.71	54	-15.29	AVG
		5149.1	44.54	19.22	63.76	74	-10.24	PK
		5149.8	34.57	19.22	53.79	54	-0.21	AVG
	@	5190	89.2	19.12	108.32	N/A	N/A	PK
	@	5190	78.46	19.12	97.58	N/A	N/A	AVG
	*	10380	31.16	17.19	48.35	68.2	-19.85	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	46
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	3992	42.13	0.05	42.18	74	-31.82	PK
		5127.75	41.39	19.23	60.62	74	-13.38	PK
		5134.05	29.56	19.23	48.79	54	-5.21	AVG
	@	5230	77.08	19.01	96.09	N/A	N/A	PK
	@	5230	67.83	19.01	86.84	N/A	N/A	AVG
	*	10460	30.75	17.5	48.25	68.2	-19.95	PK
Vertical		3992	55.56	0.05	55.61	74	-18.39	PK
		3992	38.98	0.05	39.03	54	-14.97	AVG
		5149.8	42.85	19.22	62.07	74	-11.93	PK
		5149.8	34.26	19.22	53.48	54	-0.52	AVG
	@	5230	93.36	19.01	112.37	N/A	N/A	PK
	@	5230	83.91	19.01	102.92	N/A	N/A	AVG
	*	10460	30.82	17.5	48.32	68.2	-19.88	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	54
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	*	3992	44.42	0.05	44.47	74	-29.53	PK
	@	5270	78.56	18.87	97.43	N/A	N/A	PK
	@	5270	69.1	18.87	87.97	N/A	N/A	AVG
		5445.6	39.32	19.58	58.9	74	-15.1	PK
		5454.3	27.61	19.63	47.24	54	-6.76	AVG
	*	10540	29.87	17.65	47.52	68.2	-20.68	PK
Vertical		3992	56.77	0.05	56.82	74	-17.18	PK
		3992	40.26	0.05	40.31	54	-13.69	AVG
	@	5270	95.23	18.87	114.1	N/A	N/A	PK
	@	5270	85.1	18.87	103.97	N/A	N/A	AVG
		5352.3	35.12	18.72	53.84	54	-0.16	AVG
		5356.2	48.09	18.75	66.84	74	-7.16	PK
	*	10540	31.08	17.65	48.73	68.2	-19.47	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	62
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2037	49.89	-6.01	43.88	68.2	-24.32	PK
	*	3992	47.05	0.05	47.1	74	-26.9	PK
	@	5310	75.68	18.72	94.4	N/A	N/A	PK
	@	5310	66.43	18.72	85.15	N/A	N/A	AVG
		5361.9	39.91	18.81	58.72	74	-15.28	PK
		5455.2	28.49	19.63	48.12	54	-5.88	AVG
	*	10620	30.98	17.68	48.66	74	-25.34	PK
Vertical		2037	51.83	-6.01	45.82	68.2	-22.38	PK
		3992	56.48	0.05	56.53	74	-17.47	PK
		3992	36.76	0.05	36.81	54	-17.19	AVG
	@	5310	87.97	18.72	106.69	N/A	N/A	PK
	@	5310	78.54	18.72	97.26	N/A	N/A	AVG
		5351.7	45.52	18.71	64.23	74	-9.77	PK
		5352	34.01	18.72	52.73	54	-1.27	AVG
	*	10620	30.27	17.68	47.95	74	-26.05	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	102
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	*	3992	44.51	0.05	44.56	74	-29.44	PK
		5426.95	38.58	19.42	58	74	-16	PK
		5449.35	27.69	19.61	47.3	54	-6.7	AVG
		5464.05	38.58	19.64	58.22	68.2	-9.98	PK
	@	5510	73.9	19.66	93.56	N/A	N/A	PK
	@	5510	62.14	19.66	81.8	N/A	N/A	AVG
	*	11020	30.5	17.97	48.47	74	-25.53	PK
Vertical		3992	56.52	0.05	56.57	74	-17.43	PK
		3992	39.97	0.05	40.02	54	-13.98	AVG
		5459.5	40.46	19.64	60.1	74	-13.9	PK
		5459.85	30.43	19.64	50.07	54	-3.93	AVG
		5465.8	47.89	19.65	67.54	68.2	-0.66	PK
	@	5510	90.95	19.66	110.61	N/A	N/A	PK
	@	5510	79.03	19.66	98.69	N/A	N/A	AVG
	*	11020	30.56	17.97	48.53	74	-25.47	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	110
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	*	3992	45.2	0.05	45.25	74	-28.75	PK
		5455.3	27.64	19.63	47.27	54	-6.73	AVG
		5459.85	38.96	19.64	58.6	74	-15.4	PK
		5463.35	38.68	19.64	58.32	68.2	-9.88	PK
	@	5550	77.7	19.54	97.24	N/A	N/A	PK
	@	5550	68.24	19.54	87.78	N/A	N/A	AVG
		5734.95	40.49	19.92	60.41	68.2	-7.79	PK
	*	11100	30.85	18.32	49.17	74	-24.83	PK
Vertical		3992	54.38	0.05	54.43	74	-19.57	PK
		3992	37.73	0.05	37.78	54	-16.22	AVG
		5456.35	44.5	19.63	64.13	74	-9.87	PK
		5457.75	32.77	19.63	52.4	54	-1.6	AVG
		5470	48.1	19.65	67.75	68.2	-0.45	PK
	@	5550	96.79	19.54	116.33	N/A	N/A	PK
	@	5550	86.06	19.54	105.6	N/A	N/A	AVG
		5726.2	40.18	19.84	60.02	68.2	-8.18	PK
	*	11100	33.6	18.32	51.92	74	-22.08	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	134
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	3992	44.92	0.05	44.97	74	-29.03	PK
		5454.25	38.54	19.63	58.17	74	-15.83	PK
		5454.25	27.58	19.63	47.21	54	-6.79	AVG
	@	5670	73.44	19.63	93.07	N/A	N/A	PK
	@	5670	64	19.63	83.63	N/A	N/A	AVG
		5744.4	39.42	20.01	59.43	68.2	-8.77	PK
	*	11340	29.98	18.26	48.24	74	-25.76	PK
Vertical		3992	56.47	0.05	56.52	74	-17.48	PK
		3992	39.87	0.05	39.92	54	-14.08	AVG
		5407.35	40.29	19.23	59.52	74	-14.48	PK
		5459.5	27.62	19.64	47.26	54	-6.74	AVG
	@	5670	93.1	19.63	112.73	N/A	N/A	PK
	@	5670	82.76	19.63	102.39	N/A	N/A	AVG
		5726.9	48.22	19.85	68.07	68.2	-0.13	PK
	*	11340	31.12	18.26	49.38	74	-24.62	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	142
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	3992	42.55	0.05	42.6	74	-31.4	PK
	*	11420	35.14	18.55	53.69	74	-20.31	PK
Vertical		3992	55.86	0.05	55.91	74	-18.09	PK
		3992	35.91	0.05	35.96	54	-18.04	AVG
		11420	43.09	18.55	61.64	74	-12.36	PK
		11420	34.93	18.55	53.48	54	-0.52	AVG




Mode	802.11ax(HE40)	Channel	151
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	3992	46.49	0.05	46.54	74	-27.46	PK
		5631	39.89	19.63	59.52	68.2	-8.68	PK
		5693.5	42.72	19.6	62.32	100.41	-38.09	PK
	@	5755	77.6	20.09	97.69	N/A	N/A	PK
		11510	37.03	18.87	55.9	74	-18.1	PK
		11510	27.94	18.87	46.81	54	-7.19	AVG
Vertical		3992	55.68	0.05	55.73	74	-18.27	PK
		3992	38.88	0.05	38.93	54	-15.07	AVG
		5647.5	45.8	19.65	65.45	68.2	-2.75	PK
		5695.5	72.38	19.6	91.98	101.88	-9.9	PK
		5745	96.17	20.01	116.18	N/A	N/A	PK
		11510	43.67	18.87	62.54	74	-11.46	PK
		11510	34.48	18.87	53.35	54	-0.65	AVG


TX, 802.11ax(HE40) (Ch 151)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 151)
Radiated Spurious Emission, Vertical



TX, 802.11ax(HE40) (Ch 151)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE40) (Ch 151)
Band Edge (Peak), Vertical




Mode	802.11ax(HE40)	Channel	159
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	3992	45.7	0.05	45.75	74	-28.25	PK
	@	5795	78.6	20.46	99.06	N/A	N/A	PK
		5875	42.3	20.68	62.98	105.2	-42.22	PK
		6024.5	40.02	20.89	60.91	68.2	-7.29	PK
		11590	36.91	18.58	55.49	74	-18.51	PK
		11590	27.9	18.58	46.48	54	-7.52	AVG
Vertical		3992	54.96	0.05	55.01	74	-18.99	PK
		3992	39.37	0.05	39.42	54	-14.58	AVG
	@	5795	97.12	20.46	117.58	N/A	N/A	PK
		5875	56.44	20.68	77.12	105.2	-28.08	PK
		5933	45.83	20.74	66.57	68.2	-1.63	PK
		11590	40.37	18.58	58.95	74	-15.05	PK
		11590	32.28	18.58	50.86	54	-3.14	AVG


TX, 802.11ax(HE40) (Ch 159)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 159)
Radiated Spurious Emission, Vertical



TX, 802.11ax(HE40) (Ch 159)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE40) (Ch 159)
Band Edge (Peak), Vertical



Mode	802.11ax(HE80)	Channel	42
------	----------------	---------	----

Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	*	3992	43.44	0.05	43.49	74	-30.51	PK
		5030.1	41.93	18.75	60.68	74	-13.32	PK
		5060.9	29.69	19.03	48.72	54	-5.28	AVG
	@	5210	67.32	19.07	86.39	N/A	N/A	PK
	@	5210	57.06	19.07	76.13	N/A	N/A	AVG
	*	10420	31.64	17.4	49.04	68.2	-19.16	PK
Vertical		3992	55.53	0.05	55.58	74	-18.42	PK
		3992	38.77	0.05	38.82	54	-15.18	AVG
		5142.1	44.18	19.23	63.41	74	-10.59	PK
		5145.6	34.03	19.22	53.25	54	-0.75	AVG
	@	5210	83.53	19.07	102.6	N/A	N/A	PK
	@	5210	74.08	19.07	93.15	N/A	N/A	AVG
	*	10420	30.16	17.4	47.56	68.2	-20.64	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE80)	Channel	58
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	3992	44.92	0.05	44.97	74	-29.03	PK
	@	5290	71.42	18.77	90.19	N/A	N/A	PK
	@	5290	60.05	18.77	78.82	N/A	N/A	AVG
		5409.9	39.83	19.25	59.08	74	-14.92	PK
		5459.7	27.62	19.64	47.26	54	-6.74	AVG
	*	10580	29.88	17.68	47.56	68.2	-20.64	PK
Vertical		3992	55.99	0.05	56.04	74	-17.96	PK
		3992	39.44	0.05	39.49	54	-14.51	AVG
	@	5290	83.24	18.77	102.01	N/A	N/A	PK
	@	5290	74.23	18.77	93	N/A	N/A	AVG
		5353.8	33.98	18.73	52.71	54	-1.29	AVG
		5373.9	41.23	18.91	60.14	74	-13.86	PK
	*	10580	30.73	17.68	48.41	68.2	-19.79	PK

Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1