



# FCC RADIO TEST REPORT

**FCC ID** : 2AWNEKDE20105  
**Equipment** : Home Entertainment Hub  
**Brand Name** : E1 by Ericsson  
**Model Name** : KDE20105  
**Applicant** : Ericsson AB  
21-23 Torshamnsgatan Stockholm, 16480 Sweden  
**Manufacturer** : CyberTAN Technology Inc.  
No. 99, Park Avenue III Science-based Industrial  
Park Hsinchu Taiwan 308  
**Standard** : 47 CFR FCC Part 15.407

The product was received on Jan. 14, 2021, and testing was started from Jan. 14, 2021 and completed on Feb. 18, 2021. We, SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory, would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI C63.10-2013 and shown compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory, the test report shall not be reproduced except in full.

  
Approved by: Sam Chen

**SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory**  
No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City, Taiwan (R.O.C.)



## Table of Contents

|                                                                      |           |
|----------------------------------------------------------------------|-----------|
| <b>History of this test report.....</b>                              | <b>3</b>  |
| <b>Summary of Test Result.....</b>                                   | <b>4</b>  |
| <b>1 General Description .....</b>                                   | <b>5</b>  |
| 1.1 Information.....                                                 | 5         |
| 1.2 Applicable Standards .....                                       | 10        |
| 1.3 Testing Location Information .....                               | 10        |
| 1.4 Measurement Uncertainty .....                                    | 11        |
| <b>2 Test Configuration of EUT.....</b>                              | <b>12</b> |
| 2.1 Test Channel Mode .....                                          | 12        |
| 2.2 The Worst Case Measurement Configuration.....                    | 14        |
| 2.3 EUT Operation during Test .....                                  | 15        |
| 2.4 Accessories .....                                                | 16        |
| 2.5 Support Equipment.....                                           | 16        |
| 2.6 Test Setup Diagram .....                                         | 18        |
| <b>3 Transmitter Test Result .....</b>                               | <b>22</b> |
| 3.1 AC Power-line Conducted Emissions .....                          | 22        |
| 3.2 Emission Bandwidth .....                                         | 24        |
| 3.3 Maximum Conducted Output Power .....                             | 25        |
| 3.4 Peak Power Spectral Density.....                                 | 27        |
| 3.5 Unwanted Emissions.....                                          | 30        |
| <b>4 Test Equipment and Calibration Data .....</b>                   | <b>34</b> |
| <b>Appendix A. Test Results of AC Power-line Conducted Emissions</b> |           |
| <b>Appendix B. Test Results of Emission Bandwidth</b>                |           |
| <b>Appendix C. Test Results of Maximum Conducted Output Power</b>    |           |
| <b>Appendix D. Test Results of Peak Power Spectral Density</b>       |           |
| <b>Appendix E. Test Results of Unwanted Emissions</b>                |           |
| <b>Appendix F. Test Results of Radiated Emission Co-location</b>     |           |
| <b>Appendix G. Test Photos</b>                                       |           |
| <b>Photographs of EUT v01</b>                                        |           |



## History of this test report

TEL : 886-3-656-9065  
FAX : 886-3-656-9085  
Report Template No.: CB-A12\_1 Ver1.2

Page Number : 3 of 37  
Issued Date : Feb. 26, 2021  
Report Version : 01



## Summary of Test Result

| Report Clause | Ref Std. Clause | Test Items                        | Result (PASS/FAIL) | Remark |
|---------------|-----------------|-----------------------------------|--------------------|--------|
| 1.1.2         | 15.203          | Antenna Requirement               | PASS               | -      |
| 3.1           | 15.207          | AC Power-line Conducted Emissions | PASS               | -      |
| 3.2           | 15.407(a)       | Emission Bandwidth                | PASS               | -      |
| 3.3           | 15.407(a)       | Maximum Conducted Output Power    | PASS               | -      |
| 3.4           | 15.407(a)       | Peak Power Spectral Density       | PASS               | -      |
| 3.5           | 15.407(b)       | Unwanted Emissions                | PASS               | -      |

**Declaration of Conformity:**

The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

**Comments and Explanations:**

The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.

**Reviewed by: Sam Chen**

**Report Producer: Vicky Huang**



# 1 General Description

## 1.1 Information

### 1.1.1 RF General Information

| Frequency Range (MHz) | IEEE Std. 802.11        | Ch. Frequency (MHz) | Channel Number |
|-----------------------|-------------------------|---------------------|----------------|
| 5150-5250             | a, n (HT20), ac (VHT20) | 5180-5240           | 36-48 [4]      |
| 5250-5350             |                         | 5260-5320           | 52-64 [4]      |
| 5470-5725             |                         | 5500-5700           | 100-140 [11]   |
| 5725-5850             |                         | 5745-5825           | 149-165 [5]    |
| 5150-5250             | n (HT40), ac (VHT40)    | 5190-5230           | 38-46 [2]      |
| 5250-5350             |                         | 5270-5310           | 54-62 [2]      |
| 5470-5725             |                         | 5510-5670           | 102-134 [5]    |
| 5725-5850             |                         | 5755-5795           | 151-159 [2]    |
| 5150-5250             | ac (VHT80)              | 5210                | 42 [1]         |
| 5250-5350             |                         | 5290                | 58 [1]         |
| 5470-5725             |                         | 5530-5610           | 106-122 [2]    |
| 5725-5850             |                         | 5775                | 155 [1]        |

| Band         | Mode              | BWch (MHz) | Nant |
|--------------|-------------------|------------|------|
| 5.15-5.25GHz | 802.11a           | 20         | 2TX  |
| 5.15-5.25GHz | 802.11a-BF        | 20         | 2TX  |
| 5.15-5.25GHz | 802.11n HT20      | 20         | 2TX  |
| 5.15-5.25GHz | 802.11n HT20-BF   | 20         | 2TX  |
| 5.15-5.25GHz | 802.11ac VHT20    | 20         | 2TX  |
| 5.15-5.25GHz | 802.11ac VHT20-BF | 20         | 2TX  |
| 5.15-5.25GHz | 802.11n HT40      | 40         | 2TX  |
| 5.15-5.25GHz | 802.11n HT40-BF   | 40         | 2TX  |
| 5.15-5.25GHz | 802.11ac VHT40    | 40         | 2TX  |
| 5.15-5.25GHz | 802.11ac VHT40-BF | 40         | 2TX  |
| 5.15-5.25GHz | 802.11ac VHT80    | 80         | 2TX  |
| 5.15-5.25GHz | 802.11ac VHT80-BF | 80         | 2TX  |
| 5.25-5.35GHz | 802.11a           | 20         | 2TX  |
| 5.25-5.35GHz | 802.11a-BF        | 20         | 2TX  |
| 5.25-5.35GHz | 802.11n HT20      | 20         | 2TX  |
| 5.25-5.35GHz | 802.11n HT20-BF   | 20         | 2TX  |



|               |                   |    |     |
|---------------|-------------------|----|-----|
| 5.25-5.35GHz  | 802.11ac VHT20    | 20 | 2TX |
| 5.25-5.35GHz  | 802.11ac VHT20-BF | 20 | 2TX |
| 5.25-5.35GHz  | 802.11n HT40      | 40 | 2TX |
| 5.25-5.35GHz  | 802.11n HT40-BF   | 40 | 2TX |
| 5.25-5.35GHz  | 802.11ac VHT40    | 40 | 2TX |
| 5.25-5.35GHz  | 802.11ac VHT40-BF | 40 | 2TX |
| 5.25-5.35GHz  | 802.11ac VHT80    | 80 | 2TX |
| 5.25-5.35GHz  | 802.11ac VHT80-BF | 80 | 2TX |
| 5.47-5.725GHz | 802.11a           | 20 | 2TX |
| 5.47-5.725GHz | 802.11a-BF        | 20 | 2TX |
| 5.47-5.725GHz | 802.11n HT20      | 20 | 2TX |
| 5.47-5.725GHz | 802.11n HT20-BF   | 20 | 2TX |
| 5.47-5.725GHz | 802.11ac VHT20    | 20 | 2TX |
| 5.47-5.725GHz | 802.11ac VHT20-BF | 20 | 2TX |
| 5.47-5.725GHz | 802.11n HT40      | 40 | 2TX |
| 5.47-5.725GHz | 802.11n HT40-BF   | 40 | 2TX |
| 5.47-5.725GHz | 802.11ac VHT40    | 40 | 2TX |
| 5.47-5.725GHz | 802.11ac VHT40-BF | 40 | 2TX |
| 5.47-5.725GHz | 802.11ac VHT80    | 80 | 2TX |
| 5.47-5.725GHz | 802.11ac VHT80-BF | 80 | 2TX |
| 5.725-5.85GHz | 802.11a           | 20 | 2TX |
| 5.725-5.85GHz | 802.11a-BF        | 20 | 2TX |
| 5.725-5.85GHz | 802.11n HT20      | 20 | 2TX |
| 5.725-5.85GHz | 802.11n HT20-BF   | 20 | 2TX |
| 5.725-5.85GHz | 802.11ac VHT20    | 20 | 2TX |
| 5.725-5.85GHz | 802.11ac VHT20-BF | 20 | 2TX |
| 5.725-5.85GHz | 802.11n HT40      | 40 | 2TX |
| 5.725-5.85GHz | 802.11n HT40-BF   | 40 | 2TX |
| 5.725-5.85GHz | 802.11ac VHT40    | 40 | 2TX |
| 5.725-5.85GHz | 802.11ac VHT40-BF | 40 | 2TX |
| 5.725-5.85GHz | 802.11ac VHT80    | 80 | 2TX |
| 5.725-5.85GHz | 802.11ac VHT80-BF | 80 | 2TX |

**Note:**

- ♦ 11a, HT20 and HT40 use a combination of OFDM-BPSK, QPSK, 16QAM, 64QAM modulation.
- ♦ VHT20, VHT40 and VHT80 use a combination of OFDM-BPSK, QPSK, 16QAM, 64QAM, 256QAM modulation.
- ♦ BWch is the nominal channel bandwidth.

### 1.1.2 Antenna Information

For WLAN 2.4GHz / WLAN 5GHz / Bluetooth / Zigbee function:

| Ant. | Port            |                 | Brand   | Model Name | Type | Connector | Gain (dBi)   |              |              |
|------|-----------------|-----------------|---------|------------|------|-----------|--------------|--------------|--------------|
|      | WLAN 2.4GHz     | WLAN 5GHz B1,B2 |         |            |      |           | WLAN 2.4GHz  | WLAN 5GHz B1 | WLAN 5GHz B2 |
| 1    | 1               | 1               | Airgain | N2420DSRP  | PCB  | I-PEX     | 1.7          | 3.5          | 3.4          |
| 2    | 2               | 2               | Airgain | N2420DSRL  | PCB  | I-PEX     | 2.0          | 3.6          | 3.7          |
| Ant. | Port            |                 | Brand   | Model Name | Type | Connector | Gain (dBi)   |              |              |
|      | WLAN 5GHz B3,B4 | Zigbee          |         |            |      |           | WLAN 5GHz B3 | WLAN 5GHz B4 | Zigbee       |
| 3    | 1               | 1               | Airgain | N2420DSRK  | PCB  | I-PEX     | 4.1          | 4.1          | 1.8          |
| Ant. | Port            |                 | Brand   | Model Name | Type | Connector | Gain (dBi)   |              |              |
|      | WLAN 5GHz B3,B4 | BT              |         |            |      |           | WLAN 5GHz B3 | WLAN 5GHz B4 | BT           |
| 4    | 2               | 1               | Airgain | N2420DSRK  | PCB  | I-PEX     | 4.7          | 3.9          | 1.5          |

Note1: B1 means band 1, B2 means band 2, B3 means band 3, B4 means band 4 and BT means Bluetooth.

Note2: The above information was declared by manufacturer.

Note3: For WLAN 2.4GHz function (2TX/2RX):

The WLAN 2.4GHz supports the b, g, n, VHT.

Port 1 and Port 2 could transmit/receive simultaneously.

Note4: For WLAN 5GHz Band 1, Band 2 function (2TX/2RX):

The WLAN 5GHz Band 1, Band 2 supports the a, n, ac.

Port 1 and Port 2 could transmit/receive simultaneously.

Note5: For WLAN 5GHz Band 3, Band 4 function (2TX/2RX):

The WLAN 5GHz Band 3, Band 4 supports the a, n, ac.

Port 1 and Port 2 could transmit/receive simultaneously.

Note6: For Zigbee function (1TX/1RX):

Only Port 1 can be used as transmitting/receiving.

Note7: For Bluetooth function (1TX/1RX):

Only Port 1 can be used as transmitting/receiving.



## 1.1.3 Mode Test Duty Cycle

| Mode              | DC    | DCF(dB) | T(s)   | VBW(Hz) $\geq 1/T$ |
|-------------------|-------|---------|--------|--------------------|
| 802.11a-BF        | 0.903 | 0.44    | 2.085m | 1k                 |
| 802.11ac VHT20-BF | 0.873 | 0.59    | 1.759m | 1k                 |
| 802.11ac VHT40-BF | 0.873 | 0.59    | 1.694m | 1k                 |
| 802.11ac VHT80-BF | 0.88  | 0.56    | 1.95m  | 1k                 |

Note:

- ♦ DC is Duty Cycle.
- ♦ DCF is Duty Cycle Factor.

## 1.1.4 EUT Operational Condition

|                       |                                                                                               |                   |                                     |                      |
|-----------------------|-----------------------------------------------------------------------------------------------|-------------------|-------------------------------------|----------------------|
| EUT Power Type        | From power adapter                                                                            |                   |                                     |                      |
| Beamforming Function  | <input checked="" type="checkbox"/>                                                           | With beamforming  | <input type="checkbox"/>            | Without beamforming  |
|                       | The product has beamforming function for g/n/VHT in 2.4GHz and a/n/ac in 5GHz.                |                   |                                     |                      |
| Weather Band          | <input checked="" type="checkbox"/>                                                           | With 5600~5650MHz | <input type="checkbox"/>            | Without 5600~5650MHz |
| Function              | <input type="checkbox"/>                                                                      | Outdoor P2M       | <input checked="" type="checkbox"/> | Indoor P2M           |
|                       | <input type="checkbox"/>                                                                      | Fixed P2P         | <input type="checkbox"/>            | Client               |
| TPC Function          | <input checked="" type="checkbox"/>                                                           | With TPC          | <input type="checkbox"/>            | Without TPC          |
| Test Software Version | For Non-beamforming mode: QSPR(Version 5.0-00188)<br>For beamforming mode: DOS [ver 6.1.7601] |                   |                                     |                      |

Note: The above information was declared by manufacturer.

## 1.1.5 Table for WWAN Module Information

The EUT was installed certified WWAN module, the WWAN module information and its correspond model name as below table:

| WWAN Module | Brand Name | Model Name | FCC ID  | Bands                                                                                                                                                                                                                    |
|-------------|------------|------------|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1           | Sierra     | EM9190     | N7NEM91 | 4G Band (LTE):<br>2,4,5,7,12,13,14,17,25,26,30,38,41,42,48,66,71<br>5G Band (NR):<br>n2,n5,n41,n66,n71                                                                                                                   |
| 2           | Sierra     | EM9191     | N7NEM91 | 5G Band (EN-DC):<br>EN-DC_5A_n2A,EN-DC_12A_n2A,EN-DC_2A_n5A,EN-DC_7A_n5A,EN-DC_30A_n5A,EN-DC_66A_n5A,EN-DC_2A_n41A,EN-DC_66A_n41A,EN-DC_5A_n66A,EN-DC_12A_n66A,EN-DC_13A_n66A,EN-DC_2A_n71A,EN-DC_7A_n71A,EN-DC_66A_n71A |

Note: The above information was declared by manufacturer.

**1.1.6 Table for EUT Supports Functions**

| Function | Support Type |
|----------|--------------|
| AP       | Master       |
| Mesh     | Master       |

Note: After evaluating, the "AP Mode" have been selected to test and recorded in the test report.



## 1.2 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ 47 CFR FCC Part 15
- ♦ ANSI C63.10-2013
- ♦ FCC KDB 789033 D02 v02r01

The following reference test guidance is not within the scope of accreditation of TAF.

- ♦ FCC KDB 662911 D01 v02r01
- ♦ FCC KDB 412172 D01 v01r01
- ♦ FCC KDB 414788 D01 v01r01

## 1.3 Testing Location Information

| Testing Location                    |        |                                                                                  |                      |                      |
|-------------------------------------|--------|----------------------------------------------------------------------------------|----------------------|----------------------|
| <input type="checkbox"/>            | HWA YA | ADD : No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City, Taiwan (R.O.C.)        | TEL : 886-3-327-3456 | FAX : 886-3-327-0973 |
| <input checked="" type="checkbox"/> | JHUBEI | ADD : No.8, Ln. 724, Bo'ai St., Zhubei City, Hsinchu County 302, Taiwan (R.O.C.) | TEL : 886-3-656-9065 | FAX : 886-3-656-9085 |

| Test Condition                        | Test Site No. | Test Engineer | Test Environment<br>(°C / %) | Test Date                       |
|---------------------------------------|---------------|---------------|------------------------------|---------------------------------|
| RF Conducted                          | TH01-CB       | Serway Li     | 21.2-23.2°C / 54-57          | Jan. 27, 2021~<br>Feb. 04, 2021 |
| Radiated<br>(Co-Location)             | 03CH05-CB     | Kevin Huang   | 22.6-23.6 / 54-57            | Feb. 03, 2021                   |
| Radiated<br>(Below 1GHz)              | 03CH03-CB     | Kevin Huang   | 21.5-22.9 / 55-57            | Feb. 06, 2021                   |
| Radiated<br>(Above 1GHz-5G Band 1,2)  | 03CH02-CB     | Kevin Huang   | 21.5-22.5 / 54-57            | Jan. 14, 2021~<br>Feb. 03, 2021 |
| Radiated<br>(Above 1GHz-5G Band 3, 4) | 03CH01-CB     | Kevin Huang   | 20.4-21.4 / 55-57            | Jan. 14, 2021~<br>Feb. 03, 2021 |
| AC Conduction                         | CO01-CB       | Ryo Fan       | 18~19 / 61~62                | Jan. 21, 2021~<br>Feb. 18, 2021 |

Test site Designation No. TW0006 with FCC

Test site registered number IC 4086D with Industry Canada.



## 1.4 Measurement Uncertainty

ISO/IEC 17025 requires that an estimate of the measurement uncertainties associated with the emissions test results be included in the report. The measurement uncertainties given below are based on a 95% confidence level (based on a coverage factor (k=2))

| Test Items                           | Uncertainty | Remark                   |
|--------------------------------------|-------------|--------------------------|
| Conducted Emission (150kHz ~ 30MHz)  | 2.0 dB      | Confidence levels of 95% |
| Radiated Emission (9kHz ~ 30MHz)     | 3.8 dB      | Confidence levels of 95% |
| Radiated Emission (30MHz ~ 1,000MHz) | 5.6 dB      | Confidence levels of 95% |
| Radiated Emission (1GHz ~ 18GHz)     | 5.0 dB      | Confidence levels of 95% |
| Radiated Emission (18GHz ~ 40GHz)    | 4.9 dB      | Confidence levels of 95% |
| Conducted Emission                   | 2.8 dB      | Confidence levels of 95% |
| Output Power Measurement             | 1.4 dB      | Confidence levels of 95% |
| Power Density Measurement            | 2.8 dB      | Confidence levels of 95% |
| Bandwidth Measurement                | 0.4%        | Confidence levels of 95% |



## 2 Test Configuration of EUT

### 2.1 Test Channel Mode

| Mode                              | Power Setting |
|-----------------------------------|---------------|
| 802.11a-BF_Nss1,(6Mbps)_2TX       | -             |
| 5180MHz                           | 21.5          |
| 5200MHz                           | 26            |
| 5240MHz                           | 23.5          |
| 5260MHz                           | 20            |
| 5300MHz                           | 19            |
| 5320MHz                           | 19.5          |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | -             |
| 5180MHz                           | 21.5          |
| 5200MHz                           | 26            |
| 5240MHz                           | 23            |
| 5260MHz                           | 20            |
| 5300MHz                           | 19.5          |
| 5320MHz                           | 19.5          |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | -             |
| 5190MHz                           | 19            |
| 5230MHz                           | 24            |
| 5270MHz                           | 24            |
| 5310MHz                           | 18            |
| 802.11ac VHT80-BF_Nss1,(MCS0)_2TX | -             |
| 5210MHz                           | 19            |
| 5290MHz                           | 17            |
| 802.11a-BF_Nss1,(6Mbps)_2TX       | -             |
| 5500MHz                           | 18.5          |
| 5580MHz                           | 18.5          |
| 5700MHz                           | 18.5          |
| 5745MHz                           | 25.5          |
| 5785MHz                           | 25.5          |
| 5825MHz                           | 25.5          |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | -             |
| 5500MHz                           | 19            |
| 5580MHz                           | 19            |
| 5700MHz                           | 19            |
| 5745MHz                           | 25.5          |
| 5785MHz                           | 25.5          |
| 5825MHz                           | 25.5          |



| Mode                              | Power Setting |
|-----------------------------------|---------------|
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | -             |
| 5510MHz                           | 18            |
| 5550MHz                           | 18            |
| 5670MHz                           | 18            |
| 5755MHz                           | 24.5          |
| 5795MHz                           | 24.5          |
| 802.11ac VHT80-BF_Nss1,(MCS0)_2TX | -             |
| 5530MHz                           | 17.5          |
| 5610MHz                           | 18.5          |
| 5775MHz                           | 22.5          |

**Note:**

- ♦ VHT20/VHT40 covers HT20/HT40, due to same modulation. The power setting for 802.11n HT20 and HT40 are the same or lower than 802.11ac VHT20 and VHT40.
- ♦ There are two modes of EUT, one is beamforming mode, and the other is non-beamforming mode for g/n/VHT in 2.4GHz and a/n/ac in 5GHz, after evaluating, beamforming mode has been evaluated to be the worst case, so it was selected to test and record in this test report.

## 2.2 The Worst Case Measurement Configuration

| The Worst Case Mode for Following Conformance Tests                                                                           |                                                                             |
|-------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| <b>Tests Item</b>                                                                                                             | AC power-line conducted emissions                                           |
| <b>Condition</b>                                                                                                              | AC power-line conducted measurement for line and neutral                    |
| <b>Operating Mode</b>                                                                                                         | Normal Link                                                                 |
| 1                                                                                                                             | Normal link-EUT with WWAN module 1-LTE link Band 2 + Adapter with US cable  |
| 2                                                                                                                             | Normal link-EUT with WWAN module 1-5G EN-DC_2A_n41A + Adapter with US cable |
| Mode 1 has been evaluated to be the worst case between Mode 1~2, thus measurement for Mode 3 will follow this same test mode. |                                                                             |
| 3                                                                                                                             | Normal link-EUT with WWAN module 2-LTE link Band 2 + Adapter with US cable  |
| For operating mode 1 is the worst case and it was record in this test report.                                                 |                                                                             |

| The Worst Case Mode for Following Conformance Tests |                                                                                     |
|-----------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>Tests Item</b>                                   | Emission Bandwidth<br>Maximum Conducted Output Power<br>Peak Power Spectral Density |
| <b>Test Condition</b>                               | Conducted measurement at transmit chains                                            |

| The Worst Case Mode for Following Conformance Tests                           |                                                                                                                                                                                                                                                     |
|-------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Tests Item</b>                                                             | Unwanted Emissions                                                                                                                                                                                                                                  |
| <b>Test Condition</b>                                                         | Radiated measurement<br>If EUT consist of multiple antenna assembly (multiple antenna are used in EUT regardless of spatial multiplexing MIMO configuration), the radiated test should be performed with highest antenna gain of each antenna type. |
| <b>Operating Mode &lt; 1GHz</b>                                               | CTX                                                                                                                                                                                                                                                 |
| 1                                                                             | WLAN 2.4GHz + Adapter with US cable                                                                                                                                                                                                                 |
| 2                                                                             | WLAN 5GHz Band 1, 2 + Adapter with US cable                                                                                                                                                                                                         |
| 3                                                                             | WLAN 5GHz Band 3, 4 + Adapter with US cable                                                                                                                                                                                                         |
| 4                                                                             | Bluetooth + Adapter with US cable                                                                                                                                                                                                                   |
| 5                                                                             | Zigbee + Adapter with US cable                                                                                                                                                                                                                      |
| For operating mode 3 is the worst case and it was record in this test report. |                                                                                                                                                                                                                                                     |
| <b>Operating Mode &gt; 1GHz</b>                                               | CTX                                                                                                                                                                                                                                                 |



| The Worst Case Mode for Following Conformance Tests                                                                                                                                                                                                                                  |                                                                              |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| Tests Item                                                                                                                                                                                                                                                                           | Simultaneous Transmission Analysis - Radiated Emission Co-location           |
| Test Condition                                                                                                                                                                                                                                                                       | Radiated measurement                                                         |
| Operating Mode                                                                                                                                                                                                                                                                       | Normal Link                                                                  |
| The Operating Mode of Radiated Emission Co-location as below:<br>1. WLAN 2.4GHz + WLAN 5GHz Band 1, 2<br>2. WLAN 5GHz Band 3, 4 + Bluetooth + Zigbee<br>After evaluating, the full function generated the worst case, thus the measurement will follow this same test configuration. |                                                                              |
| 1                                                                                                                                                                                                                                                                                    | WLAN 2.4GHz + WLAN 5GHz Band 1, 2 + WLAN 5GHz Band 3, 4 + Bluetooth + Zigbee |
| Refer to Appendix F for Radiated Emission Co-location.                                                                                                                                                                                                                               |                                                                              |

| The Worst Case Mode for Following Conformance Tests                                   |                                                                                       |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Tests Item                                                                            | Simultaneous Transmission Analysis - Co-location RF Exposure Evaluation               |
| Operating Mode                                                                        |                                                                                       |
| 1                                                                                     | WLAN 2.4GHz + WLAN 5GHz Band 1, 2 + WLAN 5GHz Band 3, 4 + Bluetooth + Zigbee + 4G LTE |
| 2                                                                                     | WLAN 2.4GHz + WLAN 5GHz Band 1, 2 + WLAN 5GHz Band 3, 4 + Bluetooth + Zigbee + 5G NR  |
| Refer to Sporton Test Report No.: FA031609-03 for Co-location RF Exposure Evaluation. |                                                                                       |

Note: The EUT can only be used Z axis.

## 2.3 EUT Operation during Test

For CTX Mode:

non-beamforming mode:

The EUT was programmed to be in continuously transmitting mode.

beamforming mode:

For Conducted Mode:

The EUT was programmed to be in continuously transmitting mode.

For Radiated Mode:

During the test, the following programs under WIN 10 were executed.

The program was executed as follows:

1. During the test, the EUT operation to normal function.
2. Executed command fixed test channel under DOS.
3. Executed "Lantest.exe" to link with the remote workstation to transmit and receive packet by Wireless AP and transmit duty cycle no less than 98%.

For Normal Link:

During the test, the EUT operation to normal function.



## 2.4 Accessories

| Accessories                            |            |              |                                                                                                         |                       |
|----------------------------------------|------------|--------------|---------------------------------------------------------------------------------------------------------|-----------------------|
| Equipment Name                         | Brand Name | Model Name   | Rating                                                                                                  | DC Power cable length |
| Adapter                                | FSP        | FSP100-A1AR3 | INPUT: 100-240V~50-60Hz, 1.4A<br>OUTPUT: 5V, 3A / 9V, 3A<br>12V, 3A / 15V, 3A<br>20V, 5.0A<br>100W MAX. | Non-Shielded 1.6m     |
| Others                                 |            |              |                                                                                                         |                       |
| HDMI cable*1: Shielded, 1.5m           |            |              |                                                                                                         |                       |
| USB-C to USB-A cable*1: Shielded, 0.1m |            |              |                                                                                                         |                       |
| Power cable*1: Non-shielded, 1m        |            |              |                                                                                                         |                       |

## 2.5 Support Equipment

For AC Conduction:

| Support Equipment |                        |              |              |              |
|-------------------|------------------------|--------------|--------------|--------------|
| No.               | Equipment              | Brand Name   | Model Name   | FCC ID       |
| A                 | TV                     | ASUS         | VP28U        | N/A          |
| B                 | Micro SD Card          | Transcend    | TS16GUSDHC10 | N/A          |
| C                 | SIM Card               | N/A          | N/A          | N/A          |
| D                 | LAN NB                 | DELL         | E6430        | N/A          |
| E                 | WAN NB                 | DELL         | E6430        | N/A          |
| F                 | 2.4G NB                | DELL         | E6430        | N/A          |
| G                 | 5G-1 NB                | DELL         | E6430        | N/A          |
| H                 | 5G-2 NB                | DELL         | E6430        | N/A          |
| I                 | Bluetooth Speaker      | MARUS        | MSK06C-RD    | N/A          |
| J                 | Zigbee Device          | N/A          | N/A          | N/A          |
| K                 | LTE+5G NR Base station | Anritsu      | MT8821C      | N/A          |
| L                 | Air Mouse              | HENGCHUANGYU | HCY-57B      | 2AOBUHCY-57B |

For Radiated (below 1GHz):

| Support Equipment |           |            |            |        |
|-------------------|-----------|------------|------------|--------|
| No.               | Equipment | Brand Name | Model Name | FCC ID |
| H                 | NB        | DELL       | E4300      | N/A    |

**For Radiated (above 1GHz):**

For non-beamforming mode:

| Support Equipment |           |            |            |        |
|-------------------|-----------|------------|------------|--------|
| No.               | Equipment | Brand Name | Model Name | FCC ID |
| H                 | NB        | DELL       | E4300      | N/A    |


For beamforming mode:


| Support Equipment |           |            |            |        |
|-------------------|-----------|------------|------------|--------|
| No.               | Equipment | Brand Name | Model Name | FCC ID |
| F                 | Client    | LINKSYS    | EA8300     | N/A    |
| G                 | NB        | DELL       | E4300      | N/A    |
| H                 | NB        | DELL       | E4300      | N/A    |

**For RF Conducted:**

| Support Equipment |           |            |            |        |
|-------------------|-----------|------------|------------|--------|
| No.               | Equipment | Brand Name | Model Name | FCC ID |
| A                 | NB        | DELL       | E4300      | N/A    |

## 2.6 Test Setup Diagram




**Test Setup Diagram - Radiated Test < 1GHz**


| Item | Connection  | Shielded | Length |
|------|-------------|----------|--------|
| 1    | Power cable | No       | 2.6m   |
| 2    | RJ-45 cable | No       | 10m    |

For non-beamforming mode:


**Test Setup Diagram - Radiated Test > 1GHz**



| Item | Connection  | Shielded | Length |
|------|-------------|----------|--------|
| 1    | Power cable | No       | 2.6m   |
| 2    | RJ-45 cable | No       | 10m    |

For beamforming mode:

**Test Setup Diagram - Radiated Test > 1GHz**



| Item | Connection  | Shielded | Length |
|------|-------------|----------|--------|
| 1    | Power cable | No       | 2.6m   |
| 2    | RJ-45 cable | No       | 10m    |
| 3    | RJ-45 cable | No       | 1.5m   |



### 3 Transmitter Test Result

#### 3.1 AC Power-line Conducted Emissions

##### 3.1.1 AC Power-line Conducted Emissions Limit

| AC Power-line Conducted Emissions Limit                  |            |           |
|----------------------------------------------------------|------------|-----------|
| Frequency Emission (MHz)                                 | Quasi-Peak | Average   |
| 0.15-0.5                                                 | 66 - 56 *  | 56 - 46 * |
| 0.5-5                                                    | 56         | 46        |
| 5-30                                                     | 60         | 50        |
| Note 1: * Decreases with the logarithm of the frequency. |            |           |


##### 3.1.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

##### 3.1.3 Test Procedures

| Test Method                                                                                                      |
|------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> Refer as ANSI C63.10-2013, clause 6.2 for AC power-line conducted emissions. |

### 3.1.4 Test Setup



### 3.1.5 Measurement Results Calculation

The measured Level is calculated using:

- Corrected Reading: LISN Factor (LISN) + Attenuator (AT/AUX) + Cable Loss (CL) + Read Level (Raw) = Level
- Margin = -Limit + Level

### 3.1.6 Test Result of AC Power-line Conducted Emissions

Refer as Appendix A

## 3.2 Emission Bandwidth

### 3.2.1 Emission Bandwidth Limit

| Emission Bandwidth Limit            |                                                                                                                                                                                           |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>UNII Devices</b>                 |                                                                                                                                                                                           |
| <input checked="" type="checkbox"/> | For the 5.15-5.25 GHz band, N/A                                                                                                                                                           |
| <input checked="" type="checkbox"/> | For the 5.25-5.35 GHz band, the maximum conducted output power shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10 \log B$ , where B is the 26 dB emission bandwidth in MHz.    |
| <input checked="" type="checkbox"/> | For the 5.47-5.725 GHz band, the maximum conducted output power shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10 \log B$ , where B is the 26 dB emission bandwidth in MHz.   |
| <input checked="" type="checkbox"/> | For the 5.725-5.85 GHz band, 6 dB emission bandwidth $\geq 500\text{kHz}$ .                                                                                                               |
| <b>LE-LAN Devices</b>               |                                                                                                                                                                                           |
| <input type="checkbox"/>            | For the band 5.15-5.25 GHz, the maximum e.i.r.p. shall not exceed 200 mW or $10 + 10 \log B$ , dBm, whichever power is less. B is the 99% emission bandwidth in MHz.                      |
| <input type="checkbox"/>            | For the 5.25-5.35 GHz band, the maximum e.i.r.p. shall not exceed 1.0 W or $17 + 10 \log B$ , dBm, whichever power is less. B is the 99% emission bandwidth in MHz                        |
| <input type="checkbox"/>            | For the 5.47-5.6 GHz band and 5.65-5.725 GHz band, the maximum e.i.r.p. shall not exceed 1.0 W or $17 + 10 \log B$ , dBm, whichever power is less. B is the 99% emission bandwidth in MHz |
| <input type="checkbox"/>            | For the 5.725-5.85 GHz band, 6 dB emission bandwidth $\geq 500\text{kHz}$ .                                                                                                               |


### 3.2.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

### 3.2.3 Test Procedures

| Test Method                                                                                                                    |                                                                             |
|--------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>For the emission bandwidth shall be measured using one of the options below:</li> </ul> |                                                                             |
| <input checked="" type="checkbox"/>                                                                                            | Refer as FCC KDB 789033, clause C for EBW and clause D for OBW measurement. |
| <input type="checkbox"/>                                                                                                       | Refer as ANSI C63.10, clause 6.9.1 for occupied bandwidth testing.          |
| <input type="checkbox"/>                                                                                                       | Refer as IC RSS-Gen, clause 4.6 for bandwidth testing.                      |

### 3.2.4 Test Setup



### 3.2.5 Test Result of Emission Bandwidth

Refer as Appendix B

### 3.3 Maximum Conducted Output Power

#### 3.3.1 Maximum Conducted Output Power Limit

| Maximum Conducted Output Power Limit                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>UNII Devices</b>                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <input checked="" type="checkbox"/> For the 5.15-5.25 GHz band:                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                                                                                                                                                                                                                                                                                         | <ul style="list-style-type: none"> <li>Outdoor AP: the maximum conducted output power (<math>P_{Out}</math>) shall not exceed the lesser of 1 W. If <math>G_{TX} &gt; 6</math> dBi, then <math>P_{Out} = 30 - (G_{TX} - 6)</math>. e.i.r.p. at any elevation angle above 30 degrees <math>\leq 125</math>mW [21dBm]</li> <li>Indoor AP: the maximum conducted output power (<math>P_{Out}</math>) shall not exceed the lesser of 1 W. If <math>G_{TX} &gt; 6</math> dBi, then <math>P_{Out} = 30 - (G_{TX} - 6)</math></li> <li>Point-to-point AP: the maximum conducted output power (<math>P_{Out}</math>) shall not exceed the lesser of 1 W. If <math>G_{TX} &gt; 23</math> dBi, then <math>P_{Out} = 30 - (G_{TX} - 23)</math>.</li> <li>Mobile or Portable Client: the maximum conducted output power (<math>P_{Out}</math>) shall not exceed the lesser of 250 mW. If <math>G_{TX} &gt; 6</math> dBi, then <math>P_{Out} = 24 - (G_{TX} - 6)</math>.</li> </ul> |
| <input checked="" type="checkbox"/> For the 5.25-5.35 GHz band, the maximum conducted output power ( $P_{Out}$ ) shall not exceed the lesser of 250 mW or 11 dBm + 10 log B, where B is the 26 dB emission bandwidth in MHz. If $G_{TX} > 6$ dBi, then $P_{Out} = 24 - (G_{TX} - 6)$ .  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <input checked="" type="checkbox"/> For the 5.47-5.725 GHz band, the maximum conducted output power ( $P_{Out}$ ) shall not exceed the lesser of 250 mW or 11 dBm + 10 log B, where B is the 26 dB emission bandwidth in MHz. If $G_{TX} > 6$ dBi, then $P_{Out} = 24 - (G_{TX} - 6)$ . |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <input checked="" type="checkbox"/> For the 5.725-5.85 GHz band:                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                                                                                                                                                                                                                                                                                         | <ul style="list-style-type: none"> <li>Point-to-multipoint systems (P2M): the maximum conducted output power (<math>P_{Out}</math>) shall not exceed the lesser of 1 W. If <math>G_{TX} &gt; 6</math> dBi, then <math>P_{Out} = 30 - (G_{TX} - 6)</math>.</li> <li>Point-to-point systems (P2P): the maximum conducted output power (<math>P_{Out}</math>) shall not exceed the lesser of 1 W.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>LE-LAN Devices</b>                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <input type="checkbox"/> For the 5.15-5.25 GHz band, the maximum e.i.r.p. shall not exceed 200 mW or 10 + 10 log B, dBm, whichever power is less. B is the 99% emission bandwidth in MHz.                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <input type="checkbox"/> For the 5.25-5.35 GHz band, the maximum e.i.r.p. shall not exceed 1.0 W or 17 + 10 log B, dBm, whichever power is less. B is the 99% emission bandwidth in MHz                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <input type="checkbox"/> For the 5.47-5.6 GHz band and 5.65-5.725 GHz band, the maximum e.i.r.p. shall not exceed 1.0 W or 17 + 10 log B, dBm, whichever power is less. B is the 99% emission bandwidth in MHz                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <input type="checkbox"/> For the 5.725-5.85 GHz band:                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                                                                                                                                                                                                                                                                                         | <ul style="list-style-type: none"> <li>Point-to-multipoint systems (P2M): the maximum conducted output power (<math>P_{Out}</math>) shall not exceed the lesser of 1 W. If <math>G_{TX} &gt; 6</math> dBi, then <math>P_{Out} = 30 - (G_{TX} - 6)</math>.</li> <li>Point-to-point systems (P2P): the maximum conducted output power (<math>P_{Out}</math>) shall not exceed the lesser of 1 W.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| $P_{Out}$ = maximum conducted output power in dBm,<br>$G_{TX}$ = the maximum transmitting antenna directional gain in dBi.                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |


### 3.3.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

### 3.3.3 Test Procedures

| Test Method                                                                      |                                                                                                                                                                                                                                                                                                                                                                        |
|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>Maximum Conducted Output Power</li> </ul> |                                                                                                                                                                                                                                                                                                                                                                        |
|                                                                                  | Average over on/off periods with duty factor                                                                                                                                                                                                                                                                                                                           |
| <input type="checkbox"/>                                                         | Refer as FCC KDB 789033, clause E Method SA-2 (spectral trace averaging).                                                                                                                                                                                                                                                                                              |
| <input type="checkbox"/>                                                         | Refer as FCC KDB 789033, clause E Method SA-2 Alt. (RMS detection with slow sweep speed)                                                                                                                                                                                                                                                                               |
|                                                                                  | Wideband RF power meter and average over on/off periods with duty factor                                                                                                                                                                                                                                                                                               |
| <input checked="" type="checkbox"/>                                              | Refer as FCC KDB 789033, clause E Method PM-G (using an RF average power meter).                                                                                                                                                                                                                                                                                       |
| <ul style="list-style-type: none"> <li>For conducted measurement.</li> </ul>     |                                                                                                                                                                                                                                                                                                                                                                        |
|                                                                                  | <ul style="list-style-type: none"> <li>If the EUT supports multiple transmit chains using options given below:<br/>Refer as FCC KDB 662911, In-band power measurements. Using the measure-and-sum approach, measured all transmit ports individually. Sum the power (in linear power units e.g., mW) of all ports for each individual sample and save them.</li> </ul> |
|                                                                                  | <ul style="list-style-type: none"> <li>If multiple transmit chains, EIRP calculation could be following as methods:<br/> <math display="block">P_{total} = P_1 + P_2 + \dots + P_n</math> (calculated in linear unit [mW] and transfer to log unit [dBm])<br/> <math display="block">EIRP_{total} = P_{total} + DG</math> </li> </ul>                                  |

### 3.3.4 Test Setup



### 3.3.5 Test Result of Maximum Conducted Output Power

Refer as Appendix C



### 3.4 Peak Power Spectral Density

#### 3.4.1 Peak Power Spectral Density Limit

| Peak Power Spectral Density Limit                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>UNII Devices</b>                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <input checked="" type="checkbox"/> For the 5.15-5.25 GHz band:                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                                                                                                                                                                                                                                                                                  | <ul style="list-style-type: none"><li>Outdoor AP: the peak power spectral density (PPSD) shall not exceed the lesser of 17dBm/MHz. If <math>G_{TX} &gt; 6</math> dBi, then <math>P_{Out} = 17 - (G_{TX} - 6)</math>.</li><li>Indoor AP: the peak power spectral density (PPSD) shall not exceed the lesser of 17dBm/MHz. If <math>G_{TX} &gt; 6</math> dBi, then <math>P_{Out} = 17 - (G_{TX} - 6)</math>.</li><li>Point-to-point AP: the peak power spectral density (PPSD) shall not exceed the lesser of 17dBm/MHz. If <math>G_{TX} &gt; 23</math> dBi, then <math>P_{Out} = 17 - (G_{TX} - 23)</math>.</li><li>Mobile or Portable Client: the peak power spectral density (PPSD) <math>\leq 11</math> dBm/MHz. If <math>G_{TX} &gt; 6</math> dBi, then <math>PPSD = 11 - (G_{TX} - 6)</math>.</li></ul> |
| <input checked="" type="checkbox"/> For the 5.25-5.35 GHz band, the peak power spectral density (PPSD) $\leq 11$ dBm/MHz. If $G_{TX} > 6$ dBi, then $PPSD = 11 - (G_{TX} - 6)$ .                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <input checked="" type="checkbox"/> For the 5.47-5.725 GHz band, the peak power spectral density (PPSD) $\leq 11$ dBm/MHz. If $G_{TX} > 6$ dBi, then $PPSD = 11 - (G_{TX} - 6)$ .                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <input checked="" type="checkbox"/> For the 5.725-5.85 GHz band:                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                                                                                                                                                                                                                                                                                  | <ul style="list-style-type: none"><li>Point-to-multipoint systems (P2M): the peak power spectral density (PPSD) <math>\leq 30</math> dBm/500kHz. If <math>G_{TX} &gt; 6</math> dBi, then <math>PPSD = 30 - (G_{TX} - 6)</math>.</li><li>Point-to-point systems (P2P): the peak power spectral density (PPSD) <math>\leq 30</math> dBm/500kHz.</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>LE-LAN Devices</b>                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <input type="checkbox"/> For the 5.15-5.25 GHz band, the e.i.r.p. peak power spectral density (PPSD) $\leq 10$ dBm/MHz.                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <input type="checkbox"/> For the 5.25-5.35 GHz band, the peak power spectral density (PPSD) $\leq 11$ dBm/MHz.                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                                                                                                                                                                                                                                                                                  | <ul style="list-style-type: none"><li>e.i.r.p. greater than 200 mW shall comply with the following e.i.r.p. at different elevations, where <math>\theta</math> is the angle above the local horizontal plane (of the Earth) as shown below:<br/>-13 dBW/MHz for <math>0^\circ \leq \theta &lt; 8^\circ</math>; <math>-13 - 0.716(\theta - 8)</math> dBW/MHz for <math>8^\circ \leq \theta &lt; 40^\circ</math><br/><math>-35.9 - 1.22(\theta - 40)</math> dBW/MHz for <math>40^\circ \leq \theta \leq 45^\circ</math>; -42 dBW/MHz for <math>\theta &gt; 45^\circ</math></li></ul>                                                                                                                                                                                                                          |
| <input type="checkbox"/> For the 5.47-5.6 GHz band and 5.65-5.725 GHz band, the peak power spectral density (PPSD) $\leq 11$ dBm/MHz.                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <input type="checkbox"/> For the 5.725-5.85 GHz band:                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                                                                                                                                                                                                                                                                                  | <ul style="list-style-type: none"><li>Point-to-multipoint systems (P2M): the peak power spectral density (PPSD) <math>\leq 30</math> dBm/500kHz. If <math>G_{TX} &gt; 6</math> dBi, then <math>PPSD = 30 - (G_{TX} - 6)</math>.</li><li>Point-to-point systems (P2P): the peak power spectral density (PPSD) <math>\leq 30</math> dBm/500kHz.</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>PPSD</b> = peak power spectral density that the same method as used to determine the conducted output power shall be used to determine the power spectral density. And power spectral density in dBm/MHz<br><b>G<sub>TX</sub></b> = the maximum transmitting antenna directional gain in dBi. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |


#### 3.4.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

### 3.4.3 Test Procedures

| Test Method                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>Peak power spectral density procedures that the same method as used to determine the conducted output power shall be used to determine the peak power spectral density and use the peak search function on the spectrum analyzer to find the peak of the spectrum. For the peak power spectral density shall be measured using below options:</li> </ul> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <input type="checkbox"/>                                                                                                                                                                                                                                                                                                                                                                        | Refer as FCC KDB 789033, F)5) power spectral density can be measured using resolution bandwidths < 1 MHz provided that the results are integrated over 1 MHz bandwidth<br>[duty cycle ≥ 98% or external video / power trigger]                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <input checked="" type="checkbox"/>                                                                                                                                                                                                                                                                                                                                                             | Refer as FCC KDB 789033, clause E Method SA-1 (spectral trace averaging).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <input type="checkbox"/>                                                                                                                                                                                                                                                                                                                                                                        | Refer as FCC KDB 789033, clause E Method SA-1 Alt. (RMS detection with slow sweep speed)<br>duty cycle < 98% and average over on/off periods with duty factor                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <input checked="" type="checkbox"/>                                                                                                                                                                                                                                                                                                                                                             | Refer as FCC KDB 789033, clause E Method SA-2 (spectral trace averaging).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <input type="checkbox"/>                                                                                                                                                                                                                                                                                                                                                                        | Refer as FCC KDB 789033, clause E Method SA-2 Alt. (RMS detection with slow sweep speed)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <ul style="list-style-type: none"> <li>For conducted measurement.</li> </ul>                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <ul style="list-style-type: none"> <li>If the EUT supports multiple transmit chains using options given below:</li> </ul>                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <input checked="" type="checkbox"/>                                                                                                                                                                                                                                                                                                                                                             | Option 1: Measure and sum the spectra across the outputs. Refer as FCC KDB 662911, In-band power spectral density (PSD). Sample all transmit ports simultaneously using a spectrum analyzer for each transmit port. Where the trace bin-by-bin of each transmit port summing can be performed. (i.e., in the first spectral bin of output 1 is summed with that in the first spectral bin of output 2 and that from the first spectral bin of output 3, and so on up to the NTX output to obtain the value for the first frequency bin of the summed spectrum.). Add up the amplitude (power) values for the different transmit chains and use this as the new data trace. |
| <input type="checkbox"/>                                                                                                                                                                                                                                                                                                                                                                        | Option 2: Measure and sum spectral maxima across the outputs. With this technique, spectra are measured at each output of the device at the required resolution bandwidth. The maximum value (peak) of each spectrum is determined. These maximum values are then summed mathematically in linear power units across the outputs. These operations shall be performed separately over frequency spans that have different out-of-band or spurious emission limits,                                                                                                                                                                                                         |
| <input type="checkbox"/>                                                                                                                                                                                                                                                                                                                                                                        | Option 3: Measure and add 10 log(N) dB, where N is the number of transmit chains. Refer as FCC KDB 662911, In-band power spectral density (PSD). Performed at each transmit chains and each transmit chains shall be compared with the limit have been reduced with 10 log(N). Or each transmit chains shall be add 10 log(N) to compared with the limit.                                                                                                                                                                                                                                                                                                                  |
| <input type="checkbox"/>                                                                                                                                                                                                                                                                                                                                                                        | <ul style="list-style-type: none"> <li>If multiple transmit chains, EIRP PPSD calculation could be following as methods:<br/> <math display="block">PPSD_{total} = PPSD_1 + PPSD_2 + \dots + PPSD_n</math>           (calculated in linear unit [mW] and transfer to log unit [dBm])<br/> <math display="block">EIRP_{total} = PPSD_{total} + DG</math> </li> </ul>                                                                                                                                                                                                                                                                                                        |

### 3.4.4 Test Setup



### 3.4.5 Test Result of Peak Power Spectral Density

Refer as Appendix D

### 3.5 Unwanted Emissions

#### 3.5.1 Transmitter Unwanted Emissions Limit

| Unwanted emissions below 1 GHz and restricted band emissions above 1GHz limit |                       |                         |                      |
|-------------------------------------------------------------------------------|-----------------------|-------------------------|----------------------|
| Frequency Range (MHz)                                                         | Field Strength (uV/m) | Field Strength (dBuV/m) | Measure Distance (m) |
| 0.009~0.490                                                                   | 2400/F(kHz)           | 48.5 - 13.8             | 300                  |
| 0.490~1.705                                                                   | 24000/F(kHz)          | 33.8 - 23               | 30                   |
| 1.705~30.0                                                                    | 30                    | 29                      | 30                   |
| 30~88                                                                         | 100                   | 40                      | 3                    |
| 88~216                                                                        | 150                   | 43.5                    | 3                    |
| 216~960                                                                       | 200                   | 46                      | 3                    |
| Above 960                                                                     | 500                   | 54                      | 3                    |

Note 1: Test distance for frequencies at or above 30 MHz, measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements).

Note 2: Test distance for frequencies at below 30 MHz, measurements may be performed at a distance closer than the EUT limit distance; however, an attempt should be made to avoid making measurements in the near field. When performing measurements below 30 MHz at a closer distance than the limit distance, the results shall be extrapolated to the specified distance by either making measurements at a minimum of two or more distances on at least one radial to determine the proper extrapolation factor or by using the square of an inverse linear distance extrapolation factor (40 dB/decade). The test report shall specify the extrapolation method used to determine compliance of the EUT.

Note 3: Using the distance of 1m during the test for above 18 GHz, and the test value to correct for the distance factor at 3m.

| Un-restricted band emissions above 1GHz Limit        |                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Operating Band                                       | Limit                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <input checked="" type="checkbox"/> 5.15 - 5.25 GHz  | e.i.r.p. -27 dBm [68.2 dBuV/m@3m]                                                                                                                                                                                                                                                                                                                                                                                               |
| <input checked="" type="checkbox"/> 5.25 - 5.35 GHz  | e.i.r.p. -27 dBm [68.2 dBuV/m@3m]                                                                                                                                                                                                                                                                                                                                                                                               |
| <input checked="" type="checkbox"/> 5.47 - 5.725 GHz | e.i.r.p. -27 dBm [68.2 dBuV/m@3m]                                                                                                                                                                                                                                                                                                                                                                                               |
| <input checked="" type="checkbox"/> 5.725 - 5.85 GHz | all emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge. |

Note 1: Measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of



linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements).


### 3.5.2 Measuring Instruments


Refer a test equipment and calibration data table in this test report.

### 3.5.3 Test Procedures

| Test Method                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>Measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. Measurements shall not be performed at a distance greater than 30 m for frequencies above 30 MHz, unless it can be further demonstrated that measurements at a distance of 30 m or less are impractical. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements).</li></ul> |                                                                                                                                                  |
| <ul style="list-style-type: none"><li>The average emission levels shall be measured in [duty cycle <math>\geq</math> 98 or duty factor].</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                  |
| <ul style="list-style-type: none"><li>For the transmitter unwanted emissions shall be measured using following options below:</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <ul style="list-style-type: none"><li>Refer as FCC KDB 789033, clause G)2) for unwanted emissions into non-restricted bands.</li></ul>           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <ul style="list-style-type: none"><li>Refer as FCC KDB 789033, clause G)1) for unwanted emissions into restricted bands.</li></ul>               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <input type="checkbox"/> Refer as FCC KDB 789033, G)6) Method AD (Trace Averaging).                                                              |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <input checked="" type="checkbox"/> Refer as FCC KDB 789033, G)6) Method VB (Reduced VBW).                                                       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <input type="checkbox"/> Refer as ANSI C63.10, clause 11.12.2.5.3 (Reduced VBW). VBW $\geq$ 1/T, where T is pulse time.                          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <input type="checkbox"/> Refer as ANSI C63.10, clause 7.5 average value of pulsed emissions.                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <input checked="" type="checkbox"/> Refer as FCC KDB 789033, clause G)5) measurement procedure peak limit.                                       |
| <input type="checkbox"/> Refer as ANSI C63.10, clause 4.1.4.2.2 measurement procedure peak limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                  |
| <ul style="list-style-type: none"><li>For radiated measurement.</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <ul style="list-style-type: none"><li>Refer as ANSI C63.10, clause 6.4 for radiated emissions below 30 MHz and test distance is 3m.</li></ul>    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <ul style="list-style-type: none"><li>Refer as ANSI C63.10, clause 6.5 for radiated emissions 30 MHz to 1 GHz and test distance is 3m.</li></ul> |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <ul style="list-style-type: none"><li>Refer as ANSI C63.10, clause 6.6 for radiated emissions above 1GHz.</li></ul>                              |
| <ul style="list-style-type: none"><li>The any unwanted emissions level shall not exceed the fundamental emission level.</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                  |
| <ul style="list-style-type: none"><li>All amplitude of spurious emissions that are attenuated by more than 20 dB below the permissible value has no need to be reported.</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                  |

### 3.5.4 Test Setup





### 3.5.5 Measurement Results Calculation

The measured Level is calculated using:

Corrected Reading: Antenna factor (AF) + Cable loss (CL) + Read level (Raw) - Preamp factor (PA)(if applicable) = Level.

### 3.5.6 Transmitter Unwanted Emissions (Below 30MHz)

There is a comparison data of both open-field test site and alternative test site - semi-Anechoic chamber according to KDB414788 Radiated Test Site, and the result came out very similar.

All amplitude of spurious emissions that are attenuated by more than 20 dB below the permissible value has no need to be reported.

The radiated emissions were investigated from 9 kHz or the lowest frequency generated within the device, up to the 10th harmonic or 40 GHz, whichever is appropriate.

### 3.5.7 Test Result of Transmitter Unwanted Emissions

Refer as Appendix E



## 4 Test Equipment and Calibration Data

| Instrument                         | Brand            | Model No.         | Serial No.       | Characteristics | Calibration Date | Calibration Due Date | Remark                |
|------------------------------------|------------------|-------------------|------------------|-----------------|------------------|----------------------|-----------------------|
| EMI Receiver                       | Agilent          | N9038A            | My52260123       | 9kHz ~ 8.4GHz   | Feb. 26, 2020    | Feb. 25, 2021        | Conduction (CO01-CB)  |
| LISN                               | F.C.C.           | FCC-LISN-50-16-2  | 04083            | 150kHz ~ 100MHz | Jan. 06, 2021    | Jan. 05, 2022        | Conduction (CO01-CB)  |
| LISN                               | Schwarzbeck      | NSLK 8127         | 8127647          | 9kHz ~ 30MHz    | Feb. 25, 2020    | Feb. 24, 2021        | Conduction (CO01-CB)  |
| Pulse Limiter                      | Rohde& Schwarz   | ESH3-Z2           | 100430           | 9kHz ~ 30MHz    | Jan. 31, 2020    | Jan. 30, 2021        | Conduction (CO01-CB)  |
| Pulse Limiter                      | Rohde& Schwarz   | ESH3-Z2           | 100430           | 9kHz ~ 30MHz    | Jan. 30, 2021    | Jan. 29, 2022        | Conduction (CO01-CB)  |
| COND Cable                         | Woken            | Cable             | Low cable-CO01   | 9kHz ~ 30MHz    | May 20, 2020     | May 19, 2021         | Conduction (CO01-CB)  |
| Software                           | SPORTON          | SENSE             | V5.10            | -               | N.C.R.           | N.C.R.               | Conduction (CO01-CB)  |
| 3m Semi Anechoic Chamber NSA       | TDK              | SAC-3M            | 03CH03-CB        | 30 MHz ~ 1 GHz  | Jan. 27, 2021    | Jan. 26, 2022        | Radiation (03CH03-CB) |
| Bilog Antenna with 6 dB attenuator | Schaffner & EMCI | CBL6112B & N-6-06 | 2928 & AT-N0608  | 20MHz ~ 2GHz    | Feb. 28, 2020    | Feb. 27, 2021        | Radiation (03CH03-CB) |
| Pre-Amplifier                      | Agilent          | 8447D             | 2944A10259       | 9kHz ~ 1.3GHz   | Jan. 11, 2021    | Jan. 10, 2022        | Radiation (03CH03-CB) |
| Spectrum Analyzer                  | R&S              | FSP40             | 100019           | 9kHz ~ 40GHz    | Jun. 09, 2020    | Jun. 08, 2021        | Radiation (03CH03-CB) |
| EMI Test Receiver                  | R&S              | ESCS              | 826547/017       | 9kHz ~ 2.75GHz  | May 13, 2020     | May 12, 2021         | Radiation (03CH03-CB) |
| RF Cable-low                       | Woken            | RG402             | Low Cable-02+29  | 30MHz ~ 1GHz    | Oct. 05, 2020    | Oct. 04, 2021        | Radiation (03CH03-CB) |
| Loop Antenna                       | Teseq            | HLA 6120          | 24155            | 9kHz - 30 MHz   | Apr. 13, 2020    | Apr. 12, 2021        | Radiation (03CH03-CB) |
| Test Software                      | SPORTON          | SENSE             | V5.10            | -               | N.C.R.           | N.C.R.               | Radiation (03CH03-CB) |
| 3m Semi Anechoic Chamber VSWR      | TDK              | SAC-3M            | 03CH05-CB        | 1GHz ~18GHz 3m  | Nov. 08, 2020    | Nov. 07, 2021        | Radiation (03CH05-CB) |
| Horn Antenna                       | SCHWARZBECK      | BBHA9120D         | BBHA 9120 D-1291 | 1GHz~18GHz      | Sep. 05, 2020    | Sep. 04, 2021        | Radiation (03CH05-CB) |



| Instrument                    | Brand        | Model No.         | Serial No.       | Characteristics   | Calibration Date | Calibration Due Date | Remark                |
|-------------------------------|--------------|-------------------|------------------|-------------------|------------------|----------------------|-----------------------|
| Horn Antenna                  | Schwarzbeck  | BBHA 9170         | BBHA9170252      | 15GHz ~ 40GHz     | Jul. 21, 2020    | Jul. 20, 2021        | Radiation (03CH05-CB) |
| Pre-Amplifier                 | EMCI         | EMC12630SE        | 980287           | 1GHz ~ 26.5GHz    | Jul. 03, 2020    | Jul. 02, 2021        | Radiation (03CH05-CB) |
| Pre-Amplifier                 | MITEQ        | TTA1840-35-H<br>G | 1864479          | 18GHz ~ 40GHz     | Jul. 08, 2020    | Jul. 07, 2021        | Radiation (03CH05-CB) |
| Spectrum Analyzer             | R&S          | FSP40             | 100304           | 9kHz ~ 40GHz      | Nov. 10, 2020    | Nov. 09, 2021        | Radiation (03CH05-CB) |
| RF Cable-high                 | Woken        | RG402             | High Cable-28    | 1GHz~18GHz        | Oct. 05, 2020    | Oct. 04, 2021        | Radiation (03CH05-CB) |
| RF Cable-high                 | Woken        | RG402             | High Cable-04+28 | 1GHz~18GHz        | Oct. 05, 2020    | Oct. 04, 2021        | Radiation (03CH05-CB) |
| RF Cable-high                 | Woken        | RG402             | High Cable-40G#1 | 18GHz ~ 40 GHz    | Jul. 16, 2020    | Jul. 15, 2021        | Radiation (03CH05-CB) |
| RF Cable-high                 | Woken        | RG402             | High Cable-40G#2 | 18GHz ~ 40 GHz    | Jul. 16, 2020    | Jul. 15, 2021        | Radiation (03CH05-CB) |
| Test Software                 | SPORTON      | SENSE             | V5.10            | -                 | N.C.R.           | N.C.R.               | Radiation (03CH05-CB) |
| 3m Semi Anechoic Chamber VSWR | TDK          | SAC-3M            | 03CH01-CB        | 1GHz ~18GHz<br>3m | May 29, 2020     | May 28, 2021         | Radiation (03CH01-CB) |
| Horn Antenna                  | ETS-LINDGREN | 3115              | 00075790         | 750MHz ~ 18GHz    | Nov. 06, 2020    | Nov. 05, 2021        | Radiation (03CH01-CB) |
| Horn Antenna                  | Schwarzbeck  | BBHA 9170         | BBHA9170252      | 15GHz ~ 40GHz     | Jul. 21, 2020    | Jul. 20, 2021        | Radiation (03CH01-CB) |
| Pre-Amplifier                 | Agilent      | 8449B             | 3008A02310       | 1GHz ~ 26.5GHz    | Jan. 07, 2021    | Jan. 06, 2022        | Radiation (03CH01-CB) |
| Pre-Amplifier                 | MITEQ        | TTA1840-35-H<br>G | 1864479          | 18GHz ~ 40GHz     | Jul. 08, 2020    | Jul. 07, 2021        | Radiation (03CH01-CB) |
| Spectrum Analyzer             | R&S          | FSP40             | 100056           | 9kHz ~ 40GHz      | Apr. 16, 2020    | Apr. 15, 2021        | Radiation (03CH01-CB) |
| RF Cable-high                 | Woken        | RG402             | High Cable-16    | 1 GHz ~ 18 GHz    | Oct. 05, 2020    | Oct. 04, 2021        | Radiation (03CH01-CB) |
| RF Cable-high                 | Woken        | RG402             | High Cable-16+17 | 1 GHz ~ 18 GHz    | Oct. 05, 2020    | Oct. 04, 2021        | Radiation (03CH01-CB) |
| RF Cable-high                 | Woken        | RG402             | High Cable-40G#1 | 18GHz ~ 40 GHz    | Jul. 16, 2020    | Jul. 15, 2021        | Radiation (03CH01-CB) |
| RF Cable-high                 | Woken        | RG402             | High Cable-40G#2 | 18GHz ~ 40 GHz    | Jul. 16, 2020    | Jul. 15, 2021        | Radiation (03CH01-CB) |



| Instrument                    | Brand       | Model No.      | Serial No.       | Characteristics  | Calibration Date | Calibration Due Date | Remark                |
|-------------------------------|-------------|----------------|------------------|------------------|------------------|----------------------|-----------------------|
| Test Software                 | SPORTON     | SENSE          | V5.10            | -                | N.C.R.           | N.C.R.               | Radiation (03CH01-CB) |
| 3m Semi Anechoic Chamber VSWR | RIKEN       | SAC-3M         | 03CH02-CB        | 1GHz ~18GHz 3m   | Mar. 28, 2020    | Mar. 27, 2021        | Radiation (03CH02-CB) |
| Horn Antenna                  | EMCO        | 3115           | 9610-4976        | 1GHz ~ 18GHz     | Apr. 21, 2020    | Apr. 20, 2021        | Radiation (03CH02-CB) |
| Horn Antenna                  | Schwarzbeck | BBHA 9170      | BBHA9170252      | 15GHz ~ 40GHz    | Jul. 21, 2020    | Jul. 20, 2021        | Radiation (03CH02-CB) |
| Pre-Amplifier                 | Agilent     | 83017A         | MY39501305       | 1GHz ~ 26.5GHz   | Jul. 13, 2020    | Jul. 12, 2021        | Radiation (03CH02-CB) |
| Pre-Amplifier                 | MITEQ       | TTA1840-35-H G | 1864479          | 18GHz ~ 40GHz    | Jul. 08, 2020    | Jul. 07, 2021        | Radiation (03CH02-CB) |
| Spectrum analyzer             | R&S         | FSU            | 100015           | 9kHz~26GHz       | Oct. 15, 2020    | Oct. 14, 2021        | Radiation (03CH02-CB) |
| RF Cable-high                 | Woken       | RG402          | High Cable-18    | 1GHz ~ 18GHz     | Oct. 05, 2020    | Oct. 04, 2021        | Radiation (03CH02-CB) |
| RF Cable-high                 | Woken       | RG402          | High Cable-18+19 | 1GHz ~ 18GHz     | Oct. 05, 2020    | Oct. 04, 2021        | Radiation (03CH02-CB) |
| RF Cable-high                 | Woken       | RG402          | High Cable-40G#1 | 18GHz ~ 40 GHz   | Jul. 16, 2020    | Jul. 15, 2021        | Radiation (03CH02-CB) |
| RF Cable-high                 | Woken       | RG402          | High Cable-40G#2 | 18GHz ~ 40 GHz   | Jul. 16, 2020    | Jul. 15, 2021        | Radiation (03CH02-CB) |
| Test Software                 | SPORTON     | SENSE          | V5.10            | -                | N.C.R.           | N.C.R.               | Radiation (03CH02-CB) |
| Spectrum analyzer             | R&S         | FSV40          | 100979           | 9kHz~40GHz       | May 05, 2020     | May 04, 2021         | Conducted (TH01-CB)   |
| RF Cable-high                 | Woken       | RG402          | High Cable-06    | 1 GHz – 26.5 GHz | Oct. 05, 2020    | Oct. 04, 2021        | Conducted (TH01-CB)   |
| RF Cable-high                 | Woken       | RG402          | High Cable-07    | 1 GHz –26.5 GHz  | Oct. 05, 2020    | Oct. 04, 2021        | Conducted (TH01-CB)   |
| RF Cable-high                 | Woken       | RG402          | High Cable-08    | 1 GHz –26.5 GHz  | Oct. 05, 2020    | Oct. 04, 2021        | Conducted (TH01-CB)   |
| RF Cable-high                 | Woken       | RG402          | High Cable-09    | 1 GHz –26.5 GHz  | Oct. 05, 2020    | Oct. 04, 2021        | Conducted (TH01-CB)   |
| RF Cable-high                 | Woken       | RG402          | High Cable-10    | 1 GHz –26.5 GHz  | Oct. 05, 2020    | Oct. 04, 2021        | Conducted (TH01-CB)   |
| RF Cable-high                 | Woken       | RG402          | High Cable-30    | 1 GHz –26.5 GHz  | Oct. 05, 2020    | Oct. 04, 2021        | Conducted (TH01-CB)   |



| Instrument    | Brand   | Model No. | Serial No. | Characteristics | Calibration Date | Calibration Due Date | Remark              |
|---------------|---------|-----------|------------|-----------------|------------------|----------------------|---------------------|
| Power Sensor  | Agilent | E9327A    | US40442088 | 50MHz~18GHz     | Feb. 07, 2020    | Feb. 06, 2021        | Conducted (TH01-CB) |
| Power Meter   | Agilent | E4416A    | GB41291199 | 50MHz~18GHz     | Feb. 07, 2020    | Feb. 06, 2021        | Conducted (TH01-CB) |
| Test Software | SPORTON | SENSE     | V5.10      | -               | N.C.R.           | N.C.R.               | Conducted (TH01-CB) |

Note: Calibration Interval of instruments listed above is one year.

NCR means Non-Calibration required.



## AC Power Port Conducted Emission Result


Appendix A

### Summary

| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV) | Limit<br>(dBuV) | Margin<br>(dB) | Condition |
|--------|--------|------|--------------|-----------------|-----------------|----------------|-----------|
| Mode 1 | Pass   | AV   | 532.5k       | 28.85           | 46.00           | -17.15         | Neutral   |

### Mode 1


21/01/2021



| Type | Freq (Hz) | Level (dBuV) | Limit (dBuV) | Margin (dB) | Factor (dB) | Condition | Comment | Raw (dBuV) | LISN (dB) | CL (dB) | AT (dB) |  |  |  |
|------|-----------|--------------|--------------|-------------|-------------|-----------|---------|------------|-----------|---------|---------|--|--|--|
| QP   | 199.5k    | 37.89        | 63.63        | -25.74      | 9.89        | Line      | -       | 28.00      | 0.04      | 0.03    | 9.82    |  |  |  |
| AV   | 199.5k    | 29.67        | 53.63        | -23.96      | 9.89        | Line      | -       | 19.78      | 0.04      | 0.03    | 9.82    |  |  |  |
| QP   | 285k      | 32.47        | 60.67        | -28.20      | 9.90        | Line      | -       | 22.57      | 0.04      | 0.03    | 9.83    |  |  |  |
| AV   | 285k      | 24.10        | 50.67        | -26.57      | 9.90        | Line      | -       | 14.20      | 0.04      | 0.03    | 9.83    |  |  |  |
| QP   | 537k      | 37.29        | 56.00        | -18.71      | 9.90        | Line      | -       | 27.39      | 0.04      | 0.03    | 9.83    |  |  |  |
| AV   | 537k      | 28.26        | 46.00        | -17.74      | 9.90        | Line      | "Worst" | 18.36      | 0.04      | 0.03    | 9.83    |  |  |  |
| QP   | 1.689M    | 32.08        | 56.00        | -23.92      | 9.97        | Line      | -       | 22.11      | 0.06      | 0.06    | 9.85    |  |  |  |
| AV   | 1.689M    | 23.72        | 46.00        | -22.28      | 9.97        | Line      | -       | 13.75      | 0.06      | 0.06    | 9.85    |  |  |  |
| QP   | 3.336M    | 33.32        | 56.00        | -22.68      | 10.04       | Line      | -       | 23.28      | 0.08      | 0.11    | 9.85    |  |  |  |
| AV   | 3.336M    | 26.70        | 46.00        | -19.30      | 10.04       | Line      | -       | 16.66      | 0.08      | 0.11    | 9.85    |  |  |  |
| QP   | 6.842M    | 30.75        | 60.00        | -29.25      | 10.16       | Line      | -       | 20.59      | 0.14      | 0.14    | 9.88    |  |  |  |
| AV   | 6.842M    | 24.39        | 50.00        | -25.61      | 10.16       | Line      | -       | 14.23      | 0.14      | 0.14    | 9.88    |  |  |  |

### Mode 1

21/01/2021



| Type | Freq<br>(Hz) | Level<br>(dBuV) | Limit<br>(dBuV) | Margin<br>(dB) | Factor<br>(dB) | Condition | Comment | Raw<br>(dBuV) | LISN<br>(dB) | CL<br>(dB) | AT<br>(dB) |  |  |  |
|------|--------------|-----------------|-----------------|----------------|----------------|-----------|---------|---------------|--------------|------------|------------|--|--|--|
| QP   | 186k         | 37.94           | 64.20           | -26.26         | 9.89           | Neutral   | -       | 28.05         | 0.04         | 0.03       | 9.82       |  |  |  |
| AV   | 186k         | 29.03           | 54.20           | -25.17         | 9.89           | Neutral   | -       | 19.14         | 0.04         | 0.03       | 9.82       |  |  |  |
| QP   | 285k         | 32.23           | 60.67           | -28.44         | 9.90           | Neutral   | -       | 22.33         | 0.04         | 0.03       | 9.83       |  |  |  |
| AV   | 285k         | 23.98           | 50.67           | -26.69         | 9.90           | Neutral   | -       | 14.08         | 0.04         | 0.03       | 9.83       |  |  |  |
| QP   | 532.5k       | 36.09           | 56.00           | -19.91         | 9.91           | Neutral   | -       | 26.18         | 0.05         | 0.03       | 9.83       |  |  |  |
| AV   | 532.5k       | 28.85           | 46.00           | -17.15         | 9.91           | Neutral   | "Worst" | 18.94         | 0.05         | 0.03       | 9.83       |  |  |  |
| QP   | 946.5k       | 33.47           | 56.00           | -22.53         | 9.93           | Neutral   | -       | 23.54         | 0.06         | 0.04       | 9.83       |  |  |  |
| AV   | 946.5k       | 24.97           | 46.00           | -21.03         | 9.93           | Neutral   | -       | 15.04         | 0.06         | 0.04       | 9.83       |  |  |  |
| QP   | 2.328M       | 32.85           | 56.00           | -23.15         | 10.01          | Neutral   | -       | 22.84         | 0.07         | 0.08       | 9.86       |  |  |  |
| AV   | 2.328M       | 25.39           | 46.00           | -20.61         | 10.01          | Neutral   | -       | 15.38         | 0.07         | 0.08       | 9.86       |  |  |  |
| QP   | 18.434M      | 27.94           | 60.00           | -32.06         | 10.48          | Neutral   | -       | 17.46         | 0.21         | 0.30       | 9.97       |  |  |  |
| AV   | 18.434M      | 21.28           | 50.00           | -28.72         | 10.48          | Neutral   | -       | 10.80         | 0.21         | 0.30       | 9.97       |  |  |  |

**For 5GHz Band 1 and Band 2:  
Summary**

| Mode                              | Max-N dB<br>(Hz) | Max-OBW<br>(Hz) | ITU-Code | Min-N dB<br>(Hz) | Min-OBW<br>(Hz) |
|-----------------------------------|------------------|-----------------|----------|------------------|-----------------|
| 5.15-5.25GHz                      | -                | -               | -        | -                | -               |
| 802.11a-BF_Nss1,(6Mbps)_2TX       | 41.85M           | 26.147M         | 26M1D1D  | 23.67M           | 16.522M         |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | 43.44M           | 27.316M         | 27M3D1D  | 22.08M           | 17.751M         |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | 82.26M           | 42.519M         | 42M5D1D  | 38.94M           | 36.162M         |
| 802.11ac VHT80-BF_Nss1,(MCS0)_2TX | 81.36M           | 75.682M         | 75M7D1D  | 80.64M           | 75.562M         |
| 5.25-5.35GHz                      | -                | -               | -        | -                | -               |
| 802.11a-BF_Nss1,(6Mbps)_2TX       | 27.21M           | 16.612M         | 16M6D1D  | 19.47M           | 16.372M         |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | 25.89M           | 17.811M         | 17M8D1D  | 20.13M           | 17.601M         |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | 43.86M           | 36.222M         | 36M2D1D  | 38.82M           | 35.922M         |
| 802.11ac VHT80-BF_Nss1,(MCS0)_2TX | 81.36M           | 76.162M         | 76M2D1D  | 81.12M           | 75.682M         |

**Max-N dB** = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

**Max-OBW** = Maximum 99% occupied bandwidth;

**Min-N dB** = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

**Min-OBW** = Minimum 99% occupied bandwidth;

**Result**


| Mode                              | Result | Limit<br>(Hz) | Port 1-N dB<br>(Hz) | Port 1-OBW<br>(Hz) | Port 2-N dB<br>(Hz) | Port 2-OBW<br>(Hz) |
|-----------------------------------|--------|---------------|---------------------|--------------------|---------------------|--------------------|
| 802.11a-BF_Nss1,(6Mbps)_2TX       | -      | -             | -                   | -                  | -                   | -                  |
| 5180MHz                           | Pass   | Inf           | 27.51M              | 16.612M            | 23.67M              | 16.522M            |
| 5200MHz                           | Pass   | Inf           | 41.85M              | 26.147M            | 41.37M              | 24.768M            |
| 5240MHz                           | Pass   | Inf           | 35.91M              | 20.09M             | 35.46M              | 19.37M             |
| 5260MHz                           | Pass   | Inf           | 27.21M              | 16.612M            | 24.63M              | 16.522M            |
| 5300MHz                           | Pass   | Inf           | 19.47M              | 16.432M            | 19.71M              | 16.372M            |
| 5320MHz                           | Pass   | Inf           | 19.77M              | 16.402M            | 19.47M              | 16.402M            |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | -      | -             | -                   | -                  | -                   | -                  |
| 5180MHz                           | Pass   | Inf           | 27.75M              | 17.781M            | 22.08M              | 17.751M            |
| 5200MHz                           | Pass   | Inf           | 43.44M              | 27.316M            | 41.22M              | 25.367M            |
| 5240MHz                           | Pass   | Inf           | 35.73M              | 19.4M              | 36.24M              | 19.01M             |
| 5260MHz                           | Pass   | Inf           | 25.89M              | 17.811M            | 22.02M              | 17.751M            |
| 5300MHz                           | Pass   | Inf           | 20.28M              | 17.811M            | 20.13M              | 17.601M            |
| 5320MHz                           | Pass   | Inf           | 20.37M              | 17.631M            | 20.19M              | 17.631M            |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | -      | -             | -                   | -                  | -                   | -                  |
| 5190MHz                           | Pass   | Inf           | 39.3M               | 36.162M            | 38.94M              | 36.162M            |
| 5230MHz                           | Pass   | Inf           | 82.26M              | 42.519M            | 73.5M               | 40.54M             |
| 5270MHz                           | Pass   | Inf           | 43.26M              | 36.162M            | 43.86M              | 36.222M            |
| 5310MHz                           | Pass   | Inf           | 39.54M              | 35.922M            | 38.82M              | 35.982M            |
| 802.11ac VHT80-BF_Nss1,(MCS0)_2TX | -      | -             | -                   | -                  | -                   | -                  |
| 5210MHz                           | Pass   | Inf           | 81.36M              | 75.562M            | 80.64M              | 75.682M            |
| 5290MHz                           | Pass   | Inf           | 81.36M              | 75.682M            | 81.12M              | 76.162M            |

**Port X-N dB** = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band


**Port X-OBW** = Port X 99% occupied bandwidth;

**802.11a-BF\_Nss1,(6Mbps)\_2TX**
**EBW**
**5180MHz**

27/01/2021



**802.11a-BF\_Nss1,(6Mbps)\_2TX**
**EBW**
**5200MHz**

27/01/2021




**802.11a-BF\_Nss1,(6Mbps)\_2TX**
**EBW**
**5240MHz**

27/01/2021



**802.11a-BF\_Nss1,(6Mbps)\_2TX**
**EBW**
**5260MHz**

27/01/2021




**802.11a-BF\_Nss1,(6Mbps)\_2TX**
**EBW**
**5300MHz**

27/01/2021



**802.11a-BF\_Nss1,(6Mbps)\_2TX**
**EBW**
**5320MHz**

27/01/2021




**802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX**
**EBW**
**5180MHz**

27/01/2021



**802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX**
**EBW**
**5200MHz**

27/01/2021




**802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX**
**EBW**
**5240MHz**

27/01/2021



**802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX**
**EBW**
**5260MHz**

27/01/2021




**802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX**
**EBW**
**5300MHz**

27/01/2021



**802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX**
**EBW**
**5320MHz**

27/01/2021




**802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX**
**EBW**
**5190MHz**

27/01/2021



**802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX**
**EBW**
**5230MHz**

27/01/2021




**802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX**
**EBW**
**5270MHz**

27/01/2021



**802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX**
**EBW**
**5310MHz**

27/01/2021




**802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX**
**EBW**
**5210MHz**

27/01/2021


**802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX**
**EBW**
**5290MHz**

27/01/2021



**For 5GHz Band 3 and Band 4:  
Summary**

| Mode                              | Max-N dB<br>(Hz) | Max-OBW<br>(Hz) | ITU-Code | Min-N dB<br>(Hz) | Min-OBW<br>(Hz) |
|-----------------------------------|------------------|-----------------|----------|------------------|-----------------|
| 5.47-5.725GHz                     | -                | -               | -        | -                | -               |
| 802.11a-BF_Nss1,(6Mbps)_2TX       | 19.62M           | 16.402M         | 16M4D1D  | 19.08M           | 16.372M         |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | 20.34M           | 17.631M         | 17M6D1D  | 20.07M           | 17.571M         |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | 39.84M           | 36.042M         | 36M0D1D  | 38.64M           | 35.862M         |
| 802.11ac VHT80-BF_Nss1,(MCS0)_2TX | 82.08M           | 76.042M         | 76M0D1D  | 80.52M           | 75.682M         |
| 5.725-5.85GHz                     | -                | -               | -        | -                | -               |
| 802.11a-BF_Nss1,(6Mbps)_2TX       | 16.44M           | 28.786M         | 28M8D1D  | 15.87M           | 17.931M         |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | 17.52M           | 28.366M         | 28M4D1D  | 16.83M           | 18.141M         |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | 35.76M           | 53.733M         | 53M7D1D  | 32.58M           | 45.637M         |
| 802.11ac VHT80-BF_Nss1,(MCS0)_2TX | 75.72M           | 75.922M         | 75M9D1D  | 71.16M           | 75.922M         |

**Max-N dB** = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

**Max-OBW** = Maximum 99% occupied bandwidth;

**Min-N dB** = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

**Min-OBW** = Minimum 99% occupied bandwidth;

**Result**


| Mode                              | Result | Limit<br>(Hz) | Port 1-N dB<br>(Hz) | Port 1-OBW<br>(Hz) | Port 2-N dB<br>(Hz) | Port 2-OBW<br>(Hz) |
|-----------------------------------|--------|---------------|---------------------|--------------------|---------------------|--------------------|
| 802.11a-BF_Nss1,(6Mbps)_2TX       | -      | -             | -                   | -                  | -                   | -                  |
| 5500MHz                           | Pass   | Inf           | 19.08M              | 16.402M            | 19.2M               | 16.372M            |
| 5580MHz                           | Pass   | Inf           | 19.62M              | 16.402M            | 19.17M              | 16.402M            |
| 5700MHz                           | Pass   | Inf           | 19.2M               | 16.402M            | 19.47M              | 16.402M            |
| 5745MHz                           | Pass   | 500k          | 16.29M              | 17.931M            | 16.26M              | 20.57M             |
| 5785MHz                           | Pass   | 500k          | 16.44M              | 22.669M            | 15.87M              | 19.67M             |
| 5825MHz                           | Pass   | 500k          | 16.32M              | 19.61M             | 16.38M              | 28.786M            |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | -      | -             | -                   | -                  | -                   | -                  |
| 5500MHz                           | Pass   | Inf           | 20.07M              | 17.571M            | 20.25M              | 17.631M            |
| 5580MHz                           | Pass   | Inf           | 20.19M              | 17.601M            | 20.34M              | 17.601M            |
| 5700MHz                           | Pass   | Inf           | 20.31M              | 17.601M            | 20.25M              | 17.601M            |
| 5745MHz                           | Pass   | 500k          | 17.52M              | 18.141M            | 16.83M              | 18.861M            |
| 5785MHz                           | Pass   | 500k          | 17.25M              | 21.679M            | 17.37M              | 18.531M            |
| 5825MHz                           | Pass   | 500k          | 17.25M              | 18.921M            | 16.83M              | 28.366M            |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | -      | -             | -                   | -                  | -                   | -                  |
| 5510MHz                           | Pass   | Inf           | 39.72M              | 35.862M            | 38.64M              | 35.922M            |
| 5550MHz                           | Pass   | Inf           | 39.3M               | 35.922M            | 39.84M              | 36.042M            |
| 5670MHz                           | Pass   | Inf           | 39.72M              | 35.922M            | 39.12M              | 35.922M            |
| 5755MHz                           | Pass   | 500k          | 32.58M              | 49.475M            | 33.72M              | 45.637M            |
| 5795MHz                           | Pass   | 500k          | 33.78M              | 51.934M            | 35.76M              | 53.733M            |
| 802.11ac VHT80-BF_Nss1,(MCS0)_2TX | -      | -             | -                   | -                  | -                   | -                  |
| 5530MHz                           | Pass   | Inf           | 80.88M              | 75.802M            | 80.52M              | 75.802M            |
| 5610MHz                           | Pass   | Inf           | 82.08M              | 76.042M            | 80.76M              | 75.682M            |
| 5775MHz                           | Pass   | 500k          | 71.16M              | 75.922M            | 75.72M              | 75.922M            |

**Port X-N dB** = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band


**Port X-OBW** = Port X 99% occupied bandwidth;

**802.11a-BF\_Nss1,(6Mbps)\_2TX**
**EBW**
**5500MHz**

27/01/2021



**802.11a-BF\_Nss1,(6Mbps)\_2TX**
**EBW**
**5580MHz**

27/01/2021




**802.11a-BF\_Nss1,(6Mbps)\_2TX**
**EBW**
**5700MHz**

27/01/2021


**802.11a-BF\_Nss1,(6Mbps)\_2TX**
**EBW**
**5745MHz**

27/01/2021




## 802.11a-BF\_Nss1,(6Mbps)\_2TX

EBW

5785MHz

27/01/2021




## 802.11a-BF\_Nss1,(6Mbps)\_2TX

EBW


5825MHz

27/01/2021




**802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX**
**EBW**
**5500MHz**

27/01/2021


**802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX**
**EBW**
**5580MHz**

27/01/2021




## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

EBW

5700MHz

27/01/2021




## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

EBW


5745MHz

28/01/2021




**802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX**
**EBW**
**5785MHz**

28/01/2021



**802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX**
**EBW**
**5825MHz**

28/01/2021




**802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX**
**EBW**
**5510MHz**

28/01/2021


**802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX**
**EBW**
**5550MHz**

28/01/2021




## 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

EBW

5670MHz

28/01/2021




## 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

EBW


5755MHz

28/01/2021




**802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX**
**EBW**
**5795MHz**

28/01/2021


**802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX**
**EBW**
**5530MHz**

28/01/2021




## 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

EBW

5610MHz

28/01/2021




## 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

EBW

5775MHz

28/01/2021



**For 5GHz Band 1 and Band 2:  
Summary**

| Mode                              | Total Power<br>(dBm) | Total Power<br>(W) |
|-----------------------------------|----------------------|--------------------|
| 5.15-5.25GHz                      | -                    | -                  |
| 802.11a-BF_Nss1,(6Mbps)_2TX       | 28.90                | 0.77625            |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | 28.84                | 0.76560            |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | 28.08                | 0.64269            |
| 802.11ac VHT80-BF_Nss1,(MCS0)_2TX | 22.77                | 0.18923            |
| 5.25-5.35GHz                      | -                    | -                  |
| 802.11a-BF_Nss1,(6Mbps)_2TX       | 23.39                | 0.21827            |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | 23.38                | 0.21777            |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | 23.41                | 0.21928            |
| 802.11ac VHT80-BF_Nss1,(MCS0)_2TX | 20.91                | 0.12331            |

**Result**

| Mode                              | Result | DG<br>(dBi) | Port 1<br>(dBm) | Port 2<br>(dBm) | Total Power<br>(dBm) | Power Limit<br>(dBm) |
|-----------------------------------|--------|-------------|-----------------|-----------------|----------------------|----------------------|
| 802.11a-BF_Nss1,(6Mbps)_2TX       | -      | -           | -               | -               | -                    | -                    |
| 5180MHz                           | Pass   | 6.56        | 22.00           | 21.79           | 24.91                | 29.44                |
| 5200MHz                           | Pass   | 6.56        | 26.17           | 25.58           | 28.90                | 29.44                |
| 5240MHz                           | Pass   | 6.56        | 23.80           | 24.05           | 26.94                | 29.44                |
| 5260MHz                           | Pass   | 6.56        | 20.39           | 20.37           | 23.39                | 23.42                |
| 5300MHz                           | Pass   | 6.56        | 20.14           | 19.96           | 23.06                | 23.33                |
| 5320MHz                           | Pass   | 6.56        | 20.17           | 20.03           | 23.11                | 23.33                |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | -      | -           | -               | -               | -                    | -                    |
| 5180MHz                           | Pass   | 6.56        | 22.10           | 21.68           | 24.91                | 29.44                |
| 5200MHz                           | Pass   | 6.56        | 26.10           | 25.54           | 28.84                | 29.44                |
| 5240MHz                           | Pass   | 6.56        | 23.26           | 23.44           | 26.36                | 29.44                |
| 5260MHz                           | Pass   | 6.56        | 20.39           | 20.32           | 23.37                | 23.42                |
| 5300MHz                           | Pass   | 6.56        | 20.28           | 20.45           | 23.38                | 23.42                |
| 5320MHz                           | Pass   | 6.56        | 20.04           | 20.16           | 23.11                | 23.42                |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | -      | -           | -               | -               | -                    | -                    |
| 5190MHz                           | Pass   | 6.56        | 19.69           | 19.57           | 22.64                | 29.44                |
| 5230MHz                           | Pass   | 6.56        | 25.11           | 25.02           | 28.08                | 29.44                |
| 5270MHz                           | Pass   | 6.56        | 20.51           | 20.29           | 23.41                | 23.42                |
| 5310MHz                           | Pass   | 6.56        | 19.23           | 18.92           | 22.09                | 23.42                |
| 802.11ac VHT80-BF_Nss1,(MCS0)_2TX | -      | -           | -               | -               | -                    | -                    |
| 5210MHz                           | Pass   | 6.56        | 19.83           | 19.68           | 22.77                | 29.44                |
| 5290MHz                           | Pass   | 6.56        | 17.94           | 17.86           | 20.91                | 23.42                |

**DG** = Directional Gain; **Port X** = Port X output power



**For 5GHz Band 3 and Band 4:  
Summary**

| Mode                              | Total Power<br>(dBm) | Total Power<br>(W) |
|-----------------------------------|----------------------|--------------------|
| 5.47-5.725GHz                     | -                    | -                  |
| 802.11a-BF_Nss1,(6Mbps)_2TX       | 22.28                | 0.16904            |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | 22.49                | 0.17742            |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | 22.54                | 0.17947            |
| 802.11ac VHT80-BF_Nss1,(MCS0)_2TX | 22.37                | 0.17258            |
| 5.725-5.85GHz                     | -                    | -                  |
| 802.11a-BF_Nss1,(6Mbps)_2TX       | 28.67                | 0.73621            |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | 28.59                | 0.72277            |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | 28.93                | 0.78163            |
| 802.11ac VHT80-BF_Nss1,(MCS0)_2TX | 26.08                | 0.40551            |

## Result

| Mode                              | Result | DG<br>(dBi) | Port 1<br>(dBm) | Port 2<br>(dBm) | Total Power<br>(dBm) | Power Limit<br>(dBm) |
|-----------------------------------|--------|-------------|-----------------|-----------------|----------------------|----------------------|
| 802.11a-BF_Nss1,(6Mbps)_2TX       | -      | -           | -               | -               | -                    | -                    |
| 5500MHz                           | Pass   | 7.42        | 19.19           | 19.35           | 22.28                | 22.39                |
| 5580MHz                           | Pass   | 7.42        | 19.01           | 19.47           | 22.26                | 22.41                |
| 5700MHz                           | Pass   | 7.42        | 19.07           | 19.29           | 22.19                | 22.41                |
| 5745MHz                           | Pass   | 7.01        | 25.41           | 25.77           | 28.60                | 28.99                |
| 5785MHz                           | Pass   | 7.01        | 25.57           | 25.75           | 28.67                | 28.99                |
| 5825MHz                           | Pass   | 7.01        | 25.29           | 25.73           | 28.53                | 28.99                |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | -      | -           | -               | -               | -                    | -                    |
| 5500MHz                           | Pass   | 7.42        | 19.53           | 19.39           | 22.47                | 22.56                |
| 5580MHz                           | Pass   | 7.42        | 19.21           | 19.73           | 22.49                | 22.56                |
| 5700MHz                           | Pass   | 7.42        | 19.39           | 19.48           | 22.45                | 22.56                |
| 5745MHz                           | Pass   | 7.01        | 25.57           | 25.45           | 28.52                | 28.99                |
| 5785MHz                           | Pass   | 7.01        | 25.64           | 25.51           | 28.59                | 28.99                |
| 5825MHz                           | Pass   | 7.01        | 25.42           | 25.67           | 28.56                | 28.99                |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | -      | -           | -               | -               | -                    | -                    |
| 5510MHz                           | Pass   | 7.42        | 19.37           | 19.62           | 22.51                | 22.56                |
| 5550MHz                           | Pass   | 7.42        | 19.42           | 19.64           | 22.54                | 22.56                |
| 5670MHz                           | Pass   | 7.42        | 19.32           | 19.58           | 22.46                | 22.56                |
| 5755MHz                           | Pass   | 7.01        | 25.86           | 25.98           | 28.93                | 28.99                |
| 5795MHz                           | Pass   | 7.01        | 25.67           | 25.82           | 28.76                | 28.99                |
| 802.11ac VHT80-BF_Nss1,(MCS0)_2TX | -      | -           | -               | -               | -                    | -                    |
| 5530MHz                           | Pass   | 7.42        | 18.53           | 18.66           | 21.61                | 22.56                |
| 5610MHz                           | Pass   | 7.42        | 19.18           | 19.53           | 22.37                | 22.56                |
| 5775MHz                           | Pass   | 7.01        | 22.89           | 23.25           | 26.08                | 28.99                |

**DG** = Directional Gain; **Port X** = Port X output power

**For 5GHz Band 1 and Band 2:  
Summary**

| Mode                              | PD<br>(dBm/RBW) |
|-----------------------------------|-----------------|
| 5.15-5.25GHz                      | -               |
| 802.11a-BF_Nss1,(6Mbps)_2TX       | 15.91           |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | 15.36           |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | 11.96           |
| 802.11ac VHT80-BF_Nss1,(MCS0)_2TX | 3.27            |
| 5.25-5.35GHz                      | -               |
| 802.11a-BF_Nss1,(6Mbps)_2TX       | 10.20           |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | 9.95            |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | 7.09            |
| 802.11ac VHT80-BF_Nss1,(MCS0)_2TX | 1.16            |

**RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                              | Result | DG<br>(dBi) | Port 1<br>(dBm/RBW) | Port 2<br>(dBm/RBW) | PD<br>(dBm/RBW) | PD Limit<br>(dBm/RBW) |
|-----------------------------------|--------|-------------|---------------------|---------------------|-----------------|-----------------------|
| 802.11a-BF_Nss1,(6Mbps)_2TX       | -      | -           | -                   | -                   | -               | -                     |
| 5180MHz                           | Pass   | 6.56        | 8.94                | 8.76                | 11.84           | 16.44                 |
| 5200MHz                           | Pass   | 6.56        | 13.23               | 12.70               | 15.91           | 16.44                 |
| 5240MHz                           | Pass   | 6.56        | 10.88               | 11.02               | 13.83           | 16.44                 |
| 5260MHz                           | Pass   | 6.56        | 7.33                | 7.35                | 10.20           | 10.44                 |
| 5300MHz                           | Pass   | 6.56        | 6.79                | 6.74                | 9.71            | 10.44                 |
| 5320MHz                           | Pass   | 6.56        | 6.85                | 6.96                | 9.89            | 10.44                 |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | -      | -           | -                   | -                   | -               | -                     |
| 5180MHz                           | Pass   | 6.56        | 8.62                | 8.35                | 11.33           | 16.44                 |
| 5200MHz                           | Pass   | 6.56        | 12.70               | 12.25               | 15.36           | 16.44                 |
| 5240MHz                           | Pass   | 6.56        | 10.13               | 10.21               | 13.12           | 16.44                 |
| 5260MHz                           | Pass   | 6.56        | 7.04                | 6.95                | 9.95            | 10.44                 |
| 5300MHz                           | Pass   | 6.56        | 7.73                | 7.04                | 9.63            | 10.44                 |
| 5320MHz                           | Pass   | 6.56        | 6.69                | 6.67                | 9.62            | 10.44                 |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | -      | -           | -                   | -                   | -               | -                     |
| 5190MHz                           | Pass   | 6.56        | 3.93                | 3.32                | 6.51            | 16.44                 |
| 5230MHz                           | Pass   | 6.56        | 9.44                | 8.79                | 11.96           | 16.44                 |
| 5270MHz                           | Pass   | 6.56        | 5.00                | 4.21                | 7.09            | 10.44                 |
| 5310MHz                           | Pass   | 6.56        | 3.21                | 2.50                | 5.73            | 10.44                 |
| 802.11ac VHT80-BF_Nss1,(MCS0)_2TX | -      | -           | -                   | -                   | -               | -                     |
| 5210MHz                           | Pass   | 6.56        | 0.35                | 0.30                | 3.27            | 16.44                 |
| 5290MHz                           | Pass   | 6.56        | -1.54               | -1.93               | 1.16            | 10.44                 |

**DG** = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;


**PD** = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

### 802.11a-BF\_Nss1,(6Mbps)\_2TX

PSD

5180MHz

27/01/2021




| Sum          | PD           | Port 1       | Port 2       |
|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| 11.84        | 11.84        | 8.94         | 8.76         |

### 802.11a-BF\_Nss1,(6Mbps)\_2TX

PSD

5200MHz

27/01/2021




| Sum          | PD           | Port 1       | Port 2       |
|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| 15.91        | 15.91        | 13.23        | 12.70        |

### 802.11a-BF\_Nss1,(6Mbps)\_2TX

PSD

5240MHz

27/01/2021




| Sum          | PD           | Port 1       | Port 2       |
|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| 13.83        | 13.83        | 10.88        | 11.02        |

### 802.11a-BF\_Nss1,(6Mbps)\_2TX


PSD

5260MHz

27/01/2021



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 10.20    | 10.20    | 7.33     | 7.35     |




### 802.11a-BF\_Nss1,(6Mbps)\_2TX


PSD

5300MHz

27/01/2021



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 9.71     | 9.71     | 6.79     | 6.74     |




### 802.11a-BF\_Nss1,(6Mbps)\_2TX


PSD

5320MHz

27/01/2021



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 9.89     | 9.89     | 6.85     | 6.96     |




### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


PSD

5180MHz

27/01/2021



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 11.33     | 11.33     | 8.62      | 8.35      |




### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


PSD

5200MHz

27/01/2021



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 15.36     | 15.36     | 12.70     | 12.25     |




### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


PSD

5240MHz

27/01/2021



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 13.12     | 13.12     | 10.13     | 10.21     |




### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

PSD

5260MHz

27/01/2021




| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 9.95     | 9.95     | 7.04     | 6.95     |

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

PSD

5300MHz

27/01/2021




| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 9.63     | 9.63     | 7.73     | 7.04     |

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

PSD

5320MHz

27/01/2021




| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 9.62     | 9.62     | 6.69     | 6.67     |

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

PSD

5190MHz

27/01/2021




### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

PSD

5230MHz

27/01/2021




### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

PSD

5270MHz

27/01/2021




### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

PSD

5310MHz

27/01/2021




### 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

PSD

5210MHz

27/01/2021




### 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

PSD

5290MHz

27/01/2021



**For 5GHz Band 3 and Band 4:  
Summary**

| Mode                              | PD<br>(dBm/RBW) |
|-----------------------------------|-----------------|
| 5.47-5.725GHz                     | -               |
| 802.11a-BF_Nss1,(6Mbps)_2TX       | 9.42            |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | 9.31            |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | 6.95            |
| 802.11ac VHT80-BF_Nss1,(MCS0)_2TX | 3.45            |
| 5.725-5.85GHz                     | -               |
| 802.11a-BF_Nss1,(6Mbps)_2TX       | 14.19           |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | 14.03           |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | 12.10           |
| 802.11ac VHT80-BF_Nss1,(MCS0)_2TX | 5.91            |

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                              | Result | DG<br>(dBi) | Port 1<br>(dBm/RBW) | Port 2<br>(dBm/RBW) | PD<br>(dBm/RBW) | PD Limit<br>(dBm/RBW) |
|-----------------------------------|--------|-------------|---------------------|---------------------|-----------------|-----------------------|
| 802.11a-BF_Nss1,(6Mbps)_2TX       | -      | -           | -                   | -                   | -               | -                     |
| 5500MHz                           | Pass   | 7.42        | 6.10                | 6.17                | 9.06            | 9.58                  |
| 5580MHz                           | Pass   | 7.42        | 6.29                | 6.69                | 9.42            | 9.58                  |
| 5700MHz                           | Pass   | 7.42        | 6.30                | 6.40                | 9.29            | 9.58                  |
| 5745MHz                           | Pass   | 7.01        | 11.02               | 11.30               | 14.14           | 28.99                 |
| 5785MHz                           | Pass   | 7.01        | 11.24               | 11.34               | 14.19           | 28.99                 |
| 5825MHz                           | Pass   | 7.01        | 10.78               | 11.32               | 13.97           | 28.99                 |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | -      | -           | -                   | -                   | -               | -                     |
| 5500MHz                           | Pass   | 7.42        | 6.23                | 6.07                | 8.99            | 9.58                  |
| 5580MHz                           | Pass   | 7.42        | 6.04                | 6.76                | 9.31            | 9.58                  |
| 5700MHz                           | Pass   | 7.42        | 6.24                | 6.27                | 9.15            | 9.58                  |
| 5745MHz                           | Pass   | 7.01        | 10.65               | 11.13               | 13.87           | 28.99                 |
| 5785MHz                           | Pass   | 7.01        | 10.77               | 11.46               | 14.03           | 28.99                 |
| 5825MHz                           | Pass   | 7.01        | 10.52               | 11.55               | 13.92           | 28.99                 |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | -      | -           | -                   | -                   | -               | -                     |
| 5510MHz                           | Pass   | 7.42        | 3.66                | 3.95                | 6.71            | 9.58                  |
| 5550MHz                           | Pass   | 7.42        | 3.87                | 4.19                | 6.95            | 9.58                  |
| 5670MHz                           | Pass   | 7.42        | 3.38                | 4.24                | 6.80            | 9.58                  |
| 5755MHz                           | Pass   | 7.01        | 9.02                | 9.70                | 12.10           | 28.99                 |
| 5795MHz                           | Pass   | 7.01        | 8.76                | 9.35                | 11.66           | 28.99                 |
| 802.11ac VHT80-BF_Nss1,(MCS0)_2TX | -      | -           | -                   | -                   | -               | -                     |
| 5530MHz                           | Pass   | 7.42        | -0.47               | -0.44               | 2.49            | 9.58                  |
| 5610MHz                           | Pass   | 7.42        | 0.13                | 0.95                | 3.45            | 9.58                  |
| 5775MHz                           | Pass   | 7.01        | 2.77                | 3.82                | 5.91            | 28.99                 |

**DG** = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;


**PD** = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

PSD

5500MHz

27/01/2021




## 802.11a-BF\_Nss1,(6Mbps)\_2TX

PSD

5580MHz

27/01/2021




## 802.11a-BF\_Nss1,(6Mbps)\_2TX

PSD

5700MHz

27/01/2021




### 802.11a-BF\_Nss1,(6Mbps)\_2TX

PSD

5745MHz

27/01/2021




| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 14.14    | 14.14    | 11.02    | 11.30    |

### 802.11a-BF\_Nss1,(6Mbps)\_2TX

PSD

5785MHz

27/01/2021




| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 14.19    | 14.19    | 11.24    | 11.34    |

### 802.11a-BF\_Nss1,(6Mbps)\_2TX

PSD

5825MHz

27/01/2021




| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 13.97    | 13.97    | 10.78    | 11.32    |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

PSD

5500MHz

28/01/2021




## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

PSD

5580MHz

27/01/2021




## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

PSD

5700MHz

27/01/2021




## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

PSD

5745MHz

28/01/2021




## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

PSD

5785MHz

28/01/2021




## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

PSD

5825MHz

28/01/2021




### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

PSD

5510MHz

28/01/2021




### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

PSD

5550MHz

28/01/2021




### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

PSD

5670MHz

28/01/2021




### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

PSD

5755MHz

28/01/2021




### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

PSD

5795MHz

28/01/2021




### 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

PSD

5530MHz

28/01/2021




## 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

PSD

5610MHz

28/01/2021




## 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

PSD

5775MHz

28/01/2021





## ***Radiated Emissions below 1GHz***


Appendix E.1

### **Summary**

| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Condition |
|--------|--------|------|--------------|-------------------|-------------------|----------------|-----------|
| Mode 3 | Pass   | PK   | 35.82M       | 33.54             | 40.00             | -6.46          | Vertical  |

### Mode 3


06/02/2021



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV/m) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|-----------------|--------------|------------|------------|
| PK   | 35.82M       | 33.54             | 40.00             | -6.46          | -6.92          | 3           | Vertical  | 360            | 1.25          | "Worst" | 40.46           | 21.34        | 0.22       | 28.48      |
| PK   | 44.55M       | 28.30             | 40.00             | -11.70         | -11.12         | 3           | Vertical  | 360            | 1.25          | -       | 39.42           | 16.97        | 0.39       | 28.48      |
| PK   | 59.1M        | 24.57             | 40.00             | -15.43         | -15.33         | 3           | Vertical  | 278            | 1.00          | -       | 39.90           | 12.67        | 0.48       | 28.48      |
| PK   | 113.42M      | 26.91             | 43.50             | -16.59         | -9.77          | 3           | Vertical  | 210            | 1.00          | -       | 36.68           | 17.78        | 0.83       | 28.38      |
| PK   | 125.06M      | 26.86             | 43.50             | -16.64         | -9.48          | 3           | Vertical  | 154            | 1.00          | -       | 36.34           | 17.91        | 0.95       | 28.34      |
| PK   | 250.19M      | 29.40             | 46.00             | -16.60         | -7.83          | 3           | Vertical  | 167            | 2.00          | -       | 37.23           | 18.46        | 1.50       | 27.79      |

### Mode 3

06/02/2021



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV/m) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|-----------------|--------------|------------|------------|
| PK   | 31.94M       | 24.61             | 40.00             | -15.39         | -4.86          | 3           | Horizontal | 352            | 2.00          | "Worst" | 29.47           | 23.43        | 0.20       | 28.49      |
| PK   | 58.13M       | 21.20             | 40.00             | -18.80         | -15.37         | 3           | Horizontal | 292            | 2.00          | -       | 36.57           | 12.65        | 0.46       | 28.48      |
| PK   | 125.06M      | 26.44             | 43.50             | -17.06         | -9.48          | 3           | Horizontal | 112            | 2.00          | -       | 35.92           | 17.91        | 0.95       | 28.34      |
| PK   | 133.79M      | 23.47             | 43.50             | -20.03         | -9.72          | 3           | Horizontal | 272            | 2.00          | -       | 33.19           | 17.55        | 1.04       | 28.31      |
| PK   | 250.19M      | 30.22             | 46.00             | -15.78         | -7.83          | 3           | Horizontal | 109            | 1.00          | -       | 38.05           | 18.46        | 1.50       | 27.79      |
| PK   | 250.19M      | 30.22             | 46.00             | -15.78         | -7.83          | 3           | Horizontal | 109            | 1.00          | -       | 38.05           | 18.46        | 1.50       | 27.79      |


**For 5GHz Band 1 and Band 2:  
Summary**

| Mode                              | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|-----------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|----------|
| 5.25-5.35GHz                      | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             | -        |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | Pass   | AV   | 5.35G        | 53.94             | 54.00             | -0.06          | 3           | Vertical  | 233            | 2.35          | -        |

# 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

## 5180MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 51472G       | 70.41             | 74.00             | -3.59          | 63.66         | 3           | Vertical  | 238            | 2.25          | -       | 33.49      | 4.99       | 31.73      |
| AV   | 51476G       | 53.62             | 54.00             | -0.38          | 46.85         | 3           | Vertical  | 238            | 2.25          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 51774G       | 116.56            | Inf               | -Inf           | 109.72        | 3           | Vertical  | 238            | 2.25          | -       | 33.50      | 5.05       | 31.71      |
| AV   | 51826G       | 105.80            | Inf               | -Inf           | 98.93         | 3           | Vertical  | 238            | 2.25          | -       | 33.50      | 5.07       | 31.70      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5180MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1494G      | 68.69             | 74.00             | -5.31          | 61.92         | 3           | Horizontal | 163            | 2.31          | -       | 33.50      | 5.00       | 31.73      |
| AV   | 5.1484G      | 52.93             | 54.00             | -1.07          | 46.16         | 3           | Horizontal | 163            | 2.31          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.1732G      | 115.46            | Inf               | -Inf           | 108.62        | 3           | Horizontal | 163            | 2.31          | -       | 33.50      | 5.05       | 31.71      |
| AV   | 5.1786G      | 104.58            | Inf               | -Inf           | 97.73         | 3           | Horizontal | 163            | 2.31          | -       | 33.50      | 5.06       | 31.71      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5180MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.54532G    | 52.84             | 74.00             | -21.16         | 39.02         | 3           | Vertical  | 314            | 1.80          | -       | 37.62      | 9.04       | 32.84      |
| AV   | 15.54852G    | 39.25             | 54.00             | -14.75         | 25.44         | 3           | Vertical  | 314            | 1.80          | -       | 37.61      | 9.04       | 32.84      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5180MHz\_TX




EUT Z\_2TX  
Setting 21.5  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.54596G    | 52.56             | 74.00             | -21.44         | 38.74         | 3           | Horizontal | 139            | 2.71          | -       | 37.62      | 9.04       | 32.84      |
| AV   | 15.546G      | 39.06             | 54.00             | -14.94         | 25.24         | 3           | Horizontal | 139            | 2.71          | -       | 37.62      | 9.04       | 32.84      |

# 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

## 5200MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.1472G      | 69.06             | 74.00             | -4.94          | 62.31         | 3           | Vertical  | 235            | 2.59          | -       | 33.49      | 4.99       | 31.73      |  |
| AV   | 5.1472G      | 52.19             | 54.00             | -1.81          | 45.44         | 3           | Vertical  | 235            | 2.59          | -       | 33.49      | 4.99       | 31.73      |  |
| PK   | 5.1976G      | 117.56            | Inf               | -Inf           | 110.65        | 3           | Vertical  | 235            | 2.59          | -       | 33.50      | 5.10       | 31.69      |  |
| AV   | 5.1968G      | 107.59            | Inf               | -Inf           | 100.69        | 3           | Vertical  | 235            | 2.59          | -       | 33.50      | 5.09       | 31.69      |  |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5200MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1488G      | 67.00             | 74.00             | -7.00          | 60.23         | 3           | Horizontal | 165            | 2.27          | -       | 33.50      | 5.00       | 31.73      |
| AV   | 5.1492G      | 51.89             | 54.00             | -2.11          | 45.12         | 3           | Horizontal | 165            | 2.27          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.2032G      | 117.74            | Inf               | -Inf           | 110.82        | 3           | Horizontal | 165            | 2.27          | -       | 33.51      | 5.10       | 31.69      |
| AV   | 5.194G       | 106.93            | Inf               | -Inf           | 100.04        | 3           | Horizontal | 165            | 2.27          | -       | 33.50      | 5.09       | 31.70      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5200MHz\_TX




EUT Z\_2TX  
Setting 26  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.6052G     | 53.32             | 74.00             | -20.68         | 39.70         | 3           | Vertical  | 179            | 2.06          | -       | 37.41      | 9.06       | 32.85      |
| AV   | 15.59996G    | 39.65             | 54.00             | -14.35         | 26.04         | 3           | Vertical  | 179            | 2.06          | -       | 37.40      | 9.06       | 32.85      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5200MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.6076G     | 52.31             | 74.00             | -21.69         | 38.69         | 3           | Horizontal | 301            | 1.80          | -       | 37.41      | 9.06       | 32.85      |
| AV   | 15.60416G    | 39.04             | 54.00             | -14.96         | 25.43         | 3           | Horizontal | 301            | 1.80          | -       | 37.40      | 9.06       | 32.85      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5240MHz\_TX




EUT Z\_2TX  
Setting 26  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1182G      | 57.88             | 74.00             | -16.12         | 51.25         | 3           | Vertical  | 237            | 2.65          | -       | 33.44      | 4.94       | 31.75      |
| AV   | 5.1368G      | 44.60             | 54.00             | -9.40          | 37.90         | 3           | Vertical  | 237            | 2.65          | -       | 33.47      | 4.97       | 31.74      |
| PK   | 5.2412G      | 118.86            | Inf               | -Inf           | 111.86        | 3           | Vertical  | 237            | 2.65          | -       | 33.58      | 5.08       | 31.66      |
| AV   | 5.2418G      | 108.76            | Inf               | -Inf           | 101.76        | 3           | Vertical  | 237            | 2.65          | -       | 33.58      | 5.08       | 31.66      |
| PK   | 5.369G       | 57.22             | 74.00             | -16.78         | 49.97         | 3           | Vertical  | 237            | 2.65          | -       | 33.80      | 5.02       | 31.57      |
| AV   | 5.3582G      | 44.47             | 54.00             | -9.53          | 37.22         | 3           | Vertical  | 237            | 2.65          | -       | 33.80      | 5.02       | 31.57      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5240MHz\_TX




EUT Z\_2TX  
Setting 26  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.0936G      | 56.75             | 74.00             | -17.25         | 50.24         | 3           | Horizontal | 168            | 2.33          | -       | 33.39      | 4.89       | 31.77      |
| AV   | 5.1488G      | 44.80             | 54.00             | -9.20          | 38.03         | 3           | Horizontal | 168            | 2.33          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.2436G      | 118.38            | Inf               | -Inf           | 111.37        | 3           | Horizontal | 168            | 2.33          | -       | 33.59      | 5.08       | 31.66      |
| AV   | 5.2394G      | 107.68            | Inf               | -Inf           | 100.68        | 3           | Horizontal | 168            | 2.33          | -       | 33.58      | 5.08       | 31.66      |
| PK   | 5.3852G      | 56.53             | 74.00             | -17.47         | 49.27         | 3           | Horizontal | 168            | 2.33          | -       | 33.80      | 5.01       | 31.55      |
| AV   | 5.3552G      | 44.47             | 54.00             | -9.53          | 37.23         | 3           | Horizontal | 168            | 2.33          | -       | 33.80      | 5.02       | 31.58      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5240MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.71286G    | 51.65             | 74.00             | -22.35         | 37.94         | 3           | Vertical  | 6              | 1.16          | -       | 37.47      | 9.10       | 32.86      |
| AV   | 15.71256G    | 38.86             | 54.00             | -15.14         | 25.15         | 3           | Vertical  | 6              | 1.16          | -       | 37.47      | 9.10       | 32.86      |

# 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

## 5240MHz\_TX




EUT Z\_2TX  
Setting 26  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.72354G    | 52.14             | 74.00             | -21.86         | 38.45         | 3           | Horizontal | 3              | 1.80          | -       | 37.45      | 9.10       | 32.86      |
| AV   | 15.73236G    | 39.02             | 54.00             | -14.98         | 25.33         | 3           | Horizontal | 3              | 1.80          | -       | 37.44      | 9.11       | 32.86      |

# 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

## 5260MHz\_TX




EUT Z\_2TX  
Setting 26  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1316G      | 56.71             | 74.00             | -17.29         | 50.03         | 3           | Vertical  | 235            | 2.30          | -       | 33.46      | 4.96       | 31.74      |
| AV   | 5.1238G      | 44.16             | 54.00             | -9.84          | 37.51         | 3           | Vertical  | 235            | 2.30          | -       | 33.45      | 4.95       | 31.75      |
| PK   | 5.257G       | 117.89            | Inf               | -Inf           | 110.86        | 3           | Vertical  | 235            | 2.30          | -       | 33.61      | 5.07       | 31.65      |
| AV   | 5.257G       | 108.37            | Inf               | -Inf           | 101.34        | 3           | Vertical  | 235            | 2.30          | -       | 33.61      | 5.07       | 31.65      |
| PK   | 5.3554G      | 56.73             | 74.00             | -17.27         | 49.49         | 3           | Vertical  | 235            | 2.30          | -       | 33.80      | 5.02       | 31.58      |
| AV   | 5.3524G      | 44.52             | 54.00             | -9.48          | 37.28         | 3           | Vertical  | 235            | 2.30          | -       | 33.80      | 5.02       | 31.58      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

## 5260MHz\_TX



EUT\_Z\_2TX  
Setting 26  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1496G      | 59.90             | 74.00             | -14.10         | 53.13         | 3           | Horizontal | 167            | 2.35          | -       | 33.50      | 5.00       | 31.73      |
| AV   | 5.1496G      | 44.13             | 54.00             | -9.87          | 37.36         | 3           | Horizontal | 167            | 2.35          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.254G       | 117.32            | Inf               | -Inf           | 110.29        | 3           | Horizontal | 167            | 2.35          | -       | 33.61      | 5.07       | 31.65      |
| AV   | 5.254G       | 107.37            | Inf               | -Inf           | 100.34        | 3           | Horizontal | 167            | 2.35          | -       | 33.61      | 5.07       | 31.65      |
| PK   | 5.4022G      | 57.55             | 74.00             | -16.45         | 50.28         | 3           | Horizontal | 167            | 2.35          | -       | 33.81      | 5.00       | 31.54      |
| AV   | 5.3536G      | 44.51             | 54.00             | -9.49          | 37.27         | 3           | Horizontal | 167            | 2.35          | -       | 33.80      | 5.02       | 31.58      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5260MHz\_TX




EUT Z\_2TX  
Setting 26  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.792G      | 51.79             | 74.00             | -22.21         | 38.20         | 3           | Vertical  | 293            | 2.06          | -       | 37.32      | 9.13       | 32.86      |
| AV   | 15.7695G     | 39.13             | 54.00             | -14.87         | 25.51         | 3           | Vertical  | 293            | 2.06          | -       | 37.36      | 9.12       | 32.86      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5260MHz\_TX




EUT Z\_2TX  
Setting 26  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.78168G    | 51.91             | 74.00             | -22.09         | 38.31         | 3           | Horizontal | 15             | 2.05          | -       | 37.34      | 9.12       | 32.86      |
| AV   | 15.76506G    | 39.06             | 54.00             | -14.94         | 25.43         | 3           | Horizontal | 15             | 2.05          | -       | 37.37      | 9.12       | 32.86      |

# 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

## 5300MHz\_TX




EUT Z\_2TX  
Setting 26  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3028G      | 119.07            | Inf               | -Inf           | 111.93        | 3           | Vertical  | 236            | 2.16          | -       | 33.71      | 5.05       | 31.62      |
| AV   | 5.2976G      | 108.03            | Inf               | -Inf           | 100.90        | 3           | Vertical  | 236            | 2.16          | -       | 33.70      | 5.05       | 31.62      |
| PK   | 5.3516G      | 66.99             | 74.00             | -7.01          | 59.75         | 3           | Vertical  | 236            | 2.16          | -       | 33.80      | 5.02       | 31.58      |
| AV   | 5.3524G      | 50.42             | 54.00             | -3.58          | 43.18         | 3           | Vertical  | 236            | 2.16          | -       | 33.80      | 5.02       | 31.58      |

# 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

## 5300MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3024G      | 118.02            | Inf               | -Inf           | 110.89        | 3           | Horizontal | 280            | 2.65          | -       | 33.70      | 5.05       | 31.62      |
| AV   | 5.3024G      | 107.18            | Inf               | -Inf           | 100.05        | 3           | Horizontal | 280            | 2.65          | -       | 33.70      | 5.05       | 31.62      |
| PK   | 5.3512G      | 65.62             | 74.00             | -8.38          | 58.38         | 3           | Horizontal | 280            | 2.65          | -       | 33.80      | 5.02       | 31.58      |
| AV   | 5.3516G      | 49.02             | 54.00             | -4.98          | 41.78         | 3           | Horizontal | 280            | 2.65          | -       | 33.80      | 5.02       | 31.58      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5300MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.8212G     | 51.51             | 74.00             | -22.49         | 37.94         | 3           | Vertical  | 317            | 1.97          | -       | 37.30      | 9.14       | 32.87      |
| AV   | 15.8204G     | 38.76             | 54.00             | -15.24         | 25.19         | 3           | Vertical  | 317            | 1.97          | -       | 37.30      | 9.14       | 32.87      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5300MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.9392G     | 51.07             | 74.00             | -22.93         | 37.43         | 3           | Horizontal | 152            | 2.02          | -       | 37.34      | 9.18       | 32.88      |
| AV   | 15.8152G     | 38.77             | 54.00             | -15.23         | 25.20         | 3           | Horizontal | 152            | 2.02          | -       | 37.30      | 9.14       | 32.87      |

# 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

## 5320MHz\_TX




EUT\_Z\_2TX  
Setting 22  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3174G      | 115.74            | Inf               | -Inf           | 108.58        | 3           | Vertical  | 236            | 2.59          | -       | 33.73      | 5.04       | 31.61      |
| AV   | 5.3216G      | 105.02            | Inf               | -Inf           | 97.84         | 3           | Vertical  | 236            | 2.59          | -       | 33.74      | 5.04       | 31.60      |
| PK   | 5.3522G      | 68.72             | 74.00             | -5.28          | 61.48         | 3           | Vertical  | 236            | 2.59          | -       | 33.80      | 5.02       | 31.58      |
| AV   | 5.3516G      | 53.60             | 54.00             | -0.40          | 46.36         | 3           | Vertical  | 236            | 2.59          | -       | 33.80      | 5.02       | 31.58      |

# 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

## 5320MHz\_TX




EUT\_Z\_2TX  
Setting 22  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3238G      | 114.34            | Inf               | -Inf           | 107.15        | 3           | Horizontal | 168            | 2.22          | -       | 33.75      | 5.04       | 31.60      |
| AV   | 5.319G       | 103.43            | Inf               | -Inf           | 96.25         | 3           | Horizontal | 168            | 2.22          | -       | 33.74      | 5.04       | 31.60      |
| PK   | 5.3532G      | 65.89             | 74.00             | -8.11          | 58.65         | 3           | Horizontal | 168            | 2.22          | -       | 33.80      | 5.02       | 31.58      |
| AV   | 5.35G        | 50.73             | 54.00             | -3.27          | 43.48         | 3           | Horizontal | 168            | 2.22          | -       | 33.80      | 5.03       | 31.58      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5320MHz\_TX




EUT Z\_2TX  
Setting 22  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.897G      | 51.88             | 74.00             | -22.12         | 38.29         | 3           | Vertical  | 51             | 1.08          | -       | 37.30      | 9.16       | 32.87      |
| AV   | 15.90832G    | 38.22             | 54.00             | -15.78         | 24.61         | 3           | Vertical  | 51             | 1.08          | -       | 37.31      | 9.17       | 32.87      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5320MHz\_TX




EUT Z\_2TX  
Setting 22  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.9024G     | 52.13             | 74.00             | -21.87         | 38.53         | 3           | Horizontal | 307            | 1.54          | -       | 37.30      | 9.17       | 32.87      |
| AV   | 15.8918G     | 38.20             | 54.00             | -15.80         | 24.61         | 3           | Horizontal | 307            | 1.54          | -       | 37.30      | 9.16       | 32.87      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5180MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1494G      | 68.85             | 74.00             | -5.15          | 62.08         | 3           | Vertical  | 239            | 2.13          | -       | 33.50      | 5.00       | 31.73      |
| AV   | 5.1498G      | 53.84             | 54.00             | -0.16          | 47.07         | 3           | Vertical  | 239            | 2.13          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.176G       | 117.12            | Inf               | -Inf           | 110.28        | 3           | Vertical  | 239            | 2.13          | -       | 33.50      | 5.05       | 31.71      |
| AV   | 5.177G       | 105.96            | Inf               | -Inf           | 99.12         | 3           | Vertical  | 239            | 2.13          | -       | 33.50      | 5.05       | 31.71      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5180MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 51486G       | 66.18             | 74.00             | -7.82          | 59.41         | 3           | Horizontal | 169            | 2.27          | -       | 33.50      | 5.00       | 31.73      |
| AV   | 51498G       | 48.32             | 54.00             | -5.68          | 41.55         | 3           | Horizontal | 169            | 2.27          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 51848G       | 114.92            | Inf               | -Inf           | 108.05        | 3           | Horizontal | 169            | 2.27          | -       | 33.50      | 5.07       | 31.70      |
| AV   | 51874G       | 103.64            | Inf               | -Inf           | 96.77         | 3           | Horizontal | 169            | 2.27          | -       | 33.50      | 5.07       | 31.70      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5180MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.4982G     | 51.53             | 74.00             | -22.47         | 37.54         | 3           | Vertical  | 307            | 2.84          | -       | 37.81      | 9.02       | 32.84      |
| AV   | 15.4934G     | 39.02             | 54.00             | -14.98         | 25.01         | 3           | Vertical  | 307            | 2.84          | -       | 37.83      | 9.02       | 32.84      |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5180MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.5346G     | 52.15             | 74.00             | -21.85         | 38.29         | 3           | Horizontal | 321            | 1.27          | -       | 37.66      | 9.04       | 32.84      |
| AV   | 15.4978G     | 39.06             | 54.00             | -14.94         | 25.07         | 3           | Horizontal | 321            | 1.27          | -       | 37.81      | 9.02       | 32.84      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5200MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1488G      | 67.07             | 74.00             | -6.93          | 60.30         | 3           | Vertical  | 234            | 2.57          | -       | 33.50      | 5.00       | 31.73      |
| AV   | 5.15G        | 52.52             | 54.00             | -1.48          | 45.75         | 3           | Vertical  | 234            | 2.57          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.1924G      | 119.76            | Inf               | -Inf           | 112.88        | 3           | Vertical  | 234            | 2.57          | -       | 33.50      | 5.08       | 31.70      |
| AV   | 5.206G       | 108.65            | Inf               | -Inf           | 101.73        | 3           | Vertical  | 234            | 2.57          | -       | 33.51      | 5.10       | 31.69      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5200MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1472G      | 66.31             | 74.00             | -7.69          | 59.56         | 3           | Horizontal | 273            | 2.74          | -       | 33.49      | 4.99       | 31.73      |
| AV   | 5.15G        | 52.43             | 54.00             | -1.57          | 45.66         | 3           | Horizontal | 273            | 2.74          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.2012G      | 117.72            | Inf               | -Inf           | 110.81        | 3           | Horizontal | 273            | 2.74          | -       | 33.50      | 5.10       | 31.69      |
| AV   | 5.2076G      | 106.63            | Inf               | -Inf           | 99.70         | 3           | Horizontal | 273            | 2.74          | -       | 33.52      | 5.10       | 31.69      |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5200MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.59862G    | 53.47             | 74.00             | -20.53         | 39.85         | 3           | Vertical  | 228            | 1.00          | -       | 37.41      | 9.06       | 32.85      |
| AV   | 15.59766G    | 39.89             | 54.00             | -14.11         | 26.27         | 3           | Vertical  | 228            | 1.00          | -       | 37.41      | 9.06       | 32.85      |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5200MHz\_TX




EUT Z\_2TX  
Setting 26  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.60108G    | 52.76             | 74.00             | -21.24         | 39.15         | 3           | Horizontal | 199            | 2.11          | -       | 37.40      | 9.06       | 32.85      |
| AV   | 15.60024G    | 39.73             | 54.00             | -14.27         | 26.12         | 3           | Horizontal | 199            | 2.11          | -       | 37.40      | 9.06       | 32.85      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5240MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.15G        | 57.64             | 74.00             | -16.36         | 50.87         | 3           | Vertical  | 235            | 2.29          | -       | 33.50      | 5.00       | 31.73      |
| AV   | 5.1482G      | 44.71             | 54.00             | -9.29          | 37.94         | 3           | Vertical  | 235            | 2.29          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.2382G      | 119.90            | Inf               | -Inf           | 112.90        | 3           | Vertical  | 235            | 2.29          | -       | 33.58      | 5.08       | 31.66      |
| AV   | 5.2382G      | 109.05            | Inf               | -Inf           | 102.05        | 3           | Vertical  | 235            | 2.29          | -       | 33.58      | 5.08       | 31.66      |
| PK   | 5.3546G      | 56.54             | 74.00             | -17.46         | 49.30         | 3           | Vertical  | 235            | 2.29          | -       | 33.80      | 5.02       | 31.58      |
| AV   | 5.3618G      | 44.44             | 54.00             | -9.56          | 37.19         | 3           | Vertical  | 235            | 2.29          | -       | 33.80      | 5.02       | 31.57      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5240MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1482G      | 56.83             | 74.00             | -17.17         | 50.06         | 3           | Horizontal | 157            | 2.48          | -       | 33.50      | 5.00       | 31.73      |
| AV   | 5.1488G      | 44.61             | 54.00             | -9.39          | 37.84         | 3           | Horizontal | 157            | 2.48          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.2334G      | 117.77            | Inf               | -Inf           | 110.79        | 3           | Horizontal | 157            | 2.48          | -       | 33.57      | 5.08       | 31.67      |
| AV   | 5.234G       | 106.39            | Inf               | -Inf           | 99.41         | 3           | Horizontal | 157            | 2.48          | -       | 33.57      | 5.08       | 31.67      |
| PK   | 5.3546G      | 56.54             | 74.00             | -17.46         | 49.30         | 3           | Horizontal | 157            | 2.48          | -       | 33.80      | 5.02       | 31.58      |
| AV   | 5.3534G      | 44.43             | 54.00             | -9.57          | 37.19         | 3           | Horizontal | 157            | 2.48          | -       | 33.80      | 5.02       | 31.58      |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5240MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.70614G    | 52.66             | 74.00             | -21.34         | 38.93         | 3           | Vertical  | 280            | 1.76          | -       | 37.49      | 9.10       | 32.86      |
| AV   | 15.7281G     | 39.68             | 54.00             | -14.32         | 26.00         | 3           | Vertical  | 280            | 1.76          | -       | 37.44      | 9.10       | 32.86      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5240MHz\_TX




EUT Z\_2TX  
Setting 26  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.71292G    | 53.21             | 74.00             | -20.79         | 39.50         | 3           | Horizontal | 177            | 2.61          | -       | 37.47      | 9.10       | 32.86      |
| AV   | 15.71052G    | 39.63             | 54.00             | -14.37         | 25.91         | 3           | Horizontal | 177            | 2.61          | -       | 37.48      | 9.10       | 32.86      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5260MHz\_TX




EUT Z\_2TX  
Setting 26  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.149G       | 56.90             | 74.00             | -17.10         | 50.13         | 3           | Vertical  | 231            | 2.36          | -       | 33.50      | 5.00       | 31.73      |
| AV   | 5.1454G      | 44.45             | 54.00             | -9.55          | 37.70         | 3           | Vertical  | 231            | 2.36          | -       | 33.49      | 4.99       | 31.73      |
| PK   | 5.2678G      | 120.15            | Inf               | -Inf           | 113.08        | 3           | Vertical  | 231            | 2.36          | -       | 33.64      | 5.07       | 31.64      |
| AV   | 5.266G       | 108.69            | Inf               | -Inf           | 101.63        | 3           | Vertical  | 231            | 2.36          | -       | 33.63      | 5.07       | 31.64      |
| PK   | 5.3614G      | 57.14             | 74.00             | -16.86         | 49.89         | 3           | Vertical  | 231            | 2.36          | -       | 33.80      | 5.02       | 31.57      |
| AV   | 5.3506G      | 45.00             | 54.00             | -9.00          | 37.76         | 3           | Vertical  | 231            | 2.36          | -       | 33.80      | 5.02       | 31.58      |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5260MHz\_TX



EUT\_Z\_2TX  
Setting 26  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1328G      | 57.03             | 74.00             | -16.97         | 50.33         | 3           | Horizontal | 161            | 2.34          | -       | 33.47      | 4.97       | 31.74      |
| AV   | 5.1382G      | 44.39             | 54.00             | -9.61          | 37.67         | 3           | Horizontal | 161            | 2.34          | -       | 33.48      | 4.98       | 31.74      |
| PK   | 5.2576G      | 119.92            | Inf               | -Inf           | 112.88        | 3           | Horizontal | 161            | 2.34          | -       | 33.62      | 5.07       | 31.65      |
| AV   | 5.2588G      | 108.83            | Inf               | -Inf           | 101.79        | 3           | Horizontal | 161            | 2.34          | -       | 33.62      | 5.07       | 31.65      |
| PK   | 5.3926G      | 57.07             | 74.00             | -16.93         | 49.82         | 3           | Horizontal | 161            | 2.34          | -       | 33.80      | 5.00       | 31.55      |
| AV   | 5.3518G      | 44.60             | 54.00             | -9.40          | 37.36         | 3           | Horizontal | 161            | 2.34          | -       | 33.80      | 5.02       | 31.58      |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5260MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.7602G     | 51.71             | 74.00             | -22.29         | 38.07         | 3           | Vertical  | 282            | 1.86          | -       | 37.38      | 9.12       | 32.86      |
| AV   | 15.7746G     | 39.53             | 54.00             | -14.47         | 25.92         | 3           | Vertical  | 282            | 1.86          | -       | 37.35      | 9.12       | 32.86      |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5260MHz\_TX




EUT Z\_2TX  
Setting 26  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.8436G     | 51.71             | 74.00             | -22.29         | 38.13         | 3           | Horizontal | 319            | 2.30          | -       | 37.30      | 9.15       | 32.87      |
| AV   | 15.7536G     | 39.26             | 54.00             | -14.74         | 25.62         | 3           | Horizontal | 319            | 2.30          | -       | 37.39      | 9.11       | 32.86      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5300MHz\_TX




EUT Z\_2TX  
Setting 26  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3028G      | 119.91            | Inf               | -Inf           | 112.77        | 3           | Vertical  | 234            | 2.26          | -       | 33.71      | 5.05       | 31.62      |
| AV   | 5.3016G      | 108.65            | Inf               | -Inf           | 101.52        | 3           | Vertical  | 234            | 2.26          | -       | 33.70      | 5.05       | 31.62      |
| PK   | 5.3504G      | 67.19             | 74.00             | -6.81          | 59.95         | 3           | Vertical  | 234            | 2.26          | -       | 33.80      | 5.02       | 31.58      |
| AV   | 5.35G        | 53.47             | 54.00             | -0.53          | 46.22         | 3           | Vertical  | 234            | 2.26          | -       | 33.80      | 5.03       | 31.58      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5300MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3076G      | 116.62            | Inf               | -Inf           | 109.46        | 3           | Horizontal | 271            | 2.77          | -       | 33.72      | 5.05       | 31.61      |
| AV   | 5.3076G      | 105.67            | Inf               | -Inf           | 98.51         | 3           | Horizontal | 271            | 2.77          | -       | 33.72      | 5.05       | 31.61      |
| PK   | 5.3508G      | 63.25             | 74.00             | -10.75         | 56.01         | 3           | Horizontal | 271            | 2.77          | -       | 33.80      | 5.02       | 31.58      |
| AV   | 5.3504G      | 49.34             | 54.00             | -4.66          | 42.10         | 3           | Horizontal | 271            | 2.77          | -       | 33.80      | 5.02       | 31.58      |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5300MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.89646G    | 52.83             | 74.00             | -21.17         | 39.24         | 3           | Vertical  | 264            | 2.16          | -       | 37.30      | 9.16       | 32.87      |
| AV   | 15.90264G    | 39.44             | 54.00             | -14.56         | 25.84         | 3           | Vertical  | 264            | 2.16          | -       | 37.30      | 9.17       | 32.87      |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5300MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.90522G    | 52.65             | 74.00             | -21.35         | 39.04         | 3           | Horizontal | 324            | 1.84          | -       | 37.31      | 9.17       | 32.87      |
| AV   | 15.90234G    | 39.28             | 54.00             | -14.72         | 25.68         | 3           | Horizontal | 324            | 1.84          | -       | 37.30      | 9.17       | 32.87      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5320MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3146G      | 117.08            | Inf               | -Inf           | 109.92        | 3           | Vertical  | 234            | 2.71          | -       | 33.73      | 5.04       | 31.61      |
| AV   | 5.3158G      | 105.76            | Inf               | -Inf           | 98.60         | 3           | Vertical  | 234            | 2.71          | -       | 33.73      | 5.04       | 31.61      |
| PK   | 5.3514G      | 68.28             | 74.00             | -5.72          | 61.04         | 3           | Vertical  | 234            | 2.71          | -       | 33.80      | 5.02       | 31.58      |
| AV   | 5.35G        | 53.80             | 54.00             | -0.20          | 46.55         | 3           | Vertical  | 234            | 2.71          | -       | 33.80      | 5.03       | 31.58      |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5320MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
02-B-R-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |
| PK   | 5.3124G | 113.08   | Inf      | -Inf   | 105.93 | 3    | Horizontal | 272     | 2.28   | -       | 33.72 | 5.04 | 31.61 |
| AV   | 5.3118G | 103.19   | Inf      | -Inf   | 96.04  | 3    | Horizontal | 272     | 2.28   | -       | 33.72 | 5.04 | 31.61 |
| PK   | 5.351G  | 66.90    | 74.00    | -7.10  | 59.66  | 3    | Horizontal | 272     | 2.28   | -       | 33.80 | 5.02 | 31.58 |
| AV   | 5.35G   | 52.59    | 54.00    | -1.41  | 45.34  | 3    | Horizontal | 272     | 2.28   | -       | 33.80 | 5.03 | 31.58 |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5320MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.95712G    | 51.46             | 74.00             | -22.54         | 37.80         | 3           | Vertical  | 131            | 1.96          | -       | 37.36      | 9.18       | 32.88      |
| AV   | 15.9702G     | 38.76             | 54.00             | -15.24         | 25.08         | 3           | Vertical  | 131            | 1.96          | -       | 37.37      | 9.19       | 32.88      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5320MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.9636G     | 52.04             | 74.00             | -21.96         | 38.37         | 3           | Horizontal | 58             | 1.39          | -       | 37.36      | 9.19       | 32.88      |
| AV   | 15.9474G     | 38.89             | 54.00             | -15.11         | 25.24         | 3           | Horizontal | 58             | 1.39          | -       | 37.35      | 9.18       | 32.88      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5190MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1496G      | 68.85             | 74.00             | -5.15          | 62.08         | 3           | Vertical  | 211            | 2.85          | -       | 33.50      | 5.00       | 31.73      |
| AV   | 5.1492G      | 53.58             | 54.00             | -0.42          | 46.81         | 3           | Vertical  | 211            | 2.85          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.1856G      | 110.99            | Inf               | -Inf           | 104.12        | 3           | Vertical  | 211            | 2.85          | -       | 33.50      | 5.07       | 31.70      |
| AV   | 5.1916G      | 100.56            | Inf               | -Inf           | 93.68         | 3           | Vertical  | 211            | 2.85          | -       | 33.50      | 5.08       | 31.70      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5190MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1496G      | 68.98             | 74.00             | -5.02          | 62.21         | 3           | Horizontal | 166            | 2.41          | -       | 33.50      | 5.00       | 31.73      |
| AV   | 5.15G        | 53.14             | 54.00             | -0.86          | 46.37         | 3           | Horizontal | 166            | 2.41          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.1888G      | 112.21            | Inf               | -Inf           | 105.33        | 3           | Horizontal | 166            | 2.41          | -       | 33.50      | 5.08       | 31.70      |
| AV   | 5.1888G      | 101.14            | Inf               | -Inf           | 94.26         | 3           | Horizontal | 166            | 2.41          | -       | 33.50      | 5.08       | 31.70      |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5190MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.57688G    | 52.14             | 74.00             | -21.86         | 38.45         | 3           | Vertical  | 111            | 1.27          | -       | 37.49      | 9.05       | 32.85      |
| AV   | 15.56028G    | 38.54             | 54.00             | -15.46         | 24.77         | 3           | Vertical  | 111            | 1.27          | -       | 37.56      | 9.05       | 32.84      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5190MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.56664G    | 51.41             | 74.00             | -22.59         | 37.68         | 3           | Horizontal | 177            | 2.73          | -       | 37.53      | 9.05       | 32.85      |
| AV   | 15.56976G    | 38.70             | 54.00             | -15.30         | 24.98         | 3           | Horizontal | 177            | 2.73          | -       | 37.52      | 9.05       | 32.85      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5230MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1466G      | 66.02             | 74.00             | -7.98          | 59.27         | 3           | Vertical  | 232            | 2.43          | -       | 33.49      | 4.99       | 31.73      |
| AV   | 5.15G        | 53.43             | 54.00             | -0.57          | 46.66         | 3           | Vertical  | 232            | 2.43          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.2264G      | 116.80            | Inf               | -Inf           | 109.83        | 3           | Vertical  | 232            | 2.43          | -       | 33.55      | 5.09       | 31.67      |
| AV   | 5.236G       | 106.02            | Inf               | -Inf           | 99.04         | 3           | Vertical  | 232            | 2.43          | -       | 33.57      | 5.08       | 31.67      |
| PK   | 5.35G        | 57.79             | 74.00             | -16.21         | 50.54         | 3           | Vertical  | 232            | 2.43          | -       | 33.80      | 5.03       | 31.58      |
| AV   | 5.35G        | 45.44             | 54.00             | -8.56          | 38.19         | 3           | Vertical  | 232            | 2.43          | -       | 33.80      | 5.03       | 31.58      |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5230MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1382G      | 68.11             | 74.00             | -5.89          | 61.39         | 3           | Horizontal | 165            | 2.26          | -       | 33.48      | 4.98       | 31.74      |
| AV   | 5.15G        | 52.57             | 54.00             | -1.43          | 45.80         | 3           | Horizontal | 165            | 2.26          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.2216G      | 115.17            | Inf               | -Inf           | 108.22        | 3           | Horizontal | 165            | 2.26          | -       | 33.54      | 5.09       | 31.68      |
| AV   | 5.2228G      | 104.06            | Inf               | -Inf           | 97.10         | 3           | Horizontal | 165            | 2.26          | -       | 33.55      | 5.09       | 31.68      |
| PK   | 5.3644G      | 56.85             | 74.00             | -17.15         | 49.60         | 3           | Horizontal | 165            | 2.26          | -       | 33.80      | 5.02       | 31.57      |
| AV   | 5.35G        | 45.66             | 54.00             | -8.34          | 38.41         | 3           | Horizontal | 165            | 2.26          | -       | 33.80      | 5.03       | 31.58      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5230MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.69846G    | 52.17             | 74.00             | -21.83         | 38.44         | 3           | Vertical  | 65             | 2.20          | -       | 37.50      | 9.09       | 32.86      |
| AV   | 15.6831G     | 38.65             | 54.00             | -15.35         | 24.93         | 3           | Vertical  | 65             | 2.20          | -       | 37.48      | 9.09       | 32.85      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5230MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.67818G    | 51.51             | 74.00             | -22.49         | 37.79         | 3           | Horizontal | 76             | 2.56          | -       | 37.48      | 9.09       | 32.85      |
| AV   | 15.69234G    | 38.48             | 54.00             | -15.52         | 24.76         | 3           | Horizontal | 76             | 2.56          | -       | 37.49      | 9.09       | 32.86      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5270MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.147G       | 62.95             | 74.00             | -11.05         | 56.20         | 3           | Vertical  | 233            | 2.27          | -       | 33.49      | 4.99       | 31.73      |
| AV   | 5.147G       | 47.29             | 54.00             | -6.71          | 40.54         | 3           | Vertical  | 233            | 2.27          | -       | 33.49      | 4.99       | 31.73      |
| PK   | 5.2778G      | 116.99            | Inf               | -Inf           | 109.90        | 3           | Vertical  | 233            | 2.27          | -       | 33.66      | 5.06       | 31.63      |
| AV   | 5.2742G      | 105.70            | Inf               | -Inf           | 98.63         | 3           | Vertical  | 233            | 2.27          | -       | 33.65      | 5.06       | 31.64      |
| PK   | 5.3504G      | 67.14             | 74.00             | -6.86          | 59.90         | 3           | Vertical  | 233            | 2.27          | -       | 33.80      | 5.02       | 31.58      |
| AV   | 5.35G        | 53.84             | 54.00             | -0.16          | 46.60         | 3           | Vertical  | 233            | 2.27          | -       | 33.80      | 5.02       | 31.58      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5270MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1398G      | 62.94             | 74.00             | -11.06         | 56.22         | 3           | Horizontal | 169            | 2.43          | -       | 33.48      | 4.98       | 31.74      |
| AV   | 5.1494G      | 46.67             | 54.00             | -7.33          | 39.90         | 3           | Horizontal | 169            | 2.43          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.261G       | 115.40            | Inf               | -Inf           | 108.36        | 3           | Horizontal | 169            | 2.43          | -       | 33.62      | 5.07       | 31.65      |
| AV   | 5.2586G      | 103.95            | Inf               | -Inf           | 96.91         | 3           | Horizontal | 169            | 2.43          | -       | 33.62      | 5.07       | 31.65      |
| PK   | 5.35G        | 67.47             | 74.00             | -6.53          | 60.23         | 3           | Horizontal | 169            | 2.43          | -       | 33.80      | 5.02       | 31.58      |
| AV   | 5.3504G      | 51.64             | 54.00             | -2.36          | 44.40         | 3           | Horizontal | 169            | 2.43          | -       | 33.80      | 5.02       | 31.58      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5270MHz\_TX




EUT Z\_2TX  
Setting 24  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.79746G    | 51.77             | 74.00             | -22.23         | 38.19         | 3           | Vertical  | 86             | 1.98          | -       | 37.31      | 9.13       | 32.86      |
| AV   | 15.80574G    | 39.00             | 54.00             | -15.00         | 25.43         | 3           | Vertical  | 86             | 1.98          | -       | 37.30      | 9.13       | 32.86      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5270MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.81456G    | 52.07             | 74.00             | -21.93         | 38.50         | 3           | Horizontal | 62             | 1.19          | -       | 37.30      | 9.14       | 32.87      |
| AV   | 15.8124G     | 39.08             | 54.00             | -14.92         | 25.51         | 3           | Horizontal | 62             | 1.19          | -       | 37.30      | 9.13       | 32.86      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5310MHz\_TX




EUT\_Z\_2TX  
Setting 18  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3G         | 110.98            | Inf               | -Inf           | 103.85        | 3           | Vertical  | 233            | 2.35          | -       | 33.70      | 5.05       | 31.62      |
| AV   | 5.306G       | 99.25             | Inf               | -Inf           | 92.10         | 3           | Vertical  | 233            | 2.35          | -       | 33.71      | 5.05       | 31.61      |
| PK   | 5.3508G      | 70.28             | 74.00             | -3.72          | 63.04         | 3           | Vertical  | 233            | 2.35          | -       | 33.80      | 5.02       | 31.58      |
| AV   | 5.35G        | 53.94             | 54.00             | -0.06          | 46.69         | 3           | Vertical  | 233            | 2.35          | -       | 33.80      | 5.03       | 31.58      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5310MHz\_TX




EUT\_Z\_2TX  
Setting 18  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.308G       | 109.90            | Inf               | -Inf           | 102.74        | 3           | Horizontal | 271            | 2.75          | -       | 33.72      | 5.05       | 31.61      |
| AV   | 5.308G       | 98.69             | Inf               | -Inf           | 91.53         | 3           | Horizontal | 271            | 2.75          | -       | 33.72      | 5.05       | 31.61      |
| PK   | 5.3552G      | 65.29             | 74.00             | -8.71          | 58.05         | 3           | Horizontal | 271            | 2.75          | -       | 33.80      | 5.02       | 31.58      |
| AV   | 5.35G        | 53.74             | 54.00             | -0.26          | 46.49         | 3           | Horizontal | 271            | 2.75          | -       | 33.80      | 5.03       | 31.58      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5310MHz\_TX




EUT\_Z\_2TX  
Setting 18  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.92472G    | 52.57             | 74.00             | -21.43         | 38.95         | 3           | Vertical  | 131            | 1.54          | -       | 37.32      | 9.17       | 32.87      |
| AV   | 15.93036G    | 38.80             | 54.00             | -15.20         | 25.16         | 3           | Vertical  | 131            | 1.54          | -       | 37.33      | 9.18       | 32.87      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5310MHz\_TX




EUT\_Z\_2TX  
Setting 18  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.92888G    | 52.40             | 74.00             | -21.60         | 38.76         | 3           | Horizontal | 22             | 2.16          | -       | 37.33      | 9.18       | 32.87      |
| AV   | 15.9264G     | 38.64             | 54.00             | -15.36         | 25.01         | 3           | Horizontal | 22             | 2.16          | -       | 37.33      | 9.17       | 32.87      |

# 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5210MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1324G      | 70.85             | 74.00             | -3.15          | 64.17         | 3           | Vertical  | 232            | 2.21          | -       | 33.46      | 4.96       | 31.74      |
| AV   | 5.1388G      | 53.61             | 54.00             | -0.39          | 46.89         | 3           | Vertical  | 232            | 2.21          | -       | 33.48      | 4.98       | 31.74      |
| PK   | 5.182G       | 111.50            | Inf               | -Inf           | 104.65        | 3           | Vertical  | 232            | 2.21          | -       | 33.50      | 5.06       | 31.71      |
| AV   | 5.2116G      | 97.37             | Inf               | -Inf           | 90.44         | 3           | Vertical  | 232            | 2.21          | -       | 33.52      | 5.09       | 31.68      |
| PK   | 5.35G        | 56.78             | 74.00             | -17.22         | 49.53         | 3           | Vertical  | 232            | 2.21          | -       | 33.80      | 5.03       | 31.58      |
| AV   | 5.3516G      | 45.04             | 54.00             | -8.96          | 37.80         | 3           | Vertical  | 232            | 2.21          | -       | 33.80      | 5.02       | 31.58      |

# 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5210MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1356G      | 71.25             | 74.00             | -2.75          | 64.55         | 3           | Horizontal | 168            | 2.33          | -       | 33.47      | 4.97       | 31.74      |
| AV   | 5.1492G      | 53.65             | 54.00             | -0.35          | 46.88         | 3           | Horizontal | 168            | 2.33          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.1796G      | 109.38            | Inf               | -Inf           | 102.53        | 3           | Horizontal | 168            | 2.33          | -       | 33.50      | 5.06       | 31.71      |
| AV   | 5.1844G      | 97.43             | Inf               | -Inf           | 90.56         | 3           | Horizontal | 168            | 2.33          | -       | 33.50      | 5.07       | 31.70      |
| PK   | 5.3684G      | 57.67             | 74.00             | -16.33         | 50.42         | 3           | Horizontal | 168            | 2.33          | -       | 33.80      | 5.02       | 31.57      |
| AV   | 5.35G        | 44.77             | 54.00             | -9.23          | 37.52         | 3           | Horizontal | 168            | 2.33          | -       | 33.80      | 5.03       | 31.58      |

# 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5210MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.62382G    | 51.29             | 74.00             | -22.71         | 37.65         | 3           | Vertical  | 98             | 2.12          | -       | 37.42      | 9.07       | 32.85      |
| AV   | 15.61908G    | 38.49             | 54.00             | -15.51         | 24.85         | 3           | Vertical  | 98             | 2.12          | -       | 37.42      | 9.07       | 32.85      |

# 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5210MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.64452G    | 51.53             | 74.00             | -22.47         | 37.86         | 3           | Horizontal | 352            | 1.94          | -       | 37.44      | 9.08       | 32.85      |
| AV   | 15.62094G    | 38.50             | 54.00             | -15.50         | 24.86         | 3           | Horizontal | 352            | 1.94          | -       | 37.42      | 9.07       | 32.85      |

# 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5290MHz\_TX




EUT\_Z\_2TX  
Setting 17  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1476G      | 58.38             | 74.00             | -15.62         | 51.61         | 3           | Vertical  | 236            | 2.23          | -       | 33.50      | 5.00       | 31.73      |
| AV   | 5.1484G      | 45.56             | 54.00             | -8.44          | 38.79         | 3           | Vertical  | 236            | 2.23          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.262G       | 108.88            | Inf               | -Inf           | 101.84        | 3           | Vertical  | 236            | 2.23          | -       | 33.62      | 5.07       | 31.65      |
| AV   | 5.286G       | 95.01             | Inf               | -Inf           | 87.91         | 3           | Vertical  | 236            | 2.23          | -       | 33.67      | 5.06       | 31.63      |
| PK   | 5.3516G      | 67.09             | 74.00             | -6.91          | 59.85         | 3           | Vertical  | 236            | 2.23          | -       | 33.80      | 5.02       | 31.58      |
| AV   | 5.3508G      | 53.85             | 54.00             | -0.15          | 46.61         | 3           | Vertical  | 236            | 2.23          | -       | 33.80      | 5.02       | 31.58      |
| PK   | 5.4604G      | 57.01             | 68.20             | -11.19         | 49.47         | 3           | Vertical  | 236            | 2.23          | -       | 33.98      | 5.06       | 31.50      |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5290MHz\_TX



EUT\_Z\_2TX  
Setting 17  
02-B-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1364G      | 57.34             | 74.00             | -16.66         | 50.64         | 3           | Horizontal | 270            | 2.36          | -       | 33.47      | 4.97       | 31.74      |
| AV   | 5.1476G      | 44.73             | 54.00             | -9.27          | 37.96         | 3           | Horizontal | 270            | 2.36          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.262G       | 105.99            | Inf               | -Inf           | 98.95         | 3           | Horizontal | 270            | 2.36          | -       | 33.62      | 5.07       | 31.65      |
| AV   | 5.2964G      | 92.98             | Inf               | -Inf           | 85.86         | 3           | Horizontal | 270            | 2.36          | -       | 33.69      | 5.05       | 31.62      |
| PK   | 5.354G       | 62.68             | 74.00             | -11.32         | 55.44         | 3           | Horizontal | 270            | 2.36          | -       | 33.80      | 5.02       | 31.58      |
| AV   | 5.35G        | 50.72             | 54.00             | -3.28          | 43.47         | 3           | Horizontal | 270            | 2.36          | -       | 33.80      | 5.03       | 31.58      |
| PK   | 5.4708G      | 56.86             | 68.20             | -11.34         | 49.32         | 3           | Horizontal | 270            | 2.36          | -       | 33.96      | 5.07       | 31.49      |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5290MHz\_TX




EUT\_Z\_2TX  
Setting 17  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.87172G    | 51.45             | 74.00             | -22.55         | 37.86         | 3           | Vertical  | 65             | 1.94          | -       | 37.30      | 9.16       | 32.87      |
| AV   | 15.87208G    | 38.71             | 54.00             | -15.29         | 25.12         | 3           | Vertical  | 65             | 1.94          | -       | 37.30      | 9.16       | 32.87      |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5290MHz\_TX



EUT\_Z\_2TX  
Setting 17  
02-B-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.8614G     | 51.79             | 74.00             | -22.21         | 38.21         | 3           | Horizontal | 267            | 2.99          | -       | 37.30      | 9.15       | 32.87      |
| AV   | 15.87572G    | 38.76             | 54.00             | -15.24         | 25.17         | 3           | Horizontal | 267            | 2.99          | -       | 37.30      | 9.16       | 32.87      |



**For 5GHz Band 3 and Band 4:**


**Summary**

| Mode                              | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|-----------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|----------|
| 5.47-5.725GHz                     | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             | -        |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | Pass   | PK   | 5.47G        | 68.16             | 68.20             | -0.04          | 3           | Vertical  | 186            | 2.13          | -        |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5500MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
01-A-G-3-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.459G       | 62.07             | 74.00             | -11.93         | 57.66         | 3           | Vertical  | -              | -             | -       | 33.42      | 5.40       | 34.41      |
| AV   | 5.4584G      | 49.05             | 54.00             | -4.95          | 44.64         | 3           | Vertical  | -              | -             | -       | 33.42      | 5.40       | 34.41      |
| PK   | 5.4676G      | 67.30             | 68.20             | -0.90          | 62.87         | 3           | Vertical  | -              | -             | -       | 33.44      | 5.40       | 34.41      |
| PK   | 5.498G       | 117.65            | Inf               | -Inf           | 113.16        | 3           | Vertical  | -              | -             | -       | 33.50      | 5.40       | 34.41      |
| AV   | 5.4982G      | 106.47            | Inf               | -Inf           | 101.98        | 3           | Vertical  | -              | -             | -       | 33.50      | 5.40       | 34.41      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5500MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
01-A-G-3-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4568G      | 63.49             | 74.00             | -10.51         | 59.10         | 3           | Horizontal | 195            | 2.54          | -       | 33.41      | 5.40       | 34.42      |
| AV   | 5.4564G      | 47.68             | 54.00             | -6.32          | 43.29         | 3           | Horizontal | 195            | 2.54          | -       | 33.41      | 5.40       | 34.42      |
| PK   | 5.4694G      | 66.63             | 68.20             | -1.57          | 62.20         | 3           | Horizontal | 195            | 2.54          | -       | 33.44      | 5.40       | 34.41      |
| PK   | 5.5056G      | 115.24            | Inf               | -Inf           | 110.73        | 3           | Horizontal | 195            | 2.54          | -       | 33.52      | 5.40       | 34.41      |
| AV   | 5.4954G      | 104.54            | Inf               | -Inf           | 100.06        | 3           | Horizontal | 195            | 2.54          | -       | 33.49      | 5.40       | 34.41      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5500MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.00132G    | 53.38             | 74.00             | -20.62         | 41.92         | 3           | Vertical  | 28             | 2.79          | -       | 38.20      | 7.65       | 34.39      |
| AV   | 10.99476G    | 39.79             | 54.00             | -14.21         | 28.32         | 3           | Vertical  | 28             | 2.79          | -       | 38.21      | 7.65       | 34.39      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5500MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 10.99296G    | 53.60             | 74.00             | -20.40         | 42.14         | 3           | Horizontal | 96             | 2.14          | -       | 38.21      | 7.65       | 34.40      |
| AV   | 10.99184G    | 39.94             | 54.00             | -14.06         | 28.48         | 3           | Horizontal | 96             | 2.14          | -       | 38.21      | 7.65       | 34.40      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5580MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.444G       | 57.98             | 74.00             | -16.02         | 53.62         | 3           | Vertical  | 188            | 2.17          | -       | 33.38      | 5.40       | 34.42      |
| AV   | 5.4392G      | 45.28             | 54.00             | -8.72          | 40.94         | 3           | Vertical  | 188            | 2.17          | -       | 33.36      | 5.40       | 34.42      |
| PK   | 5.4648G      | 57.55             | 68.20             | -10.65         | 53.13         | 3           | Vertical  | 188            | 2.17          | -       | 33.43      | 5.40       | 34.41      |
| PK   | 5.584G       | 120.00            | Inf               | -Inf           | 115.27        | 3           | Vertical  | 188            | 2.17          | -       | 33.77      | 5.40       | 34.44      |
| AV   | 5.5792G      | 109.61            | Inf               | -Inf           | 104.89        | 3           | Vertical  | 188            | 2.17          | -       | 33.76      | 5.40       | 34.44      |
| PK   | 5.7288G      | 57.72             | 68.20             | -10.48         | 52.73         | 3           | Vertical  | 188            | 2.17          | -       | 34.02      | 5.46       | 34.49      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

## 5580MHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-A-G-2-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4496G      | 57.57             | 74.00             | -16.43         | 53.19         | 3           | Horizontal | 206            | 2.25          | -       | 33.40      | 5.40       | 34.42      |
| AV   | 5.4456G      | 44.89             | 54.00             | -9.11          | 40.53         | 3           | Horizontal | 206            | 2.25          | -       | 33.38      | 5.40       | 34.42      |
| PK   | 5.4616G      | 57.24             | 68.20             | -10.96         | 52.83         | 3           | Horizontal | 206            | 2.25          | -       | 33.42      | 5.40       | 34.41      |
| PK   | 5.5744G      | 116.20            | Inf               | -Inf           | 111.49        | 3           | Horizontal | 206            | 2.25          | -       | 33.75      | 5.40       | 34.44      |
| AV   | 5.5744G      | 105.79            | Inf               | -Inf           | 101.08        | 3           | Horizontal | 206            | 2.25          | -       | 33.75      | 5.40       | 34.44      |
| PK   | 5.7784G      | 57.36             | 68.20             | -10.84         | 52.16         | 3           | Horizontal | 206            | 2.25          | -       | 34.21      | 5.49       | 34.50      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5580MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.1634G     | 52.66             | 74.00             | -21.34         | 41.13         | 3           | Vertical  | 338            | 2.11          | -       | 38.24      | 7.71       | 34.42      |
| AV   | 11.1594G     | 39.65             | 54.00             | -14.35         | 28.12         | 3           | Vertical  | 338            | 2.11          | -       | 38.24      | 7.71       | 34.42      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5580MHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.15956G    | 52.81             | 74.00             | -21.19         | 41.28         | 3           | Horizontal | 100            | 2.53          | -       | 38.24      | 7.71       | 34.42      |
| AV   | 11.15372G    | 39.56             | 54.00             | -14.44         | 28.02         | 3           | Horizontal | 100            | 2.53          | -       | 38.25      | 7.70       | 34.41      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5700MHz\_TX




EUT Z\_2TX  
Setting 22  
01-A-G-3-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.7066G      | 115.88            | Inf               | -Inf           | 110.98        | 3           | Vertical  | 181            | 2.30          | -       | 33.93      | 5.45       | 34.48      |
| AV   | 5.6966G      | 105.05            | Inf               | -Inf           | 100.18        | 3           | Vertical  | 181            | 2.30          | -       | 33.90      | 5.45       | 34.48      |
| PK   | 5.7262G      | 66.82             | 68.20             | -1.38          | 61.85         | 3           | Vertical  | 181            | 2.30          | -       | 34.00      | 5.46       | 34.49      |

# 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

## 5700MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-A-G-3-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.7052G      | 113.97            | Inf               | -Inf           | 109.08        | 3           | Horizontal | 209            | 2.19          | -       | 33.92      | 5.45       | 34.48      |
| AV   | 5.705G       | 103.42            | Inf               | -Inf           | 98.53         | 3           | Horizontal | 209            | 2.19          | -       | 33.92      | 5.45       | 34.48      |
| PK   | 5.7254G      | 66.21             | 68.20             | -1.99          | 61.24         | 3           | Horizontal | 209            | 2.19          | -       | 34.00      | 5.46       | 34.49      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5700MHz\_TX




EUT Z\_2TX  
Setting 22  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.39744G    | 53.69             | 74.00             | -20.31         | 41.95         | 3           | Vertical  | 348            | 1.29          | -       | 38.40      | 7.79       | 34.45      |
| AV   | 11.3957G     | 40.56             | 54.00             | -13.44         | 28.82         | 3           | Vertical  | 348            | 1.29          | -       | 38.40      | 7.79       | 34.45      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5700MHz\_TX




EUT Z\_2TX  
Setting 22  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.40408G    | 53.66             | 74.00             | -20.34         | 41.92         | 3           | Horizontal | 82             | 2.41          | -       | 38.40      | 7.79       | 34.45      |
| AV   | 11.40414G    | 40.64             | 54.00             | -13.36         | 28.90         | 3           | Horizontal | 82             | 2.41          | -       | 38.40      | 7.79       | 34.45      |

# 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

## 5745MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-3-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.647G       | 58.13             | 68.20             | -10.07         | 53.28         | 3           | Vertical  | 186            | 2.45          | -       | 33.89      | 5.42       | 34.46      |
| PK   | 5.741G       | 118.53            | Inf               | -Inf           | 113.49        | 3           | Vertical  | 186            | 2.45          | -       | 34.06      | 5.47       | 34.49      |
| AV   | 5.741G       | 108.21            | Inf               | -Inf           | 103.17        | 3           | Vertical  | 186            | 2.45          | -       | 34.06      | 5.47       | 34.49      |
| PK   | 5.972G       | 58.81             | 68.20             | -9.39          | 52.79         | 3           | Vertical  | 186            | 2.45          | -       | 35.09      | 5.50       | 34.57      |

# 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

## 5745MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-3-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.63G        | 58.00             | 68.20             | -10.20         | 53.17         | 3           | Horizontal | 209            | 2.20          | -       | 33.86      | 5.42       | 34.45      |
| PK   | 5.739G       | 118.25            | Inf               | -Inf           | 113.21        | 3           | Horizontal | 209            | 2.20          | -       | 34.06      | 5.47       | 34.49      |
| AV   | 5.75G        | 107.43            | Inf               | -Inf           | 102.35        | 3           | Horizontal | 209            | 2.20          | -       | 34.10      | 5.47       | 34.49      |
| PK   | 5.96G        | 58.13             | 68.20             | -10.07         | 52.16         | 3           | Horizontal | 209            | 2.20          | -       | 35.04      | 5.50       | 34.57      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5745MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-3  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.4958G     | 54.75             | 74.00             | -19.25         | 43.00         | 3           | Vertical  | 262            | 2.91          | -       | 38.40      | 7.82       | 34.47      |
| AV   | 11.4686G     | 41.00             | 54.00             | -13.00         | 29.25         | 3           | Vertical  | 262            | 2.91          | -       | 38.40      | 7.81       | 34.46      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5745MHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-A-G-3  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.4826G     | 54.07             | 74.00             | -19.93         | 42.32         | 3           | Horizontal | 264            | 1.80          | -       | 38.40      | 7.82       | 34.47      |
| AV   | 11.47G       | 40.92             | 54.00             | -13.08         | 29.18         | 3           | Horizontal | 264            | 1.80          | -       | 38.40      | 7.81       | 34.47      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5785MHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-A-G-2-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.608G       | 58.58             | 68.20             | -9.62          | 53.81         | 3           | Vertical  | 182            | 2.46          | -       | 33.82      | 5.40       | 34.45      |
| PK   | 5.779G       | 117.99            | Inf               | -Inf           | 112.78        | 3           | Vertical  | 182            | 2.46          | -       | 34.22      | 5.49       | 34.50      |
| AV   | 5.779G       | 107.81            | Inf               | -Inf           | 102.60        | 3           | Vertical  | 182            | 2.46          | -       | 34.22      | 5.49       | 34.50      |
| PK   | 5.981G       | 58.71             | 68.20             | -9.49          | 52.66         | 3           | Vertical  | 182            | 2.46          | -       | 35.12      | 5.50       | 34.57      |

# 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

## 5785MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.573G       | 57.92             | 68.20             | -10.28         | 53.20         | 3           | Horizontal | 210            | 2.22          | -       | 33.75      | 5.40       | 34.43      |
| PK   | 5.781G       | 118.56            | Inf               | -Inf           | 113.36        | 3           | Horizontal | 210            | 2.22          | -       | 34.22      | 5.49       | 34.51      |
| AV   | 5.787G       | 106.88            | Inf               | -Inf           | 101.65        | 3           | Horizontal | 210            | 2.22          | -       | 34.25      | 5.49       | 34.51      |
| PK   | 5.969G       | 58.90             | 68.20             | -9.30          | 52.89         | 3           | Horizontal | 210            | 2.22          | -       | 35.08      | 5.50       | 34.57      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5785MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.56694G    | 53.66             | 74.00             | -20.34         | 41.89         | 3           | Vertical  | 54             | 1.78          | -       | 38.40      | 7.85       | 34.48      |
| AV   | 11.56768G    | 40.26             | 54.00             | -13.74         | 28.49         | 3           | Vertical  | 54             | 1.78          | -       | 38.40      | 7.85       | 34.48      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5785MHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.56776G    | 52.81             | 74.00             | -21.19         | 41.04         | 3           | Horizontal | 148            | 1.36          | -       | 38.40      | 7.85       | 34.48      |
| AV   | 11.57068G    | 40.04             | 54.00             | -13.96         | 28.27         | 3           | Horizontal | 148            | 1.36          | -       | 38.40      | 7.85       | 34.48      |

# 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

## 5825MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.621G       | 58.34             | 68.20             | -9.86          | 53.54         | 3           | Vertical  | 182            | 2.42          | -       | 33.84      | 5.41       | 34.45      |
| PK   | 5.827G       | 118.11            | Inf               | -Inf           | 112.72        | 3           | Vertical  | 182            | 2.42          | -       | 34.41      | 5.50       | 34.52      |
| AV   | 5.827G       | 107.57            | Inf               | -Inf           | 102.18        | 3           | Vertical  | 182            | 2.42          | -       | 34.41      | 5.50       | 34.52      |
| PK   | 5.94G        | 58.74             | 68.20             | -9.46          | 52.84         | 3           | Vertical  | 182            | 2.42          | -       | 34.96      | 5.50       | 34.56      |

# 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

## 5825MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.633G       | 57.94             | 68.20             | -10.26         | 53.11         | 3           | Horizontal | 207            | 2.29          | -       | 33.87      | 5.42       | 34.46      |
| PK   | 5.82G        | 117.63            | Inf               | -Inf           | 112.27        | 3           | Horizontal | 207            | 2.29          | -       | 34.38      | 5.50       | 34.52      |
| AV   | 5.83G        | 107.26            | Inf               | -Inf           | 101.86        | 3           | Horizontal | 207            | 2.29          | -       | 34.42      | 5.50       | 34.52      |
| PK   | 5.948G       | 59.26             | 68.20             | -8.94          | 53.33         | 3           | Horizontal | 207            | 2.29          | -       | 34.99      | 5.50       | 34.56      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5825MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.64674G    | 53.33             | 74.00             | -20.67         | 41.49         | 3           | Vertical  | 237            | 1.91          | -       | 38.45      | 7.88       | 34.49      |
| AV   | 11.64862G    | 40.52             | 54.00             | -13.48         | 28.68         | 3           | Vertical  | 237            | 1.91          | -       | 38.45      | 7.88       | 34.49      |

## 802.11a-BF\_Nss1,(6Mbps)\_2TX

14/01/2021

### 5825MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.647222G   | 53.66             | 74.00             | -20.34         | 41.82         | 3           | Horizontal | 95             | 2.97          | -       | 38.45      | 7.88       | 34.49      |
| AV   | 11.65336G    | 40.32             | 54.00             | -13.68         | 28.48         | 3           | Horizontal | 95             | 2.97          | -       | 38.45      | 7.88       | 34.49      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5500MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
01-A-G-3-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4598G      | 63.69             | 74.00             | -10.31         | 59.28         | 3           | Vertical  | 186            | 2.13          | -       | 33.42      | 5.40       | 34.41      |
| AV   | 5.459G       | 48.62             | 54.00             | -5.38          | 44.21         | 3           | Vertical  | 186            | 2.13          | -       | 33.42      | 5.40       | 34.41      |
| PK   | 5.47G        | 68.16             | 68.20             | -0.04          | 63.73         | 3           | Vertical  | 186            | 2.13          | -       | 33.44      | 5.40       | 34.41      |
| PK   | 5.4976G      | 118.44            | Inf               | -Inf           | 113.95        | 3           | Vertical  | 186            | 2.13          | -       | 33.50      | 5.40       | 34.41      |
| AV   | 5.498G       | 106.79            | Inf               | -Inf           | 102.30        | 3           | Vertical  | 186            | 2.13          | -       | 33.50      | 5.40       | 34.41      |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5500MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
01-A-G-3-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4566G      | 61.28             | 74.00             | -12.72         | 56.89         | 3           | Horizontal | 193            | 2.35          | -       | 33.41      | 5.40       | 34.42      |
| AV   | 5.4574G      | 47.80             | 54.00             | -6.20          | 43.41         | 3           | Horizontal | 193            | 2.35          | -       | 33.41      | 5.40       | 34.42      |
| PK   | 5.4698G      | 66.49             | 68.20             | -1.71          | 62.06         | 3           | Horizontal | 193            | 2.35          | -       | 33.44      | 5.40       | 34.41      |
| PK   | 5.495G       | 114.67            | Inf               | -Inf           | 110.19        | 3           | Horizontal | 193            | 2.35          | -       | 33.49      | 5.40       | 34.41      |
| AV   | 5.4924G      | 103.15            | Inf               | -Inf           | 98.68         | 3           | Horizontal | 193            | 2.35          | -       | 33.48      | 5.40       | 34.41      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5500MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.0032G     | 53.51             | 74.00             | -20.49         | 42.05         | 3           | Vertical  | 130            | 2.51          | -       | 38.20      | 7.65       | 34.39      |
| AV   | 11.0035G     | 39.12             | 54.00             | -14.88         | 27.66         | 3           | Vertical  | 130            | 2.51          | -       | 38.20      | 7.65       | 34.39      |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5500MHz\_TX




EUT Z\_2TX  
Setting 22.5  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.00332G    | 52.47             | 74.00             | -21.53         | 41.01         | 3           | Horizontal | 311            | 2.90          | -       | 38.20      | 7.65       | 34.39      |
| AV   | 11.0033G     | 39.38             | 54.00             | -14.62         | 27.92         | 3           | Horizontal | 311            | 2.90          | -       | 38.20      | 7.65       | 34.39      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5580MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4568G      | 58.03             | 74.00             | -15.97         | 53.64         | 3           | Vertical  | 187            | 2.21          | -       | 33.41      | 5.40       | 34.42      |
| AV   | 5.4544G      | 45.29             | 54.00             | -8.71          | 40.90         | 3           | Vertical  | 187            | 2.21          | -       | 33.41      | 5.40       | 34.42      |
| PK   | 5.464G       | 57.54             | 68.20             | -10.66         | 53.12         | 3           | Vertical  | 187            | 2.21          | -       | 33.43      | 5.40       | 34.41      |
| PK   | 5.5824G      | 120.41            | Inf               | -Inf           | 115.69        | 3           | Vertical  | 187            | 2.21          | -       | 33.76      | 5.40       | 34.44      |
| AV   | 5.5864G      | 108.88            | Inf               | -Inf           | 104.15        | 3           | Vertical  | 187            | 2.21          | -       | 33.77      | 5.40       | 34.44      |
| PK   | 5.7696G      | 58.09             | 68.20             | -10.11         | 52.93         | 3           | Vertical  | 187            | 2.21          | -       | 34.18      | 5.48       | 34.50      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5580MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4368G      | 57.78             | 74.00             | -16.22         | 53.45         | 3           | Horizontal | 250            | 2.28          | -       | 33.35      | 5.40       | 34.42      |
| AV   | 5.44G        | 44.94             | 54.00             | -9.06          | 40.60         | 3           | Horizontal | 250            | 2.28          | -       | 33.36      | 5.40       | 34.42      |
| PK   | 5.4688G      | 58.10             | 68.20             | -10.10         | 53.67         | 3           | Horizontal | 250            | 2.28          | -       | 33.44      | 5.40       | 34.41      |
| PK   | 5.5736G      | 115.41            | Inf               | -Inf           | 110.70        | 3           | Horizontal | 250            | 2.28          | -       | 33.75      | 5.40       | 34.44      |
| AV   | 5.5816G      | 104.65            | Inf               | -Inf           | 99.93         | 3           | Horizontal | 250            | 2.28          | -       | 33.76      | 5.40       | 34.44      |
| PK   | 5.7472G      | 57.61             | 68.20             | -10.59         | 52.54         | 3           | Horizontal | 250            | 2.28          | -       | 34.09      | 5.47       | 34.49      |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5580MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.15758G    | 52.76             | 74.00             | -21.24         | 41.23         | 3           | Vertical  | 188            | 1.53          | -       | 38.24      | 7.71       | 34.42      |
| AV   | 11.15586G    | 39.59             | 54.00             | -14.41         | 28.06         | 3           | Vertical  | 188            | 1.53          | -       | 38.24      | 7.70       | 34.41      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5580MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.1578G     | 52.92             | 74.00             | -21.08         | 41.39         | 3           | Horizontal | 84             | 1.37          | -       | 38.24      | 7.71       | 34.42      |
| AV   | 11.15676G    | 39.66             | 54.00             | -14.34         | 28.14         | 3           | Horizontal | 84             | 1.37          | -       | 38.24      | 7.70       | 34.42      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5700MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
01-A-G-3-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.6978G      | 115.98            | Inf               | -Inf           | 111.11        | 3           | Vertical  | 184            | 2.66          | -       | 33.90      | 5.45       | 34.48      |
| AV   | 5.6966G      | 104.40            | Inf               | -Inf           | 99.53         | 3           | Vertical  | 184            | 2.66          | -       | 33.90      | 5.45       | 34.48      |
| PK   | 5.725G       | 66.11             | 68.20             | -2.09          | 61.14         | 3           | Vertical  | 184            | 2.66          | -       | 34.00      | 5.46       | 34.49      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5700MHz\_TX




EUT Z\_2TX  
Setting 22.5  
01-A-G-3-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.6982G      | 113.73            | Inf               | -Inf           | 108.86        | 3           | Horizontal | 211            | 2.30          | -       | 33.90      | 5.45       | 34.48      |
| AV   | 5.7076G      | 102.12            | Inf               | -Inf           | 97.22         | 3           | Horizontal | 211            | 2.30          | -       | 33.93      | 5.45       | 34.48      |
| PK   | 5.7256G      | 67.30             | 68.20             | -0.90          | 62.33         | 3           | Horizontal | 211            | 2.30          | -       | 34.00      | 5.46       | 34.49      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5700MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.3986G     | 53.71             | 74.00             | -20.29         | 41.97         | 3           | Vertical  | 272            | 1.57          | -       | 38.40      | 7.79       | 34.45      |
| AV   | 11.39532G    | 40.49             | 54.00             | -13.51         | 28.75         | 3           | Vertical  | 272            | 1.57          | -       | 38.40      | 7.79       | 34.45      |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5700MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.39516G    | 53.13             | 74.00             | -20.87         | 41.39         | 3           | Horizontal | 100            | 2.51          | -       | 38.40      | 7.79       | 34.45      |
| AV   | 11.3954G     | 40.50             | 54.00             | -13.50         | 28.76         | 3           | Horizontal | 100            | 2.51          | -       | 38.40      | 7.79       | 34.45      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5745MHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-A-G-2-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.591G       | 58.78             | 68.20             | -9.42          | 54.04         | 3           | Vertical  | 187            | 1.55          | -       | 33.78      | 5.40       | 34.44      |
| PK   | 5.737G       | 118.11            | Inf               | -Inf           | 113.08        | 3           | Vertical  | 187            | 1.55          | -       | 34.05      | 5.47       | 34.49      |
| AV   | 5.737G       | 109.76            | Inf               | -Inf           | 104.73        | 3           | Vertical  | 187            | 1.55          | -       | 34.05      | 5.47       | 34.49      |
| PK   | 5.962G       | 58.83             | 68.20             | -9.37          | 52.85         | 3           | Vertical  | 187            | 1.55          | -       | 35.05      | 5.50       | 34.57      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5745MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.563G       | 58.70             | 68.20             | -9.50          | 54.00         | 3           | Horizontal | 214            | 1.16          | -       | 33.73      | 5.40       | 34.43      |
| PK   | 5.737G       | 118.36            | Inf               | -Inf           | 113.33        | 3           | Horizontal | 214            | 1.16          | -       | 34.05      | 5.47       | 34.49      |
| AV   | 5.738G       | 108.86            | Inf               | -Inf           | 103.83        | 3           | Horizontal | 214            | 1.16          | -       | 34.05      | 5.47       | 34.49      |
| PK   | 5.933G       | 58.46             | 68.20             | -9.74          | 52.59         | 3           | Horizontal | 214            | 1.16          | -       | 34.93      | 5.50       | 34.56      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5745MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.49336G    | 53.34             | 74.00             | -20.66         | 41.59         | 3           | Vertical  | 45             | 2.18          | -       | 38.40      | 7.82       | 34.47      |
| AV   | 11.49094G    | 40.47             | 54.00             | -13.53         | 28.72         | 3           | Vertical  | 45             | 2.18          | -       | 38.40      | 7.82       | 34.47      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5745MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.4876G     | 53.67             | 74.00             | -20.33         | 41.92         | 3           | Horizontal | 92             | 2.21          | -       | 38.40      | 7.82       | 34.47      |
| AV   | 11.49028G    | 40.36             | 54.00             | -13.64         | 28.61         | 3           | Horizontal | 92             | 2.21          | -       | 38.40      | 7.82       | 34.47      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5785MHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-A-G-2-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.536G       | 58.37             | 68.20             | -9.83          | 53.75         | 3           | Vertical  | 185            | 2.43          | -       | 33.64      | 5.40       | 34.42      |
| PK   | 5.789G       | 119.21            | Inf               | -Inf           | 113.97        | 3           | Vertical  | 185            | 2.43          | -       | 34.26      | 5.49       | 34.51      |
| AV   | 5.788G       | 107.53            | Inf               | -Inf           | 102.30        | 3           | Vertical  | 185            | 2.43          | -       | 34.25      | 5.49       | 34.51      |
| PK   | 5.96G        | 59.40             | 68.20             | -8.80          | 53.43         | 3           | Vertical  | 185            | 2.43          | -       | 35.04      | 5.50       | 34.57      |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5785MHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-A-G-2-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.591G       | 58.58             | 68.20             | -9.62          | 53.84         | 3           | Horizontal | 214            | 1.00          | -       | 33.78      | 5.40       | 34.44      |
| PK   | 5.779G       | 118.70            | Inf               | -Inf           | 113.49        | 3           | Horizontal | 214            | 1.00          | -       | 34.22      | 5.49       | 34.50      |
| AV   | 5.781G       | 106.76            | Inf               | -Inf           | 101.56        | 3           | Horizontal | 214            | 1.00          | -       | 34.22      | 5.49       | 34.51      |
| PK   | 5.944G       | 58.24             | 68.20             | -9.96          | 52.32         | 3           | Horizontal | 214            | 1.00          | -       | 34.98      | 5.50       | 34.56      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5785MHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.57172G    | 53.25             | 74.00             | -20.75         | 41.48         | 3           | Vertical  | 106            | 2.05          | -       | 38.40      | 7.85       | 34.48      |
| AV   | 11.57784G    | 40.01             | 54.00             | -13.99         | 28.24         | 3           | Vertical  | 106            | 2.05          | -       | 38.40      | 7.85       | 34.48      |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5785MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.56424G    | 52.71             | 74.00             | -21.29         | 40.94         | 3           | Horizontal | 28             | 1.14          | -       | 38.40      | 7.85       | 34.48      |
| AV   | 11.57536G    | 40.11             | 54.00             | -13.89         | 28.34         | 3           | Horizontal | 28             | 1.14          | -       | 38.40      | 7.85       | 34.48      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5825MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.638G       | 58.68             | 68.20             | -9.52          | 53.84         | 3           | Vertical  | 138            | 2.19          | -       | 33.88      | 5.42       | 34.46      |
| PK   | 5.824G       | 118.91            | Inf               | -Inf           | 113.53        | 3           | Vertical  | 138            | 2.19          | -       | 34.40      | 5.50       | 34.52      |
| AV   | 5.817G       | 108.84            | Inf               | -Inf           | 103.49        | 3           | Vertical  | 138            | 2.19          | -       | 34.37      | 5.50       | 34.52      |
| PK   | 5.94G        | 59.36             | 68.20             | -8.84          | 53.46         | 3           | Vertical  | 138            | 2.19          | -       | 34.96      | 5.50       | 34.56      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5825MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.631G       | 58.07             | 68.20             | -10.13         | 53.24         | 3           | Horizontal | 212            | 2.44          | -       | 33.86      | 5.42       | 34.45      |
| PK   | 5.823G       | 117.79            | Inf               | -Inf           | 112.42        | 3           | Horizontal | 212            | 2.44          | -       | 34.39      | 5.50       | 34.52      |
| AV   | 5.82G        | 106.69            | Inf               | -Inf           | 101.33        | 3           | Horizontal | 212            | 2.44          | -       | 34.38      | 5.50       | 34.52      |
| PK   | 5.928G       | 58.67             | 68.20             | -9.53          | 52.82         | 3           | Horizontal | 212            | 2.44          | -       | 34.91      | 5.50       | 34.56      |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5825MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.65084G    | 53.73             | 74.00             | -20.27         | 41.89         | 3           | Vertical  | 105            | 2.68          | -       | 38.45      | 7.88       | 34.49      |
| AV   | 11.65112G    | 40.21             | 54.00             | -13.79         | 28.37         | 3           | Vertical  | 105            | 2.68          | -       | 38.45      | 7.88       | 34.49      |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5825MHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.65796G    | 53.69             | 74.00             | -20.31         | 41.85         | 3           | Horizontal | 81             | 2.55          | -       | 38.46      | 7.88       | 34.50      |
| AV   | 11.65972G    | 40.32             | 54.00             | -13.68         | 28.48         | 3           | Horizontal | 81             | 2.55          | -       | 38.46      | 7.88       | 34.50      |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5510MHz\_TX




EUT Z\_2TX  
Setting 20  
01-A-G-3-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4568G      | 68.77             | 74.00             | -5.23          | 64.38         | 3           | Vertical  | 189            | 2.26          | -       | 33.41      | 5.40       | 34.42      |
| AV   | 5.4596G      | 52.91             | 54.00             | -1.09          | 48.50         | 3           | Vertical  | 189            | 2.26          | -       | 33.42      | 5.40       | 34.41      |
| PK   | 5.4692G      | 67.92             | 68.20             | -0.28          | 63.49         | 3           | Vertical  | 189            | 2.26          | -       | 33.44      | 5.40       | 34.41      |
| PK   | 5.4972G      | 112.88            | Inf               | -Inf           | 108.40        | 3           | Vertical  | 189            | 2.26          | -       | 33.49      | 5.40       | 34.41      |
| AV   | 5.5128G      | 101.95            | Inf               | -Inf           | 97.41         | 3           | Vertical  | 189            | 2.26          | -       | 33.55      | 5.40       | 34.41      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5510MHz\_TX




EUT\_Z\_2TX  
Setting 20  
01-A-G-3-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4596G      | 62.36             | 74.00             | -11.64         | 57.95         | 3           | Horizontal | 208            | 2.20          | -       | 33.42      | 5.40       | 34.41      |
| AV   | 5.4576G      | 50.07             | 54.00             | -3.93          | 45.67         | 3           | Horizontal | 208            | 2.20          | -       | 33.42      | 5.40       | 34.42      |
| PK   | 5.4696G      | 65.49             | 68.20             | -2.71          | 61.06         | 3           | Horizontal | 208            | 2.20          | -       | 33.44      | 5.40       | 34.41      |
| PK   | 5.5032G      | 111.30            | Inf               | -Inf           | 106.80        | 3           | Horizontal | 208            | 2.20          | -       | 33.51      | 5.40       | 34.41      |
| AV   | 5.4988G      | 97.25             | Inf               | -Inf           | 92.76         | 3           | Horizontal | 208            | 2.20          | -       | 33.50      | 5.40       | 34.41      |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5510MHz\_TX




EUT\_Z\_2TX  
Setting 20  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.01518G    | 51.98             | 74.00             | -22.02         | 40.49         | 3           | Vertical  | 360            | 2.18          | -       | 38.22      | 7.66       | 34.39      |
| AV   | 11.01626G    | 38.60             | 54.00             | -15.40         | 27.11         | 3           | Vertical  | 360            | 2.18          | -       | 38.22      | 7.66       | 34.39      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5510MHz\_TX




EUT\_Z\_2TX  
Setting 20  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.01688G    | 51.41             | 74.00             | -22.59         | 39.92         | 3           | Horizontal | 338            | 1.87          | -       | 38.22      | 7.66       | 34.39      |
| AV   | 11.0193G     | 38.92             | 54.00             | -15.08         | 27.43         | 3           | Horizontal | 338            | 1.87          | -       | 38.22      | 7.66       | 34.39      |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5550MHz\_TX




EUT\_Z\_2TX  
Setting 24  
01-A-G-3-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.46G        | 65.31             | 74.00             | -8.69          | 60.90         | 3           | Vertical  | 193            | 1.14          | -       | 33.42      | 5.40       | 34.41      |
| AV   | 5.46G        | 50.64             | 54.00             | -3.36          | 46.23         | 3           | Vertical  | 193            | 1.14          | -       | 33.42      | 5.40       | 34.41      |
| PK   | 5.4618G      | 66.25             | 68.20             | -1.95          | 61.84         | 3           | Vertical  | 193            | 1.14          | -       | 33.42      | 5.40       | 34.41      |
| PK   | 5.5572G      | 115.05            | Inf               | -Inf           | 110.37        | 3           | Vertical  | 193            | 1.14          | -       | 33.71      | 5.40       | 34.43      |
| AV   | 5.5392G      | 103.63            | Inf               | -Inf           | 98.99         | 3           | Vertical  | 193            | 1.14          | -       | 33.66      | 5.40       | 34.42      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5550MHz\_TX




EUT\_Z\_2TX  
Setting 24  
01-A-G-3-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.457G       | 60.80             | 74.00             | -13.20         | 56.41         | 3           | Horizontal | 207            | 1.79          | -       | 33.41      | 5.40       | 34.42      |
| AV   | 5.46G        | 47.62             | 54.00             | -6.38          | 43.21         | 3           | Horizontal | 207            | 1.79          | -       | 33.42      | 5.40       | 34.41      |
| PK   | 5.4678G      | 63.94             | 68.20             | -4.26          | 59.51         | 3           | Horizontal | 207            | 1.79          | -       | 33.44      | 5.40       | 34.41      |
| PK   | 5.5338G      | 113.15            | Inf               | -Inf           | 108.53        | 3           | Horizontal | 207            | 1.79          | -       | 33.64      | 5.40       | 34.42      |
| AV   | 5.565G       | 99.37             | Inf               | -Inf           | 94.67         | 3           | Horizontal | 207            | 1.79          | -       | 33.73      | 5.40       | 34.43      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5550MHz\_TX




EUT\_Z\_2TX  
Setting 24  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.09896G    | 52.82             | 74.00             | -21.18         | 41.25         | 3           | Vertical  | 266            | 1.79          | -       | 38.30      | 7.68       | 34.41      |
| AV   | 11.09534G    | 39.25             | 54.00             | -14.75         | 27.68         | 3           | Vertical  | 266            | 1.79          | -       | 38.30      | 7.68       | 34.41      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5550MHz\_TX




EUT Z\_2TX  
Setting 24  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.09614G    | 51.94             | 74.00             | -22.06         | 40.37         | 3           | Horizontal | 220            | 1.79          | -       | 38.30      | 7.68       | 34.41      |
| AV   | 11.10282G    | 39.40             | 54.00             | -14.60         | 27.82         | 3           | Horizontal | 220            | 1.79          | -       | 38.30      | 7.69       | 34.41      |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5670MHz\_TX




EUT Z\_2TX  
Setting 22  
01-A-G-3-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.6824G      | 114.35            | Inf               | -Inf           | 109.48        | 3           | Vertical  | 187            | 2.02          | -       | 33.90      | 5.44       | 34.47      |
| AV   | 5.682G       | 102.75            | Inf               | -Inf           | 97.88         | 3           | Vertical  | 187            | 2.02          | -       | 33.90      | 5.44       | 34.47      |
| PK   | 5.7268G      | 68.00             | 68.20             | -0.20          | 63.02         | 3           | Vertical  | 187            | 2.02          | -       | 34.01      | 5.46       | 34.49      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5670MHz\_TX




EUT Z\_2TX  
Setting 22  
01-A-G-3-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.6584G      | 112.54            | Inf               | -Inf           | 107.67        | 3           | Horizontal | 205            | 1.94          | -       | 33.90      | 5.43       | 34.46      |
| AV   | 5.6544G      | 98.39             | Inf               | -Inf           | 93.52         | 3           | Horizontal | 205            | 1.94          | -       | 33.90      | 5.43       | 34.46      |
| PK   | 5.728G       | 67.32             | 68.20             | -0.88          | 62.34         | 3           | Horizontal | 205            | 1.94          | -       | 34.01      | 5.46       | 34.49      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5670MHz\_TX




EUT Z\_2TX  
Setting 22  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.33606G    | 52.68             | 74.00             | -21.32         | 41.01         | 3           | Vertical  | 88             | 2.55          | -       | 38.34      | 7.77       | 34.44      |
| AV   | 11.33508G    | 40.21             | 54.00             | -13.79         | 28.54         | 3           | Vertical  | 88             | 2.55          | -       | 38.34      | 7.77       | 34.44      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5670MHz\_TX




EUT Z\_2TX  
Setting 22  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.3428G     | 52.88             | 74.00             | -21.12         | 41.21         | 3           | Horizontal | 339            | 2.14          | -       | 38.34      | 7.77       | 34.44      |
| AV   | 11.34104G    | 39.96             | 54.00             | -14.04         | 28.29         | 3           | Horizontal | 339            | 2.14          | -       | 38.34      | 7.77       | 34.44      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5755MHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-A-G-2-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.645G       | 67.69             | 68.20             | -0.51          | 62.84         | 3           | Vertical  | 155            | 1.06          | -       | 33.89      | 5.42       | 34.46      |
| PK   | 5.745G       | 116.92            | Inf               | -Inf           | 111.86        | 3           | Vertical  | 155            | 1.06          | -       | 34.08      | 5.47       | 34.49      |
| AV   | 5.746G       | 105.55            | Inf               | -Inf           | 100.49        | 3           | Vertical  | 155            | 1.06          | -       | 34.08      | 5.47       | 34.49      |
| PK   | 5.929G       | 58.46             | 68.20             | -9.74          | 52.60         | 3           | Vertical  | 155            | 1.06          | -       | 34.92      | 5.50       | 34.56      |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5755MHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-A-G-2-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.648G       | 65.69             | 68.20             | -2.51          | 60.83         | 3           | Horizontal | 214            | 1.01          | -       | 33.90      | 5.42       | 34.46      |
| PK   | 5.753G       | 116.19            | Inf               | -Inf           | 111.10        | 3           | Horizontal | 214            | 1.01          | -       | 34.11      | 5.48       | 34.50      |
| AV   | 5.766G       | 105.28            | Inf               | -Inf           | 100.14        | 3           | Horizontal | 214            | 1.01          | -       | 34.16      | 5.48       | 34.50      |
| PK   | 5.977G       | 58.47             | 68.20             | -9.73          | 52.43         | 3           | Horizontal | 214            | 1.01          | -       | 35.11      | 5.50       | 34.57      |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5755MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.505G      | 53.66             | 74.00             | -20.34         | 41.90         | 3           | Vertical  | 28             | 1.23          | -       | 38.40      | 7.83       | 34.47      |
| AV   | 11.51378G    | 40.46             | 54.00             | -13.54         | 28.70         | 3           | Vertical  | 28             | 1.23          | -       | 38.40      | 7.83       | 34.47      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5755MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.50556G    | 53.02             | 74.00             | -20.98         | 41.26         | 3           | Horizontal | 65             | 1.19          | -       | 38.40      | 7.83       | 34.47      |
| AV   | 11.51082G    | 40.50             | 54.00             | -13.50         | 28.74         | 3           | Horizontal | 65             | 1.19          | -       | 38.40      | 7.83       | 34.47      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5795MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.643G       | 60.05             | 68.20             | -8.15          | 55.20         | 3           | Vertical  | 155            | 1.05          | -       | 33.89      | 5.42       | 34.46      |
| PK   | 5.784G       | 116.81            | Inf               | -Inf           | 111.59        | 3           | Vertical  | 155            | 1.05          | -       | 34.24      | 5.49       | 34.51      |
| AV   | 5.786G       | 105.65            | Inf               | -Inf           | 100.43        | 3           | Vertical  | 155            | 1.05          | -       | 34.24      | 5.49       | 34.51      |
| PK   | 5.926G       | 59.56             | 68.20             | -8.64          | 53.71         | 3           | Vertical  | 155            | 1.05          | -       | 34.90      | 5.50       | 34.55      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5795MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.629G       | 58.71             | 68.20             | -9.49          | 53.89         | 3           | Horizontal | 208            | 2.22          | -       | 33.86      | 5.41       | 34.45      |
| PK   | 5.8G         | 116.29            | Inf               | -Inf           | 111.00        | 3           | Horizontal | 208            | 2.22          | -       | 34.30      | 5.50       | 34.51      |
| AV   | 5.801G       | 104.78            | Inf               | -Inf           | 99.49         | 3           | Horizontal | 208            | 2.22          | -       | 34.30      | 5.50       | 34.51      |
| PK   | 5.928G       | 61.32             | 68.20             | -6.88          | 55.47         | 3           | Horizontal | 208            | 2.22          | -       | 34.91      | 5.50       | 34.56      |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5795MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.58612G    | 53.04             | 74.00             | -20.96         | 41.26         | 3           | Vertical  | 86             | 1.35          | -       | 38.40      | 7.86       | 34.48      |
| AV   | 11.58512G    | 40.37             | 54.00             | -13.63         | 28.60         | 3           | Vertical  | 86             | 1.35          | -       | 38.40      | 7.85       | 34.48      |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5795MHz\_TX




EUT Z\_2TX  
Setting 26  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.58944G    | 53.20             | 74.00             | -20.80         | 41.42         | 3           | Horizontal | 340            | 2.96          | -       | 38.40      | 7.86       | 34.48      |
| AV   | 11.59214G    | 40.31             | 54.00             | -13.69         | 28.53         | 3           | Horizontal | 340            | 2.96          | -       | 38.40      | 7.86       | 34.48      |

# 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5530MHz\_TX




EUT\_Z\_2TX  
Setting 17.5  
01-A-G-3-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.315G       | 56.38             | 68.20             | -11.82         | 52.52         | 3           | Vertical  | 193            | 2.08          | -       | 32.97      | 5.32       | 34.43      |
| PK   | 5.46G        | 65.66             | 74.00             | -8.34          | 61.25         | 3           | Vertical  | 193            | 2.08          | -       | 33.42      | 5.40       | 34.41      |
| AV   | 5.46G        | 53.39             | 54.00             | -0.61          | 48.98         | 3           | Vertical  | 193            | 2.08          | -       | 33.42      | 5.40       | 34.41      |
| PK   | 5.468G       | 66.33             | 68.20             | -1.87          | 61.90         | 3           | Vertical  | 193            | 2.08          | -       | 33.44      | 5.40       | 34.41      |
| PK   | 5.513G       | 106.12            | Inf               | -Inf           | 101.58        | 3           | Vertical  | 193            | 2.08          | -       | 33.55      | 5.40       | 34.41      |
| AV   | 5.508G       | 98.59             | Inf               | -Inf           | 94.07         | 3           | Vertical  | 193            | 2.08          | -       | 33.53      | 5.40       | 34.41      |
| PK   | 5.761G       | 60.89             | 68.20             | -7.31          | 55.77         | 3           | Vertical  | 193            | 2.08          | -       | 34.14      | 5.48       | 34.50      |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5530MHz\_TX




EUT\_Z\_2TX  
Setting 17.5  
01-A-G-3-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.286G       | 56.44             | 68.20             | -11.76         | 52.65         | 3           | Horizontal | 23             | 2.60          | -       | 32.94      | 5.29       | 34.44      |
| PK   | 5.458G       | 62.45             | 74.00             | -11.55         | 58.05         | 3           | Horizontal | 23             | 2.60          | -       | 33.42      | 5.40       | 34.42      |
| AV   | 5.457G       | 50.09             | 54.00             | -3.91          | 45.70         | 3           | Horizontal | 23             | 2.60          | -       | 33.41      | 5.40       | 34.42      |
| PK   | 5.465G       | 62.73             | 68.20             | -5.47          | 58.31         | 3           | Horizontal | 23             | 2.60          | -       | 33.43      | 5.40       | 34.41      |
| PK   | 5.526G       | 103.77            | Inf               | -Inf           | 99.19         | 3           | Horizontal | 23             | 2.60          | -       | 33.60      | 5.40       | 34.42      |
| AV   | 5.532G       | 92.03             | Inf               | -Inf           | 87.42         | 3           | Horizontal | 23             | 2.60          | -       | 33.63      | 5.40       | 34.42      |
| PK   | 5.759G       | 64.99             | 68.20             | -3.21          | 59.87         | 3           | Horizontal | 23             | 2.60          | -       | 34.14      | 5.48       | 34.50      |

# 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5530MHz\_TX




EUT\_Z\_2TX  
Setting 17.5  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.05634G    | 52.06             | 74.00             | -21.94         | 40.53         | 3           | Vertical  | 129            | 1.43          | -       | 38.26      | 7.67       | 34.40      |
| AV   | 11.05552G    | 39.25             | 54.00             | -14.75         | 27.72         | 3           | Vertical  | 129            | 1.43          | -       | 38.26      | 7.67       | 34.40      |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5530MHz\_TX




EUT\_Z\_2TX  
Setting 17.5  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.06354G    | 52.25             | 74.00             | -21.75         | 40.72         | 3           | Horizontal | 263            | 2.76          | -       | 38.26      | 7.67       | 34.40      |
| AV   | 11.0563G     | 39.45             | 54.00             | -14.55         | 27.92         | 3           | Horizontal | 263            | 2.76          | -       | 38.26      | 7.67       | 34.40      |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5610MHz\_TX




EUT\_Z\_2TX  
Setting 21  
01-A-G-2-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.454G       | 66.90             | 74.00             | -7.10          | 62.51         | 3           | Vertical  | 181            | 1.80          | -       | 33.41      | 5.40       | 34.42      |
| AV   | 5.46G        | 51.10             | 54.00             | -2.90          | 46.69         | 3           | Vertical  | 181            | 1.80          | -       | 33.42      | 5.40       | 34.41      |
| PK   | 5.47G        | 66.31             | 68.20             | -1.89          | 61.88         | 3           | Vertical  | 181            | 1.80          | -       | 33.44      | 5.40       | 34.41      |
| PK   | 5.574G       | 108.55            | Inf               | -Inf           | 103.84        | 3           | Vertical  | 181            | 1.80          | -       | 33.75      | 5.40       | 34.44      |
| AV   | 5.576G       | 98.32             | Inf               | -Inf           | 93.61         | 3           | Vertical  | 181            | 1.80          | -       | 33.75      | 5.40       | 34.44      |
| PK   | 5.73G        | 68.13             | 68.20             | -0.07          | 63.14         | 3           | Vertical  | 181            | 1.80          | -       | 34.02      | 5.46       | 34.49      |

# 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5610MHz\_TX




EUT\_Z\_2TX  
Setting 21  
01-A-G-2-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.454G       | 60.87             | 74.00             | -13.13         | 56.48         | 3           | Horizontal | 252            | 2.23          | -       | 33.41      | 5.40       | 34.42      |
| AV   | 5.459G       | 48.68             | 54.00             | -5.32          | 44.27         | 3           | Horizontal | 252            | 2.23          | -       | 33.42      | 5.40       | 34.41      |
| PK   | 5.466G       | 64.34             | 68.20             | -3.86          | 59.92         | 3           | Horizontal | 252            | 2.23          | -       | 33.43      | 5.40       | 34.41      |
| PK   | 5.579G       | 108.55            | Inf               | -Inf           | 103.83        | 3           | Horizontal | 252            | 2.23          | -       | 33.76      | 5.40       | 34.44      |
| AV   | 5.574G       | 96.23             | Inf               | -Inf           | 91.52         | 3           | Horizontal | 252            | 2.23          | -       | 33.75      | 5.40       | 34.44      |
| PK   | 5.726G       | 63.95             | 68.20             | -4.25          | 58.98         | 3           | Horizontal | 252            | 2.23          | -       | 34.00      | 5.46       | 34.49      |

# 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5610MHz\_TX




EUT\_Z\_2TX  
Setting 21  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.21652G    | 52.37             | 74.00             | -21.63         | 40.84         | 3           | Vertical  | 355            | 1.40          | -       | 38.22      | 7.73       | 34.42      |
| AV   | 11.22012G    | 39.34             | 54.00             | -14.66         | 27.82         | 3           | Vertical  | 355            | 1.40          | -       | 38.22      | 7.73       | 34.43      |

# 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5610MHz\_TX




EUT\_Z\_2TX  
Setting 21  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.21682G    | 52.28             | 74.00             | -21.72         | 40.75         | 3           | Horizontal | 80             | 1.76          | -       | 38.22      | 7.73       | 34.42      |
| AV   | 11.2173G     | 39.51             | 54.00             | -14.49         | 27.98         | 3           | Horizontal | 80             | 1.76          | -       | 38.22      | 7.73       | 34.42      |

# 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5775MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
01-A-G-3-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.633G       | 67.82             | 68.20             | -0.38          | 62.99         | 3           | Vertical  | 184            | 2.67          | -       | 33.87      | 5.42       | 34.46      |
| PK   | 5.751G       | 114.51            | Inf               | -Inf           | 109.43        | 3           | Vertical  | 184            | 2.67          | -       | 34.10      | 5.48       | 34.50      |
| AV   | 5.741G       | 103.92            | Inf               | -Inf           | 98.88         | 3           | Vertical  | 184            | 2.67          | -       | 34.06      | 5.47       | 34.49      |
| PK   | 5.93G        | 61.01             | 68.20             | -7.19          | 55.15         | 3           | Vertical  | 184            | 2.67          | -       | 34.92      | 5.50       | 34.56      |

# 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5775MHz\_TX




EUT Z\_2TX  
Setting 22.5  
01-A-G-3-10  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.633G       | 63.01             | 68.20             | -5.19          | 58.18         | 3           | Horizontal | 200            | 1.80          | -       | 33.87      | 5.42       | 34.46      |
| PK   | 5.751G       | 106.06            | Inf               | -Inf           | 100.98        | 3           | Horizontal | 200            | 1.80          | -       | 34.10      | 5.48       | 34.50      |
| AV   | 5.751G       | 102.02            | Inf               | -Inf           | 96.94         | 3           | Horizontal | 200            | 1.80          | -       | 34.10      | 5.48       | 34.50      |
| PK   | 5.927G       | 60.24             | 68.20             | -7.96          | 54.39         | 3           | Horizontal | 200            | 1.80          | -       | 34.91      | 5.50       | 34.56      |

# 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/01/2021

## 5775MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.54674G    | 53.12             | 74.00             | -20.88         | 41.36         | 3           | Vertical  | 166            | 2.73          | -       | 38.40      | 7.84       | 34.48      |
| AV   | 11.54754G    | 40.15             | 54.00             | -13.85         | 28.39         | 3           | Vertical  | 166            | 2.73          | -       | 38.40      | 7.84       | 34.48      |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/01/2021

### 5775MHz\_TX



EUT\_Z\_2TX  
Setting 22.5  
01-A-G-2  
sample Q3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.55272G    | 53.43             | 74.00             | -20.57         | 41.67         | 3           | Horizontal | 48             | 1.80          | -       | 38.40      | 7.84       | 34.48      |
| AV   | 11.55336G    | 40.05             | 54.00             | -13.95         | 28.29         | 3           | Horizontal | 48             | 1.80          | -       | 38.40      | 7.84       | 34.48      |



## ***RSE Co-location Result***


Appendix F

### **Summary**

| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Condition |
|--------|--------|------|--------------|-------------------|-------------------|----------------|-----------|
| Mode 1 | Pass   | AV   | 3.68737G     | 37.12             | 54.00             | -16.88         | Vertical  |

## Mode 1

03/02/2021



| Type | Freq     | Level    | Limit    | Margin | Factor | Dist | Condition | Azimuth | Height | Comment | Raw    | AF    | CL   | PA    |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|--------|-------|------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dB)   | (m)  |           | (°)     | (m)    |         | (dBuV) | (dB)  | (dB) | (dB)  |
| PK   | 3.6875G  | 44.33    | 74.00    | -29.67 | -1.68  | 3    | Vertical  | 337     | 2.88   | -       | 46.01  | 29.20 | 5.13 | 36.01 |
| AV   | 3.68737G | 37.12    | 54.00    | -16.88 | -1.68  | 3    | Vertical  | 337     | 2.88   | "Worst" | 38.80  | 29.20 | 5.13 | 36.01 |

03/02/2021

### Mode 1

