Tx. Spurious NVNT 802.11a 5200MHz Ant 1 Emission



Tx. Spurious NVNT 802.11a 5240MHz Ant 1 Emission



Tx. Spurious NVNT 802.11a 5180MHz Ant 2 Emission



Tx. Spurious NVNT 802.11a 5200MHz Ant 2 Emission



Tx. Spurious NVNT 802.11a 5240MHz Ant 2 Emission



Tx. Spurious NVNT 802.11ac20 5180MHz Ant 1 Emission



Tx. Spurious NVNT 802.11ac20 5200MHz Ant 1 Emission



Tx. Spurious NVNT 802.11ac20 5240MHz Ant 1 Emission



Tx. Spurious NVNT 802.11ac20 5180MHz Ant 2 Emission



Tx. Spurious NVNT 802.11ac20 5200MHz Ant 2 Emission



Tx. Spurious NVNT 802.11ac20 5240MHz Ant 2 Emission



Tx. Spurious NVNT 802.11ac40 5190MHz Ant 1 Emission



Tx. Spurious NVNT 802.11ac40 5230MHz Ant 1 Emission



Tx. Spurious NVNT 802.11ac40 5190MHz Ant 2 Emission



Tx. Spurious NVNT 802.11ac40 5230MHz Ant 2 Emission



Tx. Spurious NVNT 802.11ac80 5210MHz Ant 1 Emission



Tx. Spurious NVNT 802.11ac80 5210MHz Ant 2 Emission



Tx. Spurious NVNT 802.11n(HT20) 5180MHz Ant 1 Emission



Tx. Spurious NVNT 802.11n(HT20) 5200MHz Ant 1 Emission



Marker	Marker Freq (MHz)	Marker Level (dBm)
1	5198.12	7
2	39742.86	-38.26
3	10400	-49.47
4	15600	-47.14
5	20800	-50.44

Tx. Spurious NVNT 802.11n(HT20) 5240MHz Ant 1 Emission



Marker	Marker Freq (MHz)	Marker Level (dBm)
1	5238.09	7.72
2	39570.99	-37.99
3	10480	-50.47
4	15720	-47.28
5	20960	-50.17

Tx. Spurious NVNT 802.11n(HT20) 5180MHz Ant 2 Emission



Tx. Spurious NVNT 802.11n(HT20) 5200MHz Ant 2 Emission



Tx. Spurious NVNT 802.11n(HT20) 5240MHz Ant 2 Emission



Tx. Spurious NVNT 802.11n(HT40) 5190MHz Ant 1 Emission



Tx. Spurious NVNT 802.11n(HT40) 5230MHz Ant 1 Emission



Tx. Spurious NVNT 802.11n(HT40) 5190MHz Ant 2 Emission



Tx. Spurious NVNT 802.11n(HT40) 5230MHz Ant 2 Emission



5.2G WIFI MIMO

11.7 MAXIMUM CONDUCTED OUTPUT POWER

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	MIMO Power (dBm)	Limit (dBm)	Verdict
NVNT	802.11ac20	5180	Ant 1	9.24	0.19	9.43	12.82	24	Pass
NVNT	802.11ac20	5180	Ant 2	9.97	0.19	10.16		24	Pass
NVNT	802.11ac20	5200	Ant 1	9.93	0.19	10.12	13.15	24	Pass
NVNT	802.11ac20	5200	Ant 2	9.96	0.19	10.15		24	Pass
NVNT	802.11ac20	5240	Ant 1	9.63	0.19	9.82	13.02	24	Pass
NVNT	802.11ac20	5240	Ant 2	10.01	0.19	10.2		24	Pass
NVNT	802.11ac40	5190	Ant 1	9.62	0.37	9.99	13.08	24	Pass
NVNT	802.11ac40	5190	Ant 2	9.77	0.37	10.14		24	Pass
NVNT	802.11ac40	5230	Ant 1	9.62	0.37	9.99	13.00	24	Pass
NVNT	802.11ac40	5230	Ant 2	9.61	0.37	9.98		24	Pass
NVNT	802.11ac80	5210	Ant 1	9.13	0.64	9.77	12.80	24	Pass
NVNT	802.11ac80	5210	Ant 2	9.17	0.64	9.81		24	Pass
NVNT	802.11n(HT20)	5180	Ant 1	9.24	0.19	9.43	12.84	24	Pass
NVNT	802.11n(HT20)	5180	Ant 2	10.01	0.19	10.2		24	Pass
NVNT	802.11n(HT20)	5200	Ant 1	9.15	0.19	9.34	12.77	24	Pass
NVNT	802.11n(HT20)	5200	Ant 2	9.95	0.19	10.14		24	Pass
NVNT	802.11n(HT20)	5240	Ant 1	9.67	0.19	9.86	12.93	24	Pass
NVNT	802.11n(HT20)	5240	Ant 2	9.79	0.19	9.98		24	Pass
NVNT	802.11n(HT40)	5190	Ant 1	9.56	0.37	9.93	13.03	24	Pass
NVNT	802.11n(HT40)	5190	Ant 2	9.73	0.37	10.1		24	Pass
NVNT	802.11n(HT40)	5230	Ant 1	9.62	0.38	10	12.99	24	Pass
NVNT	802.11n(HT40)	5230	Ant 2	9.58	0.38	9.96		24	Pass

11.8 MAXIMUM POWER SPECTRAL DENSITY LEVEL

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	MIMO PSD (dBm)	Limit (dBm)	Verdict
NVNT	802.11ac20	5745	Ant 1	-7.092	0.18	-6.912	-2.46	8.14	Pass
NVNT	802.11ac20	5745	Ant 2	-4.562	0.18	-4.382			
NVNT	802.11ac20	5785	Ant 1	-6.466	0.18	-6.286	-2.53	8.14	Pass
NVNT	802.11ac20	5785	Ant 2	-5.092	0.18	-4.912			
NVNT	802.11ac20	5825	Ant 1	-10.283	0.18	-10.103	-3.53	8.14	Pass
NVNT	802.11ac20	5825	Ant 2	-4.784	0.18	-4.604			
NVNT	802.11ac40	5755	Ant 1	-10.036	0.35	-9.686	-6.67	8.14	Pass
NVNT	802.11ac40	5755	Ant 2	-10.024	0.35	-9.674			
NVNT	802.11ac40	5795	Ant 1	-9.855	0.35	-9.505	-6.30	8.14	Pass
NVNT	802.11ac40	5795	Ant 2	-9.474	0.35	-9.124			
NVNT	802.11ac80	5775	Ant 1	-16.644	0.8	-15.844	-12.79	8.14	Pass
NVNT	802.11ac80	5775	Ant 2	-16.442	0.68	-15.762			
NVNT	802.11n(HT20)	5745	Ant 1	-8.641	0.18	-8.461	-3.19	8.14	Pass
NVNT	802.11n(HT20)	5745	Ant 2	-4.905	0.18	-4.725			
NVNT	802.11n(HT20)	5785	Ant 1	-6.506	0.18	-6.326	-2.43	8.14	Pass
NVNT	802.11n(HT20)	5785	Ant 2	-4.893	0.18	-4.713			
NVNT	802.11n(HT20)	5825	Ant 1	-9.585	0.18	-9.405	-3.30	8.14	Pass
NVNT	802.11n(HT20)	5825	Ant 2	-4.699	0.18	-4.519			
NVNT	802.11n(HT40)	5755	Ant 1	-12.045	0.35	-11.695	-8.06	8.14	Pass
NVNT	802.11n(HT40)	5755	Ant 2	-10.879	0.35	-10.529			
NVNT	802.11n(HT40)	5795	Ant 1	-10.752	0.35	-10.402	-7.33	8.14	Pass
NVNT	802.11n(HT40)	5795	Ant 2	-10.621	0.35	-10.271			

11.9 BAND EDGE

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	802.11ac20	5180	Sum	-39.64	-27	Pass
NVNT	802.11ac20	5240	Sum	-44.22	-27	Pass
NVNT	802.11ac40	5190	Sum	-30.93	-27	Pass
NVNT	802.11ac40	5230	Sum	-44.62	-27	Pass
NVNT	802.11ac80	5210	Sum	-46.08	-27	Pass
NVNT	802.11ac80	5210	Sum	-27.15	-27	Pass
NVNT	802.11n(HT20)	5180	Sum	-38.79	-27	Pass
NVNT	802.11n(HT20)	5240	Sum	-45.78	-27	Pass
NVNT	802.11n(HT40)	5190	Sum	-28.5	-27	Pass
NVNT	802.11n(HT40)	5230	Sum	-44.52	-27	Pass

Band Edge NVNT 802.11ac20 5180MHz Low Sum



Band Edge NVNT 802.11ac20 5240MHz High Sum



Band Edge NVNT 802.11ac40 5190MHz Low Sum



Band Edge NVNT 802.11ac40 5230MHz High Sum



Band Edge NVNT 802.11ac80 5210MHz High Sum



Band Edge NVNT 802.11ac80 5210MHz Low Sum



Band Edge NVNT 802.11n(HT20) 5180MHz Low Sum



Band Edge NVNT 802.11n(HT20) 5240MHz High Sum



Band Edge NVNT 802.11n(HT40) 5190MHz Low Sum



Band Edge NVNT 802.11n(HT40) 5230MHz High Sum



11.10 CONDUCTED RF SPURIOUS EMISSION

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	802.11ac20	5180	Sum	-36.43	-27	Pass
NVNT	802.11ac20	5200	Sum	-37.03	-27	Pass
NVNT	802.11ac20	5240	Sum	-35.74	-27	Pass
NVNT	802.11ac40	5190	Sum	-37.97	-27	Pass
NVNT	802.11ac40	5230	Sum	-36.38	-27	Pass
NVNT	802.11ac80	5210	Sum	-37	-27	Pass
NVNT	802.11n(HT20)	5180	Sum	-37.4	-27	Pass
NVNT	802.11n(HT20)	5200	Sum	-37.35	-27	Pass
NVNT	802.11n(HT20)	5240	Sum	-37.38	-27	Pass
NVNT	802.11n(HT40)	5190	Sum	-37.29	-27	Pass
NVNT	802.11n(HT40)	5230	Sum	-36.98	-27	Pass

Tx. Spurious NVNT 802.11ac20 5180MHz Sum Emission



Tx. Spurious NVNT 802.11ac20 5200MHz Sum Emission



Tx. Spurious NVNT 802.11ac20 5240MHz Sum Emission



Tx. Spurious NVNT 802.11ac40 5190MHz Sum Emission



Tx. Spurious NVNT 802.11ac40 5230MHz Sum Emission



Tx. Spurious NVNT 802.11ac80 5210MHz Sum Emission



Tx. Spurious NVNT 802.11n(HT20) 5180MHz Sum Emission



Tx. Spurious NVNT 802.11n(HT20) 5200MHz Sum Emission



Tx. Spurious NVNT 802.11n(HT20) 5240MHz Sum Emission



Tx. Spurious NVNT 802.11n(HT40) 5190MHz Sum Emission



Tx. Spurious NVNT 802.11n(HT40) 5230MHz Sum Emission



5.8G WIFI

11.1 DUTY CYCLE

Antenna	Condition	Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor (dB)
Ant 1	NVNT	802.11a	5745	96.17	0.17
Ant 1	NVNT	802.11a	5785	96.2	0.17
Ant 1	NVNT	802.11a	5825	96.2	0.17
Ant 2	NVNT	802.11a	5745	96.12	0.17
Ant 2	NVNT	802.11a	5785	96.13	0.17
Ant 2	NVNT	802.11a	5825	96.21	0.17
Ant 1	NVNT	802.11ac20	5745	95.92	0.18
Ant 1	NVNT	802.11ac20	5785	95.94	0.18
Ant 1	NVNT	802.11ac20	5825	95.94	0.18
Ant 2	NVNT	802.11ac20	5745	95.95	0.18
Ant 2	NVNT	802.11ac20	5785	95.96	0.18
Ant 2	NVNT	802.11ac20	5825	95.95	0.18
Ant 1	NVNT	802.11ac40	5755	92.24	0.35
Ant 1	NVNT	802.11ac40	5795	92.28	0.35
Ant 2	NVNT	802.11ac40	5755	92.24	0.35
Ant 2	NVNT	802.11ac40	5795	92.24	0.35
Ant 1	NVNT	802.11ac80	5775	83.21	0.8
Ant 2	NVNT	802.11ac80	5775	85.57	0.68
Ant 1	NVNT	802.11n(HT20)	5745	95.9	0.18
Ant 1	NVNT	802.11n(HT20)	5785	95.9	0.18
Ant 1	NVNT	802.11n(HT20)	5825	95.91	0.18
Ant 2	NVNT	802.11n(HT20)	5745	95.91	0.18
Ant 2	NVNT	802.11n(HT20)	5785	95.9	0.18
Ant 2	NVNT	802.11n(HT20)	5825	95.9	0.18
Ant 1	NVNT	802.11n(HT40)	5755	92.2	0.35
Ant 1	NVNT	802.11n(HT40)	5795	92.2	0.35
Ant 2	NVNT	802.11n(HT40)	5755	92.2	0.35
Ant 2	NVNT	802.11n(HT40)	5795	92.2	0.35

Duty Cycle NVNT 802.11a 5745MHz Ant 1



Duty Cycle NVNT 802.11a 5785MHz Ant 1



Duty Cycle NVNT 802.11a 5825MHz Ant 1



Duty Cycle NVNT 802.11a 5745MHz Ant 2



Duty Cycle NVNT 802.11a 5785MHz Ant 2



Duty Cycle NVNT 802.11a 5825MHz Ant 2



Duty Cycle NVNT 802.11ac20 5745MHz Ant 1



Duty Cycle NVNT 802.11ac20 5785MHz Ant 1



Duty Cycle NVNT 802.11ac20 5825MHz Ant 1



Duty Cycle NVNT 802.11ac20 5745MHz Ant 2



Duty Cycle NVNT 802.11ac20 5785MHz Ant 2



Duty Cycle NVNT 802.11ac20 5825MHz Ant 2



Duty Cycle NVNT 802.11ac40 5755MHz Ant 1



Duty Cycle NVNT 802.11ac40 5795MHz Ant 1



Duty Cycle NVNT 802.11ac40 5755MHz Ant 2



Duty Cycle NVNT 802.11ac40 5795MHz Ant 2



Duty Cycle NVNT 802.11ac80 5775MHz Ant 1



Duty Cycle NVNT 802.11ac80 5775MHz Ant 2



Duty Cycle NVNT 802.11n(HT20) 5745MHz Ant 1



Duty Cycle NVNT 802.11n(HT20) 5785MHz Ant 1



Duty Cycle NVNT 802.11n(HT20) 5825MHz Ant 1



Duty Cycle NVNT 802.11n(HT20) 5745MHz Ant 2



Duty Cycle NVNT 802.11n(HT20) 5785MHz Ant 2



Duty Cycle NVNT 802.11n(HT20) 5825MHz Ant 2



Duty Cycle NVNT 802.11n(HT40) 5755MHz Ant 1



Duty Cycle NVNT 802.11n(HT40) 5795MHz Ant 1



Duty Cycle NVNT 802.11n(HT40) 5755MHz Ant 2



Duty Cycle NVNT 802.11n(HT40) 5795MHz Ant 2



11.2 MAXIMUM CONDUCTED OUTPUT POWER

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	802.11a	5745	Ant 1	9.29	0.17	9.46	30	Pass
NVNT	802.11a	5785	Ant 1	9.72	0.17	9.89	30	Pass
NVNT	802.11a	5825	Ant 1	9.63	0.17	9.8	30	Pass
NVNT	802.11a	5745	Ant 2	10.16	0.17	10.33	30	Pass
NVNT	802.11a	5785	Ant 2	10.16	0.17	10.33	30	Pass
NVNT	802.11a	5825	Ant 2	10.18	0.17	10.35	30	Pass
NVNT	802.11ac20	5745	Ant 1	9.39	0.18	9.57	30	Pass
NVNT	802.11ac20	5785	Ant 1	9.83	0.18	10.01	30	Pass
NVNT	802.11ac20	5825	Ant 1	9.73	0.18	9.91	30	Pass
NVNT	802.11ac20	5745	Ant 2	10.27	0.18	10.45	30	Pass
NVNT	802.11ac20	5785	Ant 2	10.23	0.18	10.41	30	Pass
NVNT	802.11ac20	5825	Ant 2	10.26	0.18	10.44	30	Pass
NVNT	802.11ac40	5755	Ant 1	9.34	0.35	9.69	30	Pass
NVNT	802.11ac40	5795	Ant 1	9.33	0.35	9.68	30	Pass
NVNT	802.11ac40	5755	Ant 2	9.81	0.35	10.16	30	Pass
NVNT	802.11ac40	5795	Ant 2	10.03	0.35	10.38	30	Pass
NVNT	802.11ac80	5775	Ant 1	8.75	0.8	9.55	30	Pass
NVNT	802.11ac80	5775	Ant 2	9.57	0.68	10.25	30	Pass
NVNT	802.11n(HT20)	5745	Ant 1	9.39	0.18	9.57	30	Pass
NVNT	802.11n(HT20)	5785	Ant 1	8.89	0.18	9.07	30	Pass
NVNT	802.11n(HT20)	5825	Ant 1	9.74	0.18	9.92	30	Pass
NVNT	802.11n(HT20)	5745	Ant 2	10.32	0.18	10.5	30	Pass
NVNT	802.11n(HT20)	5785	Ant 2	10.21	0.18	10.39	30	Pass
NVNT	802.11n(HT20)	5825	Ant 2	10.36	0.18	10.54	30	Pass
NVNT	802.11n(HT40)	5755	Ant 1	9.37	0.35	9.72	30	Pass
NVNT	802.11n(HT40)	5795	Ant 1	10.38	0.35	10.73	30	Pass
NVNT	802.11n(HT40)	5755	Ant 2	9.76	0.35	10.11	30	Pass
NVNT	802.11n(HT40)	5795	Ant 2	9.97	0.35	10.32	30	Pass

11.3 -6DB EMISSION BANDWIDTH

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	802.11a	5745	Ant 1	15.12	0.5	Pass
NVNT	802.11a	5785	Ant 1	15.12	0.5	Pass
NVNT	802.11a	5825	Ant 1	15.44	0.5	Pass
NVNT	802.11a	5745	Ant 2	15.12	0.5	Pass
NVNT	802.11a	5785	Ant 2	15.12	0.5	Pass
NVNT	802.11a	5825	Ant 2	15.48	0.5	Pass
NVNT	802.11ac20	5745	Ant 1	15.12	0.5	Pass
NVNT	802.11ac20	5785	Ant 1	15.12	0.5	Pass
NVNT	802.11ac20	5825	Ant 1	14.4	0.5	Pass
NVNT	802.11ac20	5745	Ant 2	15.12	0.5	Pass
NVNT	802.11ac20	5785	Ant 2	15.12	0.5	Pass
NVNT	802.11ac20	5825	Ant 2	15.08	0.5	Pass
NVNT	802.11ac40	5755	Ant 1	35.04	0.5	Pass
NVNT	802.11ac40	5795	Ant 1	35.12	0.5	Pass
NVNT	802.11ac40	5755	Ant 2	35.2	0.5	Pass
NVNT	802.11ac40	5795	Ant 2	35.12	0.5	Pass
NVNT	802.11ac80	5775	Ant 1	75.2	0.5	Pass
NVNT	802.11ac80	5775	Ant 2	75.2	0.5	Pass
NVNT	802.11n(HT20)	5745	Ant 1	16.36	0.5	Pass
NVNT	802.11n(HT20)	5785	Ant 1	15.12	0.5	Pass
NVNT	802.11n(HT20)	5825	Ant 1	15.44	0.5	Pass
NVNT	802.11n(HT20)	5745	Ant 2	17.56	0.5	Pass
NVNT	802.11n(HT20)	5785	Ant 2	15.12	0.5	Pass
NVNT	802.11n(HT20)	5825	Ant 2	15.44	0.5	Pass
NVNT	802.11n(HT40)	5755	Ant 1	35.12	0.5	Pass
NVNT	802.11n(HT40)	5795	Ant 1	35.12	0.5	Pass
NVNT	802.11n(HT40)	5755	Ant 2	35.12	0.5	Pass
NVNT	802.11n(HT40)	5795	Ant 2	35.12	0.5	Pass

EBW NVNT 802.11a 5745MHz Ant 1



EBW NVNT 802.11a 5785MHz Ant 1



EBW NVNT 802.11a 5825MHz Ant 1



EBW NVNT 802.11a 5745MHz Ant 2



EBW NVNT 802.11a 5785MHz Ant 2



EBW NVNT 802.11a 5825MHz Ant 2



EBW NVNT 802.11ac20 5745MHz Ant 1



EBW NVNT 802.11ac20 5785MHz Ant 1



EBW NVNT 802.11ac20 5825MHz Ant 1



EBW NVNT 802.11ac20 5745MHz Ant 2



EBW NVNT 802.11ac20 5785MHz Ant 2



EBW NVNT 802.11ac20 5825MHz Ant 2



EBW NVNT 802.11ac40 5755MHz Ant 1



EBW NVNT 802.11ac40 5795MHz Ant 1



EBW NVNT 802.11ac40 5755MHz Ant 2



EBW NVNT 802.11ac40 5795MHz Ant 2



EBW NVNT 802.11ac80 5775MHz Ant 1



EBW NVNT 802.11ac80 5775MHz Ant 2



EBW NVNT 802.11n(HT20) 5745MHz Ant 1



EBW NVNT 802.11n(HT20) 5785MHz Ant 1



EBW NVNT 802.11n(HT20) 5825MHz Ant 1



EBW NVNT 802.11n(HT20) 5745MHz Ant 2



EBW NVNT 802.11n(HT20) 5785MHz Ant 2



EBW NVNT 802.11n(HT20) 5825MHz Ant 2



EBW NVNT 802.11n(HT40) 5755MHz Ant 1



EBW NVNT 802.11n(HT40) 5795MHz Ant 1



EBW NVNT 802.11n(HT40) 5755MHz Ant 2



EBW NVNT 802.11n(HT40) 5795MHz Ant 2



11.4 OCCUPIED CHANNEL BANDWIDTH

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	-26 dB Bandwidth (MHz)	Verdict
NVNT	802.11a	5745	Ant 1	16.6633	20.56	Pass
NVNT	802.11a	5785	Ant 1	16.5035	20.6	Pass
NVNT	802.11a	5825	Ant 1	16.6234	20.92	Pass
NVNT	802.11a	5745	Ant 2	16.6234	25.2	Pass
NVNT	802.11a	5785	Ant 2	16.4236	19.76	Pass
NVNT	802.11a	5825	Ant 2	16.5035	21.08	Pass
NVNT	802.11ac20	5745	Ant 1	17.6224	20.2	Pass
NVNT	802.11ac20	5785	Ant 1	17.5425	20	Pass
NVNT	802.11ac20	5825	Ant 1	17.5824	20.16	Pass
NVNT	802.11ac20	5745	Ant 2	17.7822	19.84	Pass
NVNT	802.11ac20	5785	Ant 2	17.5425	19.88	Pass
NVNT	802.11ac20	5825	Ant 2	17.6623	20.44	Pass
NVNT	802.11ac40	5755	Ant 1	37.1628	69.36	Pass
NVNT	802.11ac40	5795	Ant 1	36.2837	42.64	Pass
NVNT	802.11ac40	5755	Ant 2	36.5235	45.28	Pass
NVNT	802.11ac40	5795	Ant 2	36.2038	40.72	Pass
NVNT	802.11ac80	5775	Ant 1	75.9241	80.96	Pass
NVNT	802.11ac80	5775	Ant 2	75.9241	81.28	Pass
NVNT	802.11n(HT20)	5745	Ant 1	17.7023	20.24	Pass
NVNT	802.11n(HT20)	5785	Ant 1	17.5824	20.04	Pass
NVNT	802.11n(HT20)	5825	Ant 1	17.6224	20.16	Pass
NVNT	802.11n(HT20)	5745	Ant 2	17.6623	20.16	Pass
NVNT	802.11n(HT20)	5785	Ant 2	17.5425	19.96	Pass
NVNT	802.11n(HT20)	5825	Ant 2	17.5824	20.24	Pass
NVNT	802.11n(HT40)	5755	Ant 1	37.6424	63.92	Pass
NVNT	802.11n(HT40)	5795	Ant 1	36.6034	53.68	Pass
NVNT	802.11n(HT40)	5755	Ant 2	36.7632	55.2	Pass
NVNT	802.11n(HT40)	5795	Ant 2	36.3636	40.56	Pass

OBW NVNT 802.11a 5745MHz Ant 1