






NTNV-11AX20-2412



NTNV-11AX20-2437




NTNV-11AX20-2462

Emissions in Restricted Bands

Transmit at 2412MHz by 802.11b with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	51.3	42.38	-8.880	74.00	31.62	PK	Horizo	PASS
2	4824.75	47.1	38.20	-8.880	54.00	15.80	AV	Horizo	PASS
3	7236.00	37.7	35.60	-2.110	54.00	18.40	AV	Horizo	PASS
4	7236.00	45.5	43.35	-2.110	74.00	30.65	PK	Horizo	PASS
5	9648.00	34.5	35.31	0.810	54.00	18.69	AV	Horizo	PASS
6	9648.00	44.2	45.05	0.810	74.00	28.95	PK	Horizo	PASS

Transmit at 2412MHz by 802.11b with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	49.6	40.67	-8.880	74.00	33.33	PK	Vertic	PASS
2	4824.75	43.8	34.87	-8.880	54.00	19.13	AV	Vertic	PASS
3	7236.00	36.6	34.45	-2.110	54.00	19.55	AV	Vertic	PASS
4	7236.00	44.5	42.39	-2.110	74.00	31.61	PK	Vertic	PASS
5	9648.00	34.2	35.02	0.810	54.00	18.98	AV	Vertic	PASS
6	9648.00	43.6	44.41	0.810	74.00	29.59	PK	Vertic	PASS

Transmit at 2437MHz by 802.11b with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	50.6	41.99	-8.620	74.00	32.01	PK	Horizo	PASS
2	4874.00	43.6	34.93	-8.620	54.00	19.07	AV	Horizo	PASS
3	7311.00	38.0	35.99	-1.960	54.00	18.01	AV	Horizo	PASS
4	7311.00	46.0	44.01	-1.960	74.00	29.99	PK	Horizo	PASS
5	9748.00	42.1	42.94	0.850	74.00	31.06	PK	Horizo	PASS
6	9748.00	33.6	34.45	0.850	54.00	19.55	AV	Horizo	PASS

Transmit at 2437MHz by 802.11b with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	50.0	41.34	-8.620	74.00	32.66	PK	Vertic	PASS
2	4874.00	42.2	33.58	-8.620	54.00	20.42	AV	Vertic	PASS
3	7311.00	37.2	35.24	-1.960	54.00	18.76	AV	Vertic	PASS
4	7311.00	46.8	44.82	-1.960	74.00	29.18	PK	Vertic	PASS
5	9748.00	42.4	43.20	0.850	74.00	30.80	PK	Vertic	PASS
6	9748.00	33.9	34.71	0.850	54.00	19.29	AV	Vertic	PASS

Transmit at 2462MHz by 802.11b with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	49.4	40.99	-8.390	74.00	33.01	PK	Horizo	PASS
2	4924.00	45.3	36.87	-8.390	54.00	17.13	AV	Horizo	PASS
3	7386.00	38.2	36.76	-1.460	54.00	17.24	AV	Horizo	PASS
4	7386.00	45.7	44.26	-1.460	74.00	29.74	PK	Horizo	PASS
5	9848.00	42.7	43.96	1.250	74.00	30.04	PK	Horizo	PASS
6	9848.00	33.1	34.35	1.250	54.00	19.65	AV	Horizo	PASS

Transmit at 2462MHz by 802.11b with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	49.3	40.88	-8.390	74.00	33.12	PK	Vertic	PASS
2	4924.00	43.1	34.66	-8.390	54.00	19.34	AV	Vertic	PASS
3	7386.00	37.8	36.33	-1.460	54.00	17.67	AV	Vertic	PASS
4	7386.00	45.8	44.37	-1.460	74.00	29.63	PK	Vertic	PASS
5	9848.00	43.0	44.25	1.250	74.00	29.75	PK	Vertic	PASS
6	9848.00	33.3	34.50	1.250	54.00	19.50	AV	Vertic	PASS

Transmit at 2412MHz by 802.11g with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	48.1	39.19	-8.880	74.00	34.81	PK	Horizo	PASS
2	4824.00	39.4	30.52	-8.880	54.00	23.48	AV	Horizo	PASS
3	7236.00	36.3	34.19	-2.110	54.00	19.81	AV	Horizo	PASS
4	7236.00	44.8	42.64	-2.110	74.00	31.36	PK	Horizo	PASS
5	9648.00	43.1	43.94	0.810	74.00	30.06	PK	Horizo	PASS
6	9648.00	33.8	34.64	0.810	54.00	19.36	AV	Horizo	PASS

Transmit at 2412MHz by 802.11g with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	48.1	39.22	-8.880	74.00	34.78	PK	Vertic	PASS
2	4824.00	39.5	30.57	-8.880	54.00	23.43	AV	Vertic	PASS
3	7236.00	46.0	43.93	-2.110	74.00	30.07	PK	Vertic	PASS
4	7236.00	35.7	33.55	-2.110	54.00	20.45	AV	Vertic	PASS
5	9648.00	44.8	45.58	0.810	74.00	28.42	PK	Vertic	PASS
6	9648.00	34.4	35.23	0.810	54.00	18.77	AV	Vertic	PASS

Transmit at 2437MHz by 802.11g with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	48.4	39.75	-8.620	74.00	34.25	PK	Horizo	PASS
2	4874.00	39.0	30.38	-8.620	54.00	23.62	AV	Horizo	PASS
3	7311.00	35.9	33.95	-1.960	54.00	20.05	AV	Horizo	PASS
4	7311.00	44.7	42.74	-1.960	74.00	31.26	PK	Horizo	PASS
5	9748.00	43.0	43.89	0.850	74.00	30.11	PK	Horizo	PASS
6	9748.00	34.4	35.23	0.850	54.00	18.77	AV	Horizo	PASS

Transmit at 2437MHz by 802.11g with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	47.2	38.55	-8.620	74.00	35.45	PK	Vertic	PASS
2	4874.00	38.3	29.70	-8.620	54.00	24.30	AV	Vertic	PASS
3	7311.00	45.7	43.78	-1.960	74.00	30.22	PK	Vertic	PASS
4	7311.00	36.6	34.66	-1.960	54.00	19.34	AV	Vertic	PASS
5	9748.00	42.9	43.78	0.850	74.00	30.22	PK	Vertic	PASS
6	9748.00	34.3	35.17	0.850	54.00	18.83	AV	Vertic	PASS

Transmit at 2462MHz by 802.11g with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	47.4	39.00	-8.390	74.00	35.00	PK	Horizo	PASS
2	4924.00	39.5	31.08	-8.390	54.00	22.92	AV	Horizo	PASS
3	7386.00	44.8	43.34	-1.460	74.00	30.66	PK	Horizo	PASS
4	7386.00	36.6	35.14	-1.460	54.00	18.86	AV	Horizo	PASS
5	9848.00	43.2	44.43	1.250	74.00	29.57	PK	Horizo	PASS
6	9848.00	33.5	34.70	1.250	54.00	19.30	AV	Horizo	PASS

Transmit at 2462MHz by 802.11g with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	46.7	38.29	-8.390	74.00	35.71	PK	Vertic	PASS
2	4924.00	39.1	30.71	-8.390	54.00	23.29	AV	Vertic	PASS
3	7386.00	45.0	43.53	-1.460	74.00	30.47	PK	Vertic	PASS
4	7386.00	36.1	34.67	-1.460	54.00	19.33	AV	Vertic	PASS
5	9848.00	42.9	44.14	1.250	74.00	29.86	PK	Vertic	PASS
6	9848.00	33.6	34.89	1.250	54.00	19.11	AV	Vertic	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	47.8	38.96	-8.880	74.00	35.04	PK	Horizo	PASS
2	4824.00	39.7	30.79	-8.880	54.00	23.21	AV	Horizo	PASS
3	7236.00	44.9	42.74	-2.110	74.00	31.26	PK	Horizo	PASS
4	7236.00	36.2	34.10	-2.110	54.00	19.90	AV	Horizo	PASS
5	9648.00	43.2	44.05	0.810	74.00	29.95	PK	Horizo	PASS
6	9648.00	34.3	35.08	0.810	54.00	18.92	AV	Horizo	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	47.7	38.82	-8.880	74.00	35.18	PK	Vertic	PASS
2	4824.00	38.7	29.84	-8.880	54.00	24.16	AV	Vertic	PASS
3	7236.00	36.5	34.36	-2.110	54.00	19.64	AV	Vertic	PASS
4	7236.00	45.0	42.87	-2.110	74.00	31.13	PK	Vertic	PASS
5	9648.00	43.7	44.46	0.810	74.00	29.54	PK	Vertic	PASS
6	9648.00	34.6	35.38	0.810	54.00	18.62	AV	Vertic	PASS

Transmit at 2437MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	48.5	39.89	-8.620	74.00	34.11	PK	Horizo	PASS
2	4874.00	39.3	30.64	-8.620	54.00	23.36	AV	Horizo	PASS
3	7311.00	36.9	34.98	-1.960	54.00	19.02	AV	Horizo	PASS
4	7311.00	44.8	42.79	-1.960	74.00	31.21	PK	Horizo	PASS
5	9748.00	42.6	43.49	0.850	74.00	30.51	PK	Horizo	PASS
6	9748.00	34.2	35.09	0.850	54.00	18.91	AV	Horizo	PASS

Transmit at 2437MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	48.4	39.73	-8.620	74.00	34.27	PK	Vertic	PASS
2	4874.00	38.5	29.87	-8.620	54.00	24.13	AV	Vertic	PASS
3	7311.00	36.4	34.46	-1.960	54.00	19.54	AV	Vertic	PASS
4	7311.00	45.6	43.65	-1.960	74.00	30.35	PK	Vertic	PASS
5	9748.00	43.6	44.40	0.850	74.00	29.60	PK	Vertic	PASS
6	9748.00	34.1	34.91	0.850	54.00	19.09	AV	Vertic	PASS

Transmit at 2462MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	47.8	39.36	-8.390	74.00	34.64	PK	Horizo	PASS
2	4924.00	39.7	31.32	-8.390	54.00	22.68	AV	Horizo	PASS
3	7386.00	36.3	34.82	-1.460	54.00	19.18	AV	Horizo	PASS
4	7386.00	45.0	43.54	-1.460	74.00	30.46	PK	Horizo	PASS
5	9848.00	41.7	42.93	1.250	74.00	31.07	PK	Horizo	PASS
6	9848.00	34.1	35.34	1.250	54.00	18.66	AV	Horizo	PASS

Transmit at 2462MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	47.0	38.63	-8.390	74.00	35.37	PK	Vertic	PASS
2	4924.00	38.2	29.83	-8.390	54.00	24.17	AV	Vertic	PASS
3	7386.00	37.1	35.59	-1.460	54.00	18.41	AV	Vertic	PASS
4	7386.00	45.2	43.77	-1.460	74.00	30.23	PK	Vertic	PASS
5	9848.00	42.9	44.13	1.250	74.00	29.87	PK	Vertic	PASS
6	9848.00	33.8	35.02	1.250	54.00	18.98	AV	Vertic	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	49.0	40.11	-8.880	74.00	33.89	PK	Horizo	PASS
2	4824.00	39.0	30.16	-8.880	54.00	23.84	AV	Horizo	PASS
3	7236.00	36.1	33.99	-2.110	54.00	20.01	AV	Horizo	PASS
4	7236.00	46.1	43.95	-2.110	74.00	30.05	PK	Horizo	PASS
5	9648.00	43.5	44.28	0.810	74.00	29.72	PK	Horizo	PASS
6	9648.00	34.4	35.16	0.810	54.00	18.84	AV	Horizo	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	46.8	37.96	-8.880	74.00	36.04	PK	Vertic	PASS
2	4824.00	38.4	29.52	-8.880	54.00	24.48	AV	Vertic	PASS
3	7236.00	36.4	34.29	-2.110	54.00	19.71	AV	Vertic	PASS
4	7236.00	45.4	43.31	-2.110	74.00	30.69	PK	Vertic	PASS
5	9648.00	43.1	43.86	0.810	74.00	30.14	PK	Vertic	PASS
6	9648.00	34.5	35.30	0.810	54.00	18.70	AV	Vertic	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	46.7	38.04	-8.620	74.00	35.96	PK	Horizo	PASS
2	4874.00	38.1	29.46	-8.620	54.00	24.54	AV	Horizo	PASS
3	7311.00	45.4	43.45	-1.960	74.00	30.55	PK	Horizo	PASS
4	7311.00	35.9	33.96	-1.960	54.00	20.04	AV	Horizo	PASS
5	9748.00	43.8	44.63	0.850	74.00	29.37	PK	Horizo	PASS
6	9748.00	34.3	35.10	0.850	54.00	18.90	AV	Horizo	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	46.9	38.29	-8.620	74.00	35.71	PK	Vertic	PASS
2	4874.00	37.9	29.32	-8.620	54.00	24.68	AV	Vertic	PASS
3	7311.00	46.1	44.12	-1.960	74.00	29.88	PK	Vertic	PASS
4	7311.00	35.8	33.86	-1.960	54.00	20.14	AV	Vertic	PASS
5	9748.00	42.8	43.65	0.850	74.00	30.35	PK	Vertic	PASS
6	9748.00	34.3	35.11	0.850	54.00	18.89	AV	Vertic	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	47.6	39.25	-8.390	74.00	34.75	PK	Horizo	PASS
2	4924.00	38.2	29.85	-8.390	54.00	24.15	AV	Horizo	PASS
3	7386.00	36.7	35.23	-1.460	54.00	18.77	AV	Horizo	PASS
4	7386.00	45.5	44.06	-1.460	74.00	29.94	PK	Horizo	PASS
5	9848.00	42.9	44.19	1.250	74.00	29.81	PK	Horizo	PASS
6	9848.00	33.3	34.52	1.250	54.00	19.48	AV	Horizo	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	48.6	40.24	-8.390	74.00	33.76	PK	Vertic	PASS
2	4924.00	38.1	29.72	-8.390	54.00	24.28	AV	Vertic	PASS
3	7386.00	36.0	34.50	-1.460	54.00	19.50	AV	Vertic	PASS
4	7386.00	45.4	43.97	-1.460	74.00	30.03	PK	Vertic	PASS
5	9848.00	42.7	43.99	1.250	74.00	30.01	PK	Vertic	PASS
6	9848.00	33.1	34.35	1.250	54.00	19.65	AV	Vertic	PASS

Transmit at 2412MHz by 802.11b with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	48.67	18.3	33.16	14.840	40.00	6.84	PK	Horizo	PASS
2	86.02	13.3	23.78	10.500	40.00	16.22	PK	Horizo	PASS
3	96.45	16.6	28.56	12.010	43.50	14.94	PK	Horizo	PASS
4	156.10	19.2	28.56	9.370	43.50	14.94	PK	Horizo	PASS
5	458.98	14.1	30.88	16.830	46.00	15.12	PK	Horizo	PASS
6	737.13	15.2	36.38	21.150	46.00	9.62	PK	Horizo	PASS

Transmit at 2412MHz by 802.11b with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	48.67	18.1	32.89	14.840	40.00	7.11	PK	Vertic	PASS
2	96.45	16.3	28.30	12.010	43.50	15.20	PK	Vertic	PASS
3	156.10	20.0	29.34	9.370	43.50	14.16	PK	Vertic	PASS
4	282.93	14.3	28.02	13.730	46.00	17.98	PK	Vertic	PASS
5	497.06	13.8	31.36	17.590	46.00	14.64	PK	Vertic	PASS
6	692.75	15.4	35.74	20.300	46.00	10.26	PK	Vertic	PASS


Transmit at 2412MHz by 802.11b

Test Graph



Transmit at 2412MHz by 802.11b

Test Graph




Note: Level = Reading + Factor (Antenna factor + Amplifier factor + Cable loss)

Note: In the report, for the sections below 1G and 18~40G, verification tests were only performed on the worst channel in the worst mode of the 1~18G range.

Note: All test data above 18GHz are noise base, so no data shown in this report.


AC Power Line Conducted Emission

Probe: ENV216_101189(0.009-30MHz)	Polarity: Line
EUT: Insta360 Luna Ultra	Power: AC 120V/60Hz
Note: Transmit at 2412MHz by 802.11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.159	44.395	34.727	-21.121	65.516	9.668	QP
2	*	0.499	41.740	32.039	-14.277	56.017	9.701	QP
3		0.960	28.471	18.776	-27.529	56.000	9.695	QP
4		1.365	28.694	18.970	-27.306	56.000	9.724	QP
5		5.469	24.307	14.484	-35.693	60.000	9.823	QP
6		25.633	12.593	1.846	-47.407	60.000	10.747	QP

Probe: ENV216_101189(0.009-30MHz)	Polarity: Neutral
EUT: Insta360 Luna Ultra	Power: AC 120V/60Hz
Note: Transmit at 2412MHz by 802.11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.159	44.555	34.864	-20.961	65.516	9.691	QP
2	*	0.496	46.463	36.867	-9.604	56.067	9.596	QP
3		1.345	33.272	23.586	-22.728	56.000	9.686	QP
4		2.139	32.351	22.649	-23.649	56.000	9.702	QP
5		5.469	29.387	19.562	-30.613	60.000	9.825	QP
6		24.104	17.189	6.399	-42.811	60.000	10.790	QP

Note: Level = Reading + Factor (Antenna factor + Amplifier factor + Cable loss)

The End