Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	42.1	43.68	1.620	68.30	24.62	PK	Horizo	PASS
2	15540.00	37.4	46.53	9.100	74.00	27.47	PK	Horizo	PASS
3	15540.00	29.4	38.51	9.100	54.00	15.49	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	41.9	43.55	1.620	68.30	24.75	PK	Vertic	PASS
2	15540.00	38.3	47.37	9.100	74.00	26.63	PK	Vertic	PASS
3	15540.00	29.4	38.52	9.100	54.00	15.48	AV	Vertic	PASS

Transmit at 5200MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10400.00	43.1	44.61	1.550	68.30	23.69	PK	Horizo	PASS
2	15600.00	36.9	46.23	9.310	74.00	27.77	PK	Horizo	PASS
3	15600.00	28.6	37.89	9.310	54.00	16.11	AV	Horizo	PASS

Transmit at 5200MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10400.00	45.4	46.96	1.550	68.30	21.34	PK	Vertic	PASS
2	15600.00	36.5	45.76	9.310	74.00	28.24	PK	Vertic	PASS
3	15600.00	28.5	37.82	9.310	54.00	16.18	AV	Vertic	PASS

Transmit at 5240MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10480.00	42.5	44.17	1.680	68.30	24.13	PK	Horizo	PASS
2	15720.00	38.6	48.10	9.500	74.00	25.90	PK	Horizo	PASS
3	15720.00	29.5	38.95	9.500	54.00	15.05	AV	Horizo	PASS

Transmit at 5240MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10480.00	44.0	45.65	1.680	68.30	22.65	PK	Vertic	PASS
2	15720.00	37.8	47.27	9.500	74.00	26.73	PK	Vertic	PASS
3	15720.00	28.3	37.75	9.500	54.00	16.25	AV	Vertic	PASS

Transmit at 5260MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	42.4	44.06	1.690	68.30	24.24	PK	Horizo	PASS
2	15780.00	36.7	45.99	9.330	74.00	28.01	PK	Horizo	PASS
3	15780.00	28.9	38.20	9.330	54.00	15.80	AV	Horizo	PASS

Transmit at 5260MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	41.9	43.58	1.690	68.30	24.72	PK	Vertic	PASS
2	15780.00	36.6	45.94	9.330	74.00	28.06	PK	Vertic	PASS
3	15780.00	28.4	37.76	9.330	54.00	16.24	AV	Vertic	PASS

Transmit at 5280MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10560.00	42.1	43.75	1.630	68.30	24.55	PK	Horizo	PASS
2	15840.00	38.7	48.00	9.280	74.00	26.00	PK	Horizo	PASS
3	15840.00	28.7	38.02	9.280	54.00	15.98	AV	Horizo	PASS

Transmit at 5280MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10560.00	41.8	43.40	1.630	68.30	24.90	PK	Vertic	PASS
2	15840.00	38.7	47.98	9.280	74.00	26.02	PK	Vertic	PASS
3	15840.00	28.4	37.63	9.280	54.00	16.37	AV	Vertic	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10640.00	42.5	44.27	1.800	74.00	29.73	PK	Horizo	PASS
2	10640.00	32.8	34.57	1.800	54.00	19.43	AV	Horizo	PASS
3	15960.00	36.6	46.19	9.590	74.00	27.81	PK	Horizo	PASS
4	15960.00	27.6	37.20	9.590	54.00	16.80	AV	Horizo	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10640.00	41.9	43.66	1.800	74.00	30.34	PK	Vertic	PASS
2	10640.00	34.0	35.81	1.800	54.00	18.19	AV	Vertic	PASS
3	15960.00	39.0	48.58	9.590	74.00	25.42	PK	Vertic	PASS
4	15960.00	27.7	37.25	9.590	54.00	16.75	AV	Vertic	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	41.2	43.19	2.020	74.00	30.81	PK	Horizo	PASS
2	11000.00	32.9	34.90	2.020	54.00	19.10	AV	Horizo	PASS
3	16500.00	36.4	45.83	9.470	68.30	22.47	PK	Horizo	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	41.6	43.62	2.020	74.00	30.38	PK	Vertic	PASS
2	11000.00	33.2	35.17	2.020	54.00	18.83	AV	Vertic	PASS
3	16500.00	36.3	45.77	9.470	68.30	22.53	PK	Vertic	PASS

Transmit at 5580MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11160.00	38.6	42.35	3.750	74.00	31.65	PK	Horizo	PASS
2	11160.00	31.0	34.77	3.750	54.00	19.23	AV	Horizo	PASS
3	16740.00	36.4	46.37	9.950	68.30	21.93	PK	Horizo	PASS

Transmit at 5580MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11160.00	39.3	43.03	3.750	74.00	30.97	PK	Vertic	PASS
2	11160.00	30.7	34.40	3.750	54.00	19.60	AV	Vertic	PASS
3	16740.00	36.0	45.99	9.950	68.30	22.31	PK	Vertic	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11400.00	39.8	43.87	4.080	74.00	30.13	PK	Horizo	PASS
2	11400.00	31.2	35.24	4.080	54.00	18.76	AV	Horizo	PASS
3	17100.00	36.9	46.72	9.860	68.30	21.58	PK	Horizo	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11400.00	39.4	43.47	4.080	74.00	30.53	PK	Vertic	PASS
2	11400.00	31.1	35.16	4.080	54.00	18.84	AV	Vertic	PASS
3	17100.00	35.9	45.74	9.860	68.30	22.56	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	39.7	43.99	4.250	74.00	30.01	PK	Horizo	PASS
2	11490.00	31.4	35.61	4.250	54.00	18.39	AV	Horizo	PASS
3	17235.00	36.2	46.51	10.290	68.30	21.79	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	40.3	44.59	4.250	74.00	29.41	PK	Vertic	PASS
2	11490.00	31.7	35.99	4.250	54.00	18.01	AV	Vertic	PASS
3	17235.00	35.5	45.80	10.290	68.30	22.50	PK	Vertic	PASS

Transmit at 5785MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11570.00	39.9	44.40	4.480	74.00	29.60	PK	Horizo	PASS
2	11570.00	30.9	35.40	4.480	54.00	18.60	AV	Horizo	PASS
3	17355.00	35.3	45.66	10.390	68.30	22.64	PK	Horizo	PASS

Transmit at 5785MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11570.00	39.5	43.98	4.480	74.00	30.02	PK	Vertic	PASS
2	11570.00	30.5	34.96	4.480	54.00	19.04	AV	Vertic	PASS
3	17355.00	36.7	47.11	10.390	68.30	21.19	PK	Vertic	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11650.00	40.4	44.79	4.430	74.00	29.21	PK	Horizo	PASS
2	11650.00	31.5	35.93	4.430	54.00	18.07	AV	Horizo	PASS
3	17475.00	36.4	46.63	10.200	68.30	21.67	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11650.00	40.2	44.58	4.430	74.00	29.42	PK	Vertic	PASS
2	11650.00	31.0	35.40	4.430	54.00	18.60	AV	Vertic	PASS
3	17475.00	35.4	45.56	10.200	68.30	22.74	PK	Vertic	PASS

Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	42.0	43.55	1.580	68.30	24.75	PK	Horizo	PASS
2	15570.00	35.9	45.13	9.200	74.00	28.87	PK	Horizo	PASS
3	15570.00	27.5	36.65	9.200	54.00	17.35	AV	Horizo	PASS

Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	41.9	43.52	1.580	68.30	24.78	PK	Vertic	PASS
2	15570.00	35.7	44.92	9.200	74.00	29.08	PK	Vertic	PASS
3	15570.00	27.4	36.60	9.200	54.00	17.40	AV	Vertic	PASS

Transmit at 5230MHz by 802.11n(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10460.00	41.0	42.65	1.650	68.30	25.65	PK	Horizo	PASS
2	15690.00	35.6	45.09	9.540	74.00	28.91	PK	Horizo	PASS
3	15690.00	27.3	36.82	9.540	54.00	17.18	AV	Horizo	PASS

Transmit at 5230MHz by 802.11n(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10460.00	41.8	43.48	1.650	68.30	24.82	PK	Vertic	PASS
2	15690.00	36.7	46.22	9.540	74.00	27.78	PK	Vertic	PASS
3	15690.00	27.2	36.75	9.540	54.00	17.25	AV	Vertic	PASS

Transmit at 5270MHz by 802.11n(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.00	40.8	42.44	1.670	68.30	25.86	PK	Horizo	PASS
2	15810.00	35.9	45.16	9.270	74.00	28.84	PK	Horizo	PASS
3	15810.00	28.0	37.22	9.270	54.00	16.78	AV	Horizo	PASS

Transmit at 5270MHz by 802.11n(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.00	40.9	42.53	1.670	68.30	25.77	PK	Vertic	PASS
2	15810.00	36.0	45.23	9.270	74.00	28.77	PK	Vertic	PASS
3	15810.00	27.6	36.89	9.270	54.00	17.11	AV	Vertic	PASS

Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10620.00	40.6	42.29	1.680	74.00	31.71	PK	Horizo	PASS
2	10620.00	31.9	33.59	1.680	54.00	20.41	AV	Horizo	PASS
3	15930.00	35.0	44.44	9.460	74.00	29.56	PK	Horizo	PASS
4	15930.00	26.8	36.27	9.460	54.00	17.73	AV	Horizo	PASS

Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10620.00	39.8	41.43	1.680	74.00	32.57	PK	Vertic	PASS
2	10620.00	31.6	33.23	1.680	54.00	20.77	AV	Vertic	PASS
3	15930.00	35.5	44.97	9.460	74.00	29.03	PK	Vertic	PASS
4	15930.00	26.9	36.32	9.460	54.00	17.68	AV	Vertic	PASS

Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11020.00	40.7	43.06	2.330	74.00	30.94	PK	Horizo	PASS
2	11020.00	32.5	34.81	2.330	54.00	19.19	AV	Horizo	PASS
3	16530.00	36.4	45.95	9.520	68.30	22.35	PK	Horizo	PASS

Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11020.00	41.2	43.56	2.330	74.00	30.44	PK	Vertic	PASS
2	11020.00	31.5	33.78	2.330	54.00	20.22	AV	Vertic	PASS
3	16530.00	35.9	45.43	9.520	68.30	22.87	PK	Vertic	PASS

Transmit at 5590MHz by 802.11n(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11180.00	39.4	43.24	3.820	74.00	30.76	PK	Horizo	PASS
2	11180.00	31.6	35.39	3.820	54.00	18.61	AV	Horizo	PASS
3	16770.00	37.2	47.32	10.090	68.30	20.98	PK	Horizo	PASS

Transmit at 5590MHz by 802.11n(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11180.00	39.7	43.49	3.820	74.00	30.51	PK	Vertic	PASS
2	11180.00	31.0	34.82	3.820	54.00	19.18	AV	Vertic	PASS
3	16770.00	36.9	46.95	10.090	68.30	21.35	PK	Vertic	PASS

Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11340.00	39.1	42.91	3.850	74.00	31.09	PK	Horizo	PASS
2	11340.00	30.8	34.63	3.850	54.00	19.37	AV	Horizo	PASS
3	17010.00	35.1	45.22	10.170	68.30	23.08	PK	Horizo	PASS

Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11340.00	39.0	42.80	3.850	74.00	31.20	PK	Vertic	PASS
2	11340.00	31.1	34.93	3.850	54.00	19.07	AV	Vertic	PASS
3	17010.00	34.0	44.21	10.170	68.30	24.09	PK	Vertic	PASS

Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11510.00	39.5	43.79	4.300	74.00	30.21	PK	Horizo	PASS
2	11510.00	31.2	35.51	4.300	54.00	18.49	AV	Horizo	PASS
3	17265.00	35.9	46.23	10.300	68.30	22.07	PK	Horizo	PASS

Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11510.00	40.4	44.73	4.300	74.00	29.27	PK	Vertic	PASS
2	11510.00	30.8	35.09	4.300	54.00	18.91	AV	Vertic	PASS
3	17265.00	36.3	46.61	10.300	68.30	21.69	PK	Vertic	PASS

Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	39.2	43.68	4.530	74.00	30.32	PK	Horizo	PASS
2	11590.00	31.5	36.01	4.530	54.00	17.99	AV	Horizo	PASS
3	17385.00	36.0	46.44	10.470	68.30	21.86	PK	Horizo	PASS

Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	39.8	44.32	4.530	74.00	29.68	PK	Vertic	PASS
2	11590.00	31.0	35.52	4.530	54.00	18.48	AV	Vertic	PASS
3	17385.00	35.8	46.29	10.470	68.30	22.01	PK	Vertic	PASS

Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	41.7	43.30	1.580	68.30	25.00	PK	Horizo	PASS
2	15570.00	35.4	44.55	9.200	74.00	29.45	PK	Horizo	PASS
3	15570.00	28.4	37.62	9.200	54.00	16.38	AV	Horizo	PASS

Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	41.5	43.08	1.580	68.30	25.22	PK	Vertic	PASS
2	15570.00	36.2	45.37	9.200	74.00	28.63	PK	Vertic	PASS
3	15570.00	27.3	36.53	9.200	54.00	17.47	AV	Vertic	PASS

Transmit at 5230MHz by 802.11ac(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10460.00	41.3	42.98	1.650	68.30	25.32	PK	Horizo	PASS
2	15690.00	36.6	46.12	9.540	74.00	27.88	PK	Horizo	PASS
3	15690.00	27.1	36.68	9.540	54.00	17.32	AV	Horizo	PASS

Transmit at 5230MHz by 802.11ac(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10460.00	41.5	43.15	1.650	68.30	25.15	PK	Vertic	PASS
2	15690.00	36.5	45.99	9.540	74.00	28.01	PK	Vertic	PASS
3	15690.00	27.5	37.05	9.540	54.00	16.95	AV	Vertic	PASS

Transmit at 5270MHz by 802.11ac(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.00	41.0	42.71	1.670	68.30	25.59	PK	Horizo	PASS
2	15810.00	36.0	45.23	9.270	74.00	28.77	PK	Horizo	PASS
3	15810.00	27.7	37.00	9.270	54.00	17.00	AV	Horizo	PASS

Transmit at 5270MHz by 802.11ac(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.00	40.7	42.35	1.670	68.30	25.95	PK	Vertic	PASS
2	15810.00	36.0	45.27	9.270	74.00	28.73	PK	Vertic	PASS
3	15810.00	27.6	36.88	9.270	54.00	17.12	AV	Vertic	PASS

Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10620.00	40.1	41.73	1.680	74.00	32.27	PK	Horizo	PASS
2	10620.00	32.1	33.76	1.680	54.00	20.24	AV	Horizo	PASS
3	15930.00	35.5	44.99	9.460	74.00	29.01	PK	Horizo	PASS
4	15930.00	26.5	35.95	9.460	54.00	18.05	AV	Horizo	PASS

Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10620.00	39.5	41.16	1.680	74.00	32.84	PK	Vertic	PASS
2	10620.00	31.2	32.90	1.680	54.00	21.10	AV	Vertic	PASS
3	15930.00	36.1	45.59	9.460	74.00	28.41	PK	Vertic	PASS
4	15930.00	26.5	35.91	9.460	54.00	18.09	AV	Vertic	PASS

Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11020.00	41.2	43.48	2.330	74.00	30.52	PK	Horizo	PASS
2	11020.00	31.7	34.01	2.330	54.00	19.99	AV	Horizo	PASS
3	16530.00	37.5	46.97	9.520	68.30	21.33	PK	Horizo	PASS

Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11020.00	40.7	43.06	2.330	74.00	30.94	PK	Vertic	PASS
2	11020.00	32.0	34.35	2.330	54.00	19.65	AV	Vertic	PASS
3	16530.00	35.9	45.41	9.520	68.30	22.89	PK	Vertic	PASS

Transmit at 5590MHz by 802.11ac(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11180.00	40.0	43.84	3.820	74.00	30.16	PK	Horizo	PASS
2	11180.00	31.3	35.11	3.820	54.00	18.89	AV	Horizo	PASS
3	16770.00	35.9	45.99	10.090	68.30	22.31	PK	Horizo	PASS

Transmit at 5590MHz by 802.11ac(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11180.00	40.1	43.95	3.820	74.00	30.05	PK	Vertic	PASS
2	11180.00	31.4	35.24	3.820	54.00	18.76	AV	Vertic	PASS
3	16770.00	37.6	47.67	10.090	68.30	20.63	PK	Vertic	PASS

Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11340.00	41.1	44.94	3.850	74.00	29.06	PK	Horizo	PASS
2	11340.00	30.8	34.60	3.850	54.00	19.40	AV	Horizo	PASS
3	17010.00	34.7	44.88	10.170	68.30	23.42	PK	Horizo	PASS

Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11340.00	39.5	43.34	3.850	74.00	30.66	PK	Vertic	PASS
2	11340.00	31.0	34.81	3.850	54.00	19.19	AV	Vertic	PASS
3	17010.00	34.8	44.95	10.170	68.30	23.35	PK	Vertic	PASS

Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11510.00	39.0	43.33	4.300	74.00	30.67	PK	Horizo	PASS
2	11510.00	31.0	35.30	4.300	54.00	18.70	AV	Horizo	PASS
3	17265.00	38.7	49.00	10.300	68.30	19.30	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11510.00	39.7	44.03	4.300	74.00	29.97	PK	Vertic	PASS
2	11510.00	31.0	35.27	4.300	54.00	18.73	AV	Vertic	PASS
3	17265.00	36.8	47.07	10.300	68.30	21.23	PK	Vertic	PASS

Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	39.5	43.98	4.530	74.00	30.02	PK	Horizo	PASS
2	11590.00	31.2	35.71	4.530	54.00	18.29	AV	Horizo	PASS
3	17385.00	35.5	45.98	10.470	68.30	22.32	PK	Horizo	PASS

Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	39.1	43.59	4.530	74.00	30.41	PK	Vertic	PASS
2	11590.00	31.2	35.71	4.530	54.00	18.29	AV	Vertic	PASS
3	17385.00	36.7	47.14	10.470	68.30	21.16	PK	Vertic	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	41.0	42.54	1.580	68.30	25.76	PK	Horizo	PASS
2	15570.00	35.3	44.51	9.200	74.00	29.49	PK	Horizo	PASS
3	15570.00	27.5	36.69	9.200	54.00	17.31	AV	Horizo	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	41.8	43.40	1.580	68.30	24.90	PK	Vertic	PASS
2	15570.00	36.7	45.93	9.200	74.00	28.07	PK	Vertic	PASS
3	15570.00	27.6	36.83	9.200	54.00	17.17	AV	Vertic	PASS

Transmit at 5230MHz by 802.11ax(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10460.00	42.4	44.08	1.650	68.30	24.22	PK	Horizo	PASS
2	15690.00	35.9	45.45	9.540	74.00	28.55	PK	Horizo	PASS
3	15690.00	27.3	36.86	9.540	54.00	17.14	AV	Horizo	PASS

Transmit at 5230MHz by 802.11ax(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10460.00	40.9	42.52	1.650	68.30	25.78	PK	Vertic	PASS
2	15690.00	36.8	46.36	9.540	74.00	27.64	PK	Vertic	PASS
3	15690.00	27.1	36.63	9.540	54.00	17.37	AV	Vertic	PASS

Transmit at 5230MHz by 802.11ax(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10460.00	40.9	42.50	1.650	68.30	25.80	PK	Horizo	PASS
2	15690.00	36.2	45.77	9.540	74.00	28.23	PK	Horizo	PASS
3	15690.00	27.0	36.56	9.540	54.00	17.44	AV	Horizo	PASS

Transmit at 5230MHz by 802.11ax(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10460.00	41.1	42.71	1.650	68.30	25.59	PK	Vertic	PASS
2	15690.00	35.2	44.73	9.540	74.00	29.27	PK	Vertic	PASS
3	15690.00	26.7	36.21	9.540	54.00	17.79	AV	Vertic	PASS

Transmit at 5270MHz by 802.11ax(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.00	40.7	42.33	1.670	68.30	25.97	PK	Horizo	PASS
2	15810.00	36.9	46.14	9.270	74.00	27.86	PK	Horizo	PASS
3	15810.00	27.2	36.49	9.270	54.00	17.51	AV	Horizo	PASS

Transmit at 5270MHz by 802.11ax(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.00	41.2	42.86	1.670	68.30	25.44	PK	Vertic	PASS
2	15810.00	35.8	45.09	9.270	74.00	28.91	PK	Vertic	PASS
3	15810.00	27.5	36.78	9.270	54.00	17.22	AV	Vertic	PASS

Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10620.00	40.5	42.19	1.680	74.00	31.81	PK	Horizo	PASS
2	10620.00	31.6	33.25	1.680	54.00	20.75	AV	Horizo	PASS
3	15930.00	34.4	43.85	9.460	74.00	30.15	PK	Horizo	PASS
4	15930.00	27.1	36.55	9.460	54.00	17.45	AV	Horizo	PASS

Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10620.00	40.8	42.49	1.680	74.00	31.51	PK	Vertic	PASS
2	10620.00	31.4	33.10	1.680	54.00	20.90	AV	Vertic	PASS
3	15930.00	35.9	45.32	9.460	74.00	28.68	PK	Vertic	PASS
4	15930.00	26.9	36.37	9.460	54.00	17.63	AV	Vertic	PASS

Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11020.00	39.6	41.93	2.330	74.00	32.07	PK	Horizo	PASS
2	11020.00	31.5	33.83	2.330	54.00	20.17	AV	Horizo	PASS
3	16530.00	34.5	43.99	9.520	68.30	24.31	PK	Horizo	PASS

Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11020.00	41.9	44.18	2.330	74.00	29.82	PK	Vertic	PASS
2	11020.00	31.9	34.21	2.330	54.00	19.79	AV	Vertic	PASS
3	16530.00	35.6	45.08	9.520	68.30	23.22	PK	Vertic	PASS

Transmit at 5590MHz by 802.11ax(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11180.00	40.2	44.03	3.820	74.00	29.97	PK	Horizo	PASS
2	11180.00	31.8	35.59	3.820	54.00	18.41	AV	Horizo	PASS
3	16770.00	36.0	46.09	10.090	68.30	22.21	PK	Horizo	PASS

Transmit at 5590MHz by 802.11ax(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11180.00	39.9	43.69	3.820	74.00	30.31	PK	Vertic	PASS
2	11180.00	30.9	34.67	3.820	54.00	19.33	AV	Vertic	PASS
3	16770.00	35.5	45.55	10.090	68.30	22.75	PK	Vertic	PASS

Transmit at 5670MHz by 802.11ax(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11340.00	38.9	42.71	3.850	74.00	31.29	PK	Horizo	PASS
2	11340.00	30.7	34.52	3.850	54.00	19.48	AV	Horizo	PASS
3	17010.00	34.4	44.55	10.170	68.30	23.75	PK	Horizo	PASS

Transmit at 5670MHz by 802.11ax(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11340.00	41.0	44.88	3.850	74.00	29.12	PK	Vertic	PASS
2	11340.00	31.0	34.85	3.850	54.00	19.15	AV	Vertic	PASS
3	17010.00	34.0	44.17	10.170	68.30	24.13	PK	Vertic	PASS

Transmit at 5755MHz by 802.11ax(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11510.00	39.9	44.17	4.300	74.00	29.83	PK	Horizo	PASS
2	11510.00	31.1	35.44	4.300	54.00	18.56	AV	Horizo	PASS
3	17265.00	37.5	47.80	10.300	68.30	20.50	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ax(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11510.00	40.7	44.96	4.300	74.00	29.04	PK	Vertic	PASS
2	11510.00	31.5	35.77	4.300	54.00	18.23	AV	Vertic	PASS
3	17265.00	36.7	46.99	10.300	68.30	21.31	PK	Vertic	PASS

Transmit at 5795MHz by 802.11ax(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	39.5	44.06	4.530	74.00	29.94	PK	Horizo	PASS
2	11590.00	31.8	36.29	4.530	54.00	17.71	AV	Horizo	PASS
3	17385.00	37.4	47.90	10.470	68.30	20.40	PK	Horizo	PASS

Transmit at 5795MHz by 802.11ax(40MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	42.5	47.03	4.530	74.00	26.97	PK	Vertic	PASS
2	11590.00	31.7	36.27	4.530	54.00	17.73	AV	Vertic	PASS
3	17385.00	37.3	47.72	10.470	68.30	20.58	PK	Vertic	PASS

Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	41.7	43.31	1.580	68.30	24.99	PK	Horizo	PASS
2	15630.00	36.6	46.00	9.400	74.00	28.00	PK	Horizo	PASS
3	15630.00	28.2	37.58	9.400	54.00	16.42	AV	Horizo	PASS

Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	41.5	43.06	1.580	68.30	25.24	PK	Vertic	PASS
2	15630.00	37.1	46.46	9.400	74.00	27.54	PK	Vertic	PASS
3	15630.00	28.4	37.81	9.400	54.00	16.19	AV	Vertic	PASS

Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10580.00	41.9	43.48	1.590	68.30	24.82	PK	Horizo	PASS
2	15870.00	36.0	45.32	9.300	74.00	28.68	PK	Horizo	PASS
3	15870.00	28.7	38.03	9.300	54.00	15.97	AV	Horizo	PASS

Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10580.00	42.0	43.54	1.590	68.30	24.76	PK	Vertic	PASS
2	15870.00	37.7	46.97	9.300	74.00	27.03	PK	Vertic	PASS
3	15870.00	28.7	37.96	9.300	54.00	16.04	AV	Vertic	PASS

Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	40.4	43.35	2.940	74.00	30.65	PK	Horizo	PASS
2	11060.00	32.1	35.06	2.940	54.00	18.94	AV	Horizo	PASS
3	16590.00	36.6	46.26	9.670	68.30	22.04	PK	Horizo	PASS

Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	42.1	45.07	2.940	74.00	28.93	PK	Vertic	PASS
2	11060.00	32.2	35.13	2.940	54.00	18.87	AV	Vertic	PASS
3	16590.00	36.2	45.83	9.670	68.30	22.47	PK	Vertic	PASS

Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11220.00	40.2	44.06	3.860	74.00	29.94	PK	Horizo	PASS
2	11220.00	31.6	35.44	3.860	54.00	18.56	AV	Horizo	PASS
3	16830.00	38.0	48.37	10.330	68.30	19.93	PK	Horizo	PASS

Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11220.00	40.1	44.00	3.860	74.00	30.00	PK	Vertic	PASS
2	11220.00	31.4	35.27	3.860	54.00	18.73	AV	Vertic	PASS
3	16830.00	37.7	48.02	10.330	68.30	20.28	PK	Vertic	PASS

Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	41.2	45.59	4.440	74.00	28.41	PK	Horizo	PASS
2	11550.00	32.0	36.43	4.440	54.00	17.57	AV	Horizo	PASS
3	17325.00	37.3	47.68	10.340	68.30	20.62	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	39.7	44.11	4.440	74.00	29.89	PK	Vertic	PASS
2	11550.00	32.4	36.84	4.440	54.00	17.16	AV	Vertic	PASS
3	17325.00	36.7	47.01	10.340	68.30	21.29	PK	Vertic	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	41.7	43.29	1.580	68.30	25.01	PK	Horizo	PASS
2	15570.00	38.0	47.23	9.200	74.00	26.77	PK	Horizo	PASS
3	15570.00	28.8	38.04	9.200	54.00	15.96	AV	Horizo	PASS