



Transmit at 2412MHz by 802.11b

Test Graph



Transmit at 2412MHz by 802.11b

Test Graph




Note: Level = Reading + Factor (Antenna factor + Amplifier factor + Cable loss)

Note: In the report, for the sections below 1G and 18~40G, verification tests were only performed on the worst channel in the worst mode of the 1~18G range.

Note: All test data above 18GHz are noise base, so no data shown in this report.

AC Power Line Conducted Emission

Probe: ENV216_101189(0.009-30MHz)	Polarity: Line
EUT: Detachable Touchscreen Remote	Power: AC 120V/60Hz
Note: Transmit at 2412MHz by 802.11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.159	49.888	40.220	-15.628	65.516	9.668	QP
2	*	0.510	46.470	36.770	-9.530	56.000	9.700	QP
3		0.825	42.916	33.239	-13.084	56.000	9.677	QP
4		1.455	41.787	32.058	-14.213	56.000	9.729	QP
5		5.307	38.580	28.761	-21.420	60.000	9.819	QP
6		13.398	30.347	20.342	-29.653	60.000	10.005	QP


Probe: ENV216_101189(0.009-30MHz)

Polarity: Neutral

EUT: Detachable Touchscreen Remote

Power: AC 120V/60Hz

Note: Transmit at 2412MHz by 802.11b



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.159	49.584	39.893	-15.932	65.516	9.691	QP
2	*	0.510	41.686	32.088	-14.314	56.000	9.598	QP
3		0.812	38.349	28.688	-17.651	56.000	9.662	QP
4		1.370	36.727	27.041	-19.273	56.000	9.686	QP
5		5.217	33.805	23.993	-26.195	60.000	9.812	QP
6		12.858	25.370	15.360	-34.630	60.000	10.010	QP

Note: Level = Reading + Factor (Antenna factor + Amplifier factor + Cable loss)

_____ The End _____