

		5720 UNII-2C	15.84	5709.160	5725	---	---
		5720 UNII-3	5.8	5725	5730.800	---	---
		5745	21.360	5734.040	5755.400	---	---
		5785	20.960	5774.320	5795.280	---	---
		5825	21.200	5814.280	5835.480	---	---
11AC40SISO	Ant1	5190	41.120	5169.520	5210.640	---	---
		5230	41.120	5209.360	5250.480	---	---
		5270	40.320	5250.320	5290.640	---	---
		5310	41.920	5288.880	5330.800	---	---
		5510	40.240	5489.840	5530.080	---	---
		5550	40.800	5529.760	5570.560	---	---
		5670	39.680	5649.760	5689.440	---	---
		5710	41.280	5689.680	5730.960	---	---
		5710 UNII-2C	35.32	5689.680	5725	---	---
		5710 UNII-3	5.96	5725	5730.960	---	---
		5755	41.440	5733.400	5774.840	---	---
		5795	41.360	5774.040	5815.400	---	---
11AX20SISO	Ant1	5180	21.160	5169.280	5190.440	---	---
		5200	21.600	5189.600	5211.200	---	---
		5240	23.600	5228.880	5252.480	---	---
		5260	24.320	5249.080	5273.400	---	---
		5280	24.200	5269.040	5293.240	---	---
		5320	23.320	5308.280	5331.600	---	---
		5500	24.360	5488.760	5513.120	---	---
		5580	21.080	5568.960	5590.040	---	---
		5700	21.240	5689.120	5710.360	---	---
		5720	21.120	5709.400	5730.520	---	---
		5720 UNII-2C	15.6	5709.400	5725	---	---
		5720 UNII-3	5.52	5725	5730.520	---	---
		5745	21.400	5734.240	5755.640	---	---
		5785	20.840	5774.440	5795.280	---	---
		5825	21.640	5814.440	5836.080	---	---
11AX40SISO	Ant1	5190	41.040	5169.360	5210.400	---	---
		5230	41.120	5208.960	5250.080	---	---
		5270	40.240	5249.920	5290.160	---	---
		5310	41.120	5289.440	5330.560	---	---
		5510	40.480	5489.520	5530.000	---	---
		5550	41.600	5529.200	5570.800	---	---
		5670	40.640	5649.840	5690.480	---	---
		5710	39.600	5689.920	5729.520	---	---
		5710 UNII-2C	35.08	5689.920	5725	---	---
		5710 UNII-3	4.52	5725	5729.520	---	---
		5755	40.080	5735.000	5775.080	---	---
		5795	40.560	5774.760	5815.320	---	---

Note: Offset=cable loss + Test system insertion loss

Test Mode	Ant.	Freq. (MHz)	6dB EBW (MHz)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
11A	Ant1	5720	15.720	5711.800	5727.520	---	---
		5720 UNII-2C	13.2	5711.800	5725	---	---
		5720 UNII-3	2.52	5725	5727.520	0.5	PASS
		5745	15.480	5737.040	5752.520	0.5	PASS
		5785	16.280	5776.800	5793.080	0.5	PASS
		5825	15.080	5817.440	5832.520	0.5	PASS
11N20SISO	Ant1	5720	16.320	5711.800	5728.120	---	---
		5720 UNII-2C	13.2	5711.800	5725	---	---
		5720 UNII-3	3.12	5725	5728.120	0.5	PASS
		5745	15.920	5736.800	5752.720	0.5	PASS
		5785	16.920	5776.800	5793.720	0.5	PASS
11N40SISO	Ant1	5825	17.520	5816.200	5833.720	0.5	PASS
		5710	35.120	5692.400	5727.520	---	---
		5710 UNII-2C	32.6	5692.400	5725	---	---
		5710 UNII-3	2.52	5725	5727.520	0.5	PASS
		5755	33.760	5738.680	5772.440	0.5	PASS
11AC20SISO	Ant1	5795	33.200	5778.040	5811.240	0.5	PASS
		5720	16.040	5711.800	5727.840	---	---

		5720 UNII-2C	13.2	5711.800	5725	---	---
		5720 UNII-3	2.84	5725	5727.840	0.5	PASS
		5745	16.200	5736.560	5752.760	0.5	PASS
		5785	14.440	5778.040	5792.480	0.5	PASS
		5825	15.480	5817.040	5832.520	0.5	PASS
11AC40SISO	Ant1	5710	35.040	5692.400	5727.440	---	---
		5710 UNII-2C	32.6	5692.400	5725	---	---
		5710 UNII-3	2.44	5725	5727.440	0.5	PASS
		5755	32.560	5739.960	5772.520	0.5	PASS
		5795	33.200	5779.320	5812.520	0.5	PASS
11AX20SISO	Ant1	5720	15.040	5712.440	5727.480	---	---
		5720 UNII-2C	12.56	5712.440	5725	---	---
		5720 UNII-3	2.48	5725	5727.480	0.5	PASS
		5745	13.920	5738.640	5752.560	0.5	PASS
		5785	13.880	5777.400	5791.280	0.5	PASS
11AX40SISO	Ant1	5825	17.360	5816.120	5833.480	0.5	PASS
		5710	33.760	5692.480	5726.240	---	---
		5710 UNII-2C	32.52	5692.480	5725	---	---
		5710 UNII-3	1.24	5725	5726.240	0.5	PASS
		5755	33.840	5738.680	5772.520	0.5	PASS
		5795	30.080	5779.880	5809.960	0.5	PASS

Note: Offset=cable loss + Test system insertion loss

9.5. Original Test Data

99% Bandwidth:





















