







NTNV-11G-Ant1-2412




NTNV-11G-Ant1-2437




NTNV-11G-Ant1-2462




NTNV-11N20SISO-Ant1-2412




NTNV-11N20SISO-Ant1-2437




NTNV-11N20SISO-Ant1-2462



NTNV-11N40SISO-Ant1-2422




NTNV-11N40SISO-Ant1-2437



NTNV-11N40SISO-Ant1-2452

Appendix G: Emissions in Restricted Bands


Transmit at 2412MHz by 802.11b with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1199.50	60.5	54.82	-5.670	74.00	19.18	PK	Horizo	PASS
2	1200.00	39.3	33.67	-5.670	54.00	20.33	AV	Horizo	PASS
3	1320.50	58.5	53.49	-4.960	74.00	20.51	PK	Horizo	PASS
4	1321.00	37.1	32.10	-4.950	54.00	21.90	AV	Horizo	PASS
5	2532.00	53.8	54.03	0.250	74.00	19.97	PK	Horizo	PASS
6	2535.00	33.8	34.07	0.250	54.00	19.93	AV	Horizo	PASS
7	4824.00	62.5	53.63	-8.880	74.00	20.37	PK	Horizo	PASS
8	4824.50	60.9	51.97	-8.880	54.00	2.03	AV	Horizo	PASS
9	7237.50	49.8	47.65	-2.110	74.00	26.35	PK	Horizo	PASS
10	7238.00	44.0	41.89	-2.110	54.00	12.11	AV	Horizo	PASS
11	9648.00	43.9	44.72	0.810	74.00	29.28	PK	Horizo	PASS
12	9648.00	36.4	37.21	0.810	54.00	16.79	AV	Horizo	PASS

Transmit at 2412MHz by 802.11b with Ant1




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1080.00	56.2	49.81	-6.430	74.00	24.19	PK	Vertic	PASS
2	1080.50	37.0	30.58	-6.430	54.00	23.42	AV	Vertic	PASS
3	1199.50	56.5	50.84	-5.670	74.00	23.16	PK	Vertic	PASS
4	1200.00	37.0	31.31	-5.670	54.00	22.69	AV	Vertic	PASS
5	1320.00	57.1	52.18	-4.960	74.00	21.82	PK	Vertic	PASS
6	1320.50	37.7	32.69	-4.960	54.00	21.31	AV	Vertic	PASS
7	4824.00	62.1	53.20	-8.880	74.00	20.80	PK	Vertic	PASS
8	4824.50	60.4	51.56	-8.880	54.00	2.44	AV	Vertic	PASS
9	7236.00	47.1	44.97	-2.110	74.00	29.03	PK	Vertic	PASS
10	7236.00	40.2	38.07	-2.110	54.00	15.93	AV	Vertic	PASS
11	9648.00	34.9	35.68	0.810	54.00	18.32	AV	Vertic	PASS
12	9648.00	43.6	44.39	0.810	74.00	29.61	PK	Vertic	PASS

Transmit at 2437MHz by 802.11b with Ant1

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	62.8	54.13	-8.620	74.00	19.87	PK	Horizo	PASS
2	4874.50	61.4	52.73	-8.620	54.00	1.27	AV	Horizo	PASS
3	7311.00	46.4	44.43	-1.960	74.00	29.57	PK	Horizo	PASS
4	7311.00	40.4	38.44	-1.960	54.00	15.56	AV	Horizo	PASS
5	9748.00	35.1	35.97	0.850	54.00	18.03	AV	Horizo	PASS
6	9748.00	43.0	43.85	0.850	74.00	30.15	PK	Horizo	PASS

Transmit at 2437MHz by 802.11b with Ant1

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	59.6	50.94	-8.620	74.00	23.06	PK	Vertic	PASS
2	4874.50	58.2	49.62	-8.620	54.00	4.38	AV	Vertic	PASS
3	7311.00	45.5	43.53	-1.960	74.00	30.47	PK	Vertic	PASS
4	7311.00	37.9	35.91	-1.960	54.00	18.09	AV	Vertic	PASS
5	9748.00	34.6	35.43	0.850	54.00	18.57	AV	Vertic	PASS
6	9748.00	42.8	43.65	0.850	74.00	30.35	PK	Vertic	PASS

Transmit at 2462MHz by 802.11b with Ant1

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1200.00	62.4	56.71	-5.670	74.00	17.29	PK	Horizo	PASS
2	1200.50	41.6	35.91	-5.670	54.00	18.09	AV	Horizo	PASS
3	4924.00	62.2	53.78	-8.390	74.00	20.22	PK	Horizo	PASS
4	4924.50	60.7	52.28	-8.390	54.00	1.72	AV	Horizo	PASS
5	7386.00	45.9	44.44	-1.460	74.00	29.56	PK	Horizo	PASS
6	7386.00	39.1	37.60	-1.460	54.00	16.40	AV	Horizo	PASS
7	9848.00	34.8	36.06	1.250	54.00	17.94	AV	Horizo	PASS
8	9848.00	42.6	43.80	1.250	74.00	30.20	PK	Horizo	PASS

Transmit at 2462MHz by 802.11b with Ant1

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	56.9	48.53	-8.390	74.00	25.47	PK	Vertic	PASS
2	4924.50	55.3	46.87	-8.390	54.00	7.13	AV	Vertic	PASS
3	7386.00	44.5	43.03	-1.460	74.00	30.97	PK	Vertic	PASS
4	7386.00	37.2	35.74	-1.460	54.00	18.26	AV	Vertic	PASS
5	9848.00	44.7	45.95	1.250	74.00	28.05	PK	Vertic	PASS
6	9848.00	33.6	34.83	1.250	54.00	19.17	AV	Vertic	PASS

Transmit at 2412MHz by 802.11g with Ant1


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1199.50	62.2	56.52	-5.670	74.00	17.48	PK	Horizo	PASS
2	1200.50	41.8	36.14	-5.670	54.00	17.86	AV	Horizo	PASS
3	2288.50	57.2	56.95	-0.260	74.00	17.05	PK	Horizo	PASS
4	2305.00	36.2	36.00	-0.200	54.00	18.00	AV	Horizo	PASS
5	2530.50	57.7	57.94	0.250	74.00	16.06	PK	Horizo	PASS
6	2531.00	36.1	36.30	0.250	54.00	17.70	AV	Horizo	PASS
7	4826.50	58.5	49.62	-8.870	54.00	4.38	AV	Horizo	PASS
8	4829.50	66.5	57.61	-8.860	74.00	16.39	PK	Horizo	PASS
9	7234.50	45.6	43.50	-2.110	54.00	10.50	AV	Horizo	PASS
10	7237.50	56.7	54.56	-2.110	74.00	19.44	PK	Horizo	PASS
11	9623.50	45.8	46.57	0.780	74.00	27.43	PK	Horizo	PASS
12	9648.50	40.0	40.77	0.810	54.00	13.23	AV	Horizo	PASS


Transmit at 2412MHz by 802.11g with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4822.50	55.8	46.95	-8.890	54.00	7.05	AV	Vertic	PASS
2	4826.50	64.6	55.76	-8.870	74.00	18.24	PK	Vertic	PASS
3	7236.00	40.8	38.67	-2.110	54.00	15.33	AV	Vertic	PASS
4	7239.00	53.8	51.67	-2.110	74.00	22.33	PK	Vertic	PASS
5	9648.00	37.2	38.03	0.810	54.00	15.97	AV	Vertic	PASS
6	9648.00	44.6	45.39	0.810	74.00	28.61	PK	Vertic	PASS

Transmit at 2437MHz by 802.11g with Ant1




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4872.50	72.7	64.10	-8.640	74.00	9.90	PK	Horizo	PASS
2	4876.50	61.1	52.44	-8.620	54.00	1.56	AV	Horizo	PASS
3	7304.50	43.9	41.86	-2.020	54.00	12.14	AV	Horizo	PASS
4	7313.50	56.4	54.45	-1.940	74.00	19.55	PK	Horizo	PASS
5	9748.00	44.6	45.49	0.850	74.00	28.51	PK	Horizo	PASS
6	9748.50	39.1	39.93	0.850	54.00	14.07	AV	Horizo	PASS

Transmit at 2437MHz by 802.11g with Ant1


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4870.00	65.5	56.82	-8.650	74.00	17.18	PK	Vertic	PASS
2	4877.00	54.9	46.32	-8.600	54.00	7.68	AV	Vertic	PASS
3	7310.00	41.4	39.44	-1.970	54.00	14.56	AV	Vertic	PASS
4	7311.00	52.0	50.01	-1.960	74.00	23.99	PK	Vertic	PASS
5	9748.00	44.2	45.04	0.850	74.00	28.96	PK	Vertic	PASS
6	9748.00	35.9	36.79	0.850	54.00	17.21	AV	Vertic	PASS


Transmit at 2462MHz by 802.11g with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1320.50	59.4	54.47	-4.960	74.00	19.53	PK	Horizo	PASS
2	1320.50	41.3	36.30	-4.960	54.00	17.70	AV	Horizo	PASS
3	4922.50	62.0	53.64	-8.390	54.00	0.36	AV	Horizo	PASS
4	4924.50	71.1	62.69	-8.390	74.00	11.31	PK	Horizo	PASS
5	7386.00	38.8	37.31	-1.460	54.00	16.69	AV	Horizo	PASS
6	7386.00	48.3	46.81	-1.460	74.00	27.19	PK	Horizo	PASS
7	9848.00	35.6	36.82	1.250	54.00	17.18	AV	Horizo	PASS
8	9848.00	43.3	44.53	1.250	74.00	29.47	PK	Horizo	PASS

Transmit at 2462MHz by 802.11g with Ant1




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1080.00	61.4	54.96	-6.430	74.00	19.04	PK	Vertic	PASS
2	1080.50	40.8	34.39	-6.430	54.00	19.61	AV	Vertic	PASS
3	4925.00	54.3	45.90	-8.380	54.00	8.10	AV	Vertic	PASS
4	4925.50	66.0	57.57	-8.380	74.00	16.43	PK	Vertic	PASS
5	7383.50	48.7	47.26	-1.480	74.00	26.74	PK	Vertic	PASS
6	7384.50	39.0	37.54	-1.470	54.00	16.46	AV	Vertic	PASS
7	9848.00	35.4	36.63	1.250	54.00	17.37	AV	Vertic	PASS
8	9848.00	43.6	44.85	1.250	74.00	29.15	PK	Vertic	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1080.00	66.0	59.55	-6.430	74.00	14.45	PK	Horizo	PASS
2	1080.50	47.9	41.46	-6.430	54.00	12.54	AV	Horizo	PASS
3	1200.00	63.8	58.09	-5.670	74.00	15.91	PK	Horizo	PASS
4	1200.00	43.3	37.58	-5.670	54.00	16.42	AV	Horizo	PASS
5	1320.00	61.4	56.39	-4.960	74.00	17.61	PK	Horizo	PASS
6	1321.00	42.0	37.07	-4.950	54.00	16.93	AV	Horizo	PASS
7	4824.50	64.4	55.54	-8.880	74.00	18.46	PK	Horizo	PASS
8	4825.00	54.7	45.80	-8.870	54.00	8.20	AV	Horizo	PASS
9	7230.50	43.9	41.80	-2.120	54.00	12.20	AV	Horizo	PASS
10	7233.00	53.9	51.83	-2.110	74.00	22.17	PK	Horizo	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1080.00	42.0	35.61	-6.430	54.00	18.39	AV	Vertic	PASS
2	1080.50	63.4	56.92	-6.430	74.00	17.08	PK	Vertic	PASS
3	1200.00	60.1	54.41	-5.670	74.00	19.59	PK	Vertic	PASS
4	1200.50	39.2	33.48	-5.670	54.00	20.52	AV	Vertic	PASS
5	1320.00	61.2	56.25	-4.960	74.00	17.75	PK	Vertic	PASS
6	1320.50	41.8	36.80	-4.960	54.00	17.20	AV	Vertic	PASS
7	4822.00	52.0	43.09	-8.890	54.00	10.91	AV	Vertic	PASS
8	4826.50	59.1	50.21	-8.870	74.00	23.79	PK	Vertic	PASS
9	7234.00	53.6	51.45	-2.110	74.00	22.55	PK	Vertic	PASS
10	7235.00	42.4	40.28	-2.110	54.00	13.72	AV	Vertic	PASS
11	9648.00	34.4	35.16	0.810	54.00	18.84	AV	Vertic	PASS
12	9648.00	43.0	43.82	0.810	74.00	30.18	PK	Vertic	PASS

Transmit at 2437MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1080.00	65.7	59.27	-6.430	74.00	14.73	PK	Horizo	PASS
2	1080.50	46.5	40.04	-6.430	54.00	13.96	AV	Horizo	PASS
3	1200.00	60.1	54.43	-5.670	74.00	19.57	PK	Horizo	PASS
4	1200.50	40.2	34.49	-5.670	54.00	19.51	AV	Horizo	PASS
5	1320.50	61.4	56.47	-4.960	74.00	17.53	PK	Horizo	PASS
6	1321.00	40.1	35.17	-4.950	54.00	18.83	AV	Horizo	PASS
7	4819.50	65.4	56.53	-8.900	74.00	17.47	PK	Horizo	PASS
8	4824.50	55.3	46.38	-8.880	54.00	7.62	AV	Horizo	PASS
9	7233.50	57.1	55.02	-2.110	74.00	18.98	PK	Horizo	PASS
10	7234.00	46.2	44.13	-2.110	54.00	9.87	AV	Horizo	PASS
11	9648.00	45.3	46.08	0.810	74.00	27.92	PK	Horizo	PASS
12	9649.00	38.8	39.56	0.810	54.00	14.44	AV	Horizo	PASS

Transmit at 2437MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1080.00	66.0	59.54	-6.430	74.00	14.46	PK	Vertic	PASS
2	1080.50	43.2	36.74	-6.430	54.00	17.26	AV	Vertic	PASS
3	1200.00	56.7	51.07	-5.670	74.00	22.93	PK	Vertic	PASS
4	1200.50	37.1	31.42	-5.670	54.00	22.58	AV	Vertic	PASS
5	1320.00	60.1	55.17	-4.960	74.00	18.83	PK	Vertic	PASS
6	1320.50	40.0	35.01	-4.960	54.00	18.99	AV	Vertic	PASS
7	4821.00	62.1	53.24	-8.890	74.00	20.76	PK	Vertic	PASS
8	4822.50	53.0	44.06	-8.890	54.00	9.94	AV	Vertic	PASS
9	7226.50	55.0	52.90	-2.120	74.00	21.10	PK	Vertic	PASS
10	7236.00	43.8	41.64	-2.110	54.00	12.36	AV	Vertic	PASS
11	9748.00	34.0	34.84	0.850	54.00	19.16	AV	Vertic	PASS
12	9748.00	42.0	42.80	0.850	74.00	31.20	PK	Vertic	PASS

Transmit at 2462MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1080.00	66.4	59.95	-6.430	74.00	14.05	PK	Horizo	PASS
2	1080.50	44.9	38.42	-6.430	54.00	15.58	AV	Horizo	PASS
3	1320.00	62.6	57.61	-4.960	74.00	16.39	PK	Horizo	PASS
4	1320.50	43.4	38.40	-4.960	54.00	15.60	AV	Horizo	PASS
5	4920.50	53.1	44.70	-8.400	54.00	9.30	AV	Horizo	PASS
6	4925.00	63.4	55.00	-8.380	74.00	19.00	PK	Horizo	PASS
7	7383.00	51.4	49.94	-1.480	74.00	24.06	PK	Horizo	PASS
8	7383.50	41.8	40.33	-1.480	54.00	13.67	AV	Horizo	PASS
9	9848.00	43.4	44.64	1.250	74.00	29.36	PK	Horizo	PASS
10	9848.50	36.4	37.65	1.260	54.00	16.35	AV	Horizo	PASS

Transmit at 2462MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1080.00	64.0	57.53	-6.430	74.00	16.47	PK	Vertic	PASS
2	1080.50	44.5	38.07	-6.430	54.00	15.93	AV	Vertic	PASS
3	1320.50	60.8	55.87	-4.960	74.00	18.13	PK	Vertic	PASS
4	1321.00	43.0	38.02	-4.950	54.00	15.98	AV	Vertic	PASS
5	4923.00	52.3	43.91	-8.390	54.00	10.09	AV	Vertic	PASS
6	4927.50	62.0	53.67	-8.370	74.00	20.33	PK	Vertic	PASS
7	7384.50	52.9	51.42	-1.470	74.00	22.58	PK	Vertic	PASS
8	7385.00	42.2	40.73	-1.470	54.00	13.27	AV	Vertic	PASS
9	9848.00	41.7	42.94	1.250	74.00	31.06	PK	Vertic	PASS
10	9848.00	33.1	34.35	1.250	54.00	19.65	AV	Vertic	PASS

Transmit at 2422MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1080.00	65.6	59.16	-6.430	74.00	14.84	PK	Horizo	PASS
2	1080.50	48.0	41.56	-6.430	54.00	12.44	AV	Horizo	PASS
3	1200.00	62.7	56.99	-5.670	74.00	17.01	PK	Horizo	PASS
4	1200.50	43.4	37.70	-5.670	54.00	16.30	AV	Horizo	PASS
5	1320.50	62.2	57.23	-4.960	74.00	16.77	PK	Horizo	PASS
6	1321.00	43.8	38.84	-4.950	54.00	15.16	AV	Horizo	PASS
7	4836.50	56.2	47.32	-8.830	74.00	26.68	PK	Horizo	PASS
8	4844.00	48.2	39.36	-8.800	54.00	14.64	AV	Horizo	PASS
9	7266.00	35.9	33.84	-2.090	54.00	20.16	AV	Horizo	PASS
10	7266.00	44.7	42.58	-2.090	74.00	31.42	PK	Horizo	PASS
11	9688.00	42.1	42.92	0.840	74.00	31.08	PK	Horizo	PASS
12	9688.00	33.3	34.18	0.840	54.00	19.82	AV	Horizo	PASS

Transmit at 2422MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1080.00	68.7	62.30	-6.430	74.00	11.70	PK	Vertic	PASS
2	1080.00	48.6	42.16	-6.430	54.00	11.84	AV	Vertic	PASS
3	1320.00	61.9	56.90	-4.960	74.00	17.10	PK	Vertic	PASS
4	1320.50	45.0	40.06	-4.960	54.00	13.94	AV	Vertic	PASS
5	4844.00	40.7	31.85	-8.800	54.00	22.15	AV	Vertic	PASS
6	4844.00	48.3	39.51	-8.800	74.00	34.49	PK	Vertic	PASS
7	7266.00	35.9	33.77	-2.090	54.00	20.23	AV	Vertic	PASS
8	7266.00	44.4	42.29	-2.090	74.00	31.71	PK	Vertic	PASS
9	9688.00	41.8	42.67	0.840	74.00	31.33	PK	Vertic	PASS
10	9688.00	34.6	35.40	0.840	54.00	18.60	AV	Vertic	PASS

Transmit at 2437MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1080.00	64.7	58.25	-6.430	74.00	15.75	PK	Horizo	PASS
2	1080.00	43.7	37.23	-6.430	54.00	16.77	AV	Horizo	PASS
3	1200.00	42.4	36.76	-5.670	54.00	17.24	AV	Horizo	PASS
4	1200.00	61.5	55.79	-5.670	74.00	18.21	PK	Horizo	PASS
5	1320.00	61.7	56.78	-4.960	74.00	17.22	PK	Horizo	PASS
6	1321.00	41.6	36.64	-4.950	54.00	17.36	AV	Horizo	PASS
7	4874.00	53.3	44.64	-8.620	54.00	9.36	AV	Horizo	PASS
8	4878.00	62.5	53.94	-8.600	74.00	20.06	PK	Horizo	PASS
9	7311.00	40.8	38.79	-1.960	54.00	15.21	AV	Horizo	PASS
10	7311.00	48.7	46.70	-1.960	74.00	27.30	PK	Horizo	PASS
11	9748.00	34.4	35.22	0.850	54.00	18.78	AV	Horizo	PASS
12	9748.00	44.8	45.62	0.850	74.00	28.38	PK	Horizo	PASS

Transmit at 2437MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1080.00	68.7	62.24	-6.430	74.00	11.76	PK	Vertic	PASS
2	1080.50	50.5	44.05	-6.430	54.00	9.95	AV	Vertic	PASS
3	1320.00	61.9	56.90	-4.960	74.00	17.10	PK	Vertic	PASS
4	1320.00	41.5	36.52	-4.960	54.00	17.48	AV	Vertic	PASS
5	4874.00	45.6	37.00	-8.620	54.00	17.00	AV	Vertic	PASS
6	4874.00	55.3	46.68	-8.620	74.00	27.32	PK	Vertic	PASS
7	7311.00	37.6	35.65	-1.960	54.00	18.35	AV	Vertic	PASS
8	7311.00	43.9	41.92	-1.960	74.00	32.08	PK	Vertic	PASS
9	9748.00	33.9	34.77	0.850	54.00	19.23	AV	Vertic	PASS
10	9748.00	42.9	43.77	0.850	74.00	30.23	PK	Vertic	PASS


Transmit at 2452MHz by 802.11n(40MHz) with Ant1+2

Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1080.00	64.7	58.29	-6.430	74.00	15.71	PK	Horizo	PASS
2	1080.00	45.0	38.55	-6.430	54.00	15.45	AV	Horizo	PASS
3	1200.00	62.5	56.85	-5.670	74.00	17.15	PK	Horizo	PASS
4	1201.00	43.4	37.75	-5.670	54.00	16.25	AV	Horizo	PASS
5	1320.50	61.2	56.28	-4.960	74.00	17.72	PK	Horizo	PASS
6	1320.50	43.6	38.61	-4.960	54.00	15.39	AV	Horizo	PASS
7	4904.00	51.6	43.15	-8.460	54.00	10.85	AV	Horizo	PASS
8	4905.00	61.5	53.03	-8.450	74.00	20.97	PK	Horizo	PASS
9	7351.50	48.1	46.46	-1.640	74.00	27.54	PK	Horizo	PASS
10	7356.00	37.1	35.45	-1.620	54.00	18.55	AV	Horizo	PASS
11	9808.00	32.8	33.67	0.870	54.00	20.33	AV	Horizo	PASS
12	9808.00	42.8	43.70	0.870	74.00	30.30	PK	Horizo	PASS

Transmit at 2452MHz by 802.11n(40MHz) with Ant1+2**Test Graph****Data List**

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	1080.00	68.1	61.62	-6.430	74.00	12.38	PK	Vertic	PASS
2	1080.50	48.6	42.19	-6.430	54.00	11.81	AV	Vertic	PASS
3	1320.00	61.3	56.32	-4.960	74.00	17.68	PK	Vertic	PASS
4	1320.50	43.9	38.94	-4.960	54.00	15.06	AV	Vertic	PASS
5	4898.00	55.3	46.83	-8.490	74.00	27.17	PK	Vertic	PASS
6	4904.00	43.9	35.47	-8.460	54.00	18.53	AV	Vertic	PASS
7	7356.00	35.3	33.71	-1.620	54.00	20.29	AV	Vertic	PASS
8	7356.00	44.4	42.77	-1.620	74.00	31.23	PK	Vertic	PASS
9	9808.00	42.3	43.16	0.870	74.00	30.84	PK	Vertic	PASS
10	9808.00	32.7	33.52	0.870	54.00	20.48	AV	Vertic	PASS

Note:

1. Level = Reading + Factor


2. Margin = Limit - Level

3. The test frequency range, 9kHz~30MHz, worst case are all base noise, therefore no data appear in the report.

4. All test data above 18GHz are noise base, so no data shown in this report.

The worst case of Radiated Emission below 1GHz:


Transmit at 2412MHz by 802.11b with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	33.40	17.4	30.39	13.020	40.00	9.61	PK	Horizo	PASS
2	56.19	14.2	27.78	13.630	40.00	12.22	PK	Horizo	PASS
3	99.36	14.6	27.07	12.450	43.50	16.43	PK	Horizo	PASS
4	171.62	15.6	25.64	10.060	43.50	17.86	PK	Horizo	PASS
5	358.35	14.7	30.16	15.500	46.00	15.84	PK	Horizo	PASS
6	749.01	15.9	37.39	21.470	46.00	8.61	PK	Horizo	PASS

Transmit at 2412MHz by 802.11b with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	32.91	18.0	30.96	12.990	40.00	9.04	PK	Vertic	PASS
2	48.43	14.8	29.62	14.820	40.00	10.38	PK	Vertic	PASS
3	96.45	18.9	30.95	12.010	43.50	12.55	PK	Vertic	PASS
4	162.89	14.6	24.18	9.580	43.50	19.32	PK	Vertic	PASS
5	287.54	14.4	28.24	13.800	46.00	17.76	PK	Vertic	PASS
6	641.10	15.8	35.83	19.990	46.00	10.17	PK	Vertic	PASS

Note:

1. All Readings below 1GHz are PK, PK as an alternative to CISPR quasi-peak measurements or average measurements.
2. Level=Reading+Factor.

_____ The End _____