


Appendix-D Field Strength of Spurious Radiation-34G

For WCDMA:

Project Information			
Mode:	WCDMA	Band:	II
Bandwidth:	-	Channel:	-
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1879.20	112.07	-95.02	17.05	-	-	Horizontal	NA
2	1960.40	48.67	-94.62	-45.95	-	-	Horizontal	NA
3	4382.00	39.11	-104.55	-65.44	-13.00	52.44	Horizontal	PASS
4	8849.50	35.97	-92.56	-56.59	-13.00	43.59	Horizontal	PASS
5	17337.50	33.80	-82.97	-49.17	-13.00	36.17	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	II
Bandwidth:	-	Channel:	-
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.80	115.60	-95.01	20.59	-	-	Vertical	NA
2	1961.40	57.83	-94.63	-36.80	-	-	Vertical	NA
3	4795.50	38.52	-102.83	-64.31	-13.00	51.31	Vertical	PASS
4	8821.00	36.57	-92.84	-56.27	-13.00	43.27	Vertical	PASS
5	17359.50	33.28	-82.77	-49.49	-13.00	36.49	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	V
Bandwidth:	-	Channel:	-
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2614.93	42.53	-110.53	-68.00	-13.00	55.00	Horizontal	PASS
2	4789.33	39.26	-102.95	-63.69	-13.00	50.69	Horizontal	PASS
3	8889.07	37.17	-93.10	-55.93	-13.00	42.93	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	V
Bandwidth:	-	Channel:	-
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2512.00	44.63	-111.36	-66.73	-13.00	53.73	Vertical	PASS
2	3446.13	42.11	-107.43	-65.32	-13.00	52.32	Vertical	PASS
3	8034.67	38.20	-95.48	-57.28	-13.00	44.28	Vertical	PASS

For LTE:

Project Information			
Mode:	LTE	Band:	B2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.20	108.37	-84.97	23.40	-	-	Horizontal	NA
2	1968.20	37.78	-84.84	-47.06	-	-	Horizontal	NA
3	5613.00	40.42	-101.20	-60.78	-13.00	47.78	Horizontal	PASS
4	10047.00	36.15	-91.52	-55.37	-13.00	42.37	Horizontal	PASS
5	17340.00	33.21	-82.86	-49.65	-13.00	36.65	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.20	108.66	-84.97	23.69	-	-	Vertical	NA
2	1967.40	45.73	-84.83	-39.10	-	-	Vertical	NA
3	5613.00	41.22	-101.20	-59.98	-13.00	46.98	Vertical	PASS
4	8818.50	36.78	-92.86	-56.08	-13.00	43.08	Vertical	PASS
5	17345.50	33.04	-82.60	-49.56	-13.00	36.56	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	104.25	-85.28	18.97	-	-	Horizontal	NA
2	2134.60	38.73	-84.53	-45.80	-	-	Horizontal	NA
3	4945.50	39.36	-102.84	-63.48	-13.00	50.48	Horizontal	PASS
4	9514.50	36.51	-92.63	-56.12	-13.00	43.12	Horizontal	PASS
5	17358.50	32.22	-82.73	-50.51	-13.00	37.51	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	107.60	-85.28	22.32	-	-	Vertical	NA
2	2135.40	42.36	-84.54	-42.18	-	-	Vertical	NA
3	5777.50	38.25	-100.30	-62.05	-13.00	49.05	Vertical	PASS
4	9482.50	36.52	-92.92	-56.40	-13.00	43.40	Vertical	PASS
5	17351.00	32.77	-82.44	-49.67	-13.00	36.67	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2480.00	46.93	-111.28	-64.35	-13.00	51.35	Horizontal	PASS
2	5041.07	39.04	-102.33	-63.29	-13.00	50.29	Horizontal	PASS
3	8907.73	36.91	-93.32	-56.41	-13.00	43.41	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2496.27	47.24	-111.37	-64.13	-13.00	51.13	Vertical	PASS
2	4773.87	38.71	-103.03	-64.32	-13.00	51.32	Vertical	PASS
3	8125.60	37.20	-95.06	-57.86	-13.00	44.86	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.20	104.79	-83.04	21.75	-	-	Horizontal	NA
2	2651.10	38.47	-82.17	-43.70	-	-	Horizontal	NA
3	5052.00	39.28	-102.82	-63.54	-25.00	38.54	Horizontal	PASS
4	9520.50	36.48	-92.65	-56.17	-25.00	31.17	Horizontal	PASS
5	17349.50	32.46	-82.42	-49.96	-25.00	24.96	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.00	107.86	-83.04	24.82	-	-	Vertical	NA
2	2654.30	40.66	-82.07	-41.41	-	-	Vertical	NA
3	5193.50	39.46	-102.17	-62.71	-25.00	37.71	Vertical	PASS
4	10104.50	39.44	-92.07	-52.63	-25.00	27.63	Vertical	PASS
5	17349.50	32.10	-82.42	-50.32	-25.00	25.32	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B26(814-824)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1950.40	42.63	-113.52	-70.89	-13.00	57.89	Horizontal	PASS
2	5192.80	38.53	-102.04	-63.51	-13.00	50.51	Horizontal	PASS
3	8862.13	35.54	-92.95	-57.41	-13.00	44.41	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B26(814-824)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2082.40	43.20	-113.43	-70.23	-13.00	57.23	Vertical	PASS
2	5192.53	40.07	-102.04	-61.97	-13.00	48.97	Vertical	PASS
3	8371.20	36.76	-94.80	-58.04	-13.00	45.04	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B26(824-849)
Bandwidth:	15MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2489.60	43.35	-111.34	-67.99	-13.00	54.99	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B26(824-849)
Bandwidth:	15MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2489.87	47.29	-111.34	-64.05	-13.00	51.05	Vertical	PASS
2	4184.27	38.95	-105.47	-66.52	-13.00	53.52	Vertical	PASS
3	8468.53	35.77	-94.44	-58.67	-13.00	45.67	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	104.39	-85.18	19.21	-	-	Horizontal	NA
2	2137.60	41.14	-84.56	-43.42	-	-	Horizontal	NA
3	4890.00	38.13	-103.27	-65.14	-13.00	52.14	Horizontal	PASS
4	10120.00	36.25	-92.05	-55.80	-13.00	42.80	Horizontal	PASS
5	17365.00	32.55	-82.98	-50.43	-13.00	37.43	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	107.93	-85.18	22.75	-	-	Vertical	NA
2	2137.80	43.32	-84.56	-41.24	-	-	Vertical	NA
3	3451.50	40.90	-107.27	-66.37	-13.00	53.37	Vertical	PASS
4	8805.00	35.63	-92.99	-57.36	-13.00	44.36	Vertical	PASS
5	17861.00	32.50	-82.59	-50.09	-13.00	37.09	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B41(2496-2690)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.20	102.93	-82.41	20.52	-	-	Horizontal	NA
2	4959.00	39.28	-102.81	-63.53	-25.00	38.53	Horizontal	PASS
3	9671.00	35.65	-92.16	-56.51	-25.00	31.51	Horizontal	PASS
4	17346.00	32.52	-82.58	-50.06	-25.00	25.06	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B41(2496-2690)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.00	106.85	-82.40	24.45	-	-	Vertical	NA
2	6093.00	37.68	-100.01	-62.33	-25.00	37.33	Vertical	PASS
3	10336.00	39.36	-91.51	-52.15	-25.00	27.15	Vertical	PASS
4	17357.00	32.40	-82.67	-50.27	-25.00	25.27	Vertical	PASS

For LTE CA:

Project Information			
Mode:	LTE	Band:	CA_2C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1879.00	104.34	-84.95	19.39	-	-	Horizontal	NA
2	1951.20	37.26	-84.69	-47.43	-	-	Horizontal	NA
3	4795.00	39.06	-102.83	-63.77	-13.00	50.77	Horizontal	PASS
4	10776.50	35.58	-90.94	-55.36	-13.00	42.36	Horizontal	PASS
5	17353.50	32.94	-82.54	-49.60	-13.00	36.60	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_2C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1879.00	105.57	-84.95	20.62	-	-	Vertical	NA
2	1977.80	42.63	-84.90	-42.27	-	-	Vertical	NA
3	4393.50	39.52	-104.50	-64.98	-13.00	51.98	Vertical	PASS
4	9141.50	35.90	-92.24	-56.34	-13.00	43.34	Vertical	PASS
5	17345.50	33.13	-82.60	-49.47	-13.00	36.47	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_7C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2534.10	102.71	-82.90	19.81	-	-	Horizontal	NA
2	4716.00	38.74	-103.91	-65.17	-25.00	40.17	Horizontal	PASS
3	9583.50	35.94	-92.52	-56.58	-25.00	31.58	Horizontal	PASS
4	17349.50	32.60	-82.42	-49.82	-25.00	24.82	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_7C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2534.00	105.02	-82.90	22.12	-	-	Vertical	NA
2	2671.50	38.56	-81.54	-42.98	-	-	Vertical	NA
3	4788.50	38.12	-102.89	-64.77	-25.00	39.77	Vertical	PASS
4	8906.00	37.06	-93.50	-56.44	-25.00	31.44	Vertical	PASS
5	17360.00	32.41	-82.79	-50.38	-25.00	25.38	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_41C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2592.10	99.26	-82.42	16.84	-	-	Horizontal	NA
2	4783.00	38.22	-102.94	-64.72	-25.00	39.72	Horizontal	PASS
3	9483.00	36.84	-92.91	-56.07	-25.00	31.07	Horizontal	PASS
4	17357.00	32.31	-82.67	-50.36	-25.00	25.36	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_41C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2591.80	101.70	-82.42	19.28	-	-	Vertical	NA
2	5173.00	38.02	-102.07	-64.05	-25.00	39.05	Vertical	PASS
3	10015.00	35.32	-91.64	-56.32	-25.00	31.32	Vertical	PASS
4	17349.00	33.05	-82.44	-49.39	-25.00	24.39	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_66B
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1754.60	100.73	-85.03	15.70	-	-	Horizontal	NA
2	2146.40	37.14	-84.65	-47.51	-	-	Horizontal	NA
3	5814.00	37.42	-99.99	-62.57	-13.00	49.57	Horizontal	PASS
4	10725.00	35.45	-91.39	-55.94	-13.00	42.94	Horizontal	PASS
5	17343.50	33.22	-82.70	-49.48	-13.00	36.48	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_66B
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1754.40	105.89	-85.03	20.86	-	-	Vertical	NA
2	2151.40	39.93	-84.66	-44.73	-	-	Vertical	NA
3	4798.50	38.03	-102.80	-64.77	-13.00	51.77	Vertical	PASS
4	9510.00	36.55	-92.62	-56.07	-13.00	43.07	Vertical	PASS
5	17346.00	32.24	-82.58	-50.34	-13.00	37.34	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_66C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1754.00	101.62	-85.04	16.58	-	-	Horizontal	NA
2	2146.00	37.80	-84.64	-46.84	-	-	Horizontal	NA
3	6080.50	37.76	-100.03	-62.27	-13.00	49.27	Horizontal	PASS
4	11528.00	35.43	-90.49	-55.06	-13.00	42.06	Horizontal	PASS
5	17363.50	32.73	-82.93	-50.20	-13.00	37.20	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_66C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1754.00	104.92	-85.04	19.88	-	-	Vertical	NA
2	2171.20	39.75	-84.38	-44.63	-	-	Vertical	NA
3	5790.50	38.04	-100.12	-62.08	-13.00	49.08	Vertical	PASS
4	10137.00	35.94	-92.04	-56.10	-13.00	43.10	Vertical	PASS
5	17365.50	32.53	-83.00	-50.47	-13.00	37.47	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_5B
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1732.80	43.63	-114.04	-70.41	-13.00	57.41	Horizontal	PASS
2	4325.60	39.27	-104.32	-65.05	-13.00	52.05	Horizontal	PASS
3	8338.40	36.59	-94.67	-58.08	-13.00	45.08	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_5B
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2508.27	45.47	-111.36	-65.89	-13.00	52.89	Vertical	PASS
2	3894.93	40.53	-106.12	-65.59	-13.00	52.59	Vertical	PASS
3	7308.53	37.22	-96.03	-58.81	-13.00	45.81	Vertical	PASS

~The End~