


Appendix-D Field Strength of Spurious Radiation-NR

For NR SA:

Project Information			
Mode:	NR	Band:	n2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1870.60	107.54	-84.97	22.57	-	-	Horizontal	NA
2	1968.20	42.39	-84.84	-42.45	-	-	Horizontal	NA
3	4626.00	38.98	-103.75	-64.77	-13.00	51.77	Horizontal	PASS
4	8882.00	36.82	-93.12	-56.30	-13.00	43.30	Horizontal	PASS
5	17357.50	33.20	-82.69	-49.49	-13.00	36.49	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1870.60	107.76	-84.97	22.79	-	-	Vertical	NA
2	1968.60	49.25	-84.84	-35.59	-	-	Vertical	NA
3	4225.50	39.59	-105.17	-65.58	-13.00	52.58	Vertical	PASS
4	9516.00	36.70	-92.64	-55.94	-13.00	42.94	Vertical	PASS
5	17200.00	33.92	-85.11	-51.19	-13.00	38.19	Vertical	PASS

Project Information			
Mode:	NR	Band:	n5
Bandwidth:	20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1766.93	45.25	-113.96	-68.71	-13.00	55.71	Horizontal	PASS
2	3892.27	41.19	-106.13	-64.94	-13.00	51.94	Horizontal	PASS
3	8220.53	37.26	-95.25	-57.99	-13.00	44.99	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n5
Bandwidth:	20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1758.40	47.53	-113.96	-66.43	-13.00	53.43	Vertical	PASS
2	2481.07	48.77	-111.29	-62.52	-13.00	49.52	Vertical	PASS
3	8941.60	37.40	-93.93	-56.53	-13.00	43.53	Vertical	PASS

Project Information			
Mode:	NR	Band:	n7
Bandwidth:	40MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2515.70	104.35	-83.08	21.27	-	-	Horizontal	NA
2	2657.40	39.41	-81.97	-42.56	-	-	Horizontal	NA
3	4557.00	38.61	-104.27	-65.66	-25.00	40.66	Horizontal	PASS
4	10167.50	36.28	-91.92	-55.64	-25.00	30.64	Horizontal	PASS
5	17367.00	32.96	-83.06	-50.10	-25.00	25.10	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n7
Bandwidth:	40MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2515.50	107.70	-83.08	24.62	-	-	Vertical	NA
2	2663.20	40.74	-81.80	-41.06	-	-	Vertical	NA
3	5031.00	38.38	-102.84	-64.46	-25.00	39.46	Vertical	PASS
4	10062.50	37.54	-91.65	-54.11	-25.00	29.11	Vertical	PASS
5	17339.00	33.05	-82.90	-49.85	-25.00	24.85	Vertical	PASS

Project Information			
Mode:	NR	Band:	n26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1726.40	45.66	-114.08	-68.42	-13.00	55.42	Horizontal	PASS
2	2434.13	44.44	-111.47	-67.03	-13.00	54.03	Horizontal	PASS
3	7901.33	36.82	-95.69	-58.87	-13.00	45.87	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1730.13	47.55	-114.05	-66.50	-13.00	53.50	Vertical	PASS
2	2443.20	44.44	-111.27	-66.83	-13.00	53.83	Vertical	PASS
3	8473.07	35.98	-94.44	-58.46	-13.00	45.46	Vertical	PASS

Project Information			
Mode:	NR	Band:	n26(824-849MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1765.87	43.75	-113.96	-70.21	-13.00	57.21	Horizontal	PASS
2	2481.07	42.47	-111.29	-68.82	-13.00	55.82	Horizontal	PASS
3	7614.13	36.38	-96.37	-59.99	-13.00	46.99	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n26(824-849MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1763.47	46.43	-113.96	-67.53	-13.00	54.53	Vertical	PASS
2	2480.80	46.32	-111.29	-64.97	-13.00	51.97	Vertical	PASS
3	7918.40	37.07	-95.60	-58.53	-13.00	45.53	Vertical	PASS

Project Information			
Mode:	NR	Band:	n66
Bandwidth:	40MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.60	104.64	-85.19	19.45	-	-	Horizontal	NA
2	2144.80	42.50	-84.63	-42.13	-	-	Horizontal	NA
3	4796.50	37.59	-102.82	-65.23	-13.00	52.23	Horizontal	PASS
4	11457.00	34.66	-90.28	-55.62	-13.00	42.62	Horizontal	PASS
5	17347.00	31.90	-82.53	-50.63	-13.00	37.63	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n66
Bandwidth:	40MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.60	107.57	-85.19	22.38	-	-	Vertical	NA
2	2173.40	45.18	-84.34	-39.16	-	-	Vertical	NA
3	4186.50	38.53	-105.26	-66.73	-13.00	53.73	Vertical	PASS
4	9152.00	34.59	-92.01	-57.42	-13.00	44.42	Vertical	PASS
5	17342.00	33.40	-82.77	-49.37	-13.00	36.37	Vertical	PASS

Project Information			
Mode:	NR	Band:	n41(2496-2690MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2544.10	102.43	-82.72	19.71	-	-	Horizontal	NA
2	5508.00	37.49	-101.21	-63.72	-25.00	38.72	Horizontal	PASS
3	11435.00	34.77	-90.16	-55.39	-25.00	30.39	Horizontal	PASS
4	17353.00	32.30	-82.52	-50.22	-25.00	25.22	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n41(2496-2690MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2543.90	106.17	-82.73	23.44	-	-	Vertical	NA
2	5476.00	37.32	-101.40	-64.08	-25.00	39.08	Vertical	PASS
3	10933.50	34.29	-90.54	-56.25	-25.00	31.25	Vertical	PASS
4	17350.00	32.51	-82.40	-49.89	-25.00	24.89	Vertical	PASS

Project Information			
Mode:	NR	Band:	n77(3700-3980MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	88.66	-77.73	10.93	-	-	Horizontal	NA
2	7582.15	49.75	-96.15	-46.40	-13.00	33.40	Horizontal	PASS
3	11377.53	33.79	-90.03	-56.24	-13.00	43.24	Horizontal	PASS
4	15164.48	38.06	-87.38	-49.32	-13.00	36.32	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77(3700-3980MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	94.18	-77.73	16.45	-	-	Vertical	NA
2	7582.15	58.31	-96.15	-37.84	-13.00	24.84	Vertical	PASS
3	10737.75	34.96	-91.11	-56.15	-13.00	43.15	Vertical	PASS
4	15163.72	45.68	-87.40	-41.72	-13.00	28.72	Vertical	PASS

Project Information			
Mode:	NR	Band:	n77(3450-3550MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	97.64	-78.42	19.22	-	-	Horizontal	NA
2	8103.48	36.25	-94.72	-58.47	-13.00	45.47	Horizontal	PASS
3	11458.80	34.42	-90.24	-55.82	-13.00	42.82	Horizontal	PASS
4	17858.55	31.40	-81.38	-49.98	-13.00	36.98	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77(3450-3550MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	91.44	-78.42	13.02	-	-	Vertical	NA
2	6902.12	44.43	-96.98	-52.55	-13.00	39.55	Vertical	PASS
3	10280.82	35.78	-91.46	-55.68	-13.00	42.68	Vertical	PASS
4	17994.63	31.73	-81.55	-49.82	-13.00	36.82	Vertical	PASS

For NR ENDC:

Project Information			
Mode:	NSA	Band:	DC_7A_77A(3450-3550MHz)
Bandwidth:	LTE 20MHz, NR 100MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	6464.83	31.26	-80.72	-49.46	-25.00	24.46	Horizontal	PASS
2	8087.00	37.56	-94.77	-57.21	-25.00	32.21	Horizontal	PASS
3	17975.85	32.63	-81.82	-49.19	-25.00	24.19	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	DC_7A_77A(3450-3550MHz)
Bandwidth:	LTE 20MHz, NR 100MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	6295.08	31.24	-80.83	-49.59	-25.00	24.59	Vertical	PASS
2	6902.88	41.54	-96.98	-55.44	-25.00	30.44	Vertical	PASS
3	10104.48	38.16	-91.96	-53.80	-25.00	28.80	Vertical	PASS

Project Information			
Mode:	NSA	Band:	DC_7A_77A(3700-3980MHz)
Bandwidth:	LTE 20MHz, NR 100MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	6497.38	30.63	-80.31	-49.68	-25.00	24.68	Horizontal	PASS
2	7582.53	39.80	-96.14	-56.34	-25.00	31.34	Horizontal	PASS
3	15165.63	36.60	-87.38	-50.78	-25.00	25.78	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	DC_7A_77A(3700-3980MHz)
Bandwidth:	LTE 20MHz, NR 100MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.00	104.55	-83.04	21.51	-	-	Vertical	NA
2	2663.20	39.09	-81.80	-42.71	-	-	Vertical	NA
3	3791.35	102.75	-88.11	14.64	-	-	Vertical	NA
4	6241.35	32.00	-81.01	-49.01	-25.00	24.01	Vertical	PASS
5	7582.53	47.74	-96.14	-48.40	-25.00	23.40	Vertical	PASS
6	15165.25	41.85	-87.38	-45.53	-25.00	20.53	Vertical	PASS

For NR CA:

Project Information			
Mode:	NR CA	Band:	CA_n7A_n77A(3450-3550MHz)
Bandwidth:	20MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2525.70	95.63	-77.88	17.75	-	-	Horizontal	NA
2	3471.45	101.05	-88.52	12.53	-	-	Horizontal	NA
3	6105.73	31.93	-81.42	-49.49	-25.00	24.49	Horizontal	PASS
4	9041.50	35.98	-92.92	-56.94	-25.00	31.94	Horizontal	PASS
5	13684.82	33.13	-85.95	-52.82	-25.00	27.82	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n7A_n77A(3450-3550MHz)
Bandwidth:	20MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2525.70	99.79	-77.88	21.91	-	-	Vertical	NA
2	3471.45	98.89	-88.52	10.37	-	-	Vertical	NA
3	6344.25	31.16	-80.65	-49.49	-25.00	24.49	Vertical	PASS
4	8853.67	35.99	-92.19	-56.20	-25.00	31.20	Vertical	PASS
5	13424.15	35.21	-88.28	-53.07	-25.00	28.07	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n7A_n77A(3700-3980MHz)
Bandwidth:	20MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2525.70	89.37	-77.88	11.49	-	-	Horizontal	NA
2	3811.48	92.12	-88.05	4.07	-	-	Horizontal	NA
3	6225.25	31.66	-80.89	-49.23	-25.00	24.23	Horizontal	PASS
4	7622.78	42.81	-96.19	-53.38	-25.00	28.38	Horizontal	PASS
5	17383.98	33.41	-83.14	-49.73	-25.00	24.73	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n7A_n77A(3700-3980MHz)
Bandwidth:	20MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2525.90	100.63	-77.87	22.76	-	-	Vertical	NA
2	3811.48	98.59	-88.05	10.54	-	-	Vertical	NA
3	7622.78	52.47	-96.19	-43.72	-25.00	18.72	Vertical	PASS
4	15245.75	36.05	-85.46	-49.41	-25.00	24.41	Vertical	PASS
5	17885.00	31.76	-81.73	-49.97	-25.00	24.97	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n5A_n77A(3450-3550MHz)
Bandwidth:	20MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3471.43	105.57	-88.95	16.62	-	-	Horizontal	NA
2	6350.95	35.47	-79.88	-44.41	-13.00	31.41	Horizontal	PASS
3	9025.78	36.37	-92.83	-56.46	-13.00	43.46	Horizontal	PASS
4	17403.92	36.83	-83.21	-46.38	-13.00	33.38	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n5A_n77A(3450-3550MHz)
Bandwidth:	20MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3471.43	102.63	-88.95	13.68	-	-	Vertical	NA
2	6942.75	43.15	-97.38	-54.23	-13.00	41.23	Vertical	PASS
3	11460.72	35.94	-90.25	-54.31	-13.00	41.31	Vertical	PASS
4	17869.28	37.65	-81.52	-43.87	-13.00	30.87	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n5A_n77A(3700-3980MHz)
Bandwidth:	20MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3811.33	96.22	-88.11	8.11	-	-	Horizontal	NA
2	7622.78	45.11	-96.19	-51.08	-13.00	38.08	Horizontal	PASS
3	12052.20	36.12	-89.84	-53.72	-13.00	40.72	Horizontal	PASS
4	17881.17	37.21	-81.68	-44.47	-13.00	31.47	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n5A_n77A(3700-3980MHz)
Bandwidth:	20MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3811.33	102.26	-88.11	14.15	-	-	Vertical	NA
2	7622.78	55.59	-96.19	-40.60	-13.00	27.60	Vertical	PASS
3	15245.37	40.72	-85.47	-44.75	-13.00	31.75	Vertical	PASS
4	17834.78	37.76	-81.92	-44.16	-13.00	31.16	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n2A_n77A(3700-3980MHz)
Bandwidth:	20MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1870.60	94.18	-79.70	14.48	-	-	Horizontal	NA
2	3811.30	92.60	-88.05	4.55	-	-	Horizontal	NA
3	7622.78	42.13	-96.19	-54.06	-13.00	41.06	Horizontal	PASS
4	11430.05	35.97	-90.06	-54.09	-13.00	41.09	Horizontal	PASS
5	15244.98	37.78	-85.47	-47.69	-13.00	34.69	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n2A_n77A(3700-3980MHz)
Bandwidth:	20MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1870.60	100.48	-79.70	20.78	-	-	Vertical	NA
2	3811.48	93.30	-88.05	5.25	-	-	Vertical	NA
3	7622.78	54.81	-96.19	-41.38	-13.00	28.38	Vertical	PASS
4	15245.37	40.92	-85.47	-44.55	-13.00	31.55	Vertical	PASS
5	17896.50	37.45	-81.88	-44.43	-13.00	31.43	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n2A_n77A(3450-3550MHz)
Bandwidth:	20MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1870.80	94.34	-79.70	14.64	-	-	Horizontal	NA
2	3471.45	92.57	-88.52	4.05	-	-	Horizontal	NA
3	7982.35	37.82	-95.18	-57.36	-13.00	44.36	Horizontal	PASS
4	12663.62	37.17	-89.15	-51.98	-13.00	38.98	Horizontal	PASS
5	17878.48	37.12	-81.64	-44.52	-13.00	31.52	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n2A_n77A(3450-3550MHz)
Bandwidth:	20MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1870.80	100.59	-79.70	20.89	-	-	Vertical	NA
2	3471.45	92.48	-88.52	3.96	-	-	Vertical	NA
3	6942.75	40.83	-97.38	-56.55	-13.00	43.55	Vertical	PASS
4	12668.22	37.01	-89.17	-52.16	-13.00	39.16	Vertical	PASS
5	17840.53	37.48	-81.67	-44.19	-13.00	31.19	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n66A_n77A(3450-3550MHz)
Bandwidth:	40MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.80	97.74	-79.87	17.87	-	-	Horizontal	NA
2	3471.28	92.92	-88.52	4.40	-	-	Horizontal	NA
3	8861.33	36.78	-92.34	-55.56	-13.00	42.56	Horizontal	PASS
4	13688.27	36.05	-85.92	-49.87	-13.00	36.87	Horizontal	PASS
5	17855.10	37.63	-81.34	-43.71	-13.00	30.71	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n66A_n77A(3450-3550MHz)
Bandwidth:	40MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.80	101.51	-79.87	21.64	-	-	Vertical	NA
2	3471.45	92.12	-88.52	3.60	-	-	Vertical	NA
3	8687.68	36.41	-93.98	-57.57	-13.00	44.57	Vertical	PASS
4	12792.03	37.27	-89.31	-52.04	-13.00	39.04	Vertical	PASS
5	17853.95	37.41	-81.32	-43.91	-13.00	30.91	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n66A_n77A(3700-3980MHz)
Bandwidth:	40MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.80	97.16	-79.87	17.29	-	-	Horizontal	NA
2	3811.30	92.17	-88.05	4.12	-	-	Horizontal	NA
3	8910.78	37.29	-93.33	-56.04	-13.00	43.04	Horizontal	PASS
4	12056.80	36.21	-89.86	-53.65	-13.00	40.65	Horizontal	PASS
5	17845.13	37.04	-81.48	-44.44	-13.00	31.44	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n66A_n77A(3700-3980MHz)
Bandwidth:	40MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.80	101.20	-79.87	21.33	-	-	Vertical	NA
2	3811.48	92.85	-88.05	4.80	-	-	Vertical	NA
3	7622.40	50.81	-96.19	-45.38	-13.00	32.38	Vertical	PASS
4	12653.27	35.92	-89.10	-53.18	-13.00	40.18	Vertical	PASS
5	17852.03	37.51	-81.30	-43.79	-13.00	30.79	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n26A(814-824MHz)_n77A(3700-3980MHz)
Bandwidth:	10MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3811.33	99.90	-88.11	11.79	-	-	Horizontal	NA
2	7623.17	45.83	-96.19	-50.36	-13.00	37.36	Horizontal	PASS
3	12651.35	36.62	-89.09	-52.47	-13.00	39.47	Horizontal	PASS
4	17040.52	38.12	-85.40	-47.28	-13.00	34.28	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n26A(814-824MHz)_n77A(3700-3980MHz)
Bandwidth:	10MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3811.33	103.48	-88.11	15.37	-	-	Vertical	NA
2	7622.40	58.02	-96.19	-38.17	-13.00	25.17	Vertical	PASS
3	12698.12	36.70	-89.32	-52.62	-13.00	39.62	Vertical	PASS
4	15245.75	43.19	-85.46	-42.27	-13.00	29.27	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n26A(814-824MHz)_n77A(3450-3550MHz)
Bandwidth:	10MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3471.15	105.48	-88.95	16.53	-	-	Horizontal	NA
2	8472.25	37.19	-93.88	-56.69	-13.00	43.69	Horizontal	PASS
3	14351.05	36.12	-86.26	-50.14	-13.00	37.14	Horizontal	PASS
4	17841.68	38.44	-81.63	-43.19	-13.00	30.19	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n26A(814-824MHz)_n77A(3450-3550MHz)
Bandwidth:	10MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3471.43	104.00	-88.95	15.05	-	-	Vertical	NA
2	6942.75	41.07	-97.38	-56.31	-13.00	43.31	Vertical	PASS
3	12844.55	36.74	-89.31	-52.57	-13.00	39.57	Vertical	PASS
4	17882.32	37.15	-81.69	-44.54	-13.00	31.54	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n26A(824-849MHz)_n77A(3450-3550MHz)
Bandwidth:	10MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3471.15	105.05	-88.95	16.10	-	-	Horizontal	NA
2	7616.65	37.22	-96.19	-58.97	-13.00	45.97	Horizontal	PASS
3	12002.37	37.14	-90.02	-52.88	-13.00	39.88	Horizontal	PASS
4	17889.60	37.92	-81.78	-43.86	-13.00	30.86	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n26A(824-849MHz)_n77A(3450-3550MHz)
Bandwidth:	10MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3471.43	103.07	-88.95	14.12	-	-	Vertical	NA
2	6942.75	41.68	-97.38	-55.70	-13.00	42.70	Vertical	PASS
3	14392.07	36.58	-86.75	-50.17	-13.00	37.17	Vertical	PASS
4	17870.82	37.13	-81.54	-44.41	-13.00	31.41	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n26A(824-849MHz)_n77A(3700-3980MHz)
Bandwidth:	20MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3811.05	97.54	-88.11	9.43	-	-	Horizontal	NA
2	7622.40	45.00	-96.19	-51.19	-13.00	38.19	Horizontal	PASS
3	15245.37	38.87	-85.47	-46.60	-13.00	33.60	Horizontal	PASS
4	17869.67	37.60	-81.53	-43.93	-13.00	30.93	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n26A(824-849MHz)_n77A(3700-3980MHz)
Bandwidth:	20MHz+60MHz	Channel:	Mid
IMEI:	359586690000141	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3811.33	102.65	-88.11	14.54	-	-	Vertical	NA
2	7622.40	56.78	-96.19	-39.41	-13.00	26.41	Vertical	PASS
3	11500.20	36.11	-90.45	-54.34	-13.00	41.34	Vertical	PASS
4	15244.98	41.82	-85.47	-43.65	-13.00	30.65	Vertical	PASS

~The End~