






N12(15M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH



N12(15M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH



N12(15M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




N12(15M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH







N12(15M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH



N12(15M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH



N12(15M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH



N12(15M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH





Software Version: 23.06.1602

FR1 N13

Transmitter Conducted Output Power And ERP, $(G_T - L_C) = 3.0$ dB

NR Band	SCS	Band Width	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power (dBm)	ERP (dBm)	ERP(W)
13	15	5	149700	779.5	DFT-s-OFDM QPSK	12@6	24.62	25.47	0.3524
13	15	5	149700	779.5	DFT-s-OFDM QPSK	1@1	24.63	25.48	0.3532
13	15	5	149700	779.5	DFT-s-OFDM QPSK	1@23	24.66	25.51	0.3556
13	15	5	149700	779.5	DFT-s-OFDM 16 QAM	12@6	23.52	24.37	0.2735
13	15	5	149700	779.5	DFT-s-OFDM 16 QAM	1@1	23.87	24.72	0.2965
13	15	5	149700	779.5	DFT-s-OFDM 16 QAM	1@23	23.87	24.72	0.2965
13	15	5	150200	782	DFT-s-OFDM QPSK	12@6	24.51	25.36	0.3436
13	15	5	150200	782	DFT-s-OFDM QPSK	1@1	24.58	25.43	0.3491
13	15	5	150200	782	DFT-s-OFDM QPSK	1@23	24.66	25.51	0.3556
13	15	5	150200	782	DFT-s-OFDM 16 QAM	12@6	23.57	24.42	0.2767
13	15	5	150200	782	DFT-s-OFDM 16 QAM	1@1	23.73	24.58	0.2871
13	15	5	150200	782	DFT-s-OFDM 16 QAM	1@23	23.76	24.61	0.2891
13	15	5	150700	784.5	DFT-s-OFDM QPSK	12@6	24.66	25.51	0.3556
13	15	5	150700	784.5	DFT-s-OFDM QPSK	1@1	24.65	25.5	0.3548
13	15	5	150700	784.5	DFT-s-OFDM QPSK	1@23	24.51	25.36	0.3436
13	15	5	150700	784.5	DFT-s-OFDM 16 QAM	12@6	23.49	24.34	0.2716
13	15	5	150700	784.5	DFT-s-OFDM 16 QAM	1@1	23.85	24.7	0.2951
13	15	5	150700	784.5	DFT-s-OFDM 16 QAM	1@23	23.68	24.53	0.2838
13	15	10	150200	782	DFT-s-OFDM PI/2 BPSK	25@12	24.69	25.54	0.3581
13	15	10	150200	782	DFT-s-OFDM PI/2 BPSK	1@1	24.65	25.5	0.3548
13	15	10	150200	782	DFT-s-OFDM PI/2 BPSK	1@50	24.58	25.43	0.3491
13	15	10	150200	782	DFT-s-OFDM QPSK	25@12	24.74	25.59	0.3622
13	15	10	150200	782	DFT-s-OFDM QPSK	1@1	24.78	25.63	0.3656
13	15	10	150200	782	DFT-s-OFDM QPSK	1@50	24.74	25.59	0.3622
13	15	10	150200	782	DFT-s-OFDM 16 QAM	25@12	23.68	24.53	0.2838



13	15	10	15020 0	782	DFT-s-OFDM 16 QAM	1@1	23.79	24.64	0.2911
13	15	10	15020 0	782	DFT-s-OFDM 16 QAM	1@50	23.72	24.57	0.2864
13	15	10	15020 0	782	DFT-s-OFDM 64 QAM	25@12	22.27	23.12	0.2051
13	15	10	15020 0	782	DFT-s-OFDM 64 QAM	1@1	22.43	23.28	0.2128
13	15	10	15020 0	782	DFT-s-OFDM 64 QAM	1@50	22.24	23.09	0.2037
13	15	10	15020 0	782	DFT-s-OFDM 256 QAM	25@12	20.14	20.99	0.1256
13	15	10	15020 0	782	DFT-s-OFDM 256 QAM	1@1	19.95	20.8	0.1202
13	15	10	15020 0	782	DFT-s-OFDM 256 QAM	1@50	19.84	20.69	0.1172
13	15	10	15020 0	782	CP-OFDM QPSK	26@13	23.14	23.99	0.2506
13	15	10	15020 0	782	CP-OFDM QPSK	1@1	23.4	24.25	0.2661
13	15	10	15020 0	782	CP-OFDM QPSK	1@50	23.36	24.21	0.2636



Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (Hz)	Verdict	Environment
13	15	10	150200	782.0	DFT-s-OFDM QPSK	50@0	17.6	PASS	NV
13	15	10	150200	782.0	DFT-s-OFDM QPSK	50@0	14.8	PASS	LV
13	15	10	150200	782.0	DFT-s-OFDM QPSK	50@0	11.1	PASS	HV
13	15	10	150200	782.0	DFT-s-OFDM QPSK	50@0	10.5	PASS	-30°C
13	15	10	150200	782.0	DFT-s-OFDM QPSK	50@0	15.4	PASS	-20°C
13	15	10	150200	782.0	DFT-s-OFDM QPSK	50@0	14.6	PASS	-10°C
13	15	10	150200	782.0	DFT-s-OFDM QPSK	50@0	17.5	PASS	0°C
13	15	10	150200	782.0	DFT-s-OFDM QPSK	50@0	10.8	PASS	10°C
13	15	10	150200	782.0	DFT-s-OFDM QPSK	50@0	17.6	PASS	20°C
13	15	10	150200	782.0	DFT-s-OFDM QPSK	50@0	13.6	PASS	30°C
13	15	10	150200	782.0	DFT-s-OFDM QPSK	50@0	10.5	PASS	40°C
13	15	10	150200	782.0	DFT-s-OFDM QPSK	50@0	14.5	PASS	50°C

$|\text{MAX}(\Delta f)| = 17.6\text{Hz}$

Frequency Stability	Frequency (MHz)	Limit Line	Result
$f_L - \text{MAX}(\Delta f) $	777.2322524	$\geq 777\text{MHz}$	PASS
$f_H + \text{MAX}(\Delta f) $	786.7677476	$\leq 787\text{MHz}$	

**Peak to Average Ratio**

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
13	15	5	149700	779.5	DFT-s-OFDM PI/2 BPSK	25@0	3.86	13	PASS
13	15	5	149700	779.5	DFT-s-OFDM QPSK	25@0	4.66	13	PASS
13	15	5	150200	782.0	DFT-s-OFDM PI/2 BPSK	25@0	3.89	13	PASS
13	15	5	150200	782.0	DFT-s-OFDM QPSK	25@0	4.78	13	PASS
13	15	5	150700	784.5	DFT-s-OFDM PI/2 BPSK	25@0	4.04	13	PASS
13	15	5	150700	784.5	DFT-s-OFDM QPSK	25@0	4.93	13	PASS
13	15	10	150200	782.0	DFT-s-OFDM PI/2 BPSK	50@0	3.99	13	PASS
13	15	10	150200	782.0	DFT-s-OFDM QPSK	50@0	4.9	13	PASS



N13(5M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Low_CH




N13(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH



N13(5M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



N13(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH






N13(5M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_High_CH




N13(5M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH



N13(10M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



N13(10M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH





Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
13	15	5	150200	782.0	CP-OFDM QPSK	25@0	4.4638	5.046
13	15	5	150200	782.0	CP-OFDM 16 QAM	25@0	4.487	5.18
13	15	5	150200	782.0	CP-OFDM 64 QAM	25@0	4.4602	4.947
13	15	5	150200	782.0	CP-OFDM 256 QAM	25@0	4.4741	4.992
13	15	10	150200	782.0	CP-OFDM QPSK	52@0	9.257	9.979
13	15	10	150200	782.0	CP-OFDM 16 QAM	52@0	9.269	9.99
13	15	10	150200	782.0	CP-OFDM 64 QAM	52@0	9.2605	9.904
13	15	10	150200	782.0	CP-OFDM 256 QAM	52@0	9.2694	10.03



N13(5M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH



N13(5M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



N13(5M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



N13(5M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH





N13(10M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N13(10M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



N13(10M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



N13(10M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH






Conducted Spurious Emissions


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
13	15	5	149700	779.5	DFT-s-OFDM BPSK	1@0	see graph	---
13	15	5	149700	779.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
13	15	5	149700	779.5	DFT-s-OFDM QPSK	1@0	see graph	---
13	15	5	149700	779.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
13	15	5	150200	782.0	DFT-s-OFDM BPSK	1@0	see graph	---
13	15	5	150200	782.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
13	15	5	150200	782.0	DFT-s-OFDM QPSK	1@0	see graph	---
13	15	5	150200	782.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
13	15	5	150700	784.5	DFT-s-OFDM BPSK	1@0	see graph	---
13	15	5	150700	784.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
13	15	5	150700	784.5	DFT-s-OFDM QPSK	1@0	see graph	---
13	15	5	150700	784.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
13	15	10	150200	782.0	DFT-s-OFDM BPSK	1@0	see graph	---
13	15	10	150200	782.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
13	15	10	150200	782.0	DFT-s-OFDM QPSK	1@0	see graph	---
13	15	10	150200	782.0	DFT-s-OFDM QPSK	1@0	see graph	PASS

N13(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




2020-08-02 09:18:29

N13(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




2026-08-02 00:18:51

N13(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CH



2026-08-02 10:18:54


N13(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




2026-08-02 00:18:58




N13(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CH




N13(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH



N13(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CH



N13(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH






Conducted Band Edge


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
13	15	5	149700	779.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
13	15	5	149700	779.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
13	15	5	149700	779.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
13	15	5	149700	779.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
13	15	5	150700	784.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
13	15	5	150700	784.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
13	15	5	150700	784.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
13	15	5	150700	784.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
13	15	10	150200	782.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
13	15	10	150200	782.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
13	15	10	150200	782.0	DFT-s-OFDM BPSK	1@51	see graph	PASS
13	15	10	150200	782.0	DFT-s-OFDM QPSK	1@51	see graph	PASS
13	15	10	150200	782.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
13	15	10	150200	782.0	DFT-s-OFDM QPSK	50@0	see graph	PASS




N13(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N13(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH



N13(5M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




N13(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH






N13(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




N13(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH



N13(5M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH




N13(5M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH







N13(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CH




N13(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH



N13(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_Mid_CH



N13(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_Mid_CH






N13(10M)_DFT-s-
OFDM_BPSK_Outer_Full_Mid_CH



N13(10M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH





Software Version: 23.06.1602

FR1 N66

Transmitter Conducted Output Power And ERP, (G_T - L_C)= 3.0 dB

NR Band	SCS	Band Width	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP(W)
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	12@6	23.86	26.86	0.4853
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@1	23.7	26.7	0.4677
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@23	23.8	26.8	0.4786
66	15	5	342500	1712.5	DFT-s-OFDM 16 QAM	12@6	22.78	25.78	0.3784
66	15	5	342500	1712.5	DFT-s-OFDM 16 QAM	1@1	22.86	25.86	0.3855
66	15	5	342500	1712.5	DFT-s-OFDM 16 QAM	1@23	22.91	25.91	0.3899
66	15	5	349000	1745	DFT-s-OFDM QPSK	12@6	23.64	26.64	0.4613
66	15	5	349000	1745	DFT-s-OFDM QPSK	1@1	23.63	26.63	0.4603
66	15	5	349000	1745	DFT-s-OFDM QPSK	1@23	23.58	26.58	0.4550
66	15	5	349000	1745	DFT-s-OFDM 16 QAM	12@6	22.5	25.5	0.3548
66	15	5	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.72	25.72	0.3733
66	15	5	349000	1745	DFT-s-OFDM 16 QAM	1@23	22.73	25.73	0.3741
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	12@6	23.29	26.29	0.4256
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@1	23.21	26.21	0.4178
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@23	23.25	26.25	0.4217
66	15	5	355500	1777.5	DFT-s-OFDM 16 QAM	12@6	22.13	25.13	0.3258
66	15	5	355500	1777.5	DFT-s-OFDM 16 QAM	1@1	22.2	25.2	0.3311
66	15	5	355500	1777.5	DFT-s-OFDM 16 QAM	1@23	22.21	25.21	0.3319
66	15	10	343000	1715	DFT-s-OFDM QPSK	25@12	23.84	26.84	0.4831
66	15	10	343000	1715	DFT-s-OFDM QPSK	1@1	23.9	26.9	0.4898
66	15	10	343000	1715	DFT-s-OFDM QPSK	1@50	23.9	26.9	0.4898
66	15	10	343000	1715	DFT-s-OFDM 16 QAM	25@12	22.82	25.82	0.3819
66	15	10	343000	1715	DFT-s-OFDM 16 QAM	1@1	22.85	25.85	0.3846
66	15	10	343000	1715	DFT-s-OFDM 16 QAM	1@50	22.95	25.95	0.3936
66	15	10	349000	1745	DFT-s-OFDM QPSK	25@12	23.6	26.6	0.4571



66	15	10	349000	1745	DFT-s-OFDM QPSK	1@1	23.82	26.82	0.4808
66	15	10	349000	1745	DFT-s-OFDM QPSK	1@50	23.59	26.59	0.4560
66	15	10	349000	1745	DFT-s-OFDM 16 QAM	25@12	22.53	25.53	0.3573
66	15	10	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.8	25.8	0.3802
66	15	10	349000	1745	DFT-s-OFDM 16 QAM	1@50	22.62	25.62	0.3648
66	15	10	355000	1775	DFT-s-OFDM QPSK	25@12	23.25	26.25	0.4217
66	15	10	355000	1775	DFT-s-OFDM QPSK	1@1	23.27	26.27	0.4236
66	15	10	355000	1775	DFT-s-OFDM QPSK	1@50	23.37	26.37	0.4335
66	15	10	355000	1775	DFT-s-OFDM 16 QAM	25@12	22.27	25.27	0.3365
66	15	10	355000	1775	DFT-s-OFDM 16 QAM	1@1	22.4	25.4	0.3467
66	15	10	355000	1775	DFT-s-OFDM 16 QAM	1@50	22.37	25.37	0.3443
66	15	15	343500	1717.5	DFT-s-OFDM QPSK	36@18	23.79	26.79	0.4775
66	15	15	343500	1717.5	DFT-s-OFDM QPSK	1@1	23.73	26.73	0.4710
66	15	15	343500	1717.5	DFT-s-OFDM QPSK	1@77	23.8	26.8	0.4786
66	15	15	343500	1717.5	DFT-s-OFDM 16 QAM	36@18	22.72	25.72	0.3733
66	15	15	343500	1717.5	DFT-s-OFDM 16 QAM	1@1	22.85	25.85	0.3846
66	15	15	343500	1717.5	DFT-s-OFDM 16 QAM	1@77	22.91	25.91	0.3899
66	15	15	349000	1745	DFT-s-OFDM QPSK	36@18	23.65	26.65	0.4624
66	15	15	349000	1745	DFT-s-OFDM QPSK	1@1	23.67	26.67	0.4645
66	15	15	349000	1745	DFT-s-OFDM QPSK	1@77	23.46	26.46	0.4426
66	15	15	349000	1745	DFT-s-OFDM 16 QAM	36@18	22.6	25.6	0.3631
66	15	15	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.85	25.85	0.3846
66	15	15	349000	1745	DFT-s-OFDM 16 QAM	1@77	22.57	25.57	0.3606
66	15	15	354500	1772.5	DFT-s-OFDM QPSK	36@18	23.19	26.19	0.4159
66	15	15	354500	1772.5	DFT-s-OFDM QPSK	1@1	23.28	26.28	0.4246
66	15	15	354500	1772.5	DFT-s-OFDM QPSK	1@77	23.25	26.25	0.4217
66	15	15	354500	1772.5	DFT-s-OFDM 16 QAM	36@18	22.18	25.18	0.3296
66	15	15	354500	1772.5	DFT-s-OFDM 16 QAM	1@1	22.39	25.39	0.3459
66	15	15	354500	1772.5	DFT-s-OFDM 16 QAM	1@77	22.27	25.27	0.3365
66	15	20	344000	1720	DFT-s-OFDM QPSK	50@25	23.8	26.8	0.4786
66	15	20	344000	1720	DFT-s-OFDM QPSK	1@1	23.81	26.81	0.4797



66	15	20	344000	1720	DFT-s-OFDM QPSK	1@104	23.8	26.8	0.4786
66	15	20	344000	1720	DFT-s-OFDM 16 QAM	50@25	22.72	25.72	0.3733
66	15	20	344000	1720	DFT-s-OFDM 16 QAM	1@1	22.76	25.76	0.3767
66	15	20	344000	1720	DFT-s-OFDM 16 QAM	1@104	22.86	25.86	0.3855
66	15	20	349000	1745	DFT-s-OFDM QPSK	50@25	23.7	26.7	0.4677
66	15	20	349000	1745	DFT-s-OFDM QPSK	1@1	23.72	26.72	0.4699
66	15	20	349000	1745	DFT-s-OFDM QPSK	1@104	23.36	26.36	0.4325
66	15	20	349000	1745	DFT-s-OFDM 16 QAM	50@25	22.53	25.53	0.3573
66	15	20	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.77	25.77	0.3776
66	15	20	349000	1745	DFT-s-OFDM 16 QAM	1@104	22.51	25.51	0.3556
66	15	20	354000	1770	DFT-s-OFDM QPSK	50@25	23.19	26.19	0.4159
66	15	20	354000	1770	DFT-s-OFDM QPSK	1@1	23.32	26.32	0.4285
66	15	20	354000	1770	DFT-s-OFDM QPSK	1@104	23.24	26.24	0.4207
66	15	20	354000	1770	DFT-s-OFDM 16 QAM	50@25	22.19	25.19	0.3304
66	15	20	354000	1770	DFT-s-OFDM 16 QAM	1@1	22.32	25.32	0.3404
66	15	20	354000	1770	DFT-s-OFDM 16 QAM	1@104	22.27	25.27	0.3365
66	15	25	344500	1722.5	DFT-s-OFDM QPSK	64@32	23.78	26.78	0.4764
66	15	25	344500	1722.5	DFT-s-OFDM QPSK	1@1	23.66	26.66	0.4634
66	15	25	344500	1722.5	DFT-s-OFDM QPSK	1@131	23.69	26.69	0.4667
66	15	25	344500	1722.5	DFT-s-OFDM 16 QAM	64@32	22.65	25.65	0.3673
66	15	25	344500	1722.5	DFT-s-OFDM 16 QAM	1@1	22.74	25.74	0.3750
66	15	25	344500	1722.5	DFT-s-OFDM 16 QAM	1@131	22.85	25.85	0.3846
66	15	25	349000	1745	DFT-s-OFDM QPSK	64@32	23.56	26.56	0.4529
66	15	25	349000	1745	DFT-s-OFDM QPSK	1@1	23.79	26.79	0.4775
66	15	25	349000	1745	DFT-s-OFDM QPSK	1@131	23.29	26.29	0.4256
66	15	25	349000	1745	DFT-s-OFDM 16 QAM	64@32	22.49	25.49	0.3540
66	15	25	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.85	25.85	0.3846
66	15	25	349000	1745	DFT-s-OFDM 16 QAM	1@131	22.44	25.44	0.3499
66	15	25	353500	1767.5	DFT-s-OFDM QPSK	64@32	23.15	26.15	0.4121
66	15	25	353500	1767.5	DFT-s-OFDM QPSK	1@1	23.25	26.25	0.4217
66	15	25	353500	1767.5	DFT-s-OFDM QPSK	1@131	23.2	26.2	0.4169



66	15	25	353500	1767.5	DFT-s-OFDM 16 QAM	64@32	22.14	25.14	0.3266
66	15	25	353500	1767.5	DFT-s-OFDM 16 QAM	1@1	22.54	25.54	0.3581
66	15	25	353500	1767.5	DFT-s-OFDM 16 QAM	1@131	22.45	25.45	0.3508
66	15	30	345000	1725	DFT-s-OFDM QPSK	80@40	23.82	26.82	0.4808
66	15	30	345000	1725	DFT-s-OFDM QPSK	1@1	23.72	26.72	0.4699
66	15	30	345000	1725	DFT-s-OFDM QPSK	1@158	23.76	26.76	0.4742
66	15	30	345000	1725	DFT-s-OFDM 16 QAM	80@40	22.72	25.72	0.3733
66	15	30	345000	1725	DFT-s-OFDM 16 QAM	1@1	22.79	25.79	0.3793
66	15	30	345000	1725	DFT-s-OFDM 16 QAM	1@158	22.91	25.91	0.3899
66	15	30	349000	1745	DFT-s-OFDM QPSK	80@40	23.65	26.65	0.4624
66	15	30	349000	1745	DFT-s-OFDM QPSK	1@1	23.87	26.87	0.4864
66	15	30	349000	1745	DFT-s-OFDM QPSK	1@158	23.41	26.41	0.4375
66	15	30	349000	1745	DFT-s-OFDM 16 QAM	80@40	22.48	25.48	0.3532
66	15	30	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.88	25.88	0.3873
66	15	30	349000	1745	DFT-s-OFDM 16 QAM	1@158	22.4	25.4	0.3467
66	15	30	353000	1765	DFT-s-OFDM QPSK	80@40	23.16	26.16	0.4130
66	15	30	353000	1765	DFT-s-OFDM QPSK	1@1	23.48	26.48	0.4446
66	15	30	353000	1765	DFT-s-OFDM QPSK	1@158	23.25	26.25	0.4217
66	15	30	353000	1765	DFT-s-OFDM 16 QAM	80@40	22.19	25.19	0.3304
66	15	30	353000	1765	DFT-s-OFDM 16 QAM	1@1	22.59	25.59	0.3622
66	15	30	353000	1765	DFT-s-OFDM 16 QAM	1@158	22.34	25.34	0.3420
66	15	35	345500	1727.5	DFT-s-OFDM QPSK	90@45	23.78	26.78	0.4764
66	15	35	345500	1727.5	DFT-s-OFDM QPSK	1@1	23.6	26.6	0.4571
66	15	35	345500	1727.5	DFT-s-OFDM QPSK	1@186	23.59	26.59	0.4560
66	15	35	345500	1727.5	DFT-s-OFDM 16 QAM	90@45	22.67	25.67	0.3690
66	15	35	345500	1727.5	DFT-s-OFDM 16 QAM	1@1	22.74	25.74	0.3750
66	15	35	345500	1727.5	DFT-s-OFDM 16 QAM	1@186	22.73	25.73	0.3741
66	15	35	349000	1745	DFT-s-OFDM QPSK	90@45	23.63	26.63	0.4603
66	15	35	349000	1745	DFT-s-OFDM QPSK	1@1	23.77	26.77	0.4753
66	15	35	349000	1745	DFT-s-OFDM QPSK	1@186	23.14	26.14	0.4111
66	15	35	349000	1745	DFT-s-OFDM 16 QAM	90@45	22.48	25.48	0.3532



66	15	35	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.86	25.86	0.3855
66	15	35	349000	1745	DFT-s-OFDM 16 QAM	1@186	22.46	25.46	0.3516
66	15	35	352500	1762.5	DFT-s-OFDM QPSK	90@45	23.24	26.24	0.4207
66	15	35	352500	1762.5	DFT-s-OFDM QPSK	1@1	23.62	26.62	0.4592
66	15	35	352500	1762.5	DFT-s-OFDM QPSK	1@186	23.35	26.35	0.4315
66	15	35	352500	1762.5	DFT-s-OFDM 16 QAM	90@45	22.23	25.23	0.3334
66	15	35	352500	1762.5	DFT-s-OFDM 16 QAM	1@1	22.58	25.58	0.3614
66	15	35	352500	1762.5	DFT-s-OFDM 16 QAM	1@186	22.25	25.25	0.3350
66	15	40	346000	1730	DFT-s-OFDM QPSK	108@54	23.79	26.79	0.4775
66	15	40	346000	1730	DFT-s-OFDM QPSK	1@1	23.67	26.67	0.4645
66	15	40	346000	1730	DFT-s-OFDM QPSK	1@214	23.5	26.5	0.4467
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	108@54	22.72	25.72	0.3733
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	1@1	22.76	25.76	0.3767
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	1@214	22.59	25.59	0.3622
66	15	40	349000	1745	DFT-s-OFDM QPSK	108@54	23.57	26.57	0.4539
66	15	40	349000	1745	DFT-s-OFDM QPSK	1@1	23.77	26.77	0.4753
66	15	40	349000	1745	DFT-s-OFDM QPSK	1@214	23.16	26.16	0.4130
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	108@54	22.53	25.53	0.3573
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.89	25.89	0.3882
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	1@214	22.3	25.3	0.3388
66	15	40	352000	1760	DFT-s-OFDM QPSK	108@54	23.21	26.21	0.4178
66	15	40	352000	1760	DFT-s-OFDM QPSK	1@1	23.62	26.62	0.4592
66	15	40	352000	1760	DFT-s-OFDM QPSK	1@214	23.23	26.23	0.4198
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	108@54	22.26	25.26	0.3357
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	1@1	22.64	25.64	0.3664
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	1@214	22.32	25.32	0.3404
66	15	45	346500	1732.5	DFT-s-OFDM PI/2 BPSK	120@60	23.75	26.75	0.4732
66	15	45	346500	1732.5	DFT-s-OFDM PI/2 BPSK	1@1	23.67	26.67	0.4645
66	15	45	346500	1732.5	DFT-s-OFDM PI/2 BPSK	1@240	23.41	26.41	0.4375
66	15	45	346500	1732.5	DFT-s-OFDM QPSK	120@60	23.69	26.69	0.4667
66	15	45	346500	1732.5	DFT-s-OFDM QPSK	1@1	23.74	26.74	0.4721



66	15	45	346500	1732.5	DFT-s-OFDM QPSK	1@240	23.43	26.43	0.4395
66	15	45	346500	1732.5	DFT-s-OFDM 16 QAM	120@60	22.71	25.71	0.3724
66	15	45	346500	1732.5	DFT-s-OFDM 16 QAM	1@1	22.85	25.85	0.3846
66	15	45	346500	1732.5	DFT-s-OFDM 16 QAM	1@240	22.52	25.52	0.3565
66	15	45	346500	1732.5	DFT-s-OFDM 64 QAM	120@60	21.24	24.24	0.2655
66	15	45	346500	1732.5	DFT-s-OFDM 64 QAM	1@1	21.5	24.5	0.2818
66	15	45	346500	1732.5	DFT-s-OFDM 64 QAM	1@240	21.09	24.09	0.2564
66	15	45	346500	1732.5	DFT-s-OFDM 256 QAM	120@60	19.26	22.26	0.1683
66	15	45	346500	1732.5	DFT-s-OFDM 256 QAM	1@1	18.94	21.94	0.1563
66	15	45	346500	1732.5	DFT-s-OFDM 256 QAM	1@240	18.68	21.68	0.1472
66	15	45	346500	1732.5	CP-OFDM QPSK	121@60	22.29	25.29	0.3381
66	15	45	346500	1732.5	CP-OFDM QPSK	1@1	22.47	25.47	0.3524
66	15	45	346500	1732.5	CP-OFDM QPSK	1@240	22.15	25.15	0.3273
66	15	45	349000	1745	DFT-s-OFDM PI/2 BPSK	120@60	23.56	26.56	0.4529
66	15	45	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.89	26.89	0.4887
66	15	45	349000	1745	DFT-s-OFDM PI/2 BPSK	1@240	23.31	26.31	0.4276
66	15	45	349000	1745	DFT-s-OFDM QPSK	120@60	23.51	26.51	0.4477
66	15	45	349000	1745	DFT-s-OFDM QPSK	1@1	23.99	26.99	0.5000
66	15	45	349000	1745	DFT-s-OFDM QPSK	1@240	23.52	26.52	0.4487
66	15	45	349000	1745	DFT-s-OFDM 16 QAM	120@60	22.58	25.58	0.3614
66	15	45	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.94	25.94	0.3926
66	15	45	349000	1745	DFT-s-OFDM 16 QAM	1@240	22.46	25.46	0.3516
66	15	45	349000	1745	DFT-s-OFDM 64 QAM	120@60	21.1	24.1	0.2570
66	15	45	349000	1745	DFT-s-OFDM 64 QAM	1@1	21.51	24.51	0.2825
66	15	45	349000	1745	DFT-s-OFDM 64 QAM	1@240	20.95	23.95	0.2483
66	15	45	349000	1745	DFT-s-OFDM 256 QAM	120@60	19.16	22.16	0.1644
66	15	45	349000	1745	DFT-s-OFDM 256 QAM	1@1	19.05	22.05	0.1603
66	15	45	349000	1745	DFT-s-OFDM 256 QAM	1@240	18.54	21.54	0.1426
66	15	45	349000	1745	CP-OFDM QPSK	121@60	22.12	25.12	0.3251
66	15	45	349000	1745	CP-OFDM QPSK	1@1	22.6	25.6	0.3631
66	15	45	349000	1745	CP-OFDM QPSK	1@240	22.12	25.12	0.3251



66	15	45	351500	1757.5	DFT-s-OFDM PI/2 BPSK	120@60	23.38	26.38	0.4345
66	15	45	351500	1757.5	DFT-s-OFDM PI/2 BPSK	1@1	23.75	26.75	0.4732
66	15	45	351500	1757.5	DFT-s-OFDM PI/2 BPSK	1@240	23.2	26.2	0.4169
66	15	45	351500	1757.5	DFT-s-OFDM QPSK	120@60	23.32	26.32	0.4285
66	15	45	351500	1757.5	DFT-s-OFDM QPSK	1@1	23.81	26.81	0.4797
66	15	45	351500	1757.5	DFT-s-OFDM QPSK	1@240	23.35	26.35	0.4315
66	15	45	351500	1757.5	DFT-s-OFDM 16 QAM	120@60	22.35	25.35	0.3428
66	15	45	351500	1757.5	DFT-s-OFDM 16 QAM	1@1	22.87	25.87	0.3864
66	15	45	351500	1757.5	DFT-s-OFDM 16 QAM	1@240	22.38	25.38	0.3451
66	15	45	351500	1757.5	DFT-s-OFDM 64 QAM	120@60	20.89	23.89	0.2449
66	15	45	351500	1757.5	DFT-s-OFDM 64 QAM	1@1	21.48	24.48	0.2805
66	15	45	351500	1757.5	DFT-s-OFDM 64 QAM	1@240	20.89	23.89	0.2449
66	15	45	351500	1757.5	DFT-s-OFDM 256 QAM	120@60	18.99	21.99	0.1581
66	15	45	351500	1757.5	DFT-s-OFDM 256 QAM	1@1	18.95	21.95	0.1567
66	15	45	351500	1757.5	DFT-s-OFDM 256 QAM	1@240	18.37	21.37	0.1371
66	15	45	351500	1757.5	CP-OFDM QPSK	121@60	21.97	24.97	0.3141
66	15	45	351500	1757.5	CP-OFDM QPSK	1@1	22.45	25.45	0.3508
66	15	45	351500	1757.5	CP-OFDM QPSK	1@240	21.79	24.79	0.3013



Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (Hz)	Verdict	Environment
66	15	20	344000	1720	DFT-s-OFDM QPSK	100@0	13.5	PASS	NV
66	15	20	344000	1720	DFT-s-OFDM QPSK	100@0	10.8	PASS	LV
66	15	20	344000	1720	DFT-s-OFDM QPSK	100@0	17.9	PASS	HV
66	15	20	344000	1720	DFT-s-OFDM QPSK	100@0	11.8	PASS	-30℃
66	15	20	344000	1720	DFT-s-OFDM QPSK	100@0	15.3	PASS	-20℃
66	15	20	344000	1720	DFT-s-OFDM QPSK	100@0	16.8	PASS	-10℃
66	15	20	344000	1720	DFT-s-OFDM QPSK	100@0	15.4	PASS	0℃
66	15	20	344000	1720	DFT-s-OFDM QPSK	100@0	11.9	PASS	10℃
66	15	20	344000	1720	DFT-s-OFDM QPSK	100@0	13.5	PASS	20℃
66	15	20	344000	1720	DFT-s-OFDM QPSK	100@0	14.2	PASS	30℃
66	15	20	344000	1720	DFT-s-OFDM QPSK	100@0	11.3	PASS	40℃
66	15	20	344000	1720	DFT-s-OFDM QPSK	100@0	12.2	PASS	50℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	15.1	PASS	NV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	14.2	PASS	LV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	17.2	PASS	HV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	13.8	PASS	-30℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	14.3	PASS	-20℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	11.2	PASS	-10℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	10.5	PASS	0℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	13.4	PASS	10℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	15.1	PASS	20℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	16.4	PASS	30℃



66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	13.3	PASS	40℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	18.9	PASS	50℃
66	15	20	354000	1770	DFT-s-OFDM QPSK	100@0	16.5	PASS	NV
66	15	20	354000	1770	DFT-s-OFDM QPSK	100@0	15.8	PASS	LV
66	15	20	354000	1770	DFT-s-OFDM QPSK	100@0	18.2	PASS	HV
66	15	20	354000	1770	DFT-s-OFDM QPSK	100@0	17.3	PASS	-30℃
66	15	20	354000	1770	DFT-s-OFDM QPSK	100@0	19.1	PASS	-20℃
66	15	20	354000	1770	DFT-s-OFDM QPSK	100@0	17.2	PASS	-10℃
66	15	20	354000	1770	DFT-s-OFDM QPSK	100@0	17.7	PASS	0℃
66	15	20	354000	1770	DFT-s-OFDM QPSK	100@0	17.5	PASS	10℃
66	15	20	354000	1770	DFT-s-OFDM QPSK	100@0	16.5	PASS	20℃
66	15	20	354000	1770	DFT-s-OFDM QPSK	100@0	11.4	PASS	30℃
66	15	20	354000	1770	DFT-s-OFDM QPSK	100@0	18.3	PASS	40℃
66	15	20	354000	1770	DFT-s-OFDM QPSK	100@0	13.6	PASS	50℃

$|\text{MAX}(\Delta f)| = 19.1\text{Hz}$

Frequency Stability	Frequency (MHz)	Limit Line	Result
$f_L - \text{MAX}(\Delta f) $	1710.529481	$\geq 1710\text{ MHz}$	PASS
$f_H + \text{MAX}(\Delta f) $	1779.550419	$\leq 1780\text{ MHz}$	

**Peak to Average Ratio**

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
66	15	5	342500	1712.5	DFT-s-OFDM PI/2 BPSK	25@0	6.14	13	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	25@0	6.17	13	PASS
66	15	5	349000	1745.0	DFT-s-OFDM PI/2 BPSK	25@0	6.22	13	PASS
66	15	5	349000	1745.0	DFT-s-OFDM QPSK	25@0	6.11	13	PASS
66	15	5	355500	1777.5	DFT-s-OFDM PI/2 BPSK	25@0	6.24	13	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	25@0	6.09	13	PASS
66	15	10	343000	1715.0	DFT-s-OFDM PI/2 BPSK	50@0	6.46	13	PASS
66	15	10	343000	1715.0	DFT-s-OFDM QPSK	50@0	6.31	13	PASS
66	15	10	349000	1745.0	DFT-s-OFDM PI/2 BPSK	50@0	6.45	13	PASS
66	15	10	349000	1745.0	DFT-s-OFDM QPSK	50@0	6.35	13	PASS
66	15	10	355000	1775.0	DFT-s-OFDM PI/2 BPSK	50@0	6.41	13	PASS
66	15	10	355000	1775.0	DFT-s-OFDM QPSK	50@0	6.27	13	PASS
66	15	15	343500	1717.5	DFT-s-OFDM PI/2 BPSK	75@0	6.06	13	PASS
66	15	15	343500	1717.5	DFT-s-OFDM QPSK	75@0	6.18	13	PASS
66	15	15	349000	1745.0	DFT-s-OFDM PI/2 BPSK	75@0	6.08	13	PASS
66	15	15	349000	1745.0	DFT-s-OFDM QPSK	75@0	6.14	13	PASS
66	15	15	354500	1772.5	DFT-s-OFDM PI/2 BPSK	75@0	6.08	13	PASS
66	15	15	354500	1772.5	DFT-s-OFDM QPSK	75@0	6.2	13	PASS
66	15	20	344000	1720.0	DFT-s-OFDM PI/2 BPSK	100@0	6.11	13	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	100@0	6.12	13	PASS
66	15	20	349000	1745.0	DFT-s-OFDM PI/2 BPSK	100@0	6.22	13	PASS
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	6.17	13	PASS




66	15	20	354000	1770.0	DFT-s-OFDM PI/2 BPSK	100@0	6.29	13	PASS
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	100@0	6.27	13	PASS
66	15	25	344500	1722.5	DFT-s-OFDM PI/2 BPSK	128@0	6.09	13	PASS
66	15	25	344500	1722.5	DFT-s-OFDM QPSK	128@0	6.12	13	PASS
66	15	25	349000	1745.0	DFT-s-OFDM PI/2 BPSK	128@0	6.25	13	PASS
66	15	25	349000	1745.0	DFT-s-OFDM QPSK	128@0	6.22	13	PASS
66	15	25	353500	1767.5	DFT-s-OFDM PI/2 BPSK	128@0	6.3	13	PASS
66	15	25	353500	1767.5	DFT-s-OFDM QPSK	128@0	6.23	13	PASS
66	15	30	345000	1725.0	DFT-s-OFDM PI/2 BPSK	160@0	6.07	13	PASS
66	15	30	345000	1725.0	DFT-s-OFDM QPSK	160@0	6.01	13	PASS
66	15	30	349000	1745.0	DFT-s-OFDM PI/2 BPSK	160@0	6.14	13	PASS
66	15	30	349000	1745.0	DFT-s-OFDM QPSK	160@0	6.03	13	PASS
66	15	30	353000	1765.0	DFT-s-OFDM PI/2 BPSK	160@0	6.2	13	PASS
66	15	30	353000	1765.0	DFT-s-OFDM QPSK	160@0	6.21	13	PASS
66	15	35	345500	1727.5	DFT-s-OFDM PI/2 BPSK	180@0	6.09	13	PASS
66	15	35	345500	1727.5	DFT-s-OFDM QPSK	180@0	6.01	13	PASS
66	15	35	349000	1745.0	DFT-s-OFDM PI/2 BPSK	180@0	6.08	13	PASS
66	15	35	349000	1745.0	DFT-s-OFDM QPSK	180@0	6.02	13	PASS
66	15	35	352500	1762.5	DFT-s-OFDM PI/2 BPSK	180@0	6.17	13	PASS
66	15	35	352500	1762.5	DFT-s-OFDM QPSK	180@0	6.13	13	PASS
66	15	40	346000	1730.0	DFT-s-OFDM PI/2 BPSK	216@0	6.07	13	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	216@0	6.06	13	PASS
66	15	40	349000	1745.0	DFT-s-OFDM PI/2 BPSK	216@0	6.06	13	PASS
66	15	40	349000	1745.0	DFT-s-OFDM QPSK	216@0	6.15	13	PASS
66	15	40	352000	1760.0	DFT-s-OFDM PI/2 BPSK	216@0	6.02	13	PASS



66	15	40	352000	1760.0	DFT-s-OFDM QPSK	216@0	6.08	13	PASS
66	15	45	346500	1732.5	DFT-s-OFDM PI/2 BPSK	240@0	6.09	13	PASS
66	15	45	346500	1732.5	DFT-s-OFDM QPSK	240@0	6.15	13	PASS
66	15	45	349000	1745.0	DFT-s-OFDM PI/2 BPSK	240@0	6.11	13	PASS
66	15	45	349000	1745.0	DFT-s-OFDM QPSK	240@0	6.14	13	PASS
66	15	45	351500	1757.5	DFT-s-OFDM PI/2 BPSK	240@0	6.04	13	PASS
66	15	45	351500	1757.5	DFT-s-OFDM QPSK	240@0	6.02	13	PASS



N66(5M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Low_CH



N66(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH



N66(5M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



N66(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH





N66(5M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_High_CH



N66(5M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH



N66(10M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Low_CH



N66(10M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH





N66(10M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



N66(10M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH



N66(10M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_High_CH




N66(10M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH





N66(15M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Low_CH



N66(15M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH



N66(15M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




N66(15M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH





N66(15M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_High_CH



N66(15M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH



N66(20M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Low_CH




N66(20M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH





N66(20M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



N66(20M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH



N66(20M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_High_CH




N66(20M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH





N66(25M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Low_CH



N66(25M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH



N66(25M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




N66(25M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH





N66(25M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_High_CH



N66(25M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH



N66(30M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Low_CH



N66(30M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH





N66(30M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



N66(30M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH



N66(30M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_High_CH



N66(30M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH

