






N25(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N25(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH



N25(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CH




N25(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH







N25(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CH




N25(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH



N25(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N25(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH






N25(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CH







N25(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N25(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH



N25(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CH





N25(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH





N25(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH






Conducted Band Edge


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
25	15	5	370500	1852.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
25	15	5	370500	1852.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
25	15	5	370500	1852.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
25	15	5	370500	1852.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
25	15	5	382500	1912.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
25	15	5	382500	1912.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
25	15	5	382500	1912.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
25	15	5	382500	1912.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
25	15	20	372000	1860.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
25	15	20	372000	1860.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
25	15	20	372000	1860.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
25	15	20	372000	1860.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
25	15	20	381000	1905.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
25	15	20	381000	1905.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
25	15	20	381000	1905.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
25	15	20	381000	1905.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
25	15	40	374000	1870.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
25	15	40	374000	1870.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
25	15	40	374000	1870.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
25	15	40	374000	1870.0	DFT-s-OFDM QPSK	216@0	see graph	PASS
25	15	40	379000	1895.0	DFT-s-OFDM BPSK	1@215	see graph	PASS
25	15	40	379000	1895.0	DFT-s-OFDM QPSK	1@215	see graph	PASS
25	15	40	379000	1895.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
25	15	40	379000	1895.0	DFT-s-OFDM QPSK	216@0	see graph	PASS




N25(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N25(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH



N25(5M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




N25(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH







N25(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




N25(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH



N25(5M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH




N25(5M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH







N25(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N25(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH



N25(20M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




N25(20M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH







N25(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




N25(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH



N25(20M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH




N25(20M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH







N25(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH



N25(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH_chp_P
ASS



N25(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH



N25(40M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH







N25(40M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH




N25(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH



N25(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH




N25(40M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH





N25(40M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH



**FR1 N26_ANT0****Transmitter Conducted Output Power And ERP, (G_T - L_c)= 3.0dB**

BandWidth	Arfcn	Freq(MHz)	Modulation	RB	Conducted Power(dBm)	ERP(dBm)	ERP(W)
5	165300	826.5	DFT-s-OFDM QPSK	12@6	24.66	25.51	0.3556
5	165300	826.5	DFT-s-OFDM QPSK	1@1	24.69	25.54	0.3581
5	165300	826.5	DFT-s-OFDM QPSK	1@23	24.8	25.65	0.3673
5	165300	826.5	DFT-s-OFDM 16 QAM	12@6	23.64	24.49	0.2812
5	165300	826.5	DFT-s-OFDM 16 QAM	1@1	23.92	24.77	0.2999
5	165300	826.5	DFT-s-OFDM 16 QAM	1@23	23.96	24.81	0.3027
5	167300	836.5	DFT-s-OFDM QPSK	12@6	24.84	25.69	0.3707
5	167300	836.5	DFT-s-OFDM QPSK	1@1	24.96	25.81	0.3811
5	167300	836.5	DFT-s-OFDM QPSK	1@23	24.94	25.79	0.3793
5	167300	836.5	DFT-s-OFDM 16 QAM	12@6	23.69	24.54	0.2844
5	167300	836.5	DFT-s-OFDM 16 QAM	1@1	24	24.85	0.3055
5	167300	836.5	DFT-s-OFDM 16 QAM	1@23	24.03	24.88	0.3076
5	169300	846.5	DFT-s-OFDM QPSK	12@6	24.8	25.65	0.3673
5	169300	846.5	DFT-s-OFDM QPSK	1@1	24.91	25.76	0.3767
5	169300	846.5	DFT-s-OFDM QPSK	1@23	24.66	25.51	0.3556
5	169300	846.5	DFT-s-OFDM 16 QAM	12@6	23.65	24.5	0.2818
5	169300	846.5	DFT-s-OFDM 16 QAM	1@1	24.08	24.93	0.3112
5	169300	846.5	DFT-s-OFDM 16 QAM	1@23	23.72	24.57	0.2864
10	165800	829	DFT-s-OFDM QPSK	25@12	24.78	25.63	0.3656
10	165800	829	DFT-s-OFDM QPSK	1@1	24.86	25.71	0.3724
10	165800	829	DFT-s-OFDM QPSK	1@50	24.85	25.7	0.3715
10	165800	829	DFT-s-OFDM 16 QAM	25@12	23.83	24.68	0.2938
10	165800	829	DFT-s-OFDM 16 QAM	1@1	23.97	24.82	0.3034
10	165800	829	DFT-s-OFDM 16 QAM	1@50	23.98	24.83	0.3041
10	167300	836.5	DFT-s-OFDM QPSK	25@12	24.83	25.68	0.3698
10	167300	836.5	DFT-s-OFDM QPSK	1@1	24.95	25.8	0.3802
10	167300	836.5	DFT-s-OFDM QPSK	1@50	24.92	25.77	0.3776
10	167300	836.5	DFT-s-OFDM 16 QAM	25@12	23.93	24.78	0.3006
10	167300	836.5	DFT-s-OFDM 16 QAM	1@1	24.05	24.9	0.3090
10	167300	836.5	DFT-s-OFDM 16 QAM	1@50	23.94	24.79	0.3013
10	168800	844	DFT-s-OFDM QPSK	25@12	24.83	25.68	0.3698
10	168800	844	DFT-s-OFDM QPSK	1@1	24.96	25.81	0.3811
10	168800	844	DFT-s-OFDM QPSK	1@50	24.73	25.58	0.3614
10	168800	844	DFT-s-OFDM 16 QAM	25@12	23.81	24.66	0.2924
10	168800	844	DFT-s-OFDM 16 QAM	1@1	23.99	24.84	0.3048



10	168800	844	DFT-s-OFDM 16 QAM	1@50	23.82	24.67	0.2931
15	166300	831.5	DFT-s-OFDM QPSK	36@18	24.77	25.62	0.3648
15	166300	831.5	DFT-s-OFDM QPSK	1@1	24.73	25.58	0.3614
15	166300	831.5	DFT-s-OFDM QPSK	1@77	24.94	25.79	0.3793
15	166300	831.5	DFT-s-OFDM 16 QAM	36@18	23.91	24.76	0.2992
15	166300	831.5	DFT-s-OFDM 16 QAM	1@1	23.97	24.82	0.3034
15	166300	831.5	DFT-s-OFDM 16 QAM	1@77	24.18	25.03	0.3184
15	167300	836.5	DFT-s-OFDM QPSK	36@18	24.78	25.63	0.3656
15	167300	836.5	DFT-s-OFDM QPSK	1@1	24.94	25.79	0.3793
15	167300	836.5	DFT-s-OFDM QPSK	1@77	24.94	25.79	0.3793
15	167300	836.5	DFT-s-OFDM 16 QAM	36@18	23.84	24.69	0.2944
15	167300	836.5	DFT-s-OFDM 16 QAM	1@1	24.15	25	0.3162
15	167300	836.5	DFT-s-OFDM 16 QAM	1@77	24.03	24.88	0.3076
15	168300	841.5	DFT-s-OFDM QPSK	36@18	24.87	25.72	0.3733
15	168300	841.5	DFT-s-OFDM QPSK	1@1	24.87	25.72	0.3733
15	168300	841.5	DFT-s-OFDM QPSK	1@77	24.58	25.43	0.3491
15	168300	841.5	DFT-s-OFDM 16 QAM	36@18	23.86	24.71	0.2958
15	168300	841.5	DFT-s-OFDM 16 QAM	1@1	24.13	24.98	0.3148
15	168300	841.5	DFT-s-OFDM 16 QAM	1@77	23.86	24.71	0.2958
20	166800	834	DFT-s-OFDM PI/2 BPSK	50@25	24.87	25.72	0.3733
20	166800	834	DFT-s-OFDM PI/2 BPSK	1@1	24.81	25.66	0.3681
20	166800	834	DFT-s-OFDM PI/2 BPSK	1@104	24.82	25.67	0.3690
20	166800	834	DFT-s-OFDM QPSK	50@25	24.9	25.75	0.3758
20	166800	834	DFT-s-OFDM QPSK	1@1	24.8	25.65	0.3673
20	166800	834	DFT-s-OFDM QPSK	1@104	24.93	25.78	0.3784
20	166800	834	DFT-s-OFDM 16 QAM	50@25	23.88	24.73	0.2972
20	166800	834	DFT-s-OFDM 16 QAM	1@1	23.92	24.77	0.2999
20	166800	834	DFT-s-OFDM 16 QAM	1@104	24.09	24.94	0.3119
20	166800	834	DFT-s-OFDM 64 QAM	50@25	22.5	23.35	0.2163
20	166800	834	DFT-s-OFDM 64 QAM	1@1	22.41	23.26	0.2118
20	166800	834	DFT-s-OFDM 64 QAM	1@104	22.48	23.33	0.2153
20	166800	834	DFT-s-OFDM 256 QAM	50@25	20.38	21.23	0.1327
20	166800	834	DFT-s-OFDM 256 QAM	1@1	19.94	20.79	0.1199
20	166800	834	DFT-s-OFDM 256 QAM	1@104	19.99	20.84	0.1213
20	166800	834	CP-OFDM QPSK	53@26	23.32	24.17	0.2612
20	166800	834	CP-OFDM QPSK	1@1	23.36	24.21	0.2636
20	166800	834	CP-OFDM QPSK	1@104	23.42	24.27	0.2673
20	167300	836.5	DFT-s-OFDM PI/2 BPSK	50@25	24.94	25.79	0.3793
20	167300	836.5	DFT-s-OFDM PI/2 BPSK	1@1	24.72	25.57	0.3606
20	167300	836.5	DFT-s-OFDM PI/2 BPSK	1@104	24.75	25.6	0.3631



20	167300	836.5	DFT-s-OFDM QPSK	50@25	24.96	25.81	0.3811
20	167300	836.5	DFT-s-OFDM QPSK	1@1	24.94	25.79	0.3793
20	167300	836.5	DFT-s-OFDM QPSK	1@104	24.97	25.82	0.3819
20	167300	836.5	DFT-s-OFDM 16 QAM	50@25	23.89	24.74	0.2979
20	167300	836.5	DFT-s-OFDM 16 QAM	1@1	24.03	24.88	0.3076
20	167300	836.5	DFT-s-OFDM 16 QAM	1@104	23.98	24.83	0.3041
20	167300	836.5	DFT-s-OFDM 64 QAM	50@25	22.51	23.36	0.2168
20	167300	836.5	DFT-s-OFDM 64 QAM	1@1	22.45	23.3	0.2138
20	167300	836.5	DFT-s-OFDM 64 QAM	1@104	22.42	23.27	0.2123
20	167300	836.5	DFT-s-OFDM 256 QAM	50@25	20.36	21.21	0.1321
20	167300	836.5	DFT-s-OFDM 256 QAM	1@1	20.07	20.92	0.1236
20	167300	836.5	DFT-s-OFDM 256 QAM	1@104	19.94	20.79	0.1199
20	167300	836.5	CP-OFDM QPSK	53@26	23.37	24.22	0.2642
20	167300	836.5	CP-OFDM QPSK	1@1	23.36	24.21	0.2636
20	167300	836.5	CP-OFDM QPSK	1@104	23.4	24.25	0.2661
20	167800	839	DFT-s-OFDM PI/2 BPSK	50@25	24.86	25.71	0.3724
20	167800	839	DFT-s-OFDM PI/2 BPSK	1@1	24.75	25.6	0.3631
20	167800	839	DFT-s-OFDM PI/2 BPSK	1@104	24.63	25.48	0.3532
20	167800	839	DFT-s-OFDM QPSK	50@25	24.95	25.8	0.3802
20	167800	839	DFT-s-OFDM QPSK	1@1	24.96	25.81	0.3811
20	167800	839	DFT-s-OFDM QPSK	1@104	24.72	25.57	0.3606
20	167800	839	DFT-s-OFDM 16 QAM	50@25	23.97	24.82	0.3034
20	167800	839	DFT-s-OFDM 16 QAM	1@1	24	24.85	0.3055
20	167800	839	DFT-s-OFDM 16 QAM	1@104	23.84	24.69	0.2944
20	167800	839	DFT-s-OFDM 64 QAM	50@25	22.48	23.33	0.2153
20	167800	839	DFT-s-OFDM 64 QAM	1@1	22.45	23.3	0.2138
20	167800	839	DFT-s-OFDM 64 QAM	1@104	22.31	23.16	0.2070
20	167800	839	DFT-s-OFDM 256 QAM	50@25	20.42	21.27	0.1340
20	167800	839	DFT-s-OFDM 256 QAM	1@1	20.05	20.9	0.1230
20	167800	839	DFT-s-OFDM 256 QAM	1@104	19.79	20.64	0.1159
20	167800	839	CP-OFDM QPSK	53@26	23.36	24.21	0.2636
20	167800	839	CP-OFDM QPSK	1@1	23.51	24.36	0.2729
20	167800	839	CP-OFDM QPSK	1@104	23.32	24.17	0.2612



Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
26	15	10	165800	829.0	DFT-s-OFDM QPSK	50@0	0.0000	PASS	NV
26	15	10	165800	829.0	DFT-s-OFDM QPSK	50@0	0.0030	PASS	LV
26	15	10	165800	829.0	DFT-s-OFDM QPSK	50@0	0.0003	PASS	HV
26	15	10	165800	829.0	DFT-s-OFDM QPSK	50@0	0.0052	PASS	-30℃
26	15	10	165800	829.0	DFT-s-OFDM QPSK	50@0	0.0021	PASS	-20℃
26	15	10	165800	829.0	DFT-s-OFDM QPSK	50@0	0.0029	PASS	-10℃
26	15	10	165800	829.0	DFT-s-OFDM QPSK	50@0	0.0035	PASS	0℃
26	15	10	165800	829.0	DFT-s-OFDM QPSK	50@0	0.0086	PASS	10℃
26	15	10	165800	829.0	DFT-s-OFDM QPSK	50@0	0.0000	PASS	20℃
26	15	10	165800	829.0	DFT-s-OFDM QPSK	50@0	0.0015	PASS	30℃
26	15	10	165800	829.0	DFT-s-OFDM QPSK	50@0	0.0054	PASS	40℃
26	15	10	165800	829.0	DFT-s-OFDM QPSK	50@0	0.0038	PASS	50℃
26	15	10	167300	836.5	DFT-s-OFDM QPSK	50@0	0.0000	PASS	NV
26	15	10	167300	836.5	DFT-s-OFDM QPSK	50@0	0.0096	PASS	LV
26	15	10	167300	836.5	DFT-s-OFDM QPSK	50@0	0.0098	PASS	HV
26	15	10	167300	836.5	DFT-s-OFDM QPSK	50@0	0.0101	PASS	-30℃
26	15	10	167300	836.5	DFT-s-OFDM QPSK	50@0	0.0084	PASS	-20℃
26	15	10	167300	836.5	DFT-s-OFDM QPSK	50@0	0.0073	PASS	-10℃
26	15	10	167300	836.5	DFT-s-OFDM QPSK	50@0	0.0057	PASS	0℃
26	15	10	167300	836.5	DFT-s-OFDM QPSK	50@0	0.0095	PASS	10℃
26	15	10	167300	836.5	DFT-s-OFDM QPSK	50@0	0.0000	PASS	20℃
26	15	10	167300	836.5	DFT-s-OFDM QPSK	50@0	0.0030	PASS	30℃
26	15	10	167300	836.5	DFT-s-OFDM QPSK	50@0	0.0044	PASS	40℃
26	15	10	167300	836.5	DFT-s-OFDM QPSK	50@0	0.0042	PASS	50℃
26	15	10	168800	844.0	DFT-s-OFDM QPSK	50@0	0.0000	PASS	NV
26	15	10	168800	844.0	DFT-s-OFDM QPSK	50@0	0.0021	PASS	LV
26	15	10	168800	844.0	DFT-s-OFDM QPSK	50@0	0.0048	PASS	HV
26	15	10	168800	844.0	DFT-s-OFDM QPSK	50@0	0.0069	PASS	-30℃
26	15	10	168800	844.0	DFT-s-OFDM QPSK	50@0	0.0023	PASS	-20℃
26	15	10	168800	844.0	DFT-s-OFDM QPSK	50@0	0.0010	PASS	-10℃
26	15	10	168800	844.0	DFT-s-OFDM QPSK	50@0	0.0004	PASS	0℃



					QPSK				
26	15	10	168800	844.0	DFT-s-OFDM QPSK	50@0	0.0068	PASS	10℃
26	15	10	168800	844.0	DFT-s-OFDM QPSK	50@0	0.0000	PASS	20℃
26	15	10	168800	844.0	DFT-s-OFDM QPSK	50@0	0.0023	PASS	30℃
26	15	10	168800	844.0	DFT-s-OFDM QPSK	50@0	0.0044	PASS	40℃
26	15	10	168800	844.0	DFT-s-OFDM QPSK	50@0	0.0039	PASS	50℃

**Peak to Average Ratio**

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
26	15	5	165300	826.5	DFT-s-OFDM PI/2 BPSK	25@0	3.29	13	PASS
26	15	5	165300	826.5	DFT-s-OFDM QPSK	25@0	3.95	13	PASS
26	15	5	167300	836.5	DFT-s-OFDM PI/2 BPSK	25@0	3.66	13	PASS
26	15	5	167300	836.5	DFT-s-OFDM QPSK	25@0	4.44	13	PASS
26	15	5	169300	846.5	DFT-s-OFDM PI/2 BPSK	25@0	3.47	13	PASS
26	15	5	169300	846.5	DFT-s-OFDM QPSK	25@0	4.32	13	PASS
26	15	10	165800	829.0	DFT-s-OFDM PI/2 BPSK	50@0	3.54	13	PASS
26	15	10	165800	829.0	DFT-s-OFDM QPSK	50@0	4.35	13	PASS
26	15	10	167300	836.5	DFT-s-OFDM PI/2 BPSK	50@0	3.7	13	PASS
26	15	10	167300	836.5	DFT-s-OFDM QPSK	50@0	4.54	13	PASS
26	15	10	168800	844.0	DFT-s-OFDM PI/2 BPSK	50@0	3.68	13	PASS
26	15	10	168800	844.0	DFT-s-OFDM QPSK	50@0	4.54	13	PASS
26	15	15	166300	831.5	DFT-s-OFDM PI/2 BPSK	75@0	2.96	13	PASS
26	15	15	166300	831.5	DFT-s-OFDM QPSK	75@0	4.42	13	PASS
26	15	15	167300	836.5	DFT-s-OFDM PI/2 BPSK	75@0	3.16	13	PASS
26	15	15	167300	836.5	DFT-s-OFDM QPSK	75@0	4.5	13	PASS
26	15	15	168300	841.5	DFT-s-OFDM PI/2 BPSK	75@0	3.02	13	PASS
26	15	15	168300	841.5	DFT-s-OFDM QPSK	75@0	4.49	13	PASS
26	15	20	166800	834.0	DFT-s-OFDM PI/2 BPSK	100@0	3.5	13	PASS
26	15	20	166800	834.0	DFT-s-OFDM QPSK	100@0	4.22	13	PASS
26	15	20	167300	836.5	DFT-s-OFDM PI/2 BPSK	100@0	3.44	13	PASS
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	4.23	13	PASS
26	15	20	167800	839.0	DFT-s-OFDM PI/2 BPSK	100@0	3.59	13	PASS
26	15	20	167800	839.0	DFT-s-OFDM QPSK	100@0	4.34	13	PASS



N26(5M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Low_CH




N26(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH



N26(5M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



N26(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH





N26(5M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_High_CH




N26(5M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH



N26(10M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Low_CH







N26(10M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH





N26(10M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH





N26(15M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Low_CH




N26(15M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH



N26(15M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



N26(15M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH





N26(15M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_High_CH




N26(15M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH



N26(20M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Low_CH



N26(20M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH





N26(20M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




N26(20M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH



N26(20M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_High_CH



N26(20M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH






Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
26	15	5	167300	836.5	CP-OFDM QPSK	25@0	4.466	5.099
26	15	5	167300	836.5	CP-OFDM 16 QAM	25@0	4.4961	5.169
26	15	5	167300	836.5	CP-OFDM 64 QAM	25@0	4.4666	5.042
26	15	5	167300	836.5	CP-OFDM 256 QAM	25@0	4.4832	5.096
26	15	10	167300	836.5	CP-OFDM QPSK	52@0	9.2882	10.07
26	15	10	167300	836.5	CP-OFDM 16 QAM	52@0	9.303	10.21
26	15	10	167300	836.5	CP-OFDM 64 QAM	52@0	9.2861	10.01
26	15	10	167300	836.5	CP-OFDM 256 QAM	52@0	9.2964	9.97
26	15	15	167300	836.5	CP-OFDM QPSK	79@0	14.124	14.87
26	15	15	167300	836.5	CP-OFDM 16 QAM	79@0	14.102	14.88
26	15	15	167300	836.5	CP-OFDM 64 QAM	79@0	14.088	15.09
26	15	15	167300	836.5	CP-OFDM 256 QAM	79@0	14.104	14.71
26	15	20	167300	836.5	CP-OFDM QPSK	106@0	18.885	19.99
26	15	20	167300	836.5	CP-OFDM 16 QAM	106@0	18.951	19.98
26	15	20	167300	836.5	CP-OFDM 64 QAM	106@0	18.913	19.74
26	15	20	167300	836.5	CP-OFDM 256 QAM	106@0	18.937	19.86




N26(5M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH



N26(5M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



N26(5M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



N26(5M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH

