Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.69	0.00	11.69	14.99	Complies
40	5200	11.76	0.00	11.76	14.99	Complies
48	5240	6.90	0.00	6.90	14.99	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.63	0.00	11.63	14.99	Complies
40	5200	11.75	0.00	11.75	14.99	Complies
48	5240	6.48	0.00	6.48	14.99	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.67	14.99	Complies
40	5200	14.77	14.99	Complies
48	5240	9.71	14.99	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.93	0.12	9.05	14.99	Complies
46	5230	6.53	0.12	6.65	14.99	Complies

CH38



CH46



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.19	0.12	9.31	14.99	Complies
46	5230	6.10	0.12	6.22	14.99	Complies

CH38



CH46



Test Mode	UNII-1_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	12.07	14.99	Complies
46	5230	9.33	14.99	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.23	0.25	3.48	14.99	Complies

CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.41	0.25	7.66	14.99	Complies

CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	8.81	14.99	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.66	0.00	11.66	14.99	Complies
40	5200	11.55	0.00	11.55	14.99	Complies
48	5240	6.83	0.00	6.83	14.99	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.78	0.00	11.78	14.99	Complies
40	5200	11.97	0.00	11.97	14.99	Complies
48	5240	6.39	0.00	6.39	14.99	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.73	14.99	Complies
40	5200	14.78	14.99	Complies
48	5240	9.63	14.99	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.59	0.17	8.76	14.99	Complies
46	5230	6.36	0.17	6.53	14.99	Complies

CH38



CH46



Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.05	0.17	9.22	14.99	Complies
46	5230	6.10	0.17	6.27	14.99	Complies

CH38



CH46



Test Mode	UNII-1_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	11.84	14.99	Complies
46	5230	9.24	14.99	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.46	0.34	3.80	14.99	Complies

CH42



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.38	0.34	7.72	14.99	Complies

CH42



Test Mode	UNII-1_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	8.86	14.99	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.92	0.23	11.15	30.00	Complies
157	5785	13.04	0.23	13.27	30.00	Complies
165	5825	13.57	0.23	13.80	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.33	0.00	11.33	27.99	Complies
157	5785	12.16	0.00	12.16	27.99	Complies
165	5825	11.19	0.00	11.19	27.99	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.83	0.00	11.83	27.99	Complies
157	5785	12.99	0.00	12.99	27.99	Complies
165	5825	12.94	0.00	12.94	27.99	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.60	27.99	Complies
157	5785	15.61	27.99	Complies
165	5825	15.16	27.99	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.81	0.12	6.93	27.99	Complies
159	5795	8.73	0.12	8.85	27.99	Complies

CH151



CH159



Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.46	0.12	7.58	27.99	Complies
159	5795	8.62	0.12	8.74	27.99	Complies

CH151



CH159



Test Mode	UNII-3_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	10.16	27.99	Complies
159	5795	11.69	27.99	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.80	0.25	5.05	27.99	Complies

CH155



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.09	0.25	5.34	27.99	Complies

CH155



Test Mode	UNII-3_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	7.96	27.99	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.13	0.00	11.13	27.99	Complies
157	5785	11.01	0.00	11.01	27.99	Complies
165	5825	9.70	0.00	9.70	27.99	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.24	0.00	11.24	27.99	Complies
157	5785	12.06	0.00	12.06	27.99	Complies
165	5825	12.35	0.00	12.35	27.99	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.20	27.99	Complies
157	5785	14.58	27.99	Complies
165	5825	14.23	27.99	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.28	0.17	6.45	27.99	Complies
159	5795	8.21	0.17	8.38	27.99	Complies

CH151



CH159



Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.80	0.17	6.97	27.99	Complies
159	5795	9.24	0.17	9.41	27.99	Complies

CH151



CH159



Test Mode	UNII-3_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.56	27.99	Complies
159	5795	11.77	27.99	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.04	0.34	5.38	27.99	Complies

CH155



Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.18	0.34	5.52	27.99	Complies

CH155



Test Mode	UNII-3_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.12	27.99	Complies

End of Test Report