








5-1.Conducted Spurious Emissions GPRS


Test Result





Band	Channel	Freq (MHz)	StartFreq (MHz)	StopFreq (MHz)	Slots	Result (dBm)	Limit (dBm)	Verdict
GSM 850	128	824.2	0.15	30.0	1 Tx	-44.04	-13	PASS
GSM 850	128	824.2	30.0	1000.0	1 Tx	-39.22	-13	PASS
GSM 850	128	824.2	1000.0	10000.0	1 Tx	-15.18	-13	PASS
GSM 850	190	836.6	0.15	30.0	1 Tx	-43.56	-13	PASS
GSM 850	190	836.6	30.0	1000.0	1 Tx	-40.81	-13	PASS
GSM 850	190	836.6	1000.0	10000.0	1 Tx	-14.14	-13	PASS
GSM 850	251	848.8	0.15	30.0	1 Tx	-43.39	-13	PASS
GSM 850	251	848.8	30.0	1000.0	1 Tx	-41.01	-13	PASS
GSM 850	251	848.8	1000.0	10000.0	1 Tx	-13.41	-13	PASS
PCS 1900	512	1850.2	0.15	30.0	1 Tx	-42.9	-23	PASS
PCS 1900	512	1850.2	30.0	1000.0	1 Tx	-51.59	-13	PASS
PCS 1900	512	1850.2	1000.0	10000.0	1 Tx	-21.87	-13	PASS
PCS 1900	512	1850.2	10000.0	20000.0	1 Tx	-36.9	-13	PASS
PCS 1900	661	1880.0	0.15	30.0	1 Tx	-42.81	-23	PASS
PCS 1900	661	1880.0	30.0	1000.0	1 Tx	-52.01	-13	PASS
PCS 1900	661	1880.0	1000.0	10000.0	1 Tx	-21.95	-13	PASS
PCS 1900	661	1880.0	10000.0	20000.0	1 Tx	-37.41	-13	PASS
PCS 1900	810	1909.8	0.15	30.0	1 Tx	-41.06	-23	PASS
PCS 1900	810	1909.8	30.0	1000.0	1 Tx	-50.34	-13	PASS
PCS 1900	810	1909.8	1000.0	10000.0	1 Tx	-21.94	-13	PASS
PCS 1900	810	1909.8	10000.0	20000.0	1 Tx	-37.05	-13	PASS

Test Graphs











5-2. Conducted Spurious Emissions EGPRS


Test Result




Band	Channel	Freq (MHz)	StartFreq (MHz)	StopFreq (MHz)	Slots	Result (dBm)	Limit (dBm)	Verdict
GSM 850	128	824.2	0.15	30.0	1 Tx	-43.75	-13	PASS
GSM 850	128	824.2	30.0	1000.0	1 Tx	-39.24	-13	PASS
GSM 850	128	824.2	1000.0	10000.0	1 Tx	-15.16	-13	PASS
GSM 850	190	836.6	0.15	30.0	1 Tx	-42.99	-13	PASS
GSM 850	190	836.6	30.0	1000.0	1 Tx	-39.86	-13	PASS
GSM 850	190	836.6	1000.0	10000.0	1 Tx	-14.2	-13	PASS
GSM 850	251	848.8	0.15	30.0	1 Tx	-39.55	-13	PASS
GSM 850	251	848.8	30.0	1000.0	1 Tx	-40.54	-13	PASS
GSM 850	251	848.8	1000.0	10000.0	1 Tx	-13.37	-13	PASS
PCS 1900	512	1850.2	0.15	30.0	1 Tx	-43.74	-23	PASS
PCS 1900	512	1850.2	30.0	1000.0	1 Tx	-51.47	-13	PASS
PCS 1900	512	1850.2	1000.0	10000.0	1 Tx	-21.75	-13	PASS
PCS 1900	512	1850.2	10000.0	20000.0	1 Tx	-36.48	-13	PASS
PCS 1900	661	1880.0	0.15	30.0	1 Tx	-42.82	-23	PASS
PCS 1900	661	1880.0	30.0	1000.0	1 Tx	-52.21	-13	PASS
PCS 1900	661	1880.0	1000.0	10000.0	1 Tx	-21.98	-13	PASS
PCS 1900	661	1880.0	10000.0	20000.0	1 Tx	-36.62	-13	PASS
PCS 1900	810	1909.8	0.15	30.0	1 Tx	-43.88	-23	PASS
PCS 1900	810	1909.8	30.0	1000.0	1 Tx	-50.46	-13	PASS
PCS 1900	810	1909.8	1000.0	10000.0	1 Tx	-22.23	-13	PASS
PCS 1900	810	1909.8	10000.0	20000.0	1 Tx	-37.82	-13	PASS

Test Graphs









6.Frequency Stability-TH/VH

Test Result

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	6.17	0.00748	±2.5	PASS	TH/VH
GSM 850	190	836.6	3.16	0.00378	±2.5	PASS	TH/VH
GSM 850	251	848.8	10.33	0.01217	±2.5	PASS	TH/VH
PCS 1900	512	1850.2	-11.33	-0.00612	±2.5	PASS	TH/VH
PCS 1900	661	1880.0	-5.04	-0.00268	±2.5	PASS	TH/VH
PCS 1900	810	1909.8	8.59	0.0045	±2.5	PASS	TH/VH

Frequency Stability-TH/VL

Test Result

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	6.04	0.00733	±2.5	PASS	TH/VL
GSM 850	190	836.6	6.52	0.0078	±2.5	PASS	TH/VL
GSM 850	251	848.8	-1.58	-0.00186	±2.5	PASS	TH/VL
PCS 1900	512	1850.2	3.55	0.00192	±2.5	PASS	TH/VL
PCS 1900	661	1880.0	-4.23	-0.00225	±2.5	PASS	TH/VL
PCS 1900	810	1909.8	-3.62	-0.00189	±2.5	PASS	TH/VL

Frequency Stability-TH/VN

Test Result

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	6.33	0.00768	±2.5	PASS	TH/VN
GSM 850	190	836.6	0.26	0.00031	±2.5	PASS	TH/VN
GSM 850	251	848.8	-1.36	-0.0016	±2.5	PASS	TH/VN
PCS 1900	512	1850.2	4.97	0.00269	±2.5	PASS	TH/VN
PCS 1900	661	1880.0	1.49	0.00079	±2.5	PASS	TH/VN
PCS 1900	810	1909.8	14.24	0.00746	±2.5	PASS	TH/VN

Frequency Stability-TL/VH

Test Result

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	10.91	0.01324	±2.5	PASS	TL/VH
GSM 850	190	836.6	1.0	0.0012	±2.5	PASS	TL/VH
GSM 850	251	848.8	7.52	0.00886	±2.5	PASS	TL/VH
PCS 1900	512	1850.2	14.88	0.00804	±2.5	PASS	TL/VH
PCS 1900	661	1880.0	8.81	0.00469	±2.5	PASS	TL/VH
PCS 1900	810	1909.8	9.56	0.005	±2.5	PASS	TL/VH

Frequency Stability-TL/VL

Test Result

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	9.3	0.01128	±2.5	PASS	TL/VL
GSM 850	190	836.6	2.42	0.00289	±2.5	PASS	TL/VL
GSM 850	251	848.8	7.72	0.00909	±2.5	PASS	TL/VL
PCS 1900	512	1850.2	0.52	0.00028	±2.5	PASS	TL/VL
PCS 1900	661	1880.0	-2.39	-0.00127	±2.5	PASS	TL/VL
PCS 1900	810	1909.8	7.55	0.00396	±2.5	PASS	TL/VL

Frequency Stability-TL/VN

Test Result

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	10.94	0.01328	±2.5	PASS	TL/VN
GSM 850	190	836.6	2.2	0.00262	±2.5	PASS	TL/VN
GSM 850	251	848.8	10.4	0.01225	±2.5	PASS	TL/VN
PCS 1900	512	1850.2	-11.4	-0.00616	±2.5	PASS	TL/VN
PCS 1900	661	1880.0	-10.62	-0.00565	±2.5	PASS	TL/VN
PCS 1900	810	1909.8	-0.29	-0.00015	±2.5	PASS	TL/VN

Frequency Stability-TN/VH

Test Result

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	5.65	0.00686	±2.5	PASS	TN/VH
GSM 850	190	836.6	2.97	0.00355	±2.5	PASS	TN/VH
GSM 850	251	848.8	10.23	0.01206	±2.5	PASS	TN/VH
PCS 1900	512	1850.2	25.15	0.01359	±2.5	PASS	TN/VH
PCS 1900	661	1880.0	4.2	0.00223	±2.5	PASS	TN/VH
PCS 1900	810	1909.8	-0.55	-0.00029	±2.5	PASS	TN/VH

Frequency Stability-TN/VL

Test Result

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	6.36	0.00772	±2.5	PASS	TN/VL
GSM 850	190	836.6	5.39	0.00644	±2.5	PASS	TN/VL
GSM 850	251	848.8	5.62	0.00662	±2.5	PASS	TN/VL
PCS 1900	512	1850.2	2.29	0.00124	±2.5	PASS	TN/VL
PCS 1900	661	1880.0	21.47	0.01142	±2.5	PASS	TN/VL
PCS 1900	810	1909.8	16.08	0.00842	±2.5	PASS	TN/VL

Frequency Stability-TN/VN

Test Result

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	6.91	0.00838	±2.5	PASS	TN/VN
GSM 850	190	836.6	5.2	0.00621	±2.5	PASS	TN/VN
GSM 850	251	848.8	-8.52	-0.01004	±2.5	PASS	TN/VN
PCS 1900	512	1850.2	29.7	0.01605	±2.5	PASS	TN/VN
PCS 1900	661	1880.0	4.88	0.00259	±2.5	PASS	TN/VN
PCS 1900	810	1909.8	0.77	0.00041	±2.5	PASS	TN/VN

6-1.Frequency Stability GPRS-TN/VN

Test Result

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	10.11	0.01226	±2.5	PASS	TN/VN
GSM 850	190	836.6	1 Tx	1.74	0.00208	±2.5	PASS	TN/VN
GSM 850	251	848.8	1 Tx	11.59	0.01366	±2.5	PASS	TN/VN
PCS 1900	512	1850.2	1 Tx	10.43	0.00564	±2.5	PASS	TN/VN
PCS 1900	661	1880.0	1 Tx	14.37	0.00764	±2.5	PASS	TN/VN
PCS 1900	810	1909.8	1 Tx	11.46	0.006	±2.5	PASS	TN/VN

Frequency Stability GPRS-TH/VH

Test Result

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	1.49	0.0018	±2.5	PASS	TH/VH
GSM 850	190	836.6	1 Tx	-5.26	-0.00629	±2.5	PASS	TH/VH
GSM 850	251	848.8	1 Tx	-4.75	-0.00559	±2.5	PASS	TH/VH
PCS 1900	512	1850.2	1 Tx	2.16	0.00117	±2.5	PASS	TH/VH
PCS 1900	661	1880.0	1 Tx	9.04	0.00481	±2.5	PASS	TH/VH
PCS 1900	810	1909.8	1 Tx	-1.36	-0.00071	±2.5	PASS	TH/VH

Frequency Stability GPRS-TH/VL

Test Result

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	-0.39	-0.00047	±2.5	PASS	TH/VL
GSM 850	190	836.6	1 Tx	2.81	0.00336	±2.5	PASS	TH/VL
GSM 850	251	848.8	1 Tx	2.94	0.00346	±2.5	PASS	TH/VL
PCS 1900	512	1850.2	1 Tx	1.42	0.00077	±2.5	PASS	TH/VL
PCS 1900	661	1880.0	1 Tx	-2.62	-0.00139	±2.5	PASS	TH/VL
PCS 1900	810	1909.8	1 Tx	1.52	0.00079	±2.5	PASS	TH/VL

Frequency Stability GPRS-TH/VN

Test Result

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	14.46	0.01755	±2.5	PASS	TH/VN
GSM 850	190	836.6	1 Tx	1.32	0.00158	±2.5	PASS	TH/VN
GSM 850	251	848.8	1 Tx	-4.33	-0.0051	±2.5	PASS	TH/VN
PCS 1900	512	1850.2	1 Tx	21.34	0.01153	±2.5	PASS	TH/VN
PCS 1900	661	1880.0	1 Tx	-8.43	-0.00448	±2.5	PASS	TH/VN
PCS 1900	810	1909.8	1 Tx	0.29	0.00015	±2.5	PASS	TH/VN

Frequency Stability GPRS-TL/VH

Test Result

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	8.88	0.01077	±2.5	PASS	TL/VH
GSM 850	190	836.6	1 Tx	-1.61	-0.00193	±2.5	PASS	TL/VH
GSM 850	251	848.8	1 Tx	0.23	0.00027	±2.5	PASS	TL/VH
PCS 1900	512	1850.2	1 Tx	3.58	0.00194	±2.5	PASS	TL/VH
PCS 1900	661	1880.0	1 Tx	2.91	0.00155	±2.5	PASS	TL/VH
PCS 1900	810	1909.8	1 Tx	9.27	0.00485	±2.5	PASS	TL/VH

Frequency Stability GPRS-TL/VL

Test Result

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	7.04	0.00854	±2.5	PASS	TL/VL
GSM 850	190	836.6	1 Tx	16.82	0.02011	±2.5	PASS	TL/VL
GSM 850	251	848.8	1 Tx	3.33	0.00392	±2.5	PASS	TL/VL
PCS 1900	512	1850.2	1 Tx	15.76	0.00852	±2.5	PASS	TL/VL
PCS 1900	661	1880.0	1 Tx	15.63	0.00831	±2.5	PASS	TL/VL
PCS 1900	810	1909.8	1 Tx	23.7	0.01241	±2.5	PASS	TL/VL

Frequency Stability GPRS-TL/VN

Test Result

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	18.31	0.02221	±2.5	PASS	TL/VN
GSM 850	190	836.6	1 Tx	7.81	0.00934	±2.5	PASS	TL/VN
GSM 850	251	848.8	1 Tx	-1.07	-0.00126	±2.5	PASS	TL/VN
PCS 1900	512	1850.2	1 Tx	-3.2	-0.00173	±2.5	PASS	TL/VN
PCS 1900	661	1880.0	1 Tx	17.31	0.0092	±2.5	PASS	TL/VN
PCS 1900	810	1909.8	1 Tx	20.47	0.01072	±2.5	PASS	TL/VN

Frequency Stability GPRS-TN/VH

Test Result

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	5.84	0.00709	±2.5	PASS	TN/VH
GSM 850	190	836.6	1 Tx	7.97	0.00953	±2.5	PASS	TN/VH
GSM 850	251	848.8	1 Tx	21.34	0.02514	±2.5	PASS	TN/VH
PCS 1900	512	1850.2	1 Tx	-19.34	-0.01045	±2.5	PASS	TN/VH
PCS 1900	661	1880.0	1 Tx	18.44	0.00981	±2.5	PASS	TN/VH
PCS 1900	810	1909.8	1 Tx	2.39	0.00125	±2.5	PASS	TN/VH

Frequency Stability GPRS-TN/VL

Test Result

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	16.5	0.02002	±2.5	PASS	TN/VL
GSM 850	190	836.6	1 Tx	8.01	0.00957	±2.5	PASS	TN/VL
GSM 850	251	848.8	1 Tx	22.12	0.02606	±2.5	PASS	TN/VL
PCS 1900	512	1850.2	1 Tx	-0.55	-0.0003	±2.5	PASS	TN/VL
PCS 1900	661	1880.0	1 Tx	13.82	0.00735	±2.5	PASS	TN/VL
PCS 1900	810	1909.8	1 Tx	9.17	0.0048	±2.5	PASS	TN/VL

6-2.Frequency Stability EGPRS-TN/VN

Test Result

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	4.62	0.0056	±2.5	PASS	TN/VN
GSM 850	190	836.6	1 Tx	-0.81	-0.00096	±2.5	PASS	TN/VN
GSM 850	251	848.8	1 Tx	19.02	0.0224	±2.5	PASS	TN/VN
PCS 1900	512	1850.2	1 Tx	3.36	0.00181	±2.5	PASS	TN/VN
PCS 1900	661	1880.0	1 Tx	10.91	0.0058	±2.5	PASS	TN/VN
PCS 1900	810	1909.8	1 Tx	12.91	0.00676	±2.5	PASS	TN/VN

Frequency Stability EGPRS-TH/VH

Test Result

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	12.66	0.01536	±2.5	PASS	TH/VH
GSM 850	190	836.6	1 Tx	6.3	0.00753	±2.5	PASS	TH/VH
GSM 850	251	848.8	1 Tx	5.2	0.00612	±2.5	PASS	TH/VH
PCS 1900	512	1850.2	1 Tx	10.46	0.00565	±2.5	PASS	TH/VH
PCS 1900	661	1880.0	1 Tx	-6.68	-0.00355	±2.5	PASS	TH/VH
PCS 1900	810	1909.8	1 Tx	8.17	0.00428	±2.5	PASS	TH/VH

Frequency Stability EGPRS-TH/VL

Test Result

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	19.05	0.02311	±2.5	PASS	TH/VL
GSM 850	190	836.6	1 Tx	4.71	0.00563	±2.5	PASS	TH/VL
GSM 850	251	848.8	1 Tx	22.63	0.02666	±2.5	PASS	TH/VL
PCS 1900	512	1850.2	1 Tx	-2.74	-0.00148	±2.5	PASS	TH/VL
PCS 1900	661	1880.0	1 Tx	15.5	0.00824	±2.5	PASS	TH/VL
PCS 1900	810	1909.8	1 Tx	0.42	0.00022	±2.5	PASS	TH/VL

Frequency Stability EGPRS-TH/VN

Test Result

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	-5.2	-0.00631	±2.5	PASS	TH/VN
GSM 850	190	836.6	1 Tx	7.33	0.00876	±2.5	PASS	TH/VN
GSM 850	251	848.8	1 Tx	13.4	0.01579	±2.5	PASS	TH/VN
PCS 1900	512	1850.2	1 Tx	-5.65	-0.00305	±2.5	PASS	TH/VN
PCS 1900	661	1880.0	1 Tx	-9.04	-0.00481	±2.5	PASS	TH/VN
PCS 1900	810	1909.8	1 Tx	11.43	0.00598	±2.5	PASS	TH/VN

Frequency Stability EGPRS-TL/VH

Test Result

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	19.05	0.02311	±2.5	PASS	TL/VH
GSM 850	190	836.6	1 Tx	2.23	0.00266	±2.5	PASS	TL/VH
GSM 850	251	848.8	1 Tx	19.21	0.02263	±2.5	PASS	TL/VH
PCS 1900	512	1850.2	1 Tx	13.62	0.00736	±2.5	PASS	TL/VH
PCS 1900	661	1880.0	1 Tx	12.4	0.00659	±2.5	PASS	TL/VH
PCS 1900	810	1909.8	1 Tx	14.59	0.00764	±2.5	PASS	TL/VH

Frequency Stability EGPRS-TL/VL

Test Result

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	34.51	0.04188	±2.5	PASS	TL/VL
GSM 850	190	836.6	1 Tx	26.38	0.03153	±2.5	PASS	TL/VL
GSM 850	251	848.8	1 Tx	3.71	0.00437	±2.5	PASS	TL/VL
PCS 1900	512	1850.2	1 Tx	11.88	0.00642	±2.5	PASS	TL/VL
PCS 1900	661	1880.0	1 Tx	-9.59	-0.0051	±2.5	PASS	TL/VL
PCS 1900	810	1909.8	1 Tx	32.09	0.0168	±2.5	PASS	TL/VL

Frequency Stability EGPRS-TL/VN

Test Result

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	15.5	0.0188	±2.5	PASS	TL/VN
GSM 850	190	836.6	1 Tx	15.17	0.01814	±2.5	PASS	TL/VN
GSM 850	251	848.8	1 Tx	-0.23	-0.00027	±2.5	PASS	TL/VN
PCS 1900	512	1850.2	1 Tx	-3.71	-0.00201	±2.5	PASS	TL/VN
PCS 1900	661	1880.0	1 Tx	21.05	0.0112	±2.5	PASS	TL/VN
PCS 1900	810	1909.8	1 Tx	-12.59	-0.00659	±2.5	PASS	TL/VN

Frequency Stability EGPRS-TN/VH

Test Result

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	21.66	0.02628	±2.5	PASS	TN/VH
GSM 850	190	836.6	1 Tx	0.32	0.00038	±2.5	PASS	TN/VH
GSM 850	251	848.8	1 Tx	34.35	0.04047	±2.5	PASS	TN/VH
PCS 1900	512	1850.2	1 Tx	-0.97	-0.00052	±2.5	PASS	TN/VH
PCS 1900	661	1880.0	1 Tx	-21.08	-0.01121	±2.5	PASS	TN/VH
PCS 1900	810	1909.8	1 Tx	22.7	0.01188	±2.5	PASS	TN/VH

Frequency Stability EGPRS-TN/VL

Test Result

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	20.86	0.02531	±2.5	PASS	TN/VL
GSM 850	190	836.6	1 Tx	15.11	0.01806	±2.5	PASS	TN/VL
GSM 850	251	848.8	1 Tx	18.79	0.02214	±2.5	PASS	TN/VL
PCS 1900	512	1850.2	1 Tx	9.36	0.00506	±2.5	PASS	TN/VL
PCS 1900	661	1880.0	1 Tx	-10.07	-0.00536	±2.5	PASS	TN/VL
PCS 1900	810	1909.8	1 Tx	13.66	0.00715	±2.5	PASS	TN/VL

7.Modulation Characteristics

Test Result

Band	Channel	Freq (MHz)	Verdict
GSM 850	128	824.2	PASS
GSM 850	190	836.6	PASS
GSM 850	251	848.8	PASS
PCS 1900	512	1850.2	PASS
PCS 1900	661	1880.0	PASS
PCS 1900	810	1909.8	PASS

Test Graphs

