



F4-1.Conducted Band Edge GPRS

Band	Channel	Freq (MHz)	Slots	Result	Verdict
GSM 850	128	824.2	1 Tx	see graph	PASS
GSM 850	251	848.8	1 Tx	see graph	PASS
PCS 1900	512	1850.2	1 Tx	see graph	PASS
PCS 1900	810	1909.8	1 Tx	see graph	PASS




F4-2.Conducted Band Edge EGPRS


Band	Channel	Freq (MHz)	Slots	Result	Verdict
GSM 850	128	824.2	1 Tx	see graph	PASS
GSM 850	251	848.8	1 Tx	see graph	PASS
PCS 1900	512	1850.2	1 Tx	see graph	PASS
PCS 1900	810	1909.8	1 Tx	see graph	PASS




GSM 850 0.2MHz/824.2/Low



GSM 850 0.2MHz/848.8/High



PCS 1900 0.2MHz/1850.2/Low



PCS 1900 0.2MHz/1909.8/High


F5.Conducted Spurious Emissions


Band	Channel	Freq (MHz)	StartFreq (MHz)	StopFreq (MHz)	Result (dBm)	Limit (dBm)	Verdict
GSM 850	128	824.2	0.15	30.0	-39.71	-13	PASS
GSM 850	128	824.2	30.0	1000.0	-40.03	-13	PASS
GSM 850	128	824.2	1000.0	4000.0	-16.79	-13	PASS
GSM 850	128	824.2	4000.0	7000.0	-39.62	-13	PASS
GSM 850	128	824.2	7000.0	10000.0	-43.34	-13	PASS
GSM 850	190	836.6	0.15	30.0	-47.28	-13	PASS
GSM 850	190	836.6	30.0	1000.0	-40.4	-13	PASS
GSM 850	190	836.6	1000.0	4000.0	-17.24	-13	PASS
GSM 850	190	836.6	4000.0	7000.0	-39.03	-13	PASS
GSM 850	190	836.6	7000.0	10000.0	-43.46	-13	PASS
GSM 850	251	848.8	0.15	30.0	-50.42	-13	PASS
GSM 850	251	848.8	30.0	1000.0	-40.25	-13	PASS
GSM 850	251	848.8	1000.0	4000.0	-18.68	-13	PASS
GSM 850	251	848.8	4000.0	7000.0	-39.59	-13	PASS
GSM 850	251	848.8	7000.0	10000.0	-43.38	-13	PASS
PCS 1900	512	1850.2	0.15	30.0	-49.05	-23	PASS
PCS 1900	512	1850.2	30.0	1000.0	-44.32	-13	PASS
PCS 1900	512	1850.2	1000.0	4000.0	-25.11	-13	PASS
PCS 1900	512	1850.2	4000.0	7000.0	-38.68	-13	PASS
PCS 1900	512	1850.2	7000.0	10000.0	-43.04	-13	PASS
PCS 1900	512	1850.2	10000.0	13000.0	-41.04	-13	PASS
PCS 1900	512	1850.2	13000.0	16000.0	-37.98	-13	PASS
PCS 1900	512	1850.2	16000.0	19000.0	-35.38	-13	PASS
PCS 1900	512	1850.2	19000.0	20000.0	-34.61	-13	PASS
PCS 1900	661	1880.0	0.15	30.0	-48.23	-23	PASS
PCS 1900	661	1880.0	30.0	1000.0	-45.39	-13	PASS
PCS 1900	661	1880.0	1000.0	4000.0	-25.92	-13	PASS
PCS 1900	661	1880.0	4000.0	7000.0	-39.71	-13	PASS
PCS 1900	661	1880.0	7000.0	10000.0	-42.87	-13	PASS
PCS 1900	661	1880.0	10000.0	13000.0	-40.77	-13	PASS
PCS 1900	661	1880.0	13000.0	16000.0	-37.01	-13	PASS
PCS 1900	661	1880.0	16000.0	19000.0	-35.54	-13	PASS
PCS 1900	661	1880.0	19000.0	20000.0	-35.11	-13	PASS
PCS 1900	810	1909.8	0.15	30.0	-58.52	-23	PASS
PCS 1900	810	1909.8	30.0	1000.0	-36.0	-13	PASS
PCS 1900	810	1909.8	1000.0	4000.0	-25.65	-13	PASS
PCS 1900	810	1909.8	4000.0	7000.0	-37.63	-13	PASS
PCS 1900	810	1909.8	7000.0	10000.0	-42.43	-13	PASS
PCS 1900	810	1909.8	10000.0	13000.0	-41.18	-13	PASS





Report No.:SHATBL2601003W05


PCS 1900	810	1909.8	13000.0	16000.0	-36.35	-13	PASS
PCS 1900	810	1909.8	16000.0	19000.0	-34.44	-13	PASS
PCS 1900	810	1909.8	19000.0	20000.0	-34.74	-13	PASS

















F5-1.Conducted Spurious Emissions GPRS

Band	Channel	Freq (MHz)	StartFreq (MHz)	StopFreq (MHz)	Slots	Result (dBm)	Limit (dBm)	Verdict
GSM 850	128	824.2	0.15	30.0	1 Tx	-53.15	-13	PASS
GSM 850	128	824.2	30.0	1000.0	1 Tx	-41.1	-13	PASS
GSM 850	128	824.2	1000.0	4000.0	1 Tx	-17.11	-13	PASS
GSM 850	128	824.2	4000.0	7000.0	1 Tx	-38.33	-13	PASS
GSM 850	128	824.2	7000.0	10000.0	1 Tx	-43.25	-13	PASS
GSM 850	190	836.6	0.15	30.0	1 Tx	-55.06	-13	PASS
GSM 850	190	836.6	30.0	1000.0	1 Tx	-38.2	-13	PASS
GSM 850	190	836.6	1000.0	4000.0	1 Tx	-17.51	-13	PASS
GSM 850	190	836.6	4000.0	7000.0	1 Tx	-39.4	-13	PASS
GSM 850	190	836.6	7000.0	10000.0	1 Tx	-43.61	-13	PASS
GSM 850	251	848.8	0.15	30.0	1 Tx	-58.22	-13	PASS
GSM 850	251	848.8	30.0	1000.0	1 Tx	-39.09	-13	PASS
GSM 850	251	848.8	1000.0	4000.0	1 Tx	-18.91	-13	PASS
GSM 850	251	848.8	4000.0	7000.0	1 Tx	-38.94	-13	PASS
GSM 850	251	848.8	7000.0	10000.0	1 Tx	-43.35	-13	PASS
PCS 1900	512	1850.2	0.15	30.0	1 Tx	-58.23	-23	PASS
PCS 1900	512	1850.2	30.0	1000.0	1 Tx	-40.03	-13	PASS
PCS 1900	512	1850.2	1000.0	4000.0	1 Tx	-26.09	-13	PASS
PCS 1900	512	1850.2	4000.0	7000.0	1 Tx	-39.08	-13	PASS
PCS 1900	512	1850.2	7000.0	10000.0	1 Tx	-42.7	-13	PASS
PCS 1900	512	1850.2	10000.0	13000.0	1 Tx	-40.89	-13	PASS
PCS 1900	512	1850.2	13000.0	16000.0	1 Tx	-37.33	-13	PASS
PCS 1900	512	1850.2	16000.0	19000.0	1 Tx	-35.39	-13	PASS
PCS 1900	512	1850.2	19000.0	20000.0	1 Tx	-34.71	-13	PASS
PCS 1900	661	1880.0	0.15	30.0	1 Tx	-60.14	-23	PASS
PCS 1900	661	1880.0	30.0	1000.0	1 Tx	-36.94	-13	PASS
PCS 1900	661	1880.0	1000.0	4000.0	1 Tx	-26.37	-13	PASS
PCS 1900	661	1880.0	4000.0	7000.0	1 Tx	-39.73	-13	PASS
PCS 1900	661	1880.0	7000.0	10000.0	1 Tx	-43.32	-13	PASS
PCS 1900	661	1880.0	10000.0	13000.0	1 Tx	-40.86	-13	PASS
PCS 1900	661	1880.0	13000.0	16000.0	1 Tx	-37.16	-13	PASS
PCS 1900	661	1880.0	16000.0	19000.0	1 Tx	-33.73	-13	PASS
PCS 1900	661	1880.0	19000.0	20000.0	1 Tx	-34.39	-13	PASS
PCS 1900	810	1909.8	0.15	30.0	1 Tx	-59.54	-23	PASS
PCS 1900	810	1909.8	30.0	1000.0	1 Tx	-39.91	-13	PASS
PCS 1900	810	1909.8	1000.0	4000.0	1 Tx	-26.38	-13	PASS
PCS 1900	810	1909.8	4000.0	7000.0	1 Tx	-38.24	-13	PASS
PCS 1900	810	1909.8	7000.0	10000.0	1 Tx	-43.24	-13	PASS
PCS 1900	810	1909.8	10000.0	13000.0	1 Tx	-40.97	-13	PASS



Report No.:SHATBL2601003W05

PCS 1900	810	1909.8	13000.0	16000.0	1 Tx	-37.26	-13	PASS
PCS 1900	810	1909.8	16000.0	19000.0	1 Tx	-34.87	-13	PASS
PCS 1900	810	1909.8	19000.0	20000.0	1 Tx	-34.65	-13	PASS

