








F5-2.Conducted Spurious Emissions EGPRS


Band	Channel	Freq (MHz)	StartFreq (MHz)	StopFreq (MHz)	Slots	Result (dBm)	Limit (dBm)	Verdict
GSM 850	128	824.2	0.15	30.0	1 Tx	-59.32	-13	PASS
GSM 850	128	824.2	30.0	1000.0	1 Tx	-39.52	-13	PASS
GSM 850	128	824.2	1000.0	4000.0	1 Tx	-16.97	-13	PASS
GSM 850	128	824.2	4000.0	7000.0	1 Tx	-39.51	-13	PASS
GSM 850	128	824.2	7000.0	10000.0	1 Tx	-43.3	-13	PASS
GSM 850	190	836.6	0.15	30.0	1 Tx	-58.67	-13	PASS
GSM 850	190	836.6	30.0	1000.0	1 Tx	-40.42	-13	PASS
GSM 850	190	836.6	1000.0	4000.0	1 Tx	-17.75	-13	PASS
GSM 850	190	836.6	4000.0	7000.0	1 Tx	-39.73	-13	PASS
GSM 850	190	836.6	7000.0	10000.0	1 Tx	-43.59	-13	PASS
GSM 850	251	848.8	0.15	30.0	1 Tx	-60.48	-13	PASS
GSM 850	251	848.8	30.0	1000.0	1 Tx	-40.28	-13	PASS
GSM 850	251	848.8	1000.0	4000.0	1 Tx	-18.96	-13	PASS
GSM 850	251	848.8	4000.0	7000.0	1 Tx	-39.51	-13	PASS
GSM 850	251	848.8	7000.0	10000.0	1 Tx	-43.26	-13	PASS
PCS 1900	512	1850.2	0.15	30.0	1 Tx	-60.05	-23	PASS
PCS 1900	512	1850.2	30.0	1000.0	1 Tx	-42.15	-13	PASS
PCS 1900	512	1850.2	1000.0	4000.0	1 Tx	-26.3	-13	PASS
PCS 1900	512	1850.2	4000.0	7000.0	1 Tx	-38.96	-13	PASS
PCS 1900	512	1850.2	7000.0	10000.0	1 Tx	-42.87	-13	PASS
PCS 1900	512	1850.2	10000.0	13000.0	1 Tx	-41.24	-13	PASS
PCS 1900	512	1850.2	13000.0	16000.0	1 Tx	-37.41	-13	PASS
PCS 1900	512	1850.2	16000.0	19000.0	1 Tx	-35.44	-13	PASS
PCS 1900	512	1850.2	19000.0	20000.0	1 Tx	-34.62	-13	PASS
PCS 1900	661	1880.0	0.15	30.0	1 Tx	-59.12	-23	PASS
PCS 1900	661	1880.0	30.0	1000.0	1 Tx	-43.15	-13	PASS
PCS 1900	661	1880.0	1000.0	4000.0	1 Tx	-25.42	-13	PASS
PCS 1900	661	1880.0	4000.0	7000.0	1 Tx	-39.0	-13	PASS
PCS 1900	661	1880.0	7000.0	10000.0	1 Tx	-42.9	-13	PASS
PCS 1900	661	1880.0	10000.0	13000.0	1 Tx	-40.77	-13	PASS
PCS 1900	661	1880.0	13000.0	16000.0	1 Tx	-37.19	-13	PASS
PCS 1900	661	1880.0	16000.0	19000.0	1 Tx	-35.22	-13	PASS
PCS 1900	661	1880.0	19000.0	20000.0	1 Tx	-35.29	-13	PASS
PCS 1900	810	1909.8	0.15	30.0	1 Tx	-59.62	-23	PASS
PCS 1900	810	1909.8	30.0	1000.0	1 Tx	-41.63	-13	PASS
PCS 1900	810	1909.8	1000.0	4000.0	1 Tx	-25.88	-13	PASS
PCS 1900	810	1909.8	4000.0	7000.0	1 Tx	-38.41	-13	PASS
PCS 1900	810	1909.8	7000.0	10000.0	1 Tx	-43.13	-13	PASS
PCS 1900	810	1909.8	10000.0	13000.0	1 Tx	-40.64	-13	PASS





Report No.:SHATBL2601003W05


PCS 1900	810	1909.8	13000.0	16000.0	1 Tx	-37.27	-13	PASS
PCS 1900	810	1909.8	16000.0	19000.0	1 Tx	-35.04	-13	PASS
PCS 1900	810	1909.8	19000.0	20000.0	1 Tx	-34.81	-13	PASS

















F6.Frequency Stability-TN/VN

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	-3.26	-0.00396	±2.5	PASS	TN/VN
GSM 850	190	836.6	-0.65	-0.00077	±2.5	PASS	TN/VN
GSM 850	251	848.8	-4.29	-0.00506	±2.5	PASS	TN/VN
PCS 1900	512	1850.2	0.61	0.00033	±2.5	PASS	TN/VN
PCS 1900	661	1880.0	-6.49	-0.00345	±2.5	PASS	TN/VN
PCS 1900	810	1909.8	-5.75	-0.00301	±2.5	PASS	TN/VN