







H6.Frequency Stability-TN/VN

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
2	1.4	18607	1850.7	QPSK	6@0	-1.03	-0.00056	±2.5	PASS	TN/VN
2	1.4	18607	1850.7	16QAM	6@0	3.72	0.00201	±2.5	PASS	TN/VN
2	1.4	18900	1880.0	QPSK	6@0	2.02	0.00107	±2.5	PASS	TN/VN
2	1.4	18900	1880.0	16QAM	6@0	-5.42	-0.00288	±2.5	PASS	TN/VN
2	1.4	19193	1909.3	QPSK	6@0	-3.16	-0.00166	±2.5	PASS	TN/VN
2	1.4	19193	1909.3	16QAM	6@0	-0.37	-0.00019	±2.5	PASS	TN/VN
2	3.0	18615	1851.5	QPSK	15@0	-11.53	-0.00623	±2.5	PASS	TN/VN
2	3.0	18615	1851.5	16QAM	15@0	19.98	0.01079	±2.5	PASS	TN/VN
2	3.0	18900	1880.0	QPSK	15@0	-0.67	-0.00036	±2.5	PASS	TN/VN
2	3.0	18900	1880.0	16QAM	15@0	-2.05	-0.00109	±2.5	PASS	TN/VN
2	3.0	19185	1908.5	QPSK	15@0	-9.47	-0.00496	±2.5	PASS	TN/VN
2	3.0	19185	1908.5	16QAM	15@0	2.65	0.00139	±2.5	PASS	TN/VN
2	5.0	18625	1852.5	QPSK	25@0	-5.05	-0.00273	±2.5	PASS	TN/VN
2	5.0	18625	1852.5	16QAM	25@0	-2.1	-0.00114	±2.5	PASS	TN/VN
2	5.0	18900	1880.0	QPSK	25@0	-5.12	-0.00272	±2.5	PASS	TN/VN
2	5.0	18900	1880.0	16QAM	25@0	-8.37	-0.00445	±2.5	PASS	TN/VN
2	5.0	19175	1907.5	QPSK	25@0	0.74	0.00039	±2.5	PASS	TN/VN
2	5.0	19175	1907.5	16QAM	25@0	2.7	0.00142	±2.5	PASS	TN/VN
2	10.0	18650	1855.0	QPSK	50@0	-3.05	-0.00164	±2.5	PASS	TN/VN
2	10.0	18650	1855.0	16QAM	50@0	-2.19	-0.00118	±2.5	PASS	TN/VN
2	10.0	18900	1880.0	QPSK	50@0	-0.43	-0.00023	±2.5	PASS	TN/VN
2	10.0	18900	1880.0	16QAM	50@0	4.26	0.00227	±2.5	PASS	TN/VN
2	10.0	19150	1905.0	QPSK	50@0	0.27	0.00014	±2.5	PASS	TN/VN
2	10.0	19150	1905.0	16QAM	50@0	-1.66	-0.00087	±2.5	PASS	TN/VN
2	15.0	18675	1857.5	QPSK	75@0	-1.42	-0.00076	±2.5	PASS	TN/VN
2	15.0	18675	1857.5	16QAM	75@0	-1.7	-0.00092	±2.5	PASS	TN/VN
2	15.0	18900	1880.0	QPSK	75@0	-3.25	-0.00173	±2.5	PASS	TN/VN
2	15.0	18900	1880.0	16QAM	75@0	-0.3	-0.00016	±2.5	PASS	TN/VN
2	15.0	19125	1902.5	QPSK	75@0	2.65	0.00139	±2.5	PASS	TN/VN
2	15.0	19125	1902.5	16QAM	75@0	2.02	0.00106	±2.5	PASS	TN/VN
2	20.0	18700	1860.0	QPSK	100@0	-2.3	-0.00124	±2.5	PASS	TN/VN
2	20.0	18700	1860.0	16QAM	100@0	-1.47	-0.00079	±2.5	PASS	TN/VN
2	20.0	18900	1880.0	QPSK	100@0	-3.46	-0.00184	±2.5	PASS	TN/VN
2	20.0	18900	1880.0	16QAM	100@0	-5.41	-0.00288	±2.5	PASS	TN/VN
2	20.0	19100	1900.0	QPSK	100@0	-1.7	-0.0009	±2.5	PASS	TN/VN
2	20.0	19100	1900.0	16QAM	100@0	-3.92	-0.00206	±2.5	PASS	TN/VN

Frequency Stability-TH/VH

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
2	1.4	18607	1850.7	QPSK	6@0	-28.97	-0.01565	±2.5	PASS	TH/VH
2	1.4	18607	1850.7	16QAM	6@0	-16.01	-0.00865	±2.5	PASS	TH/VH
2	1.4	18900	1880.0	QPSK	6@0	-22.6	-0.01202	±2.5	PASS	TH/VH
2	1.4	18900	1880.0	16QAM	6@0	9.78	0.0052	±2.5	PASS	TH/VH
2	1.4	19193	1909.3	QPSK	6@0	-15.06	-0.00789	±2.5	PASS	TH/VH
2	1.4	19193	1909.3	16QAM	6@0	-7.72	-0.00405	±2.5	PASS	TH/VH
2	3.0	18615	1851.5	QPSK	15@0	-26.69	-0.01442	±2.5	PASS	TH/VH
2	3.0	18615	1851.5	16QAM	15@0	3.52	0.0019	±2.5	PASS	TH/VH
2	3.0	18900	1880.0	QPSK	15@0	-20.23	-0.01076	±2.5	PASS	TH/VH
2	3.0	18900	1880.0	16QAM	15@0	-9.17	-0.00488	±2.5	PASS	TH/VH
2	3.0	19185	1908.5	QPSK	15@0	3.36	0.00176	±2.5	PASS	TH/VH
2	3.0	19185	1908.5	16QAM	15@0	-40.73	-0.02134	±2.5	PASS	TH/VH
2	5.0	18625	1852.5	QPSK	25@0	-25.25	-0.01363	±2.5	PASS	TH/VH
2	5.0	18625	1852.5	16QAM	25@0	-35.25	-0.01903	±2.5	PASS	TH/VH
2	5.0	18900	1880.0	QPSK	25@0	-16.22	-0.00863	±2.5	PASS	TH/VH
2	5.0	18900	1880.0	16QAM	25@0	-13.69	-0.00728	±2.5	PASS	TH/VH
2	5.0	19175	1907.5	QPSK	25@0	6.88	0.00361	±2.5	PASS	TH/VH
2	5.0	19175	1907.5	16QAM	25@0	-46.45	-0.02435	±2.5	PASS	TH/VH
2	10.0	18650	1855.0	QPSK	50@0	-21.14	-0.0114	±2.5	PASS	TH/VH
2	10.0	18650	1855.0	16QAM	50@0	-34.28	-0.01848	±2.5	PASS	TH/VH
2	10.0	18900	1880.0	QPSK	50@0	-3.92	-0.00208	±2.5	PASS	TH/VH
2	10.0	18900	1880.0	16QAM	50@0	-38.22	-0.02033	±2.5	PASS	TH/VH
2	10.0	19150	1905.0	QPSK	50@0	-12.04	-0.00632	±2.5	PASS	TH/VH
2	10.0	19150	1905.0	16QAM	50@0	-17.85	-0.00937	±2.5	PASS	TH/VH
2	15.0	18675	1857.5	QPSK	75@0	-24.35	-0.01311	±2.5	PASS	TH/VH
2	15.0	18675	1857.5	16QAM	75@0	-38.47	-0.02071	±2.5	PASS	TH/VH
2	15.0	18900	1880.0	QPSK	75@0	-6.24	-0.00332	±2.5	PASS	TH/VH
2	15.0	18900	1880.0	16QAM	75@0	-34.35	-0.01827	±2.5	PASS	TH/VH
2	15.0	19125	1902.5	QPSK	75@0	-14.13	-0.00743	±2.5	PASS	TH/VH
2	15.0	19125	1902.5	16QAM	75@0	-27.02	-0.0142	±2.5	PASS	TH/VH
2	20.0	18700	1860.0	QPSK	100@0	-12.42	-0.00668	±2.5	PASS	TH/VH
2	20.0	18700	1860.0	16QAM	100@0	-36.39	-0.01957	±2.5	PASS	TH/VH
2	20.0	18900	1880.0	QPSK	100@0	-34.19	-0.01819	±2.5	PASS	TH/VH
2	20.0	18900	1880.0	16QAM	100@0	-30.27	-0.0161	±2.5	PASS	TH/VH
2	20.0	19100	1900.0	QPSK	100@0	3.52	0.00185	±2.5	PASS	TH/VH
2	20.0	19100	1900.0	16QAM	100@0	-27.55	-0.0145	±2.5	PASS	TH/VH

Frequency Stability-TH/VL

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
2	1.4	18607	1850.7	QPSK	6@0	-27.69	-0.01496	±2.5	PASS	TH/VL
2	1.4	18607	1850.7	16QAM	6@0	-30.24	-0.01634	±2.5	PASS	TH/VL
2	1.4	18900	1880.0	QPSK	6@0	-20.24	-0.01077	±2.5	PASS	TH/VL
2	1.4	18900	1880.0	16QAM	6@0	-27.17	-0.01445	±2.5	PASS	TH/VL
2	1.4	19193	1909.3	QPSK	6@0	-16.16	-0.00847	±2.5	PASS	TH/VL
2	1.4	19193	1909.3	16QAM	6@0	-54.65	-0.02862	±2.5	PASS	TH/VL
2	3.0	18615	1851.5	QPSK	15@0	-7.55	-0.00408	±2.5	PASS	TH/VL
2	3.0	18615	1851.5	16QAM	15@0	-39.83	-0.02151	±2.5	PASS	TH/VL
2	3.0	18900	1880.0	QPSK	15@0	0.32	0.00017	±2.5	PASS	TH/VL
2	3.0	18900	1880.0	16QAM	15@0	-24.98	-0.01329	±2.5	PASS	TH/VL
2	3.0	19185	1908.5	QPSK	15@0	-1.37	-0.00072	±2.5	PASS	TH/VL
2	3.0	19185	1908.5	16QAM	15@0	-48.92	-0.02563	±2.5	PASS	TH/VL
2	5.0	18625	1852.5	QPSK	25@0	-18.54	-0.01001	±2.5	PASS	TH/VL
2	5.0	18625	1852.5	16QAM	25@0	-26.01	-0.01404	±2.5	PASS	TH/VL
2	5.0	18900	1880.0	QPSK	25@0	-2.29	-0.00122	±2.5	PASS	TH/VL
2	5.0	18900	1880.0	16QAM	25@0	-6.28	-0.00334	±2.5	PASS	TH/VL
2	5.0	19175	1907.5	QPSK	25@0	-9.74	-0.00511	±2.5	PASS	TH/VL
2	5.0	19175	1907.5	16QAM	25@0	-43.02	-0.02255	±2.5	PASS	TH/VL
2	10.0	18650	1855.0	QPSK	50@0	-22.75	-0.01226	±2.5	PASS	TH/VL
2	10.0	18650	1855.0	16QAM	50@0	-30.8	-0.0166	±2.5	PASS	TH/VL
2	10.0	18900	1880.0	QPSK	50@0	-13.8	-0.00734	±2.5	PASS	TH/VL
2	10.0	18900	1880.0	16QAM	50@0	-27.14	-0.01443	±2.5	PASS	TH/VL
2	10.0	19150	1905.0	QPSK	50@0	-9.08	-0.00477	±2.5	PASS	TH/VL
2	10.0	19150	1905.0	16QAM	50@0	-7.14	-0.00375	±2.5	PASS	TH/VL
2	15.0	18675	1857.5	QPSK	75@0	4.52	0.00243	±2.5	PASS	TH/VL
2	15.0	18675	1857.5	16QAM	75@0	-7.81	-0.0042	±2.5	PASS	TH/VL
2	15.0	18900	1880.0	QPSK	75@0	-18.91	-0.01006	±2.5	PASS	TH/VL
2	15.0	18900	1880.0	16QAM	75@0	-30.0	-0.01596	±2.5	PASS	TH/VL
2	15.0	19125	1902.5	QPSK	75@0	-6.09	-0.0032	±2.5	PASS	TH/VL
2	15.0	19125	1902.5	16QAM	75@0	-55.48	-0.02916	±2.5	PASS	TH/VL
2	20.0	18700	1860.0	QPSK	100@0	-5.42	-0.00291	±2.5	PASS	TH/VL
2	20.0	18700	1860.0	16QAM	100@0	-2.89	-0.00155	±2.5	PASS	TH/VL
2	20.0	18900	1880.0	QPSK	100@0	-1.46	-0.00078	±2.5	PASS	TH/VL
2	20.0	18900	1880.0	16QAM	100@0	-16.42	-0.00874	±2.5	PASS	TH/VL
2	20.0	19100	1900.0	QPSK	100@0	1.62	0.00085	±2.5	PASS	TH/VL
2	20.0	19100	1900.0	16QAM	100@0	-30.1	-0.01584	±2.5	PASS	TH/VL

Frequency Stability-TH/VN

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
2	1.4	18607	1850.7	QPSK	6@0	-26.84	-0.0145	±2.5	PASS	TH/VN
2	1.4	18607	1850.7	16QAM	6@0	0.32	0.00017	±2.5	PASS	TH/VN
2	1.4	18900	1880.0	QPSK	6@0	-1.54	-0.00082	±2.5	PASS	TH/VN
2	1.4	18900	1880.0	16QAM	6@0	-29.15	-0.01551	±2.5	PASS	TH/VN
2	1.4	19193	1909.3	QPSK	6@0	-11.09	-0.00581	±2.5	PASS	TH/VN
2	1.4	19193	1909.3	16QAM	6@0	-41.66	-0.02182	±2.5	PASS	TH/VN
2	3.0	18615	1851.5	QPSK	15@0	-2.75	-0.00148	±2.5	PASS	TH/VN
2	3.0	18615	1851.5	16QAM	15@0	-18.74	-0.01012	±2.5	PASS	TH/VN
2	3.0	18900	1880.0	QPSK	15@0	-4.16	-0.00221	±2.5	PASS	TH/VN
2	3.0	18900	1880.0	16QAM	15@0	-36.92	-0.01964	±2.5	PASS	TH/VN
2	3.0	19185	1908.5	QPSK	15@0	-21.37	-0.0112	±2.5	PASS	TH/VN
2	3.0	19185	1908.5	16QAM	15@0	-43.5	-0.02279	±2.5	PASS	TH/VN
2	5.0	18625	1852.5	QPSK	25@0	-22.23	-0.012	±2.5	PASS	TH/VN
2	5.0	18625	1852.5	16QAM	25@0	-33.8	-0.01825	±2.5	PASS	TH/VN
2	5.0	18900	1880.0	QPSK	25@0	-2.78	-0.00148	±2.5	PASS	TH/VN
2	5.0	18900	1880.0	16QAM	25@0	-33.82	-0.01799	±2.5	PASS	TH/VN
2	5.0	19175	1907.5	QPSK	25@0	-27.29	-0.01431	±2.5	PASS	TH/VN
2	5.0	19175	1907.5	16QAM	25@0	-2.69	-0.00141	±2.5	PASS	TH/VN
2	10.0	18650	1855.0	QPSK	50@0	-5.32	-0.00287	±2.5	PASS	TH/VN
2	10.0	18650	1855.0	16QAM	50@0	-18.12	-0.00977	±2.5	PASS	TH/VN
2	10.0	18900	1880.0	QPSK	50@0	-19.38	-0.01031	±2.5	PASS	TH/VN
2	10.0	18900	1880.0	16QAM	50@0	-25.18	-0.01339	±2.5	PASS	TH/VN
2	10.0	19150	1905.0	QPSK	50@0	-28.1	-0.01475	±2.5	PASS	TH/VN
2	10.0	19150	1905.0	16QAM	50@0	-0.27	-0.00014	±2.5	PASS	TH/VN
2	15.0	18675	1857.5	QPSK	75@0	-14.36	-0.00773	±2.5	PASS	TH/VN
2	15.0	18675	1857.5	16QAM	75@0	8.58	0.00462	±2.5	PASS	TH/VN
2	15.0	18900	1880.0	QPSK	75@0	-11.52	-0.00613	±2.5	PASS	TH/VN
2	15.0	18900	1880.0	16QAM	75@0	-34.73	-0.01847	±2.5	PASS	TH/VN
2	15.0	19125	1902.5	QPSK	75@0	-7.31	-0.00384	±2.5	PASS	TH/VN
2	15.0	19125	1902.5	16QAM	75@0	-10.01	-0.00526	±2.5	PASS	TH/VN
2	20.0	18700	1860.0	QPSK	100@0	-11.74	-0.00631	±2.5	PASS	TH/VN
2	20.0	18700	1860.0	16QAM	100@0	-4.95	-0.00266	±2.5	PASS	TH/VN
2	20.0	18900	1880.0	QPSK	100@0	3.89	0.00207	±2.5	PASS	TH/VN
2	20.0	18900	1880.0	16QAM	100@0	-29.3	-0.01558	±2.5	PASS	TH/VN
2	20.0	19100	1900.0	QPSK	100@0	-10.37	-0.00546	±2.5	PASS	TH/VN
2	20.0	19100	1900.0	16QAM	100@0	-47.58	-0.02504	±2.5	PASS	TH/VN

Frequency Stability-TL/VN

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
2	1.4	18607	1850.7	QPSK	6@0	-12.99	-0.00702	±2.5	PASS	TL/VN
2	1.4	18607	1850.7	16QAM	6@0	0.32	0.00017	±2.5	PASS	TL/VN
2	1.4	18900	1880.0	QPSK	6@0	-6.69	-0.00356	±2.5	PASS	TL/VN
2	1.4	18900	1880.0	16QAM	6@0	-36.36	-0.01934	±2.5	PASS	TL/VN
2	1.4	19193	1909.3	QPSK	6@0	-27.77	-0.01454	±2.5	PASS	TL/VN
2	1.4	19193	1909.3	16QAM	6@0	-46.72	-0.02447	±2.5	PASS	TL/VN
2	3.0	18615	1851.5	QPSK	15@0	-24.16	-0.01305	±2.5	PASS	TL/VN
2	3.0	18615	1851.5	16QAM	15@0	-44.09	-0.02381	±2.5	PASS	TL/VN
2	3.0	18900	1880.0	QPSK	15@0	-7.3	-0.00388	±2.5	PASS	TL/VN
2	3.0	18900	1880.0	16QAM	15@0	-38.19	-0.02032	±2.5	PASS	TL/VN
2	3.0	19185	1908.5	QPSK	15@0	-32.24	-0.01689	±2.5	PASS	TL/VN
2	3.0	19185	1908.5	16QAM	15@0	-34.58	-0.01812	±2.5	PASS	TL/VN
2	5.0	18625	1852.5	QPSK	25@0	-22.62	-0.01221	±2.5	PASS	TL/VN
2	5.0	18625	1852.5	16QAM	25@0	-38.72	-0.0209	±2.5	PASS	TL/VN
2	5.0	18900	1880.0	QPSK	25@0	-10.53	-0.0056	±2.5	PASS	TL/VN
2	5.0	18900	1880.0	16QAM	25@0	-10.5	-0.00559	±2.5	PASS	TL/VN
2	5.0	19175	1907.5	QPSK	25@0	-22.03	-0.01155	±2.5	PASS	TL/VN
2	5.0	19175	1907.5	16QAM	25@0	-50.64	-0.02655	±2.5	PASS	TL/VN
2	10.0	18650	1855.0	QPSK	50@0	-9.74	-0.00525	±2.5	PASS	TL/VN
2	10.0	18650	1855.0	16QAM	50@0	-19.08	-0.01029	±2.5	PASS	TL/VN
2	10.0	18900	1880.0	QPSK	50@0	-11.12	-0.00591	±2.5	PASS	TL/VN
2	10.0	18900	1880.0	16QAM	50@0	-26.79	-0.01425	±2.5	PASS	TL/VN
2	10.0	19150	1905.0	QPSK	50@0	-24.82	-0.01303	±2.5	PASS	TL/VN
2	10.0	19150	1905.0	16QAM	50@0	4.56	0.0024	±2.5	PASS	TL/VN
2	15.0	18675	1857.5	QPSK	75@0	-13.72	-0.00739	±2.5	PASS	TL/VN
2	15.0	18675	1857.5	16QAM	75@0	-21.39	-0.01151	±2.5	PASS	TL/VN
2	15.0	18900	1880.0	QPSK	75@0	-22.36	-0.01189	±2.5	PASS	TL/VN
2	15.0	18900	1880.0	16QAM	75@0	-15.35	-0.00816	±2.5	PASS	TL/VN
2	15.0	19125	1902.5	QPSK	75@0	-19.83	-0.01042	±2.5	PASS	TL/VN
2	15.0	19125	1902.5	16QAM	75@0	-17.74	-0.00932	±2.5	PASS	TL/VN
2	20.0	18700	1860.0	QPSK	100@0	-24.81	-0.01334	±2.5	PASS	TL/VN
2	20.0	18700	1860.0	16QAM	100@0	6.62	0.00356	±2.5	PASS	TL/VN
2	20.0	18900	1880.0	QPSK	100@0	-17.44	-0.00928	±2.5	PASS	TL/VN
2	20.0	18900	1880.0	16QAM	100@0	-20.28	-0.01079	±2.5	PASS	TL/VN
2	20.0	19100	1900.0	QPSK	100@0	4.32	0.00227	±2.5	PASS	TL/VN
2	20.0	19100	1900.0	16QAM	100@0	-30.54	-0.01607	±2.5	PASS	TL/VN

Frequency Stability-TN/VH

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
2	1.4	18607	1850.7	QPSK	6@0	-20.13	-0.01088	±2.5	PASS	TN/VH
2	1.4	18607	1850.7	16QAM	6@0	-45.36	-0.02451	±2.5	PASS	TN/VH
2	1.4	18900	1880.0	QPSK	6@0	-11.7	-0.00622	±2.5	PASS	TN/VH
2	1.4	18900	1880.0	16QAM	6@0	-22.99	-0.01223	±2.5	PASS	TN/VH
2	1.4	19193	1909.3	QPSK	6@0	-31.33	-0.01641	±2.5	PASS	TN/VH
2	1.4	19193	1909.3	16QAM	6@0	0.32	0.00017	±2.5	PASS	TN/VH
2	3.0	18615	1851.5	QPSK	15@0	-26.36	-0.01424	±2.5	PASS	TN/VH
2	3.0	18615	1851.5	16QAM	15@0	-47.94	-0.02589	±2.5	PASS	TN/VH
2	3.0	18900	1880.0	QPSK	15@0	-1.26	-0.00067	±2.5	PASS	TN/VH
2	3.0	18900	1880.0	16QAM	15@0	-23.75	-0.01263	±2.5	PASS	TN/VH
2	3.0	19185	1908.5	QPSK	15@0	-12.25	-0.00642	±2.5	PASS	TN/VH
2	3.0	19185	1908.5	16QAM	15@0	-49.65	-0.02602	±2.5	PASS	TN/VH
2	5.0	18625	1852.5	QPSK	25@0	-23.67	-0.01278	±2.5	PASS	TN/VH
2	5.0	18625	1852.5	16QAM	25@0	-31.41	-0.01696	±2.5	PASS	TN/VH
2	5.0	18900	1880.0	QPSK	25@0	-11.59	-0.00616	±2.5	PASS	TN/VH
2	5.0	18900	1880.0	16QAM	25@0	-15.58	-0.00829	±2.5	PASS	TN/VH
2	5.0	19175	1907.5	QPSK	25@0	-22.97	-0.01204	±2.5	PASS	TN/VH
2	5.0	19175	1907.5	16QAM	25@0	-36.52	-0.01915	±2.5	PASS	TN/VH
2	10.0	18650	1855.0	QPSK	50@0	-9.86	-0.00531	±2.5	PASS	TN/VH
2	10.0	18650	1855.0	16QAM	50@0	-11.64	-0.00628	±2.5	PASS	TN/VH
2	10.0	18900	1880.0	QPSK	50@0	-3.36	-0.00179	±2.5	PASS	TN/VH
2	10.0	18900	1880.0	16QAM	50@0	-20.26	-0.01077	±2.5	PASS	TN/VH
2	10.0	19150	1905.0	QPSK	50@0	-13.28	-0.00697	±2.5	PASS	TN/VH
2	10.0	19150	1905.0	16QAM	50@0	-18.71	-0.00982	±2.5	PASS	TN/VH
2	15.0	18675	1857.5	QPSK	75@0	-13.62	-0.00733	±2.5	PASS	TN/VH
2	15.0	18675	1857.5	16QAM	75@0	-21.0	-0.01131	±2.5	PASS	TN/VH
2	15.0	18900	1880.0	QPSK	75@0	-22.89	-0.01217	±2.5	PASS	TN/VH
2	15.0	18900	1880.0	16QAM	75@0	-13.43	-0.00714	±2.5	PASS	TN/VH
2	15.0	19125	1902.5	QPSK	75@0	-6.58	-0.00346	±2.5	PASS	TN/VH
2	15.0	19125	1902.5	16QAM	75@0	-22.32	-0.01173	±2.5	PASS	TN/VH
2	20.0	18700	1860.0	QPSK	100@0	-19.23	-0.01034	±2.5	PASS	TN/VH
2	20.0	18700	1860.0	16QAM	100@0	-31.49	-0.01693	±2.5	PASS	TN/VH
2	20.0	18900	1880.0	QPSK	100@0	-24.28	-0.01291	±2.5	PASS	TN/VH
2	20.0	18900	1880.0	16QAM	100@0	3.76	0.002	±2.5	PASS	TN/VH
2	20.0	19100	1900.0	QPSK	100@0	-17.24	-0.00907	±2.5	PASS	TN/VH
2	20.0	19100	1900.0	16QAM	100@0	12.07	0.00635	±2.5	PASS	TN/VH

Frequency Stability-TN/VL

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
2	1.4	18607	1850.7	QPSK	6@0	-35.35	-0.0191	±2.5	PASS	TN/VL
2	1.4	18607	1850.7	16QAM	6@0	-36.02	-0.01946	±2.5	PASS	TN/VL
2	1.4	18900	1880.0	QPSK	6@0	-25.91	-0.01378	±2.5	PASS	TN/VL
2	1.4	18900	1880.0	16QAM	6@0	-33.8	-0.01798	±2.5	PASS	TN/VL
2	1.4	19193	1909.3	QPSK	6@0	-0.6	-0.00031	±2.5	PASS	TN/VL
2	1.4	19193	1909.3	16QAM	6@0	-46.76	-0.02449	±2.5	PASS	TN/VL
2	3.0	18615	1851.5	QPSK	15@0	-23.79	-0.01285	±2.5	PASS	TN/VL
2	3.0	18615	1851.5	16QAM	15@0	-46.48	-0.0251	±2.5	PASS	TN/VL
2	3.0	18900	1880.0	QPSK	15@0	-14.08	-0.00749	±2.5	PASS	TN/VL
2	3.0	18900	1880.0	16QAM	15@0	-34.55	-0.01838	±2.5	PASS	TN/VL
2	3.0	19185	1908.5	QPSK	15@0	-30.1	-0.01577	±2.5	PASS	TN/VL
2	3.0	19185	1908.5	16QAM	15@0	-40.66	-0.0213	±2.5	PASS	TN/VL
2	5.0	18625	1852.5	QPSK	25@0	-36.44	-0.01967	±2.5	PASS	TN/VL
2	5.0	18625	1852.5	16QAM	25@0	-54.62	-0.02948	±2.5	PASS	TN/VL
2	5.0	18900	1880.0	QPSK	25@0	-16.08	-0.00855	±2.5	PASS	TN/VL
2	5.0	18900	1880.0	16QAM	25@0	7.71	0.0041	±2.5	PASS	TN/VL
2	5.0	19175	1907.5	QPSK	25@0	-31.46	-0.01649	±2.5	PASS	TN/VL
2	5.0	19175	1907.5	16QAM	25@0	-43.92	-0.02302	±2.5	PASS	TN/VL
2	10.0	18650	1855.0	QPSK	50@0	-22.97	-0.01238	±2.5	PASS	TN/VL
2	10.0	18650	1855.0	16QAM	50@0	-13.28	-0.00716	±2.5	PASS	TN/VL
2	10.0	18900	1880.0	QPSK	50@0	-21.1	-0.01122	±2.5	PASS	TN/VL
2	10.0	18900	1880.0	16QAM	50@0	-36.66	-0.0195	±2.5	PASS	TN/VL
2	10.0	19150	1905.0	QPSK	50@0	-8.7	-0.00457	±2.5	PASS	TN/VL
2	10.0	19150	1905.0	16QAM	50@0	-48.92	-0.02568	±2.5	PASS	TN/VL
2	15.0	18675	1857.5	QPSK	75@0	-25.33	-0.01364	±2.5	PASS	TN/VL
2	15.0	18675	1857.5	16QAM	75@0	-33.52	-0.01804	±2.5	PASS	TN/VL
2	15.0	18900	1880.0	QPSK	75@0	-17.82	-0.00948	±2.5	PASS	TN/VL
2	15.0	18900	1880.0	16QAM	75@0	-27.92	-0.01485	±2.5	PASS	TN/VL
2	15.0	19125	1902.5	QPSK	75@0	-19.64	-0.01032	±2.5	PASS	TN/VL
2	15.0	19125	1902.5	16QAM	75@0	-28.04	-0.01474	±2.5	PASS	TN/VL
2	20.0	18700	1860.0	QPSK	100@0	-33.36	-0.01794	±2.5	PASS	TN/VL
2	20.0	18700	1860.0	16QAM	100@0	-40.68	-0.02187	±2.5	PASS	TN/VL
2	20.0	18900	1880.0	QPSK	100@0	-9.7	-0.00516	±2.5	PASS	TN/VL
2	20.0	18900	1880.0	16QAM	100@0	-44.62	-0.02373	±2.5	PASS	TN/VL
2	20.0	19100	1900.0	QPSK	100@0	-14.46	-0.00761	±2.5	PASS	TN/VL
2	20.0	19100	1900.0	16QAM	100@0	-53.06	-0.02793	±2.5	PASS	TN/VL

Frequency Stability-TL/VH

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
2	1.4	18607	1850.7	QPSK	6@0	-14.32	-0.00774	±2.5	PASS	TL/VH
2	1.4	18607	1850.7	16QAM	6@0	-29.23	-0.01579	±2.5	PASS	TL/VH
2	1.4	18900	1880.0	QPSK	6@0	-24.89	-0.01324	±2.5	PASS	TL/VH
2	1.4	18900	1880.0	16QAM	6@0	-39.58	-0.02105	±2.5	PASS	TL/VH
2	1.4	19193	1909.3	QPSK	6@0	-2.45	-0.00128	±2.5	PASS	TL/VH
2	1.4	19193	1909.3	16QAM	6@0	-0.63	-0.00033	±2.5	PASS	TL/VH
2	3.0	18615	1851.5	QPSK	15@0	-16.01	-0.00865	±2.5	PASS	TL/VH
2	3.0	18615	1851.5	16QAM	15@0	-34.19	-0.01847	±2.5	PASS	TL/VH
2	3.0	18900	1880.0	QPSK	15@0	-26.61	-0.01415	±2.5	PASS	TL/VH
2	3.0	18900	1880.0	16QAM	15@0	-31.3	-0.01665	±2.5	PASS	TL/VH
2	3.0	19185	1908.5	QPSK	15@0	-7.4	-0.00388	±2.5	PASS	TL/VH
2	3.0	19185	1908.5	16QAM	15@0	-21.37	-0.0112	±2.5	PASS	TL/VH
2	5.0	18625	1852.5	QPSK	25@0	-21.9	-0.01182	±2.5	PASS	TL/VH
2	5.0	18625	1852.5	16QAM	25@0	-24.12	-0.01302	±2.5	PASS	TL/VH
2	5.0	18900	1880.0	QPSK	25@0	-31.41	-0.01671	±2.5	PASS	TL/VH
2	5.0	18900	1880.0	16QAM	25@0	-25.65	-0.01364	±2.5	PASS	TL/VH
2	5.0	19175	1907.5	QPSK	25@0	7.22	0.00379	±2.5	PASS	TL/VH
2	5.0	19175	1907.5	16QAM	25@0	-18.2	-0.00954	±2.5	PASS	TL/VH
2	10.0	18650	1855.0	QPSK	50@0	-17.07	-0.0092	±2.5	PASS	TL/VH
2	10.0	18650	1855.0	16QAM	50@0	-33.92	-0.01828	±2.5	PASS	TL/VH
2	10.0	18900	1880.0	QPSK	50@0	-22.23	-0.01182	±2.5	PASS	TL/VH
2	10.0	18900	1880.0	16QAM	50@0	-22.34	-0.01189	±2.5	PASS	TL/VH
2	10.0	19150	1905.0	QPSK	50@0	-7.87	-0.00413	±2.5	PASS	TL/VH
2	10.0	19150	1905.0	16QAM	50@0	-23.78	-0.01248	±2.5	PASS	TL/VH
2	15.0	18675	1857.5	QPSK	75@0	-15.44	-0.00831	±2.5	PASS	TL/VH
2	15.0	18675	1857.5	16QAM	75@0	-22.67	-0.01221	±2.5	PASS	TL/VH
2	15.0	18900	1880.0	QPSK	75@0	-24.56	-0.01306	±2.5	PASS	TL/VH
2	15.0	18900	1880.0	16QAM	75@0	-24.33	-0.01294	±2.5	PASS	TL/VH
2	15.0	19125	1902.5	QPSK	75@0	-2.65	-0.00139	±2.5	PASS	TL/VH
2	15.0	19125	1902.5	16QAM	75@0	-46.21	-0.02429	±2.5	PASS	TL/VH
2	20.0	18700	1860.0	QPSK	100@0	-29.21	-0.0157	±2.5	PASS	TL/VH
2	20.0	18700	1860.0	16QAM	100@0	-44.65	-0.024	±2.5	PASS	TL/VH
2	20.0	18900	1880.0	QPSK	100@0	-13.7	-0.00729	±2.5	PASS	TL/VH
2	20.0	18900	1880.0	16QAM	100@0	1.57	0.00084	±2.5	PASS	TL/VH
2	20.0	19100	1900.0	QPSK	100@0	2.2	0.00116	±2.5	PASS	TL/VH
2	20.0	19100	1900.0	16QAM	100@0	-26.99	-0.01421	±2.5	PASS	TL/VH

Frequency Stability-TL/VL

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
2	1.4	18607	1850.7	QPSK	6@0	-11.42	-0.00617	±2.5	PASS	TL/VL
2	1.4	18607	1850.7	16QAM	6@0	-28.08	-0.01517	±2.5	PASS	TL/VL
2	1.4	18900	1880.0	QPSK	6@0	-18.15	-0.00966	±2.5	PASS	TL/VL
2	1.4	18900	1880.0	16QAM	6@0	-19.86	-0.01056	±2.5	PASS	TL/VL
2	1.4	19193	1909.3	QPSK	6@0	-6.39	-0.00335	±2.5	PASS	TL/VL
2	1.4	19193	1909.3	16QAM	6@0	-20.63	-0.0108	±2.5	PASS	TL/VL
2	3.0	18615	1851.5	QPSK	15@0	-25.06	-0.01354	±2.5	PASS	TL/VL
2	3.0	18615	1851.5	16QAM	15@0	-38.75	-0.02093	±2.5	PASS	TL/VL
2	3.0	18900	1880.0	QPSK	15@0	-20.43	-0.01087	±2.5	PASS	TL/VL
2	3.0	18900	1880.0	16QAM	15@0	-13.7	-0.00729	±2.5	PASS	TL/VL
2	3.0	19185	1908.5	QPSK	15@0	-2.1	-0.0011	±2.5	PASS	TL/VL
2	3.0	19185	1908.5	16QAM	15@0	-35.35	-0.01852	±2.5	PASS	TL/VL
2	5.0	18625	1852.5	QPSK	25@0	-20.54	-0.01109	±2.5	PASS	TL/VL
2	5.0	18625	1852.5	16QAM	25@0	-22.14	-0.01195	±2.5	PASS	TL/VL
2	5.0	18900	1880.0	QPSK	25@0	-13.75	-0.00731	±2.5	PASS	TL/VL
2	5.0	18900	1880.0	16QAM	25@0	-20.43	-0.01087	±2.5	PASS	TL/VL
2	5.0	19175	1907.5	QPSK	25@0	-10.31	-0.00541	±2.5	PASS	TL/VL
2	5.0	19175	1907.5	16QAM	25@0	-30.54	-0.01601	±2.5	PASS	TL/VL
2	10.0	18650	1855.0	QPSK	50@0	-30.0	-0.01617	±2.5	PASS	TL/VL
2	10.0	18650	1855.0	16QAM	50@0	-27.62	-0.01489	±2.5	PASS	TL/VL
2	10.0	18900	1880.0	QPSK	50@0	1.75	0.00093	±2.5	PASS	TL/VL
2	10.0	18900	1880.0	16QAM	50@0	-40.9	-0.02175	±2.5	PASS	TL/VL
2	10.0	19150	1905.0	QPSK	50@0	-8.38	-0.0044	±2.5	PASS	TL/VL
2	10.0	19150	1905.0	16QAM	50@0	-43.69	-0.02293	±2.5	PASS	TL/VL
2	15.0	18675	1857.5	QPSK	75@0	-8.11	-0.00437	±2.5	PASS	TL/VL
2	15.0	18675	1857.5	16QAM	75@0	-0.54	-0.00029	±2.5	PASS	TL/VL
2	15.0	18900	1880.0	QPSK	75@0	-8.98	-0.00478	±2.5	PASS	TL/VL
2	15.0	18900	1880.0	16QAM	75@0	-48.49	-0.02579	±2.5	PASS	TL/VL
2	15.0	19125	1902.5	QPSK	75@0	-0.43	-0.00023	±2.5	PASS	TL/VL
2	15.0	19125	1902.5	16QAM	75@0	-48.84	-0.02567	±2.5	PASS	TL/VL
2	20.0	18700	1860.0	QPSK	100@0	-23.52	-0.01264	±2.5	PASS	TL/VL
2	20.0	18700	1860.0	16QAM	100@0	-18.05	-0.00971	±2.5	PASS	TL/VL
2	20.0	18900	1880.0	QPSK	100@0	-18.5	-0.00984	±2.5	PASS	TL/VL
2	20.0	18900	1880.0	16QAM	100@0	-51.46	-0.02737	±2.5	PASS	TL/VL
2	20.0	19100	1900.0	QPSK	100@0	-8.44	-0.00444	±2.5	PASS	TL/VL
2	20.0	19100	1900.0	16QAM	100@0	-22.69	-0.01194	±2.5	PASS	TL/VL