



Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11a	LCH	5565-5655	5654.190	-50.26	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5655-5700	5697.300	-40.39	7.78	Pass
NVNT	ANT1	802.11a	LCH	5700-5720	5718.780	-28.58	15.26	Pass
NVNT	ANT1	802.11a	LCH	5720-5725	5723.570	-21.96	23.74	Pass
NVNT	ANT1	802.11a	HCH	5850-5855	5854.165	-29.08	17.50	Pass
NVNT	ANT1	802.11a	HCH	5855-5875	5855.680	-32.74	15.41	Pass
NVNT	ANT1	802.11a	HCH	5875-5920	5882.785	-45.29	3.60	Pass
NVNT	ANT1	802.11a	HCH	5920-6005	5935.470	-46.26	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5639.970	-49.84	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5699.415	-36.58	9.52	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5719.600	-24.65	15.49	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5723.895	-17.29	24.48	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5851.920	-25.92	22.62	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5858.880	-29.86	14.51	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5877.385	-40.59	8.04	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5931.135	-46.37	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5565-5655	5629.530	-49.89	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5655-5700	5695.815	-40.16	6.56	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5700-5720	5719.920	-26.76	15.58	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5720-5725	5724.385	-19.79	25.60	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5850-5855	5851.970	-28.05	22.51	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5855-5875	5856.380	-30.89	15.21	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5875-5920	5877.610	-42.56	7.85	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5920-6005	5924.335	-45.94	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5652.900	-43.64	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5698.605	-29.35	8.85	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5717.120	-18.60	14.79	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5722.570	-15.89	21.46	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5852.900	-30.89	20.39	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5855.660	-32.10	15.42	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5883.775	-40.26	2.79	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5921.540	-43.76	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5595-5655	5653.500	-43.57	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5655-5700	5700.000	-28.02	10.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5700-5720	5718.820	-17.01	15.27	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5720-5725	5722.885	-15.71	22.18	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5850-5855	5851.880	-28.07	22.71	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5855-5875	5856.400	-30.57	15.21	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5875-5920	5884.900	-37.90	1.86	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5920-5955	5921.365	-41.82	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5650-5655	5655.000	-34.12	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5655-5700	5691.315	-21.76	2.86	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5700-5720	5715.820	-15.71	14.43	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5720-5725	5720.435	-14.54	16.59	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5850-5855	5854.195	-21.83	17.44	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5855-5875	5857.320	-22.46	14.95	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5875-5920	5877.520	-29.13	7.93	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5920-5925	5920.660	-30.79	-27.00	Pass


Bandedge NVNT_ANT1_802_11a_5745




Bandedge NVNT_ANT1_802_11a_5825




Bandedge_NVNT_ANT1_802_11n(HT20)_5745




Bandedge_NVNT_ANT1_802_11n(HT20)_5825




Bandedge NVNT_ANT1_802_11ac(VHT20)_5745




Bandedge NVNT_ANT1_802_11ac(VHT20)_5825




Bandedge_NVNT_ANT1_802_11n(HT40)_5755




Bandedge_NVNT_ANT1_802_11n(HT40)_5795




Bandedge NVNT_ANT1_802_11ac(VHT40) 5755



Bandedge NVNT_ANT1_802_11ac(VHT40) 5795



Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_low



Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_up



Emissions in Restricted Bands
Only show the worst mode 11A

TestMode	Antenna	ChName	Freq(MHz)	Detect or	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-56.66	≤-41.20	38.54	≤54	PASS
				AV	5032.609	-53.87	≤-41.20	41.33	≤54	PASS
				AV	5150.000	-54.04	≤-41.20	41.16	≤54	PASS
				Peak	4500.000	-37.41	≤-21.20	57.79	≤74	PASS
				Peak	4809.420	-34.13	≤-21.20	61.07	≤74	PASS
				Peak	5150.000	-36.05	≤-21.20	59.15	≤74	PASS
	Ant2	Low	5180	AV	4500.000	-55.88	≤-41.20	39.32	≤54	PASS
				AV	5032.609	-52.33	≤-41.20	42.87	≤54	PASS
				AV	5150.000	-53.86	≤-41.20	41.34	≤54	PASS
				Peak	4500.000	-36.86	≤-21.20	58.34	≤74	PASS
				Peak	5077.246	-32.86	≤-21.20	62.34	≤74	PASS
				Peak	5150.000	-35.37	≤-21.20	59.83	≤74	PASS
	Ant1	High	5320	AV	5350.000	-52.14	≤-41.20	43.06	≤54	PASS
				AV	5351.246	-52.31	≤-41.20	42.89	≤54	PASS
				AV	5460.000	-53.91	≤-41.20	41.29	≤54	PASS
				Peak	5350.000	-41.99	≤-21.20	53.21	≤74	PASS
				Peak	5400.406	-29.06	≤-21.20	66.14	≤74	PASS
				Peak	5460.000	-41.99	≤-21.20	53.21	≤74	PASS
	Ant2	High	5320	AV	5350.000	-53.88	≤-41.20	41.32	≤54	PASS
				AV	5447.942	-51.92	≤-41.20	43.28	≤54	PASS
				AV	5460.000	-54.04	≤-41.20	41.16	≤54	PASS
				Peak	5350.000	-43.84	≤-21.20	51.36	≤74	PASS
				Peak	5370.029	-40.41	≤-21.20	54.79	≤74	PASS
				Peak	5460.000	-42.89	≤-21.20	52.31	≤74	PASS
	Ant1	Low	5500	AV	5350.000	-54.46	≤-41.20	40.74	≤54	PASS
				AV	5454.913	-51.84	≤-41.20	43.36	≤54	PASS
				AV	5460.000	-52.39	≤-41.20	42.81	≤54	PASS
				Peak	5350.000	-43.65	≤-21.20	51.55	≤74	PASS
				Peak	5426.609	-40.75	≤-21.20	54.45	≤74	PASS
				Peak	5460.000	-42.84	≤-21.20	52.36	≤74	PASS
	Ant2	Low	5500	AV	5350.000	-53.72	≤-41.20	41.48	≤54	PASS
				AV	5455.217	-51.23	≤-41.20	43.97	≤54	PASS
				AV	5460.000	-52	≤-41.20	43.20	≤54	PASS
				Peak	5350.000	-42.88	≤-21.20	52.32	≤74	PASS
				Peak	5454.609	-40.44	≤-21.20	54.76	≤74	PASS
				Peak	5460.000	-42.11	≤-21.20	53.09	≤74	PASS
	Ant1	Low	5745	Peak	5650.000	-44.6	≤-27.00	---	---	PASS
				Peak	5700.000	-43.02	≤10.00	---	---	PASS
				Peak	5720.000	-42.86	≤15.60	---	---	PASS
				Peak	5725.000	-33.79	≤27.00	---	---	PASS
	Ant2	Low	5745	Peak	5650.000	-44.32	≤-27.00	---	---	PASS
				Peak	5700.000	-44.03	≤10.00	---	---	PASS
				Peak	5720.000	-42.71	≤15.60	---	---	PASS
				Peak	5725.000	-41.15	≤27.00	---	---	PASS
	Ant1	High	5825	Peak	5850.000	-34.24	≤15.60	---	---	PASS
				Peak	5855.000	-41.47	≤27.00	---	---	PASS
				Peak	5875.000	-44.8	≤15.60	---	---	PASS
				Peak	5925.000	-43.84	≤10.00	---	---	PASS
	Ant2	High	5825	Peak	5850.000	-41.1	≤15.60	---	---	PASS
				Peak	5855.000	-41.98	≤27.00	---	---	PASS
				Peak	5875.000	-42.81	≤15.60	---	---	PASS
				Peak	5925.000	-43.36	≤10.00	---	---	PASS


Note:

1. The Antenna Gain is compensated in the graph.


For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm

2. The test system adds the internal line loss into the compensation according to different frequencies, and the conduction antenna line loss and antenna gain have also been added, which is finally reflected in offset


11A Ant1 Low 5180 AV




11A Ant1 Low 5180 Peak




11A Ant2 Low 5180 AV




11A Ant2 Low 5180 Peak




11A Ant1 High 5320 AV




11A Ant1 High 5320 Peak




11A Ant2 High 5320 AV




11A Ant2 High 5320 Peak




11A Ant1 Low 5500 AV




11A Ant1 Low 5500 Peak




11A_Ant2_Low_5500_AV




11A_Ant2_Low_5500_Peak




11A_Ant1_Low_5745_Peak




11A_Ant2_Low_5745_Peak



11A_Ant1_High_5825_Peak



11A_Ant2_High_5825_Peak



ABOVE 1000 MHz

Note: All the modes have been tested and recorded worst mode in the report.

UNII-1

TX AC20 MIMO Channel 36 / 5180 MHz

Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10652	H	43.24	---	9.03	52.27	---	74	54	-21.73
15525	H	39.74	---	9.87	49.61	---	74	54	-24.39
---	H	---	---	---	---	---	---	---	---
10652	V	44.68	---	9.03	53.71	---	74	54	-20.29
15542	V	39.42	---	9.88	49.30	---	74	54	-24.70
---	V	---	---	---	---	---	---	---	---

TX AC20 MIMO Channel 40 / 5200 MHz

Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10669	H	44.69	---	9.09	53.78	---	74	54	-20.22
15601	H	38.64	---	9.91	48.55	---	74	54	-25.45
---	H	---	---	---	---	---	---	---	---
10668	V	44.58	---	9.09	53.67	---	74	54	-20.33
15601	V	41.05	---	9.91	50.96	---	74	54	-23.04
---	V	---	---	---	---	---	---	---	---

TX AC20 MIMO Channel 48 / 5240 MHz

Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10760	H	44.58	---	9.24	53.82	---	74	54	-20.18
15725	H	43.98	---	10.01	53.99	---	74	54	-20.01
---	H	---	---	---	---	---	---	---	---
10759	V	44.60	---	9.24	53.84	---	74	54	-20.16
15725	V	43.28	---	10.01	53.29	---	74	54	-20.71
---	V	---	---	---	---	---	---	---	---

UNII-3

TX AC20 MIMO Channel 149 / 5745 MHz

Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
11727	H	44.10	---	9.81	53.91	---	74	54	-20.09
17739	H	40.63	---	12.96	53.59	---	74	54	-20.41
---	H	---	---	---	---	---	---	---	---
11726	V	43.48	---	9.81	53.29	---	74	54	-20.71
17738	V	40.31	---	12.95	53.26	---	74	54	-20.74
---	V	---	---	---	---	---	---	---	---

TX AC20 MIMO Channel 153 / 5765 MHz

Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
11837	H	44.05	---	9.91	53.96	---	74	54	-20.04
18126	H	39.40	---	13.21	52.61	---	74	54	-21.39
---	H	---	---	---	---	---	---	---	---
11849	V	43.73	---	9.92	53.65	---	74	54	-20.35
18356	V	40.77	---	13.22	53.99	---	74	54	-20.01
---	V	---	---	---	---	---	---	---	---

TX AC20 MIMO Channel 165/ 5825 MHz

Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
11906	H	43.62	---	10.01	53.63	---	74	54	-20.37
18254	H	39.27	---	14.01	53.28	---	74	54	-20.72
---	H	---	---	---	---	---	---	---	---
11932	V	42.72	---	9.98	52.70	---	74	54	-21.30
18298	V	39.71	---	13.99	53.70	---	74	54	-20.30
---	V	---	---	---	---	---	---	---	---


Notes:

- 1). Radiated emissions measured in frequency range from 9 KHz~10th harmonic or 40GHz (which is less) were made with an instrument using Peak detector mode.
- 2). Data of measurement within this frequency range shown "---" in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- 3). Measured Level = Reading Level + Factor, Margin = Measured Level – Limit


APPENDIXE -BANDWIDTH

TestMode	Antenna	Freq(MHz)	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	19.88	5170.08	5189.96	---	---
	Ant2	5180	19.88	5170.04	5189.92	---	---
	Ant1	5200	19.88	5190.12	5210.00	---	---
	Ant2	5200	20.00	5189.96	5209.96	---	---
	Ant1	5240	19.92	5229.88	5249.80	---	---
	Ant2	5240	19.76	5230.12	5249.88	---	---
	Ant1	5745	19.80	5735.00	5754.80	---	---
	Ant2	5745	19.96	5734.84	5754.80	---	---
	Ant1	5785	19.96	5774.92	5794.88	---	---
	Ant2	5785	19.72	5775.28	5795.00	---	---
11N20MIMO	Ant1	5825	19.84	5815.00	5834.84	---	---
	Ant2	5825	19.68	5815.16	5834.84	---	---
	Ant1	5180	20.20	5170.00	5190.20	---	---
	Ant2	5180	20.20	5170.00	5190.20	---	---
	Ant1	5200	20.28	5189.80	5210.08	---	---
	Ant2	5200	20.28	5189.80	5210.08	---	---
	Ant1	5240	20.40	5229.80	5250.20	---	---
	Ant2	5240	20.16	5229.96	5250.12	---	---
	Ant1	5745	20.16	5734.88	5755.04	---	---
	Ant2	5745	20.24	5734.96	5755.20	---	---
11N40MIMO	Ant1	5785	20.20	5774.88	5795.08	---	---
	Ant2	5785	20.08	5774.92	5795.00	---	---
	Ant1	5825	20.16	5814.92	5835.08	---	---
	Ant2	5825	20.12	5814.96	5835.08	---	---
	Ant1	5190	40.96	5169.28	5210.24	---	---
	Ant2	5190	40.00	5170.08	5210.08	---	---
	Ant1	5230	40.80	5209.44	5250.24	---	---
	Ant2	5230	40.32	5209.92	5250.24	---	---
11AC20MIMO	Ant1	5755	40.72	5734.44	5775.16	---	---
	Ant2	5755	40.91	5774.51	5815.42	---	---
	Ant1	5795	41.36	5774.28	5815.64	---	---
	Ant2	5795	40.96	5774.52	5815.48	---	---
	Ant1	5180	20.12	5170.04	5190.16	---	---
	Ant2	5180	19.92	5170.04	5189.96	---	---
	Ant1	5200	20.36	5189.80	5210.16	---	---
	Ant2	5200	19.64	5190.20	5209.84	---	---
	Ant1	5240	20.24	5229.84	5250.08	---	---
	Ant2	5240	19.96	5230.00	5249.96	---	---
11AC40MIMO	Ant1	5745	20.12	5734.96	5755.08	---	---
	Ant2	5745	20.00	5735.08	5755.08	---	---
	Ant1	5785	20.12	5774.96	5795.08	---	---
	Ant2	5785	19.72	5775.16	5794.88	---	---
	Ant1	5825	20.04	5814.96	5835.00	---	---
	Ant2	5825	19.72	5815.04	5834.76	---	---
	Ant1	5190	40.64	5169.68	5210.32	---	---
	Ant2	5190	40.40	5169.92	5210.32	---	---
11AC80MIMO	Ant1	5230	40.48	5209.76	5250.24	---	---
	Ant2	5230	40.24	5209.84	5250.08	---	---
	Ant1	5755	40.70	5735.14	5775.84	---	---
	Ant2	5755	39.84	5735.24	5775.08	---	---
	Ant1	5795	40.16	5774.84	5815.00	---	---
	Ant2	5795	40.56	5774.76	5815.32	---	---
	Ant1	5210	79.84	5170.00	5249.84	---	---
	Ant2	5210	81.12	5169.52	5250.64	---	---
	Ant1	5775	81.12	5735.00	5816.12	---	---
	Ant2	5775	80.48	5735.16	5815.64	---	---


11A_Ant1_5180




11A_Ant2_5180




11A_Ant1_5200







11A_Ant1_5745




11A_Ant2_5745




11A_Ant1_5785




11A_Ant2_5785






11A_Ant1_5825




11A_Ant2_5825









11N20MIMO_Ant1_5745




11N20MIMO_Ant2_5745




11N20MIMO_Ant1_5785




11N20MIMO_Ant2_5785




11N20MIMO_Ant1_5825




11N20MIMO_Ant2_5825




11N40MIMO_Ant1_5190




11N40MIMO_Ant2_5190




11N40MIMO_Ant1_5230




11N40MIMO_Ant2_5230




11N40MIMO_Ant1_5755




11N40MIMO_Ant1_5795




11N40MIMO_Ant2_5795




11AC20MIMO_Ant1_5180






11AC20MIMO_Ant2_5180




11AC20MIMO_Ant1_5200







11AC20MIMO_Ant1_5745




11AC20MIMO_Ant2_5745




11AC20MIMO_Ant1_5785




11AC20MIMO_Ant2_5785




11AC20MIMO_Ant1_5825




11AC20MIMO_Ant2_5825




11AC40MIMO_Ant1_5190




11AC40MIMO_Ant2_5190




11AC40MIMO_Ant1_5230







11AC40MIMO_Ant2_5755







11AC40MIMO_Ant1_5795



11AC40MIMO_Ant2_5795









TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	16.583	5171.6883	5188.2717	---	---
	Ant2	5180	17.023	5171.7283	5188.7512	---	---
	Ant1	5200	16.863	5191.5684	5208.4316	---	---
	Ant2	5200	16.583	5191.7682	5208.3516	---	---
	Ant1	5240	16.663	5231.6883	5248.3516	---	---
	Ant2	5240	16.743	5231.6084	5248.3516	---	---
	Ant1	5745	16.903	5736.5285	5753.4316	---	---
	Ant2	5745	16.663	5736.6883	5753.3516	---	---
	Ant1	5785	16.783	5776.5285	5793.3117	---	---
	Ant2	5785	16.623	5776.7283	5793.3516	---	---
	Ant1	5825	16.703	5816.5684	5833.2717	---	---
	Ant2	5825	16.783	5816.5285	5833.3117	---	---
11N20MIMO	Ant1	5180	17.622	5171.2088	5188.8312	---	---
	Ant2	5180	17.582	5171.2488	5188.8312	---	---
	Ant1	5200	17.902	5190.9291	5208.8312	---	---
	Ant2	5200	17.742	5191.1289	5208.8711	---	---
	Ant1	5240	17.862	5231.0490	5248.9111	---	---
	Ant2	5240	17.582	5230.8891	5249.0709	---	---
	Ant1	5745	17.742	5736.0090	5753.7512	---	---
	Ant2	5745	17.742	5736.1688	5753.9111	---	---
	Ant1	5785	18.022	5775.8492	5793.8711	---	---
	Ant2	5785	18.022	5776.0490	5794.0709	---	---
	Ant1	5825	17.782	5816.1688	5833.9510	---	---
	Ant2	5825	17.662	5816.2088	5833.8711	---	---
11N40MIMO	Ant1	5190	36.204	5171.9381	5208.1419	---	---
	Ant2	5190	36.124	5171.9381	5208.0619	---	---
	Ant1	5230	35.884	5211.9381	5247.8222	---	---
	Ant2	5230	35.964	5212.0180	5247.9820	---	---
	Ant1	5755	36.044	5736.9381	5772.9820	---	---
	Ant2	5755	36.444	5736.8581	5773.3017	---	---
	Ant1	5795	36.603	5777.0180	5813.6214	---	---
	Ant2	5795	36.204	5776.9381	5813.1419	---	---
11AC20MIMO	Ant1	5180	17.702	5171.0889	5188.7912	---	---
	Ant2	5180	17.782	5171.0889	5188.8711	---	---
	Ant1	5200	17.742	5191.1289	5208.8711	---	---
	Ant2	5200	17.782	5191.1289	5208.9111	---	---
	Ant1	5240	17.942	5231.2088	5249.1508	---	---
	Ant2	5240	17.662	5231.1289	5248.7912	---	---
	Ant1	5745	17.702	5736.0889	5753.7912	---	---
	Ant2	5745	17.822	5736.1289	5753.9510	---	---
	Ant1	5785	17.742	5776.1289	5793.8711	---	---
	Ant2	5785	17.982	5775.9291	5793.9111	---	---
	Ant1	5825	17.622	5816.2488	5833.8711	---	---
	Ant2	5825	17.782	5816.0889	5833.8711	---	---
11AC40MIMO	Ant1	5190	36.284	5171.6983	5207.9820	---	---
	Ant2	5190	35.964	5171.9381	5207.9021	---	---
	Ant1	5230	36.044	5212.0979	5248.1419	---	---
	Ant2	5230	36.204	5211.9381	5248.1419	---	---
	Ant1	5755	36.044	5736.9381	5772.9820	---	---
	Ant2	5755	36.124	5736.9381	5773.0619	---	---
	Ant1	5795	36.044	5777.0979	5813.1419	---	---
	Ant2	5795	36.364	5776.9381	5813.3017	---	---
11AC80MIMO	Ant1	5210	75.445	5172.2777	5247.7223	---	---
	Ant2	5210	75.445	5172.4376	5247.8821	---	---
	Ant1	5775	76.084	5736.9580	5813.0420	---	---
	Ant2	5775	76.563	5737.1179	5813.6813	---	---


11A_Ant1_5180




11A_Ant2_5180




11A_Ant1_5200




11A_Ant2_5200



11A Ant1 5240



11A Ant2 5240



11A Ant1 5745