







Technical Specification			
Antenna Mode	1928C	Manufactured	SHENZHEN HENGXIANGTONG ANTENNA TECHNOLOGY CO., LTD.
Address	606, Building E, Enterprise Aviation Technology Innovation Research and Development Industrial Park, No. 1008, Songbai Road, Sunshine Community, Xili Street, Nanshan District, Shenzhen		
Size & Picture			
	GSM/WDMA/LTE Main: FPC		
			
	GSM/WDMA/LTE Aux: FPC		
			
	G/W/B: FPC		


Technical Specification							
Band		Mode	Name	Frequency	Antenna Type	Antenna Max Gain	
GSM Band	☒ Band-5 GSM 850			824-894	FPC	-1.99	dBi
	☒ Band-8 GSM 900			880-960		-0.78	
	☒ Band-3 DCS 1800			1710-1880		-1.37	
	☒ Band-2 PCS 1900			1850-1990		-0.09	
UMTS Band	☒ Band-1 2100		IMT	1920-2170	FPC	0.2	dBi
	☒ Band-2 1900		PCS A-F	1850-1990		-0.09	
	☒ Band-4 1700/2100		AWS A-F	1710-2155		0.2	
	☒ Band-5 850		CLR	824-894		-1.99	
	☒ Band-8 900		E-GSM	880-960		-0.78	
LTE Band	☒ Band-1 2100	FDD	IMT	1920-2170	FPC	0.2	dBi
	☒ Band-2 1900	FDD	PCS	1850-1990		-0.09	
	☒ Band-3 1800	FDD	DCS	1710-1880		-1.37	
	☒ Band-4 1700/2100	FDD	AWS	1710-2155		0.2	
	☒ Band-5 850	FDD	CLR	824-894		-1.99	
	☒ Band-7 2600	FDD	IMT-E	2500-2690		-1.45	
	☒ Band-8 900	FDD	EGSM	880-960		-0.78	
	☒ Band-18 800	FDD	Lower 800	815-875		-2.21	
	☒ Band-19 800	FDD	Upper 800	830-890		-1.99	
	☒ Band-20 800	FDD	EUDD	791-862		-2.55	
	☒ Band-25 1900	FDD	EPCS	1850-1995		-0.09	
	☒ Band-26 850	FDD	ECLR	814-894		-1.99	
	☒ Band-28 700	FDD	APT	703-803		-2.53	
	☒ Band-38 2600	TDD	IMT-E	2570-2620		-2.21	
	☒ Band-40 2300	TDD	S-Band	2300-2400		-2.12	
	☒ Band-41 2500	TDD	BRS	2496-2690		-1.45	
WiFi	☒ 802.11b/g/n	2.4GHz	Wi-Fi 4	2401-2495	FPC	1.46	dBi
	☒ 802.11a/n/ac	5GHz	Wi-Fi 5/6	4910-5895		1.23	
BT	☒ Bluetooth			2400-2500	FPC	1.46	dBi
GPS	☒ Gps L1 Band			1575.42	FPC	0.62	dBi

Technical Specification

Main 3-D Patten Plots







Technical Specification

G/W/B 3-D Patten Plots

