







11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230




11AC40SISO_Ant1_5755




11AC40SISO_Ant1_5795



11AC80SISO_Ant1_5210



11AC80SISO_Ant1_5775



Appendix E: Band edge measurements

Test Result B1

TestMode	Antenna	ChName	Freq(MHz)	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-41.13	≤-27	PASS
		High	5240	-41.17	≤-27	PASS
11N20SISO	Ant1	Low	5180	-40.8	≤-27	PASS
		High	5240	-41.4	≤-27	PASS
11N40SISO	Ant1	Low	5190	-40.08	≤-27	PASS
		High	5230	-40.87	≤-27	PASS
11AC20SISO	Ant1	Low	5180	-40.02	≤-27	PASS
		High	5240	-41.38	≤-27	PASS
11AC40SISO	Ant1	Low	5190	-40.32	≤-27	PASS
		High	5230	-41.23	≤-27	PASS
11AC80SISO	Ant1	Low	5210	-41.02	≤-27	PASS
		High	5210	-41.71	≤-27	PASS

Test Result B4

TestMode	Antenna	ChName	Freq(MHz)	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5650~5700	-41.84	≤-26.26	PASS
				5700~5720	-41.89	≤10.61	PASS
				5720~5725	-42.59	≤15.98	PASS
				5760~5650	-42.33	≤-27	PASS
		High	5825	5850~5855	-42.17	≤16.10	PASS
				5855~5875	-42.03	≤10.07	PASS
				5875~5925	-42.26	≤-26.58	PASS
				5925~5935	-41.83	≤-27	PASS
11N20SISO	Ant1	Low	5745	5650~5700	-41.59	≤-26.14	PASS
				5700~5720	-42.56	≤10.56	PASS
				5720~5725	-43.49	≤15.98	PASS
				5760~5650	-42.65	≤-27	PASS
		High	5825	5850~5855	-41.54	≤16.10	PASS
				5855~5875	-42.09	≤10.62	PASS
				5875~5925	-41.08	≤-26.15	PASS
				5925~5935	-42.56	≤-27	PASS
11N40SISO	Ant1	Low	5755	5650~5700	-43.92	≤-26.94	PASS
				5700~5720	-35.86	≤15.47	PASS
				5720~5725	-35.42	≤15.90	PASS

Total or partial reproduction of this document without permission of the Laboratory is not allowed.
Page 84 of 158

BTF Testing Lab (Shenzhen) Co., Ltd.

101/201/301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Subdistrict, Bao'an District, Shenzhen, China

Email: info@btf-lab.com

Tel: +86-755-23146130


<http://www.btf-lab.com>

Version: 1/00


		High	5795	5780~5650	-42.75	≤ -27	PASS
				5850~5855	-43.17	≤ 16.39	PASS
				5855~5875	-42.04	≤ 10.74	PASS
				5875~5925	-43.68	≤ -26.79	PASS
				5925~5935	-41.49	≤ -27	PASS
11AC20SI SO	Ant1	Low	5745	5650~5700	-42.37	≤ -26.88	PASS
				5700~5720	-42.29	≤ 10.61	PASS
				5720~5725	-41.57	≤ 17.50	PASS
				5760~5650	-42.95	≤ -27	PASS
		High	5825	5850~5855	-43.62	≤ 15.65	PASS
				5855~5875	-41.83	≤ 10.89	PASS
				5875~5925	-41.24	≤ -25.57	PASS
				5925~5935	-41.58	≤ -27	PASS
11AC40SI SO	Ant1	Low	5755	5650~5700	-43.93	≤ -26.36	PASS
				5700~5720	-41.71	≤ 11.20	PASS
				5720~5725	-38.1	≤ 16.34	PASS
				5780~5650	-42.7	≤ -27	PASS
		High	5795	5850~5855	-42.51	≤ 15.85	PASS
				5855~5875	-42.15	≤ 10.14	PASS
				5875~5925	-42.69	≤ -26.61	PASS
				5925~5935	-42.15	≤ -27	PASS
11AC80SI SO	Ant1	Low	5775	5650~5700	-41.95	≤ -26.21	PASS
				5700~5720	-39.15	≤ 10.14	PASS
				5720~5725	-39.38	≤ 16.18	PASS
				5800~5650	-42.48	≤ -27	PASS
		High	5775	5850~5855	-40.57	≤ 15.98	PASS
				5855~5875	-40.03	≤ 11.07	PASS
				5875~5925	-43.04	≤ -26.66	PASS
				5925~5935	-42.39	≤ -27	PASS

Test Graphs B1


11A_Ant1_Low_5180




11A_Ant1_High_5240




11N20SISO_Ant1_Low_5180




11N20SISO_Ant1_High_5240




11N40SISO_Ant1_Low_5190




11N40SISO_Ant1_High_5230




11AC20SISO_Ant1_Low_5180




11AC20SISO_Ant1_High_5240




11AC40SISO_Ant1_Low_5190




11AC40SISO_Ant1_High_5230



11AC80SISO_Ant1_Low_5210




11AC80SISO_Ant1_High_5210




Test Graphs B4


11A_Ant1_Low_5745



11A_Ant1_High_5825




11N20ISO_Ant1_Low_5745



Date: 14.AUG.2025 15:39:53

11N20SISO_Ant1_High_5825



Date: 14.AUG.2025 15:50:05


11N40SISO_Ant1_Low_5755




11N40SISO_Ant1_High_5795




11AC20SISO_Ant1_Low_5745




11AC20SISO_Ant1_High_5825




11AC40SISO_Ant1_Low_5755




11AC40SISO_Ant1_High_5795



11AC80SISO_Ant1_Low_5775



11AC80ISO_Ant1_High_5775



Appendix F: Conducted Spurious Emission

Test Result

TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~5140	5004.16	-34.54	≤-27	PASS
			5360~40000	6893.9	-37.82	≤-27	PASS
		5200	30~5140	4975.21	-34.66	≤-27	PASS
			5360~40000	6937.8	-37.77	≤-27	PASS
		5240	30~5140	2464.07	-33.27	≤-27	PASS
			5360~40000	6985.1	-37.01	≤-27	PASS
		5745	30~5650	5309.35	-34.24	≤-27	PASS
			5925~40000	6975	-33.28	≤-27	PASS
		5785	30~5650	5328.08	-33.69	≤-27	PASS
			5925~40000	6939.8	-33.83	≤-27	PASS
		5825	30~5650	5433.17	-34.21	≤-27	PASS
			5925~40000	6997.8	-34.26	≤-27	PASS
11N20SISO	Ant1	5180	30~5140	2463.39	-33.24	≤-27	PASS
			5360~40000	6956.3	-36.82	≤-27	PASS
		5200	30~5140	5049.3	-34.39	≤-27	PASS
			5360~40000	6962	-37.75	≤-27	PASS
		5240	30~5140	5024.6	-34.23	≤-27	PASS
			5360~40000	6898.5	-37.59	≤-27	PASS
		5745	30~5650	5354.87	-33.28	≤-27	PASS
			5925~40000	6903.5	-34.03	≤-27	PASS
		5785	30~5650	5374.91	-34.22	≤-27	PASS
			5925~40000	6988.7	-33.32	≤-27	PASS
		5825	30~5650	5365.17	-34.13	≤-27	PASS
			5925~40000	6994.4	-33.61	≤-27	PASS
11N40SISO	Ant1	5190	30~5140	4632.17	-34.78	≤-27	PASS
			5360~40000	6927.4	-37.56	≤-27	PASS
		5230	30~5140	5032.44	-34.52	≤-27	PASS
			5360~40000	6982.8	-37.45	≤-27	PASS
		5755	30~5650	5435.23	-34.05	≤-27	PASS
			5925~40000	6943.2	-33.07	≤-27	PASS
		5795	30~5650	5024.8	-33.73	≤-27	PASS
			5925~40000	6931.9	-33.72	≤-27	PASS
11AC20SISO	Ant1	5180	30~5140	4959.54	-34.83	≤-27	PASS
			5360~40000	6992.1	-36.92	≤-27	PASS
		5200	30~5140	5011.83	-33.88	≤-27	PASS

Total or partial reproduction of this document without permission of the Laboratory is not allowed.
Page 98 of 158

BTF Testing Lab (Shenzhen) Co., Ltd.

101/201/301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Subdistrict, Bao'an District, Shenzhen, China

Email: info@btf-lab.com

Tel: +86-755-23146130

<http://www.btf-lab.com>

Version: 1/00

			5360~40000	6970.1	-37.58	≤ -27	PASS
		5240	30~5140	5063.95	-34.73	≤ -27	PASS
			5360~40000	6993.2	-37.29	≤ -27	PASS
		5745	30~5650	5411.25	-34.02	≤ -27	PASS
			5925~40000	6920.5	-33.49	≤ -27	PASS
		5785	30~5650	5023.86	-34.42	≤ -27	PASS
			5925~40000	39675.7	-33.44	≤ -27	PASS
		5825	30~5650	4566.41	-33.54	≤ -27	PASS
			5925~40000	6959.1	-33.65	≤ -27	PASS
11AC40SISO	Ant1	5190	30~5140	4940.29	-34.56	≤ -27	PASS
			5360~40000	6965.5	-37.29	≤ -27	PASS
		5230	30~5140	3926.33	-34.77	≤ -27	PASS
			5360~40000	6957.4	-36.39	≤ -27	PASS
		5755	30~5650	5326.39	-34.46	≤ -27	PASS
			5925~40000	6984.1	-33.06	≤ -27	PASS
		5795	30~5650	5357.86	-34.27	≤ -27	PASS
			5925~40000	6896.7	-32.37	≤ -27	PASS
11AC80SISO	Ant1	5210	30~5140	5136.34	-34.19	≤ -27	PASS
			5360~40000	6952.8	-36.04	≤ -27	PASS
		5775	30~5650	5410.88	-34.8	≤ -27	PASS
			5925~40000	6959.1	-33.65	≤ -27	PASS


11A Ant1 5180 30~5140




11A Ant1 5180 5360~40000




11A_Ant1_5200_30~5140




11A_Ant1_5200_5360~40000




11A_Ant1_5240_30~5140




11A_Ant1_5240_5360~40000




11A Ant1 5745 30~5650




11A_Ant1_5745_5925~40000




11A_Ant1_5785_30~5650




11A_Ant1_5785_5925~40000




11A_Ant1_5825_30~5650




11A_Ant1_5825_5925~40000




11N20SISO_Ant1_5180_30~5140




11N20SISO_Ant1_5180_5360~40000




11N20SISO_Ant1_5200_30~5140




11N20SISO_Ant1_5200_5360~40000




11N20SISO_Ant1_5240_30~5140




11N20SISO_Ant1_5240_5360~40000




11N20SISO Ant1 5745 30~5650




11N20SISO_Ant1_5745_5925~40000




11N20SISO_Ant1_5785_30~5650




11N20SISO_Ant1_5785_5925~40000




11N20SISO_Ant1_5825_30~5650




11N20SISO_Ant1_5825_5925~40000




11N40SISO_Ant1_5190_30~5140




11N40SISO_Ant1_5190_5360~40000




11N40SISO_Ant1_5230_30~5140




11N40SISO_Ant1_5230_5360~40000




11N40SISO_Ant1_5755_30~5650




11N40SISO_Ant1_5755_5925~40000




11N40SISO_Ant1_5795_30~5650




11N40SISO_Ant1_5795_5925~40000




11AC20SISO_Ant1_5180_30~5140




11AC20SISO_Ant1_5180_5360~40000




11AC20SISO_Ant1_5200_30~5140




11AC20SISO_Ant1_5200_5360~40000




11AC20SISO_Ant1_5240_30~5140




11AC20SISO_Ant1_5240_5360~40000




11AC20SISO_Ant1_5745_30~5650




11AC20SISO_Ant1_5745_5925~40000




11AC20SISO_Ant1_5785_30~5650




11AC20SISO_Ant1_5785_5925~40000




11AC20SISO_Ant1_5825_30~5650




11AC20SISO_Ant1_5825_5925~40000




11AC40SISO_Ant1_5190_30~5140




11AC40SISO_Ant1_5190_5360~40000




11AC40SISO_Ant1_5230_30~5140




11AC40SISO_Ant1_5230_5360~40000




11AC40SISO_Ant1_5755_30~5650




11AC40SISO_Ant1_5755_5925~40000




11AC40SISO_Ant1_5795_30~5650




11AC40SISO_Ant1_5795_5925~40000




11AC80SISO_Ant1_5210_30~5140




11AC80SISO_Ant1_5210_5360~40000



11AC80SISO_Ant1_5775_30~5650



11AC80SISO_Ant1_5775_5925~40000



Appendix G: Frequency Stability

Test Result

Voltage								
TestMode	Antenna	Freq(M Hz)	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
		5200	NV	NT	-20000.00	-3.846154	20	PASS
			LV	NT	-20000.00	-3.846154	20	PASS
			HV	NT	-40000.00	-7.692308	20	PASS
		5240	NV	NT	-20000.00	-3.816794	20	PASS
			LV	NT	-20000.00	-3.816794	20	PASS
			HV	NT	-20000.00	-3.816794	20	PASS
		5745	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
		5785	NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	-20000.00	-3.457217	20	PASS
		5825	NV	NT	-40000.00	-6.866953	20	PASS
			LV	NT	-20000.00	-3.433476	20	PASS
			HV	NT	-40000.00	-6.866953	20	PASS
11N20SI SO	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	-40000.00	-7.722008	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
		5200	NV	NT	-20000.00	-3.846154	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.846154	20	PASS
		5240	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.816794	20	PASS
		5745	NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-20000.00	-3.481288	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5785	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-6.914434	20	PASS
		5825	NV	NT	-20000.00	-3.433476	20	PASS

Total or partial reproduction of this document without permission of the Laboratory is not allowed.
Page 128 of 158

BTF Testing Lab (Shenzhen) Co., Ltd.

101/201/301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Subdistrict, Bao'an District, Shenzhen, China

Email: info@btf-lab.com

Tel: +86-755-23146130

<http://www.btf-lab.com>

Version: 1/00

			LV	NT	-40000.00	-6.866953	20	PASS
			HV	NT	-20000.00	-3.433476	20	PASS
11N40SI SO	Ant1	5190	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.707129	20	PASS
			HV	NT	-40000.00	-7.707129	20	PASS
		5230	NV	NT	-40000.00	-7.648184	20	PASS
			LV	NT	-40000.00	-7.648184	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5755	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5795	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11AC20S ISO	Ant1	5180	NV	NT	-40000.00	-7.722008	20	PASS
			LV	NT	-20000.00	-3.861004	20	PASS
			HV	NT	20000.00	3.861004	20	PASS
		5200	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.692308	20	PASS
			HV	NT	-20000.00	-3.846154	20	PASS
		5240	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.633588	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5745	NV	NT	-20000.00	-3.481288	20	PASS
			LV	NT	-20000.00	-3.481288	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
		5785	NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5825	NV	NT	-40000.00	-6.866953	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.433476	20	PASS
11AC40S ISO	Ant1	5190	NV	NT	-40000.00	-7.707129	20	PASS
			LV	NT	-40000.00	-7.707129	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5230	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-80000.00	-15.296367	20	PASS
		5755	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS

Total or partial reproduction of this document without permission of the Laboratory is not allowed.
Page 129 of 158

BTF Testing Lab (Shenzhen) Co., Ltd.

101/201/301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Subdistrict, Bao'an District, Shenzhen, China

Email: info@btf-lab.com

Tel: +86-755-23146130

<http://www.btf-lab.com>

Version: 1/00

11AC80S ISO	Ant1	5795	HV	NT	-40000.00	-6.950478	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-6.902502	20	PASS
		5210	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5775	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS

Temperature								
TestMode	Antenna	Freq(M Hz)	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	-20000.00	-3.861004	20	PASS
			NV	-20	-20000.00	-3.861004	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.861004	20	PASS
			NV	10	-20000.00	-3.861004	20	PASS
			NV	20	-20000.00	-3.861004	20	PASS
			NV	30	-20000.00	-3.861004	20	PASS
			NV	40	-20000.00	-3.861004	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5200	NV	-30	-20000.00	-3.846154	20	PASS
			NV	-20	-20000.00	-3.846154	20	PASS
			NV	-10	-40000.00	-7.692308	20	PASS
			NV	0	-20000.00	-3.846154	20	PASS
			NV	10	-20000.00	-3.846154	20	PASS
			NV	20	-20000.00	-3.846154	20	PASS
			NV	30	-20000.00	-3.846154	20	PASS
			NV	40	-20000.00	-3.846154	20	PASS
			NV	50	-20000.00	-3.846154	20	PASS
		5240	NV	-30	-20000.00	-3.816794	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-20000.00	-3.816794	20	PASS
			NV	0	-20000.00	-3.816794	20	PASS
			NV	10	-20000.00	-3.816794	20	PASS
			NV	20	-20000.00	-3.816794	20	PASS
			NV	30	-40000.00	-7.633588	20	PASS
			NV	40	-20000.00	-3.816794	20	PASS

Total or partial reproduction of this document without permission of the Laboratory is not allowed.
Page 130 of 158

BTF Testing Lab (Shenzhen) Co., Ltd.

101/201/301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Subdistrict, Bao'an District, Shenzhen, China

Email: info@btf-lab.com

Tel: +86-755-23146130

<http://www.btf-lab.com>

Version: 1/00

		5745	NV	50	-20000.00	-3.816794	20	PASS
			NV	-30	-20000.00	-3.481288	20	PASS
			NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	-20000.00	-3.481288	20	PASS
			NV	10	-20000.00	-3.481288	20	PASS
			NV	20	-20000.00	-3.481288	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS
			NV	40	-20000.00	-3.481288	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5785	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-20000.00	-3.457217	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-6.914434	20	PASS
			NV	10	-20000.00	-3.457217	20	PASS
			NV	20	-20000.00	-3.457217	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	40	-20000.00	-3.457217	20	PASS
			NV	50	-20000.00	-3.457217	20	PASS
		5825	NV	-30	-20000.00	-3.433476	20	PASS
			NV	-20	-20000.00	-3.433476	20	PASS
			NV	-10	-40000.00	-6.866953	20	PASS
			NV	0	-20000.00	-3.433476	20	PASS
			NV	10	-40000.00	-6.866953	20	PASS
			NV	20	-40000.00	-6.866953	20	PASS
			NV	30	-20000.00	-3.433476	20	PASS
			NV	40	-20000.00	-3.433476	20	PASS
			NV	50	0.00	0.000000	20	PASS
11N20SI SO	Ant1	5180	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-20000.00	-3.861004	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.861004	20	PASS
			NV	10	-60000.00	-11.583012	20	PASS
			NV	20	-20000.00	-3.861004	20	PASS
			NV	30	-20000.00	-3.861004	20	PASS
			NV	40	-40000.00	-7.722008	20	PASS
			NV	50	-20000.00	-3.861004	20	PASS
		5200	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-7.692308	20	PASS
			NV	-10	0.00	0.000000	20	PASS

Total or partial reproduction of this document without permission of the Laboratory is not allowed.
Page 131 of 158

BTF Testing Lab (Shenzhen) Co., Ltd.

101/201/301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Subdistrict, Bao'an District, Shenzhen, China

Email: info@btf-lab.com

Tel: +86-755-23146130

<http://www.btf-lab.com>

Version: 1/00

			NV	0	-40000.00	-7.692308	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	20000.00	3.846154	20	PASS
			NV	40	-20000.00	-3.846154	20	PASS
			NV	50	-20000.00	-3.846154	20	PASS
		5240	NV	-30	-40000.00	-7.633588	20	PASS
			NV	-20	-40000.00	-7.633588	20	PASS
			NV	-10	-20000.00	-3.816794	20	PASS
			NV	0	-20000.00	-3.816794	20	PASS
			NV	10	-20000.00	-3.816794	20	PASS
			NV	20	-20000.00	-3.816794	20	PASS
			NV	30	-20000.00	-3.816794	20	PASS
			NV	40	-20000.00	-3.816794	20	PASS
			NV	50	20000.00	3.816794	20	PASS
		5745	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	-20000.00	-3.481288	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.481288	20	PASS
			NV	30	-40000.00	-6.962576	20	PASS
			NV	40	-20000.00	-3.481288	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5785	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-6.914434	20	PASS
			NV	-10	-20000.00	-3.457217	20	PASS
			NV	0	-40000.00	-6.914434	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-6.914434	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-6.914434	20	PASS
		5825	NV	-30	-40000.00	-6.866953	20	PASS
			NV	-20	-20000.00	-3.433476	20	PASS
			NV	-10	-40000.00	-6.866953	20	PASS
			NV	0	-20000.00	-3.433476	20	PASS
			NV	10	-20000.00	-3.433476	20	PASS
			NV	20	-60000.00	-10.300429	20	PASS
			NV	30	-20000.00	-3.433476	20	PASS

Total or partial reproduction of this document without permission of the Laboratory is not allowed.
Page 132 of 158

BTF Testing Lab (Shenzhen) Co., Ltd.

101/201/301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Subdistrict, Bao'an District, Shenzhen, China

Email: info@btf-lab.com

Tel: +86-755-23146130

<http://www.btf-lab.com>

Version: 1/00

11N40SI SO	Ant1		NV	40	-40000.00	-6.866953	20	PASS
			NV	50	-40000.00	-6.866953	20	PASS
		5190	NV	-30	-40000.00	-7.707129	20	PASS
			NV	-20	-40000.00	-7.707129	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.707129	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.707129	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-7.707129	20	PASS
			NV	50	-40000.00	-7.707129	20	PASS
		5230	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-7.648184	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.648184	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-7.648184	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.648184	20	PASS
		5755	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5795	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	40000.00	6.902502	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
11AC20S ISO	Ant1	5180	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS

Total or partial reproduction of this document without permission of the Laboratory is not allowed.
Page 133 of 158

BTF Testing Lab (Shenzhen) Co., Ltd.

101/201/301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Subdistrict, Bao'an District, Shenzhen, China

Email: info@btf-lab.com

Tel: +86-755-23146130

<http://www.btf-lab.com>

Version: 1/00

			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.722008	20	PASS
			NV	10	-20000.00	-3.861004	20	PASS
			NV	20	-20000.00	-3.861004	20	PASS
			NV	30	20000.00	3.861004	20	PASS
			NV	40	-20000.00	-3.861004	20	PASS
			NV	50	-20000.00	-3.861004	20	PASS
		5200	NV	-30	-20000.00	-3.846154	20	PASS
			NV	-20	-20000.00	-3.846154	20	PASS
			NV	-10	-40000.00	-7.692308	20	PASS
			NV	0	-20000.00	-3.846154	20	PASS
			NV	10	-20000.00	-3.846154	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.846154	20	PASS
			NV	50	-20000.00	-3.846154	20	PASS
		5240	NV	-30	-20000.00	-3.816794	20	PASS
			NV	-20	-40000.00	-7.633588	20	PASS
			NV	-10	-40000.00	-7.633588	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.816794	20	PASS
			NV	20	-40000.00	-7.633588	20	PASS
			NV	30	-20000.00	-3.816794	20	PASS
			NV	40	-20000.00	-3.816794	20	PASS
			NV	50	-40000.00	-7.633588	20	PASS
		5745	NV	-30	-40000.00	-6.962576	20	PASS
			NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	-20000.00	-3.481288	20	PASS
			NV	10	-20000.00	-3.481288	20	PASS
			NV	20	-40000.00	-6.962576	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS
			NV	40	-20000.00	-3.481288	20	PASS
			NV	50	-20000.00	-3.481288	20	PASS
		5785	NV	-30	-40000.00	-6.914434	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-40000.00	-6.914434	20	PASS
			NV	0	-20000.00	-3.457217	20	PASS
			NV	10	-40000.00	-6.914434	20	PASS
			NV	20	-20000.00	-3.457217	20	PASS

Total or partial reproduction of this document without permission of the Laboratory is not allowed.
Page 134 of 158

BTF Testing Lab (Shenzhen) Co., Ltd.

101/201/301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Subdistrict, Bao'an District, Shenzhen, China

Email: info@btf-lab.com

Tel: +86-755-23146130

<http://www.btf-lab.com>

Version: 1/00

			NV	30	-20000.00	-3.457217	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-20000.00	-3.457217	20	PASS
		5825	NV	-30	-20000.00	-3.433476	20	PASS
			NV	-20	-20000.00	-3.433476	20	PASS
			NV	-10	-40000.00	-6.866953	20	PASS
			NV	0	-40000.00	-6.866953	20	PASS
			NV	10	-20000.00	-3.433476	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-6.866953	20	PASS
			NV	40	-20000.00	-3.433476	20	PASS
			NV	50	-20000.00	-3.433476	20	PASS
11AC40S ISO	Ant1	5190	NV	-30	0.00	0.000000	20	PASS
			NV	-20	40000.00	7.707129	20	PASS
			NV	-10	-40000.00	-7.707129	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-80000.00	-15.414258	20	PASS
			NV	50	-40000.00	-7.707129	20	PASS
		5230	NV	-30	-40000.00	-7.648184	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.648184	20	PASS
			NV	10	-40000.00	-7.648184	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-7.648184	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5755	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-6.950478	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-6.950478	20	PASS
			NV	30	-40000.00	-6.950478	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	40000.00	6.950478	20	PASS
		5795	NV	-30	0.00	0.000000	20	PASS

Total or partial reproduction of this document without permission of the Laboratory is not allowed.
Page 135 of 158

BTF Testing Lab (Shenzhen) Co., Ltd.

101/201/301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Subdistrict, Bao'an District, Shenzhen, China

Email: info@btf-lab.com

Tel: +86-755-23146130

<http://www.btf-lab.com>

Version: 1/00

			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-80000.00	-13.805004	20	PASS
			NV	0	-80000.00	-13.805004	20	PASS
			NV	10	-40000.00	-6.902502	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-6.902502	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
11AC80S ISO	Ant1	5210	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5775	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS

Appendix H: Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-54.82	≤-41.20	40.38	≤54	PASS
				AV	5032.609	-51.86	≤-41.20	43.34	≤54	PASS
				AV	5150.000	-52.45	≤-41.20	42.75	≤54	PASS
				Peak	4500.000	-36.28	≤-21.20	58.92	≤74	PASS
				Peak	5036.667	-32.35	≤-21.20	62.85	≤74	PASS
				Peak	5150.000	-36.04	≤-21.20	59.16	≤74	PASS
		High	5240	AV	5350.000	-52.86	≤-41.20	42.34	≤54	PASS
				AV	5447.826	-51.59	≤-41.20	43.61	≤54	PASS
				AV	5460.000	-52.93	≤-41.20	42.27	≤54	PASS
				Peak	5350.000	-44.5	≤-21.20	50.70	≤74	PASS
				Peak	5448.870	-41.36	≤-21.20	53.84	≤74	PASS
				Peak	5460.000	-44.98	≤-21.20	50.22	≤74	PASS
		Low	5745	Peak	5650.000	-43.24	≤-27.00	---	---	PASS
				Peak	5700.000	-43.6	≤10.00	---	---	PASS
				Peak	5720.000	-37.8	≤15.60	---	---	PASS
				Peak	5725.000	-38.64	≤27.00	- -	- -	PASS
		High	5825	Peak	5850.000	-30.51	≤27.00	---	---	PASS
				Peak	5855.000	-36.6	≤15.60	---	---	PASS
				Peak	5875.000	-42.9	≤10.00	---	---	PASS
				Peak	5925.000	-43.22	≤-27.00	- -	- -	PASS
11N20SIS O	Ant1	Low	5180	AV	4500.000	-54.67	≤-41.20	40.53	≤54	PASS
				AV	5035.652	-51.79	≤-41.20	43.41	≤54	PASS
				AV	5150.000	-52.83	≤-41.20	42.37	≤54	PASS
				Peak	4500.000	-36.17	≤-21.20	59.03	≤74	PASS
				Peak	5004.203	-33.25	≤-21.20	61.95	≤74	PASS
				Peak	5150.000	-34.7	≤-21.20	60.50	≤74	PASS
		High	5240	AV	5350.000	-52.96	≤-41.20	42.24	≤54	PASS
				AV	5448.174	-51.67	≤-41.20	43.53	≤54	PASS
				AV	5460.000	-52.8	≤-41.20	42.40	≤54	PASS
				Peak	5350.000	-43.61	≤-21.20	51.59	≤74	PASS
				Peak	5361.913	-41.57	≤-21.20	53.63	≤74	PASS
				Peak	5460.000	-45.25	≤-21.20	49.95	≤74	PASS
		Low	5745	Peak	5650.000	-45.78	≤-27.00	---	---	PASS
				Peak	5700.000	-43.89	≤10.00	---	---	PASS
				Peak	5720.000	-34.3	≤15.60	---	---	PASS

Total or partial reproduction of this document without permission of the Laboratory is not allowed.
Page 137 of 158

BTF Testing Lab (Shenzhen) Co., Ltd.

101/201/301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Subdistrict, Bao'an District, Shenzhen, China

Email: info@btf-lab.com

Tel: +86-755-23146130

<http://www.btf-lab.com>

Version: 1/00

		High	5825	Peak	5725.000	-37.1	≤27.00	- - -	- - -	PASS
				Peak	5850.000	-33.97	≤27.00	---	---	PASS
				Peak	5855.000	-41.54	≤15.60	---	---	PASS
				Peak	5875.000	-43.69	≤10.00	---	---	PASS
				Peak	5925.000	-42.18	≤27.00	- - -	- - -	PASS
11N40SIS O	Ant1	Low	5190	AV	4500.000	-54.13	≤-41.20	41.07	≤54	PASS
				AV	5149.275	-49.83	≤-41.20	45.37	≤54	PASS
				AV	5150.000	-49.91	≤-41.20	45.29	≤54	PASS
				Peak	4500.000	-37.15	≤-21.20	58.05	≤74	PASS
				Peak	5021.449	-33.03	≤-21.20	62.17	≤74	PASS
				Peak	5150.000	-34.72	≤-21.20	60.48	≤74	PASS
		High	5230	AV	5350.000	-53.01	≤-41.20	42.19	≤54	PASS
				AV	5447.942	-51.14	≤-41.20	44.06	≤54	PASS
				AV	5460.000	-52.45	≤-41.20	42.75	≤54	PASS
				Peak	5350.000	-44.83	≤-21.20	50.37	≤74	PASS
				Peak	5455.101	-39.56	≤-21.20	55.64	≤74	PASS
				Peak	5460.000	-43.67	≤-21.20	51.53	≤74	PASS
		Low	5755	Peak	5650.000	-42.37	≤-27.00	---	---	PASS
				Peak	5700.000	-40.44	≤10.00	---	---	PASS
				Peak	5720.000	-33.35	≤15.60	---	---	PASS
				Peak	5725.000	-30.08	≤27.00	- - -	- - -	PASS
		High	5795	Peak	5850.000	-40.64	≤27.00	---	---	PASS
				Peak	5855.000	-42.63	≤15.60	---	---	PASS
				Peak	5875.000	-42.21	≤10.00	---	---	PASS
				Peak	5925.000	-45.44	≤-27.00	- - -	- - -	PASS
11AC20SI SO	Ant1	Low	5180	AV	4500.000	-54.78	≤-41.20	40.42	≤54	PASS
				AV	5032.609	-51.68	≤-41.20	43.52	≤54	PASS
				AV	5150.000	-52.97	≤-41.20	42.23	≤54	PASS
				Peak	4500.000	-36.92	≤-21.20	58.28	≤74	PASS
				Peak	4935.217	-32.49	≤-21.20	62.71	≤74	PASS
				Peak	5150.000	-36.5	≤-21.20	58.70	≤74	PASS
		High	5240	AV	5350.000	-52.84	≤-41.20	42.36	≤54	PASS
				AV	5448.522	-51.73	≤-41.20	43.47	≤54	PASS
				AV	5460.000	-52.73	≤-41.20	42.47	≤54	PASS
				Peak	5350.000	-42.54	≤-21.20	52.66	≤74	PASS
				Peak	5412.348	-39.44	≤-21.20	55.76	≤74	PASS
				Peak	5460.000	-43.13	≤-21.20	52.07	≤74	PASS
		Low	5745	Peak	5650.000	-44.25	≤-27.00	---	---	PASS
				Peak	5700.000	-42.1	≤10.00	---	---	PASS
				Peak	5720.000	-41.88	≤15.60	---	---	PASS

		High	5825	Peak	5725.000	-34.59	≤27.00	- - -	- - -	PASS
				Peak	5850.000	-31.71	≤27.00	---	---	PASS
				Peak	5855.000	-34.03	≤15.60	---	---	PASS
				Peak	5875.000	-43.85	≤10.00	---	---	PASS
				Peak	5925.000	-42.41	≤-27.00	- - -	- - -	PASS
11AC40SI SO	Ant1	Low	5190	AV	4500.000	-54.63	≤-41.20	40.57	≤54	PASS
				AV	5149.275	-50.11	≤-41.20	45.09	≤54	PASS
				AV	5150.000	-49.78	≤-41.20	45.42	≤54	PASS
				Peak	4500.000	-36.44	≤-21.20	58.76	≤74	PASS
				Peak	4986.957	-33.01	≤-21.20	62.19	≤74	PASS
				Peak	5150.000	-33.65	≤-21.20	61.55	≤74	PASS
		High	5230	AV	5350.000	-53	≤-41.20	42.20	≤54	PASS
				AV	5447.942	-51	≤-41.20	44.20	≤54	PASS
				AV	5460.000	-52.37	≤-41.20	42.83	≤54	PASS
				Peak	5350.000	-43.88	≤-21.20	51.32	≤74	PASS
				Peak	5407.246	-40.15	≤-21.20	55.05	≤74	PASS
				Peak	5460.000	-42.64	≤-21.20	52.56	≤74	PASS
		Low	5755	Peak	5650.000	-45.15	≤-27.00	---	---	PASS
				Peak	5700.000	-40.61	≤10.00	---	---	PASS
				Peak	5720.000	-29.67	≤15.60	---	---	PASS
				Peak	5725.000	-27.99	≤27.00	- - -	- - -	PASS
		High	5795	Peak	5850.000	-40.18	≤27.00	---	---	PASS
				Peak	5855.000	-42.38	≤15.60	---	---	PASS
				Peak	5875.000	-42.64	≤10.00	---	---	PASS
				Peak	5925.000	-42.89	≤-27.00	- - -	- - -	PASS
11AC80SI SO	Ant1	Low	5210	AV	4500.000	-53.59	≤-41.20	41.61	≤54	PASS
				AV	5145.652	-46.37	≤-41.20	48.83	≤54	PASS
				AV	5150.000	-46.64	≤-41.20	48.56	≤54	PASS
				Peak	4500.000	-34.97	≤-21.20	60.23	≤74	PASS
				Peak	5140.217	-30.24	≤-21.20	64.96	≤74	PASS
				Peak	5150.000	-33.43	≤-21.20	61.77	≤74	PASS
		High	5210	AV	5350.000	-51.5	≤-41.20	43.70	≤54	PASS
				AV	5447.826	-50.67	≤-41.20	44.53	≤54	PASS
				AV	5460.000	-51.75	≤-41.20	43.45	≤54	PASS
				Peak	5350.000	-41.46	≤-21.20	53.74	≤74	PASS
				Peak	5364.232	-40.64	≤-21.20	54.56	≤74	PASS
				Peak	5460.000	-42.8	≤-21.20	52.40	≤74	PASS
		Low	5775	Peak	5650.000	-40.45	≤-27.00	---	---	PASS
				Peak	5700.000	-33.05	≤10.00	---	---	PASS
				Peak	5720.000	-31.82	≤15.60	---	---	PASS


				Peak	5725.000	-31.9	≤ 27.00	- - -	- - -	PASS
				Peak	5850.000	-37.13	≤ 27.00	---	---	PASS
				Peak	5855.000	-37.12	≤ 15.60	---	---	PASS
		High	5775	Peak	5875.000	-37.23	≤ 10.00	---	---	PASS
				Peak	5925.000	-41.65	≤ -27.00	- - -	- - -	PASS

Note:


1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs


11A_Ant1_Low_5180_AV




11A_Ant1_Low_5180_Peak




11A_Ant1_High_5240_AV




11A_Ant1_High_5240_Peak




11A_Ant1_Low_5745_Peak




11A_Ant1_High_5825_Peak




11N20SISO_Ant1_Low_5180_AV




11N20SISO_Ant1_Low_5180_Peak




11N20SISO_Ant1_High_5240_AV




11N20SISO_Ant1_High_5240_Peak




11N20SISO_Ant1_Low_5745_Peak




11N20SISO_Ant1_High_5825_Peak




11N40SISO_Ant1_Low_5190_AV




11N40SISO_Ant1_Low_5190_Peak




11N40SISO_Ant1_High_5230_AV




11N40SISO_Ant1_High_5230_Peak




11N40SISO_Ant1_Low_5755_Peak




11N40SISO_Ant1_High_5795_Peak




11AC20SISO_Ant1_Low_5180_AV




11AC20SISO_Ant1_Low_5180_Peak




11AC20SISO_Ant1_High_5240_AV




11AC20SISO_Ant1_High_5240_Peak




11AC20SISO_Ant1_Low_5745_Peak




11AC20SISO_Ant1_High_5825_Peak




11AC40SISO_Ant1_Low_5190_AV




11AC40SISO_Ant1_Low_5190_Peak




11AC40SISO_Ant1_High_5230_AV




11AC40SISO_Ant1_High_5230_Peak




11AC40SISO_Ant1_Low_5755_Peak




11AC40ISO_Ant1_High_5795_Peak




11AC80ISO_Ant1_Low_5210_AV




11AC80SISO_Ant1_Low_5210_Peak




11AC80SISO_Ant1_High_5210_AV



11AC80SISO_Ant1_High_5210_Peak



11AC80SISO_Ant1_Low_5775_Peak



11AC80ISO_Ant1_High_5775_Peak

