









E3-1.Occupied Bandwidth GPRS


Band	Channel	Freq (MHz)	Slots	OBW (MHz)	26dB BW (MHz)	Verdict
GSM 850	128	824.2	1 Tx	0.24313	0.3184	PASS
GSM 850	190	836.6	1 Tx	0.24313	0.3184	PASS
GSM 850	251	848.8	1 Tx	0.24313	0.3155	PASS
PCS 1900	512	1850.2	1 Tx	0.24313	0.3184	PASS
PCS 1900	661	1880.0	1 Tx	0.24313	0.3184	PASS
PCS 1900	810	1909.8	1 Tx	0.24313	0.3155	PASS






E3-2.Occupied Bandwidth EGPRS

Band	Channel	Freq (MHz)	Slots	OBW (MHz)	26dB BW (MHz)	Verdict
GSM 850	128	824.2	1 Tx	0.24602	0.3184	PASS
GSM 850	190	836.6	1 Tx	0.24602	0.3184	PASS
GSM 850	251	848.8	1 Tx	0.24313	0.3184	PASS
PCS 1900	512	1850.2	1 Tx	0.24313	0.3184	PASS
PCS 1900	661	1880.0	1 Tx	0.24313	0.3155	PASS
PCS 1900	810	1909.8	1 Tx	0.24313	0.3184	PASS





E4.Conducted Spurious Emissions

Band	Channel	Freq (MHz)	StartFreq (MHz)	StopFreq (MHz)	Result (dBm)	Limit (dBm)	Verdict
GSM 850	128	824.2	0.15	30.0	-35.51	-13	PASS
GSM 850	128	824.2	30.0	1000.0	-39.09	-13	PASS
GSM 850	128	824.2	1000.0	4000.0	-16.01	-13	PASS
GSM 850	128	824.2	4000.0	7000.0	-39.35	-13	PASS
GSM 850	128	824.2	7000.0	10000.0	-43.34	-13	PASS
GSM 850	190	836.6	0.15	30.0	-38.39	-13	PASS
GSM 850	190	836.6	30.0	1000.0	-39.74	-13	PASS
GSM 850	190	836.6	1000.0	4000.0	-15.04	-13	PASS
GSM 850	190	836.6	4000.0	7000.0	-39.49	-13	PASS
GSM 850	190	836.6	7000.0	10000.0	-42.86	-13	PASS
GSM 850	251	848.8	0.15	30.0	-35.9	-13	PASS
GSM 850	251	848.8	30.0	1000.0	-40.07	-13	PASS
GSM 850	251	848.8	1000.0	4000.0	-14.31	-13	PASS
GSM 850	251	848.8	4000.0	7000.0	-39.58	-13	PASS
GSM 850	251	848.8	7000.0	10000.0	-43.0	-13	PASS
PCS 1900	512	1850.2	0.15	30.0	-38.76	-23	PASS
PCS 1900	512	1850.2	30.0	1000.0	-43.79	-13	PASS
PCS 1900	512	1850.2	1000.0	4000.0	-25.68	-13	PASS
PCS 1900	512	1850.2	4000.0	7000.0	-34.31	-13	PASS
PCS 1900	512	1850.2	7000.0	10000.0	-42.94	-13	PASS
PCS 1900	512	1850.2	10000.0	13000.0	-40.97	-13	PASS
PCS 1900	512	1850.2	13000.0	16000.0	-37.29	-13	PASS
PCS 1900	512	1850.2	16000.0	19000.0	-35.38	-13	PASS
PCS 1900	512	1850.2	19000.0	20000.0	-35.12	-13	PASS
PCS 1900	661	1880.0	0.15	30.0	-39.94	-23	PASS
PCS 1900	661	1880.0	30.0	1000.0	-47.72	-13	PASS
PCS 1900	661	1880.0	1000.0	4000.0	-24.73	-13	PASS
PCS 1900	661	1880.0	4000.0	7000.0	-34.64	-13	PASS
PCS 1900	661	1880.0	7000.0	10000.0	-43.39	-13	PASS
PCS 1900	661	1880.0	10000.0	13000.0	-40.69	-13	PASS
PCS 1900	661	1880.0	13000.0	16000.0	-37.14	-13	PASS
PCS 1900	661	1880.0	16000.0	19000.0	-35.29	-13	PASS
PCS 1900	661	1880.0	19000.0	20000.0	-34.97	-13	PASS
PCS 1900	810	1909.8	0.15	30.0	-40.57	-23	PASS
PCS 1900	810	1909.8	30.0	1000.0	-47.38	-13	PASS
PCS 1900	810	1909.8	1000.0	4000.0	-26.04	-13	PASS
PCS 1900	810	1909.8	4000.0	7000.0	-34.51	-13	PASS
PCS 1900	810	1909.8	7000.0	10000.0	-43.18	-13	PASS
PCS 1900	810	1909.8	10000.0	13000.0	-40.72	-13	PASS



Report No.:SHATBL2512025W05

PCS 1900	810	1909.8	13000.0	16000.0	-37.35	-13	PASS
PCS 1900	810	1909.8	16000.0	19000.0	-34.87	-13	PASS
PCS 1900	810	1909.8	19000.0	20000.0	-34.87	-13	PASS