



















## E4-2.Conducted Spurious Emissions EGPRS

| Band     | Channel | Freq<br>(MHz) | StartFreq<br>(MHz) | StopFreq<br>(MHz) | Slots | Result<br>(dBm) | Limit<br>(dBm) | Verdict |
|----------|---------|---------------|--------------------|-------------------|-------|-----------------|----------------|---------|
| GSM 850  | 128     | 824.2         | 0.15               | 30.0              | 1 Tx  | -37.95          | -13            | PASS    |
| GSM 850  | 128     | 824.2         | 30.0               | 1000.0            | 1 Tx  | -39.76          | -13            | PASS    |
| GSM 850  | 128     | 824.2         | 1000.0             | 4000.0            | 1 Tx  | -15.88          | -13            | PASS    |
| GSM 850  | 128     | 824.2         | 4000.0             | 7000.0            | 1 Tx  | -39.21          | -13            | PASS    |
| GSM 850  | 128     | 824.2         | 7000.0             | 10000.0           | 1 Tx  | -42.81          | -13            | PASS    |
| GSM 850  | 190     | 836.6         | 0.15               | 30.0              | 1 Tx  | -39.72          | -13            | PASS    |
| GSM 850  | 190     | 836.6         | 30.0               | 1000.0            | 1 Tx  | -38.29          | -13            | PASS    |
| GSM 850  | 190     | 836.6         | 1000.0             | 4000.0            | 1 Tx  | -14.99          | -13            | PASS    |
| GSM 850  | 190     | 836.6         | 4000.0             | 7000.0            | 1 Tx  | -38.67          | -13            | PASS    |
| GSM 850  | 190     | 836.6         | 7000.0             | 10000.0           | 1 Tx  | -42.99          | -13            | PASS    |
| GSM 850  | 251     | 848.8         | 0.15               | 30.0              | 1 Tx  | -37.79          | -13            | PASS    |
| GSM 850  | 251     | 848.8         | 30.0               | 1000.0            | 1 Tx  | -39.15          | -13            | PASS    |
| GSM 850  | 251     | 848.8         | 1000.0             | 4000.0            | 1 Tx  | -14.35          | -13            | PASS    |
| GSM 850  | 251     | 848.8         | 4000.0             | 7000.0            | 1 Tx  | -39.63          | -13            | PASS    |
| GSM 850  | 251     | 848.8         | 7000.0             | 10000.0           | 1 Tx  | -43.13          | -13            | PASS    |
| PCS 1900 | 512     | 1850.2        | 0.15               | 30.0              | 1 Tx  | -40.3           | -23            | PASS    |
| PCS 1900 | 512     | 1850.2        | 30.0               | 1000.0            | 1 Tx  | -48.14          | -13            | PASS    |
| PCS 1900 | 512     | 1850.2        | 1000.0             | 4000.0            | 1 Tx  | -25.38          | -13            | PASS    |
| PCS 1900 | 512     | 1850.2        | 4000.0             | 7000.0            | 1 Tx  | -34.32          | -13            | PASS    |
| PCS 1900 | 512     | 1850.2        | 7000.0             | 10000.0           | 1 Tx  | -42.81          | -13            | PASS    |
| PCS 1900 | 512     | 1850.2        | 10000.0            | 13000.0           | 1 Tx  | -40.5           | -13            | PASS    |
| PCS 1900 | 512     | 1850.2        | 13000.0            | 16000.0           | 1 Tx  | -37.23          | -13            | PASS    |
| PCS 1900 | 512     | 1850.2        | 16000.0            | 19000.0           | 1 Tx  | -35.1           | -13            | PASS    |
| PCS 1900 | 512     | 1850.2        | 19000.0            | 20000.0           | 1 Tx  | -34.59          | -13            | PASS    |
| PCS 1900 | 661     | 1880.0        | 0.15               | 30.0              | 1 Tx  | -40.73          | -23            | PASS    |
| PCS 1900 | 661     | 1880.0        | 30.0               | 1000.0            | 1 Tx  | -47.39          | -13            | PASS    |
| PCS 1900 | 661     | 1880.0        | 1000.0             | 4000.0            | 1 Tx  | -25.78          | -13            | PASS    |
| PCS 1900 | 661     | 1880.0        | 4000.0             | 7000.0            | 1 Tx  | -34.64          | -13            | PASS    |
| PCS 1900 | 661     | 1880.0        | 7000.0             | 10000.0           | 1 Tx  | -42.15          | -13            | PASS    |
| PCS 1900 | 661     | 1880.0        | 10000.0            | 13000.0           | 1 Tx  | -41.32          | -13            | PASS    |
| PCS 1900 | 661     | 1880.0        | 13000.0            | 16000.0           | 1 Tx  | -37.34          | -13            | PASS    |
| PCS 1900 | 661     | 1880.0        | 16000.0            | 19000.0           | 1 Tx  | -35.29          | -13            | PASS    |
| PCS 1900 | 661     | 1880.0        | 19000.0            | 20000.0           | 1 Tx  | -34.41          | -13            | PASS    |
| PCS 1900 | 810     | 1909.8        | 0.15               | 30.0              | 1 Tx  | -40.77          | -23            | PASS    |
| PCS 1900 | 810     | 1909.8        | 30.0               | 1000.0            | 1 Tx  | -47.12          | -13            | PASS    |
| PCS 1900 | 810     | 1909.8        | 1000.0             | 4000.0            | 1 Tx  | -25.88          | -13            | PASS    |
| PCS 1900 | 810     | 1909.8        | 4000.0             | 7000.0            | 1 Tx  | -34.03          | -13            | PASS    |
| PCS 1900 | 810     | 1909.8        | 7000.0             | 10000.0           | 1 Tx  | -42.0           | -13            | PASS    |
| PCS 1900 | 810     | 1909.8        | 10000.0            | 13000.0           | 1 Tx  | -40.94          | -13            | PASS    |



Report No.:SHATBL2512025W05

|          |     |        |         |         |      |        |     |      |
|----------|-----|--------|---------|---------|------|--------|-----|------|
| PCS 1900 | 810 | 1909.8 | 13000.0 | 16000.0 | 1 Tx | -37.48 | -13 | PASS |
| PCS 1900 | 810 | 1909.8 | 16000.0 | 19000.0 | 1 Tx | -34.9  | -13 | PASS |
| PCS 1900 | 810 | 1909.8 | 19000.0 | 20000.0 | 1 Tx | -34.41 | -13 | PASS |

