

Frequency Stability-TL/VH

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	-8.36	-0.01015	±2.5	PASS	TL/VH
GSM 850	190	836.6	8.04	0.00961	±2.5	PASS	TL/VH
GSM 850	251	848.8	10.75	0.01267	±2.5	PASS	TL/VH
PCS 1900	512	1850.2	46.62	0.0252	±2.5	PASS	TL/VH
PCS 1900	661	1880.0	10.88	0.00579	±2.5	PASS	TL/VH
PCS 1900	810	1909.8	13.82	0.00724	±2.5	PASS	TL/VH

Frequency Stability-TL/VN

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	5.52	0.0067	±2.5	PASS	TL/VN
GSM 850	190	836.6	7.59	0.00907	±2.5	PASS	TL/VN
GSM 850	251	848.8	6.68	0.00787	±2.5	PASS	TL/VN
PCS 1900	512	1850.2	33.9	0.01832	±2.5	PASS	TL/VN
PCS 1900	661	1880.0	12.24	0.00651	±2.5	PASS	TL/VN
PCS 1900	810	1909.8	8.33	0.00436	±2.5	PASS	TL/VN

Frequency Stability-TL/VL

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	17.5	0.02123	±2.5	PASS	TL/VL
GSM 850	190	836.6	16.4	0.0196	±2.5	PASS	TL/VL
GSM 850	251	848.8	0.39	0.00046	±2.5	PASS	TL/VL
PCS 1900	512	1850.2	44.94	0.02429	±2.5	PASS	TL/VL
PCS 1900	661	1880.0	24.44	0.013	±2.5	PASS	TL/VL
PCS 1900	810	1909.8	8.52	0.00446	±2.5	PASS	TL/VL

Frequency Stability-TN/VN

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	12.04	0.01461	±2.5	PASS	TN/VN
GSM 850	190	836.6	2.39	0.00286	±2.5	PASS	TN/VN
GSM 850	251	848.8	0.65	0.00076	±2.5	PASS	TN/VN
PCS 1900	512	1850.2	50.33	0.0272	±2.5	PASS	TN/VN
PCS 1900	661	1880.0	16.53	0.00879	±2.5	PASS	TN/VN
PCS 1900	810	1909.8	0.68	0.00036	±2.5	PASS	TN/VN

Frequency Stability-TH/VH

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	8.33	0.01011	±2.5	PASS	TH/VH
GSM 850	190	836.6	6.62	0.00791	±2.5	PASS	TH/VH
GSM 850	251	848.8	11.85	0.01396	±2.5	PASS	TH/VH
PCS 1900	512	1850.2	40.36	0.02181	±2.5	PASS	TH/VH
PCS 1900	661	1880.0	17.69	0.00941	±2.5	PASS	TH/VH
PCS 1900	810	1909.8	-3.91	-0.00205	±2.5	PASS	TH/VH

Frequency Stability-TN/VL

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	16.82	0.02041	±2.5	PASS	TN/VL
GSM 850	190	836.6	12.46	0.0149	±2.5	PASS	TN/VL
GSM 850	251	848.8	-1.26	-0.00148	±2.5	PASS	TN/VL
PCS 1900	512	1850.2	20.28	0.01096	±2.5	PASS	TN/VL
PCS 1900	661	1880.0	8.85	0.00471	±2.5	PASS	TN/VL
PCS 1900	810	1909.8	0.32	0.00017	±2.5	PASS	TN/VL

Frequency Stability-TH/VN

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	-1.78	-0.00215	±2.5	PASS	TH/VN
GSM 850	190	836.6	6.39	0.00764	±2.5	PASS	TH/VN
GSM 850	251	848.8	-0.23	-0.00027	±2.5	PASS	TH/VN
PCS 1900	512	1850.2	25.41	0.01373	±2.5	PASS	TH/VN
PCS 1900	661	1880.0	9.62	0.00512	±2.5	PASS	TH/VN
PCS 1900	810	1909.8	-2.45	-0.00128	±2.5	PASS	TH/VN

E7.Frequency Stability GPRS-TN/VN

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	2.78	0.00337	±2.5	PASS	TN/VN
GSM 850	190	836.6	1 Tx	19.66	0.0235	±2.5	PASS	TN/VN
GSM 850	251	848.8	1 Tx	20.99	0.02472	±2.5	PASS	TN/VN
PCS 1900	512	1850.2	1 Tx	24.18	0.01307	±2.5	PASS	TN/VN
PCS 1900	661	1880.0	1 Tx	27.28	0.01451	±2.5	PASS	TN/VN
PCS 1900	810	1909.8	1 Tx	16.34	0.00855	±2.5	PASS	TN/VN

Frequency Stability GPRS-TH/VL

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	1.32	0.00161	±2.5	PASS	TH/VL
GSM 850	190	836.6	1 Tx	18.31	0.02188	±2.5	PASS	TH/VL
GSM 850	251	848.8	1 Tx	16.5	0.01944	±2.5	PASS	TH/VL
PCS 1900	512	1850.2	1 Tx	27.09	0.01464	±2.5	PASS	TH/VL
PCS 1900	661	1880.0	1 Tx	10.2	0.00543	±2.5	PASS	TH/VL
PCS 1900	810	1909.8	1 Tx	2.16	0.00113	±2.5	PASS	TH/VL

Frequency Stability GPRS-TL/VH

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	24.02	0.02914	±2.5	PASS	TL/VH
GSM 850	190	836.6	1 Tx	21.47	0.02566	±2.5	PASS	TL/VH
GSM 850	251	848.8	1 Tx	18.56	0.02187	±2.5	PASS	TL/VH
PCS 1900	512	1850.2	1 Tx	13.92	0.00752	±2.5	PASS	TL/VH
PCS 1900	661	1880.0	1 Tx	25.73	0.01369	±2.5	PASS	TL/VH
PCS 1900	810	1909.8	1 Tx	25.28	0.01324	±2.5	PASS	TL/VH