

Frequency Stability GPRS-TL/VN

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	6.65	0.00807	±2.5	PASS	TL/VN
GSM 850	190	836.6	1 Tx	14.5	0.01733	±2.5	PASS	TL/VN
GSM 850	251	848.8	1 Tx	17.66	0.02081	±2.5	PASS	TL/VN
PCS 1900	512	1850.2	1 Tx	25.05	0.01354	±2.5	PASS	TL/VN
PCS 1900	661	1880.0	1 Tx	13.17	0.00701	±2.5	PASS	TL/VN
PCS 1900	810	1909.8	1 Tx	17.69	0.00926	±2.5	PASS	TL/VN

Frequency Stability GPRS-TL/VL

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	9.36	0.01136	±2.5	PASS	TL/VL
GSM 850	190	836.6	1 Tx	22.34	0.02671	±2.5	PASS	TL/VL
GSM 850	251	848.8	1 Tx	21.34	0.02514	±2.5	PASS	TL/VL
PCS 1900	512	1850.2	1 Tx	11.04	0.00597	±2.5	PASS	TL/VL
PCS 1900	661	1880.0	1 Tx	6.23	0.00331	±2.5	PASS	TL/VL
PCS 1900	810	1909.8	1 Tx	23.86	0.01249	±2.5	PASS	TL/VL

Frequency Stability GPRS-TL/VL

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	12.59	0.01528	±2.5	PASS	TL/VL
GSM 850	190	836.6	1 Tx	19.15	0.02288	±2.5	PASS	TL/VL
GSM 850	251	848.8	1 Tx	17.79	0.02096	±2.5	PASS	TL/VL
PCS 1900	512	1850.2	1 Tx	9.17	0.00496	±2.5	PASS	TL/VL
PCS 1900	661	1880.0	1 Tx	6.88	0.00366	±2.5	PASS	TL/VL
PCS 1900	810	1909.8	1 Tx	5.75	0.00301	±2.5	PASS	TL/VL

Frequency Stability GPRS-TN/VL

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	12.91	0.01567	±2.5	PASS	TN/VL
GSM 850	190	836.6	1 Tx	21.76	0.02601	±2.5	PASS	TN/VL
GSM 850	251	848.8	1 Tx	18.11	0.02134	±2.5	PASS	TN/VL
PCS 1900	512	1850.2	1 Tx	0.32	0.00017	±2.5	PASS	TN/VL
PCS 1900	661	1880.0	1 Tx	13.01	0.00692	±2.5	PASS	TN/VL
PCS 1900	810	1909.8	1 Tx	21.63	0.01133	±2.5	PASS	TN/VL

Frequency Stability GPRS-TH/VH

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	8.39	0.01018	±2.5	PASS	TH/VH
GSM 850	190	836.6	1 Tx	15.72	0.01879	±2.5	PASS	TH/VH
GSM 850	251	848.8	1 Tx	20.44	0.02408	±2.5	PASS	TH/VH
PCS 1900	512	1850.2	1 Tx	25.6	0.01384	±2.5	PASS	TH/VH
PCS 1900	661	1880.0	1 Tx	30.25	0.01609	±2.5	PASS	TH/VH
PCS 1900	810	1909.8	1 Tx	17.01	0.00891	±2.5	PASS	TH/VH

E8.Frequency Stability EGPRS-TN/VN

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	4.84	0.00588	±2.5	PASS	TN/VN
GSM 850	190	836.6	1 Tx	11.01	0.01316	±2.5	PASS	TN/VN
GSM 850	251	848.8	1 Tx	22.6	0.02663	±2.5	PASS	TN/VN
PCS 1900	512	1850.2	1 Tx	25.41	0.01373	±2.5	PASS	TN/VN
PCS 1900	661	1880.0	1 Tx	1.0	0.00053	±2.5	PASS	TN/VN
PCS 1900	810	1909.8	1 Tx	27.54	0.01442	±2.5	PASS	TN/VN

Frequency Stability EGPRS-TL/VN

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	19.86	0.02409	±2.5	PASS	TL/VN
GSM 850	190	836.6	1 Tx	26.6	0.0318	±2.5	PASS	TL/VN
GSM 850	251	848.8	1 Tx	19.5	0.02297	±2.5	PASS	TL/VN
PCS 1900	512	1850.2	1 Tx	0.32	0.00017	±2.5	PASS	TL/VN
PCS 1900	661	1880.0	1 Tx	6.94	0.00369	±2.5	PASS	TL/VN
PCS 1900	810	1909.8	1 Tx	18.08	0.00947	±2.5	PASS	TL/VN

Frequency Stability EGPRS-TH/VN

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	10.27	0.01246	±2.5	PASS	TH/VN
GSM 850	190	836.6	1 Tx	17.82	0.0213	±2.5	PASS	TH/VN
GSM 850	251	848.8	1 Tx	20.73	0.02442	±2.5	PASS	TH/VN
PCS 1900	512	1850.2	1 Tx	24.76	0.01338	±2.5	PASS	TH/VN
PCS 1900	661	1880.0	1 Tx	21.08	0.01121	±2.5	PASS	TH/VN
PCS 1900	810	1909.8	1 Tx	24.15	0.01265	±2.5	PASS	TH/VN

Frequency Stability EGPRS-TH/VL

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	7.49	0.00909	±2.5	PASS	TH/VL
GSM 850	190	836.6	1 Tx	15.59	0.01864	±2.5	PASS	TH/VL
GSM 850	251	848.8	1 Tx	23.47	0.02765	±2.5	PASS	TH/VL
PCS 1900	512	1850.2	1 Tx	11.66	0.0063	±2.5	PASS	TH/VL
PCS 1900	661	1880.0	1 Tx	12.04	0.00641	±2.5	PASS	TH/VL
PCS 1900	810	1909.8	1 Tx	22.57	0.01182	±2.5	PASS	TH/VL

Frequency Stability EGPRS-TL/VH

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	26.25	0.03185	±2.5	PASS	TL/VH
GSM 850	190	836.6	1 Tx	25.8	0.03083	±2.5	PASS	TL/VH
GSM 850	251	848.8	1 Tx	22.08	0.02602	±2.5	PASS	TL/VH
PCS 1900	512	1850.2	1 Tx	27.02	0.01461	±2.5	PASS	TL/VH
PCS 1900	661	1880.0	1 Tx	19.73	0.01049	±2.5	PASS	TL/VH
PCS 1900	810	1909.8	1 Tx	17.82	0.00933	±2.5	PASS	TL/VH

Frequency Stability EGPRS-TL/VL

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	19.95	0.02421	±2.5	PASS	TL/VL
GSM 850	190	836.6	1 Tx	24.89	0.02975	±2.5	PASS	TL/VL
GSM 850	251	848.8	1 Tx	28.02	0.03302	±2.5	PASS	TL/VL
PCS 1900	512	1850.2	1 Tx	25.54	0.0138	±2.5	PASS	TL/VL
PCS 1900	661	1880.0	1 Tx	16.27	0.00866	±2.5	PASS	TL/VL
PCS 1900	810	1909.8	1 Tx	15.76	0.00825	±2.5	PASS	TL/VL

Frequency Stability EGPRS-TN/VH

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	18.31	0.02221	±2.5	PASS	TN/VH
GSM 850	190	836.6	1 Tx	20.15	0.02408	±2.5	PASS	TN/VH
GSM 850	251	848.8	1 Tx	23.79	0.02803	±2.5	PASS	TN/VH
PCS 1900	512	1850.2	1 Tx	19.76	0.01068	±2.5	PASS	TN/VH
PCS 1900	661	1880.0	1 Tx	17.95	0.00955	±2.5	PASS	TN/VH
PCS 1900	810	1909.8	1 Tx	7.26	0.0038	±2.5	PASS	TN/VH

Frequency Stability GPRS-TH/VN

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	8.56	0.01038	±2.5	PASS	TH/VN
GSM 850	190	836.6	1 Tx	16.5	0.01972	±2.5	PASS	TH/VN
GSM 850	251	848.8	1 Tx	20.15	0.02374	±2.5	PASS	TH/VN
PCS 1900	512	1850.2	1 Tx	14.85	0.00803	±2.5	PASS	TH/VN
PCS 1900	661	1880.0	1 Tx	18.66	0.00993	±2.5	PASS	TH/VN
PCS 1900	810	1909.8	1 Tx	29.74	0.01557	±2.5	PASS	TH/VN

Frequency Stability EGPRS-TH/VH

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	0.32	0.00039	±2.5	PASS	TH/VH
GSM 850	190	836.6	1 Tx	24.34	0.0291	±2.5	PASS	TH/VH
GSM 850	251	848.8	1 Tx	13.33	0.01571	±2.5	PASS	TH/VH
PCS 1900	512	1850.2	1 Tx	18.08	0.00977	±2.5	PASS	TH/VH
PCS 1900	661	1880.0	1 Tx	21.6	0.01149	±2.5	PASS	TH/VH
PCS 1900	810	1909.8	1 Tx	11.11	0.00582	±2.5	PASS	TH/VH

Frequency Stability EGPRS-TN/VL

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	19.18	0.02327	±2.5	PASS	TN/VL
GSM 850	190	836.6	1 Tx	24.7	0.02952	±2.5	PASS	TN/VL
GSM 850	251	848.8	1 Tx	17.11	0.02016	±2.5	PASS	TN/VL
PCS 1900	512	1850.2	1 Tx	9.49	0.00513	±2.5	PASS	TN/VL
PCS 1900	661	1880.0	1 Tx	9.94	0.00529	±2.5	PASS	TN/VL
PCS 1900	810	1909.8	1 Tx	22.28	0.01166	±2.5	PASS	TN/VL