

2	5.0	19175	1907.5	QPSK	25@0	-14.73	-0.00772	±2.5	PASS	TL/VH
2	5.0	19175	1907.5	16QAM	25@0	-1.49	-0.00078	±2.5	PASS	TL/VH
2	10.0	18650	1855.0	QPSK	50@0	-24.82	-0.01338	±2.5	PASS	TL/VH
2	10.0	18650	1855.0	16QAM	50@0	-30.13	-0.01624	±2.5	PASS	TL/VH
2	10.0	18900	1880.0	QPSK	50@0	-14.05	-0.00747	±2.5	PASS	TL/VH
2	10.0	18900	1880.0	16QAM	50@0	-25.43	-0.01353	±2.5	PASS	TL/VH
2	10.0	19150	1905.0	QPSK	50@0	-21.9	-0.0115	±2.5	PASS	TL/VH
2	10.0	19150	1905.0	16QAM	50@0	-24.69	-0.01296	±2.5	PASS	TL/VH
2	15.0	18675	1857.5	QPSK	75@0	4.36	0.00235	±2.5	PASS	TL/VH
2	15.0	18675	1857.5	16QAM	75@0	3.45	0.00186	±2.5	PASS	TL/VH
2	15.0	18900	1880.0	QPSK	75@0	-6.35	-0.00338	±2.5	PASS	TL/VH
2	15.0	18900	1880.0	16QAM	75@0	-21.19	-0.01127	±2.5	PASS	TL/VH
2	15.0	19125	1902.5	QPSK	75@0	-3.45	-0.00181	±2.5	PASS	TL/VH
2	15.0	19125	1902.5	16QAM	75@0	-30.37	-0.01596	±2.5	PASS	TL/VH
2	20.0	18700	1860.0	QPSK	100@0	-14.66	-0.00788	±2.5	PASS	TL/VH
2	20.0	18700	1860.0	16QAM	100@0	9.04	0.00486	±2.5	PASS	TL/VH
2	20.0	18900	1880.0	QPSK	100@0	-14.43	-0.00768	±2.5	PASS	TL/VH
2	20.0	18900	1880.0	16QAM	100@0	-54.69	-0.02909	±2.5	PASS	TL/VH
2	20.0	19100	1900.0	QPSK	100@0	-2.17	-0.00114	±2.5	PASS	TL/VH
2	20.0	19100	1900.0	16QAM	100@0	-9.56	-0.00503	±2.5	PASS	TL/VH
2	1.4	18607	1850.7	QPSK	6@0	-5.08	-0.00274	±2.5	PASS	TL/VN
2	1.4	18607	1850.7	16QAM	6@0	-9.93	-0.00536	±2.5	PASS	TL/VN
2	1.4	18900	1880.0	QPSK	6@0	-5.31	-0.00282	±2.5	PASS	TL/VN
2	1.4	18900	1880.0	16QAM	6@0	-33.12	-0.01762	±2.5	PASS	TL/VN
2	1.4	19193	1909.3	QPSK	6@0	-20.71	-0.01085	±2.5	PASS	TL/VN
2	1.4	19193	1909.3	16QAM	6@0	-53.49	-0.02801	±2.5	PASS	TL/VN
2	3.0	18615	1851.5	QPSK	15@0	-12.12	-0.00654	±2.5	PASS	TL/VN
2	3.0	18615	1851.5	16QAM	15@0	-30.2	-0.01631	±2.5	PASS	TL/VN
2	3.0	18900	1880.0	QPSK	15@0	-8.85	-0.00471	±2.5	PASS	TL/VN
2	3.0	18900	1880.0	16QAM	15@0	-12.25	-0.00651	±2.5	PASS	TL/VN
2	3.0	19185	1908.5	QPSK	15@0	-15.06	-0.00789	±2.5	PASS	TL/VN
2	3.0	19185	1908.5	16QAM	15@0	-37.84	-0.01983	±2.5	PASS	TL/VN
2	5.0	18625	1852.5	QPSK	25@0	-12.37	-0.00668	±2.5	PASS	TL/VN
2	5.0	18625	1852.5	16QAM	25@0	-11.99	-0.00647	±2.5	PASS	TL/VN
2	5.0	18900	1880.0	QPSK	25@0	0.23	0.00012	±2.5	PASS	TL/VN
2	5.0	18900	1880.0	16QAM	25@0	-33.63	-0.01789	±2.5	PASS	TL/VN
2	5.0	19175	1907.5	QPSK	25@0	-24.82	-0.01301	±2.5	PASS	TL/VN
2	5.0	19175	1907.5	16QAM	25@0	-25.84	-0.01354	±2.5	PASS	TL/VN
2	10.0	18650	1855.0	QPSK	50@0	-22.07	-0.0119	±2.5	PASS	TL/VN
2	10.0	18650	1855.0	16QAM	50@0	-34.16	-0.01842	±2.5	PASS	TL/VN
2	10.0	18900	1880.0	QPSK	50@0	1.53	0.00081	±2.5	PASS	TL/VN
2	10.0	18900	1880.0	16QAM	50@0	-29.35	-0.01561	±2.5	PASS	TL/VN
2	10.0	19150	1905.0	QPSK	50@0	-11.63	-0.00611	±2.5	PASS	TL/VN

2	10.0	19150	1905.0	16QAM	50@0	-29.37	-0.01542	±2.5	PASS	TL/VN
2	15.0	18675	1857.5	QPSK	75@0	-10.7	-0.00576	±2.5	PASS	TL/VN
2	15.0	18675	1857.5	16QAM	75@0	-14.83	-0.00799	±2.5	PASS	TL/VN
2	15.0	18900	1880.0	QPSK	75@0	-5.48	-0.00291	±2.5	PASS	TL/VN
2	15.0	18900	1880.0	16QAM	75@0	-35.02	-0.01863	±2.5	PASS	TL/VN
2	15.0	19125	1902.5	QPSK	75@0	-18.73	-0.00984	±2.5	PASS	TL/VN
2	15.0	19125	1902.5	16QAM	75@0	-35.38	-0.01859	±2.5	PASS	TL/VN
2	20.0	18700	1860.0	QPSK	100@0	-20.21	-0.01087	±2.5	PASS	TL/VN
2	20.0	18700	1860.0	16QAM	100@0	0.32	0.00017	±2.5	PASS	TL/VN
2	20.0	18900	1880.0	QPSK	100@0	-16.22	-0.00863	±2.5	PASS	TL/VN
2	20.0	18900	1880.0	16QAM	100@0	-4.21	-0.00224	±2.5	PASS	TL/VN
2	20.0	19100	1900.0	QPSK	100@0	-24.98	-0.01315	±2.5	PASS	TL/VN
2	20.0	19100	1900.0	16QAM	100@0	-26.45	-0.01392	±2.5	PASS	TL/VN
2	1.4	18607	1850.7	QPSK	6@0	-12.87	-0.00696	±2.5	PASS	TN/VH
2	1.4	18607	1850.7	16QAM	6@0	-22.14	-0.01197	±2.5	PASS	TN/VH
2	1.4	18900	1880.0	QPSK	6@0	-18.73	-0.00996	±2.5	PASS	TN/VH
2	1.4	18900	1880.0	16QAM	6@0	-31.4	-0.0167	±2.5	PASS	TN/VH
2	1.4	19193	1909.3	QPSK	6@0	-25.82	-0.01352	±2.5	PASS	TN/VH
2	1.4	19193	1909.3	16QAM	6@0	-22.59	-0.01183	±2.5	PASS	TN/VH
2	3.0	18615	1851.5	QPSK	15@0	-6.07	-0.00328	±2.5	PASS	TN/VH
2	3.0	18615	1851.5	16QAM	15@0	-22.93	-0.01239	±2.5	PASS	TN/VH
2	3.0	18900	1880.0	QPSK	15@0	-9.64	-0.00513	±2.5	PASS	TN/VH
2	3.0	18900	1880.0	16QAM	15@0	-42.16	-0.02242	±2.5	PASS	TN/VH
2	3.0	19185	1908.5	QPSK	15@0	-2.05	-0.00107	±2.5	PASS	TN/VH
2	3.0	19185	1908.5	16QAM	15@0	-18.0	-0.00943	±2.5	PASS	TN/VH
2	5.0	18625	1852.5	QPSK	25@0	-8.63	-0.00466	±2.5	PASS	TN/VH
2	5.0	18625	1852.5	16QAM	25@0	-24.93	-0.01346	±2.5	PASS	TN/VH
2	5.0	18900	1880.0	QPSK	25@0	-18.32	-0.00975	±2.5	PASS	TN/VH
2	5.0	18900	1880.0	16QAM	25@0	-47.52	-0.02528	±2.5	PASS	TN/VH
2	5.0	19175	1907.5	QPSK	25@0	1.24	0.00065	±2.5	PASS	TN/VH
2	5.0	19175	1907.5	16QAM	25@0	-23.0	-0.01206	±2.5	PASS	TN/VH
2	10.0	18650	1855.0	QPSK	50@0	-17.09	-0.00922	±2.5	PASS	TN/VH
2	10.0	18650	1855.0	16QAM	50@0	-30.87	-0.01664	±2.5	PASS	TN/VH
2	10.0	18900	1880.0	QPSK	50@0	-25.43	-0.01353	±2.5	PASS	TN/VH
2	10.0	18900	1880.0	16QAM	50@0	5.38	0.00286	±2.5	PASS	TN/VH
2	10.0	19150	1905.0	QPSK	50@0	-20.34	-0.01068	±2.5	PASS	TN/VH
2	10.0	19150	1905.0	16QAM	50@0	-2.35	-0.00123	±2.5	PASS	TN/VH
2	15.0	18675	1857.5	QPSK	75@0	-16.28	-0.00876	±2.5	PASS	TN/VH
2	15.0	18675	1857.5	16QAM	75@0	-35.39	-0.01905	±2.5	PASS	TN/VH
2	15.0	18900	1880.0	QPSK	75@0	-14.52	-0.00772	±2.5	PASS	TN/VH
2	15.0	18900	1880.0	16QAM	75@0	-31.49	-0.01675	±2.5	PASS	TN/VH
2	15.0	19125	1902.5	QPSK	75@0	-14.86	-0.00781	±2.5	PASS	TN/VH
2	15.0	19125	1902.5	16QAM	75@0	-13.29	-0.00699	±2.5	PASS	TN/VH

2	20.0	18700	1860.0	QPSK	100@0	-24.93	-0.01341	±2.5	PASS	TN/VH
2	20.0	18700	1860.0	16QAM	100@0	-50.43	-0.02711	±2.5	PASS	TN/VH
2	20.0	18900	1880.0	QPSK	100@0	5.69	0.00303	±2.5	PASS	TN/VH
2	20.0	18900	1880.0	16QAM	100@0	-27.24	-0.01449	±2.5	PASS	TN/VH
2	20.0	19100	1900.0	QPSK	100@0	-7.05	-0.00371	±2.5	PASS	TN/VH
2	20.0	19100	1900.0	16QAM	100@0	7.97	0.00419	±2.5	PASS	TN/VH
2	1.4	18607	1850.7	QPSK	6@0	-17.98	-0.00972	±2.5	PASS	TN/VL
2	1.4	18607	1850.7	16QAM	6@0	-36.11	-0.01951	±2.5	PASS	TN/VL
2	1.4	18900	1880.0	QPSK	6@0	-10.33	-0.00549	±2.5	PASS	TN/VL
2	1.4	18900	1880.0	16QAM	6@0	-34.69	-0.01845	±2.5	PASS	TN/VL
2	1.4	19193	1909.3	QPSK	6@0	-28.6	-0.01498	±2.5	PASS	TN/VL
2	1.4	19193	1909.3	16QAM	6@0	-39.34	-0.0206	±2.5	PASS	TN/VL
2	3.0	18615	1851.5	QPSK	15@0	-18.37	-0.00992	±2.5	PASS	TN/VL
2	3.0	18615	1851.5	16QAM	15@0	-20.96	-0.01132	±2.5	PASS	TN/VL
2	3.0	18900	1880.0	QPSK	15@0	-13.07	-0.00695	±2.5	PASS	TN/VL
2	3.0	18900	1880.0	16QAM	15@0	0.32	0.00017	±2.5	PASS	TN/VL
2	3.0	19185	1908.5	QPSK	15@0	-14.96	-0.00784	±2.5	PASS	TN/VL
2	3.0	19185	1908.5	16QAM	15@0	-22.06	-0.01156	±2.5	PASS	TN/VL
2	5.0	18625	1852.5	QPSK	25@0	-16.77	-0.00905	±2.5	PASS	TN/VL
2	5.0	18625	1852.5	16QAM	25@0	-27.14	-0.01465	±2.5	PASS	TN/VL
2	5.0	18900	1880.0	QPSK	25@0	-1.62	-0.00086	±2.5	PASS	TN/VL
2	5.0	18900	1880.0	16QAM	25@0	-24.53	-0.01305	±2.5	PASS	TN/VL
2	5.0	19175	1907.5	QPSK	25@0	-8.0	-0.00419	±2.5	PASS	TN/VL
2	5.0	19175	1907.5	16QAM	25@0	-22.14	-0.01161	±2.5	PASS	TN/VL
2	10.0	18650	1855.0	QPSK	50@0	-13.45	-0.00725	±2.5	PASS	TN/VL
2	10.0	18650	1855.0	16QAM	50@0	-16.88	-0.0091	±2.5	PASS	TN/VL
2	10.0	18900	1880.0	QPSK	50@0	-11.74	-0.00625	±2.5	PASS	TN/VL
2	10.0	18900	1880.0	16QAM	50@0	-41.47	-0.02206	±2.5	PASS	TN/VL
2	10.0	19150	1905.0	QPSK	50@0	-31.14	-0.01635	±2.5	PASS	TN/VL
2	10.0	19150	1905.0	16QAM	50@0	-36.32	-0.01907	±2.5	PASS	TN/VL
2	15.0	18675	1857.5	QPSK	75@0	-18.2	-0.0098	±2.5	PASS	TN/VL
2	15.0	18675	1857.5	16QAM	75@0	-29.01	-0.01562	±2.5	PASS	TN/VL
2	15.0	18900	1880.0	QPSK	75@0	6.78	0.00361	±2.5	PASS	TN/VL
2	15.0	18900	1880.0	16QAM	75@0	-35.52	-0.01889	±2.5	PASS	TN/VL
2	15.0	19125	1902.5	QPSK	75@0	-16.47	-0.00865	±2.5	PASS	TN/VL
2	15.0	19125	1902.5	16QAM	75@0	-7.12	-0.00374	±2.5	PASS	TN/VL
2	20.0	18700	1860.0	QPSK	100@0	-13.38	-0.00719	±2.5	PASS	TN/VL
2	20.0	18700	1860.0	16QAM	100@0	-41.28	-0.0222	±2.5	PASS	TN/VL
2	20.0	18900	1880.0	QPSK	100@0	-12.46	-0.00663	±2.5	PASS	TN/VL
2	20.0	18900	1880.0	16QAM	100@0	-31.04	-0.01651	±2.5	PASS	TN/VL
2	20.0	19100	1900.0	QPSK	100@0	-3.86	-0.00203	±2.5	PASS	TN/VL
2	20.0	19100	1900.0	16QAM	100@0	-2.7	-0.00142	±2.5	PASS	TN/VL
2	1.4	18607	1850.7	QPSK	6@0	-12.99	-0.00702	±2.5	PASS	TN/VN

2	1.4	18607	1850.7	16QAM	6@0	1.42	0.00077	±2.5	PASS	TN/VN
2	1.4	18900	1880.0	QPSK	6@0	-9.68	-0.00515	±2.5	PASS	TN/VN
2	1.4	18900	1880.0	16QAM	6@0	0.31	0.00017	±2.5	PASS	TN/VN
2	1.4	19193	1909.3	QPSK	6@0	-8.57	-0.00449	±2.5	PASS	TN/VN
2	1.4	19193	1909.3	16QAM	6@0	-0.6	-0.00031	±2.5	PASS	TN/VN
2	3.0	18615	1851.5	QPSK	15@0	-4.13	-0.00223	±2.5	PASS	TN/VN
2	3.0	18615	1851.5	16QAM	15@0	-18.01	-0.00973	±2.5	PASS	TN/VN
2	3.0	18900	1880.0	QPSK	15@0	-16.59	-0.00883	±2.5	PASS	TN/VN
2	3.0	18900	1880.0	16QAM	15@0	-3.66	-0.00195	±2.5	PASS	TN/VN
2	3.0	19185	1908.5	QPSK	15@0	-8.23	-0.00431	±2.5	PASS	TN/VN
2	3.0	19185	1908.5	16QAM	15@0	-44.12	-0.02312	±2.5	PASS	TN/VN
2	5.0	18625	1852.5	QPSK	25@0	-3.29	-0.00178	±2.5	PASS	TN/VN
2	5.0	18625	1852.5	16QAM	25@0	-18.88	-0.01019	±2.5	PASS	TN/VN
2	5.0	18900	1880.0	QPSK	25@0	-9.16	-0.00487	±2.5	PASS	TN/VN
2	5.0	18900	1880.0	16QAM	25@0	-29.74	-0.01582	±2.5	PASS	TN/VN
2	5.0	19175	1907.5	QPSK	25@0	-9.17	-0.00481	±2.5	PASS	TN/VN
2	5.0	19175	1907.5	16QAM	25@0	-26.49	-0.01389	±2.5	PASS	TN/VN
2	10.0	18650	1855.0	QPSK	50@0	0.32	0.00017	±2.5	PASS	TN/VN
2	10.0	18650	1855.0	16QAM	50@0	-16.77	-0.00904	±2.5	PASS	TN/VN
2	10.0	18900	1880.0	QPSK	50@0	-17.25	-0.00918	±2.5	PASS	TN/VN
2	10.0	18900	1880.0	16QAM	50@0	-11.42	-0.00607	±2.5	PASS	TN/VN
2	10.0	19150	1905.0	QPSK	50@0	-15.88	-0.00834	±2.5	PASS	TN/VN
2	10.0	19150	1905.0	16QAM	50@0	-16.64	-0.00873	±2.5	PASS	TN/VN
2	15.0	18675	1857.5	QPSK	75@0	-13.19	-0.0071	±2.5	PASS	TN/VN
2	15.0	18675	1857.5	16QAM	75@0	-27.49	-0.0148	±2.5	PASS	TN/VN
2	15.0	18900	1880.0	QPSK	75@0	-15.94	-0.00848	±2.5	PASS	TN/VN
2	15.0	18900	1880.0	16QAM	75@0	-35.12	-0.01868	±2.5	PASS	TN/VN
2	15.0	19125	1902.5	QPSK	75@0	-22.75	-0.01196	±2.5	PASS	TN/VN
2	15.0	19125	1902.5	16QAM	75@0	5.78	0.00304	±2.5	PASS	TN/VN
2	20.0	18700	1860.0	QPSK	100@0	-24.33	-0.01308	±2.5	PASS	TN/VN
2	20.0	18700	1860.0	16QAM	100@0	-32.97	-0.01773	±2.5	PASS	TN/VN
2	20.0	18900	1880.0	QPSK	100@0	-22.26	-0.01184	±2.5	PASS	TN/VN
2	20.0	18900	1880.0	16QAM	100@0	-2.6	-0.00138	±2.5	PASS	TN/VN
2	20.0	19100	1900.0	QPSK	100@0	-20.76	-0.01092	±2.5	PASS	TN/VN
2	20.0	19100	1900.0	16QAM	100@0	-10.41	-0.00548	±2.5	PASS	TN/VN
2	1.4	18607	1850.7	QPSK	6@0	-16.21	-0.00876	±2.5	PASS	TL/VL
2	1.4	18607	1850.7	16QAM	6@0	-3.89	-0.0021	±2.5	PASS	TL/VL
2	1.4	18900	1880.0	QPSK	6@0	-16.88	-0.00898	±2.5	PASS	TL/VL
2	1.4	18900	1880.0	16QAM	6@0	-49.3	-0.02622	±2.5	PASS	TL/VL
2	1.4	19193	1909.3	QPSK	6@0	-26.45	-0.01385	±2.5	PASS	TL/VL
2	1.4	19193	1909.3	16QAM	6@0	-14.12	-0.00739	±2.5	PASS	TL/VL
2	3.0	18615	1851.5	QPSK	15@0	0.87	0.00047	±2.5	PASS	TL/VL
2	3.0	18615	1851.5	16QAM	15@0	-18.88	-0.0102	±2.5	PASS	TL/VL

2	3.0	18900	1880.0	QPSK	15@0	-15.11	-0.00804	±2.5	PASS	TL/VL
2	3.0	18900	1880.0	16QAM	15@0	-45.7	-0.02431	±2.5	PASS	TL/VL
2	3.0	19185	1908.5	QPSK	15@0	-12.32	-0.00645	±2.5	PASS	TL/VL
2	3.0	19185	1908.5	16QAM	15@0	-13.88	-0.00727	±2.5	PASS	TL/VL
2	5.0	18625	1852.5	QPSK	25@0	-17.54	-0.00947	±2.5	PASS	TL/VL
2	5.0	18625	1852.5	16QAM	25@0	-28.8	-0.01554	±2.5	PASS	TL/VL
2	5.0	18900	1880.0	QPSK	25@0	-9.66	-0.00514	±2.5	PASS	TL/VL
2	5.0	18900	1880.0	16QAM	25@0	-27.32	-0.01453	±2.5	PASS	TL/VL
2	5.0	19175	1907.5	QPSK	25@0	-27.05	-0.01418	±2.5	PASS	TL/VL
2	5.0	19175	1907.5	16QAM	25@0	-22.63	-0.01186	±2.5	PASS	TL/VL
2	10.0	18650	1855.0	QPSK	50@0	-12.86	-0.00693	±2.5	PASS	TL/VL
2	10.0	18650	1855.0	16QAM	50@0	-30.97	-0.0167	±2.5	PASS	TL/VL
2	10.0	18900	1880.0	QPSK	50@0	-11.59	-0.00616	±2.5	PASS	TL/VL
2	10.0	18900	1880.0	16QAM	50@0	-43.49	-0.02313	±2.5	PASS	TL/VL
2	10.0	19150	1905.0	QPSK	50@0	-21.87	-0.01148	±2.5	PASS	TL/VL
2	10.0	19150	1905.0	16QAM	50@0	-34.36	-0.01804	±2.5	PASS	TL/VL
2	15.0	18675	1857.5	QPSK	75@0	-3.92	-0.00211	±2.5	PASS	TL/VL
2	15.0	18675	1857.5	16QAM	75@0	-21.46	-0.01155	±2.5	PASS	TL/VL
2	15.0	18900	1880.0	QPSK	75@0	-9.87	-0.00525	±2.5	PASS	TL/VL
2	15.0	18900	1880.0	16QAM	75@0	-39.51	-0.02102	±2.5	PASS	TL/VL
2	15.0	19125	1902.5	QPSK	75@0	-18.17	-0.00955	±2.5	PASS	TL/VL
2	15.0	19125	1902.5	16QAM	75@0	-36.99	-0.01944	±2.5	PASS	TL/VL
2	20.0	18700	1860.0	QPSK	100@0	-13.93	-0.00749	±2.5	PASS	TL/VL
2	20.0	18700	1860.0	16QAM	100@0	-26.82	-0.01442	±2.5	PASS	TL/VL
2	20.0	18900	1880.0	QPSK	100@0	-6.09	-0.00324	±2.5	PASS	TL/VL
2	20.0	18900	1880.0	16QAM	100@0	-23.36	-0.01243	±2.5	PASS	TL/VL
2	20.0	19100	1900.0	QPSK	100@0	-14.93	-0.00786	±2.5	PASS	TL/VL
2	20.0	19100	1900.0	16QAM	100@0	-17.14	-0.00902	±2.5	PASS	TL/VL

H7.Modulation Characteristics

Test Result

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Verdict
2	1.4	18607	1850.7	QPSK	6@0	PASS
2	1.4	18607	1850.7	16QAM	6@0	PASS
2	1.4	18900	1880.0	QPSK	6@0	PASS
2	1.4	18900	1880.0	16QAM	6@0	PASS
2	1.4	19193	1909.3	QPSK	6@0	PASS
2	1.4	19193	1909.3	16QAM	6@0	PASS
2	3.0	18615	1851.5	QPSK	15@0	PASS
2	3.0	18615	1851.5	16QAM	15@0	PASS
2	3.0	18900	1880.0	QPSK	15@0	PASS
2	3.0	18900	1880.0	16QAM	15@0	PASS
2	3.0	19185	1908.5	QPSK	15@0	PASS
2	3.0	19185	1908.5	16QAM	15@0	PASS
2	5.0	18625	1852.5	QPSK	25@0	PASS
2	5.0	18625	1852.5	16QAM	25@0	PASS
2	5.0	18900	1880.0	QPSK	25@0	PASS
2	5.0	18900	1880.0	16QAM	25@0	PASS
2	5.0	19175	1907.5	QPSK	25@0	PASS
2	5.0	19175	1907.5	16QAM	25@0	PASS
2	10.0	18650	1855.0	QPSK	50@0	PASS
2	10.0	18650	1855.0	16QAM	50@0	PASS
2	10.0	18900	1880.0	QPSK	50@0	PASS
2	10.0	18900	1880.0	16QAM	50@0	PASS
2	10.0	19150	1905.0	QPSK	50@0	PASS
2	10.0	19150	1905.0	16QAM	50@0	PASS
2	15.0	18675	1857.5	QPSK	75@0	PASS
2	15.0	18675	1857.5	16QAM	75@0	PASS
2	15.0	18900	1880.0	QPSK	75@0	PASS
2	15.0	18900	1880.0	16QAM	75@0	PASS
2	15.0	19125	1902.5	QPSK	75@0	PASS
2	15.0	19125	1902.5	16QAM	75@0	PASS
2	20.0	18700	1860.0	QPSK	100@0	PASS
2	20.0	18700	1860.0	16QAM	100@0	PASS
2	20.0	18900	1880.0	QPSK	100@0	PASS
2	20.0	18900	1880.0	16QAM	100@0	PASS
2	20.0	19100	1900.0	QPSK	100@0	PASS
2	20.0	19100	1900.0	16QAM	100@0	PASS

Test Graphs











