

























H6.Frequency Stability

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
25	1.4	26047	1850.7	QPSK	6@0	-38.12	-0.0206	±2.5	PASS	TH/VH
25	1.4	26047	1850.7	16QAM	6@0	11.34	0.00613	±2.5	PASS	TH/VH
25	1.4	26365	1882.5	QPSK	6@0	20.23	0.01074	±2.5	PASS	TH/VH
25	1.4	26365	1882.5	16QAM	6@0	40.86	0.0217	±2.5	PASS	TH/VH
25	1.4	26683	1914.3	QPSK	6@0	-24.79	-0.01295	±2.5	PASS	TH/VH
25	1.4	26683	1914.3	16QAM	6@0	-42.26	-0.02207	±2.5	PASS	TH/VH
25	3.0	26055	1851.5	QPSK	15@0	-26.18	-0.01414	±2.5	PASS	TH/VH
25	3.0	26055	1851.5	16QAM	15@0	-39.45	-0.02131	±2.5	PASS	TH/VH
25	3.0	26365	1882.5	QPSK	15@0	-7.25	-0.00385	±2.5	PASS	TH/VH
25	3.0	26365	1882.5	16QAM	15@0	17.01	0.00904	±2.5	PASS	TH/VH
25	3.0	26675	1913.5	QPSK	15@0	-16.64	-0.00869	±2.5	PASS	TH/VH
25	3.0	26675	1913.5	16QAM	15@0	-19.57	-0.01023	±2.5	PASS	TH/VH
25	5.0	26065	1852.5	QPSK	25@0	2.27	0.00123	±2.5	PASS	TH/VH
25	5.0	26065	1852.5	16QAM	25@0	-31.23	-0.01686	±2.5	PASS	TH/VH
25	5.0	26365	1882.5	QPSK	25@0	9.71	0.00516	±2.5	PASS	TH/VH
25	5.0	26365	1882.5	16QAM	25@0	-18.08	-0.00961	±2.5	PASS	TH/VH
25	5.0	26665	1912.5	QPSK	25@0	-6.62	-0.00346	±2.5	PASS	TH/VH
25	5.0	26665	1912.5	16QAM	25@0	-3.68	-0.00192	±2.5	PASS	TH/VH
25	10.0	26090	1855.0	QPSK	50@0	-30.28	-0.01633	±2.5	PASS	TH/VH
25	10.0	26090	1855.0	16QAM	50@0	9.21	0.00497	±2.5	PASS	TH/VH
25	10.0	26365	1882.5	QPSK	50@0	-0.87	-0.00046	±2.5	PASS	TH/VH
25	10.0	26365	1882.5	16QAM	50@0	1.69	0.0009	±2.5	PASS	TH/VH
25	10.0	26640	1910.0	QPSK	50@0	-18.97	-0.00993	±2.5	PASS	TH/VH
25	10.0	26640	1910.0	16QAM	50@0	-18.48	-0.00968	±2.5	PASS	TH/VH
25	15.0	26115	1857.5	QPSK	75@0	-27.49	-0.0148	±2.5	PASS	TH/VH
25	15.0	26115	1857.5	16QAM	75@0	-6.37	-0.00343	±2.5	PASS	TH/VH
25	15.0	26365	1882.5	QPSK	75@0	13.0	0.00691	±2.5	PASS	TH/VH
25	15.0	26365	1882.5	16QAM	75@0	-33.23	-0.01765	±2.5	PASS	TH/VH
25	15.0	26615	1907.5	QPSK	75@0	-16.55	-0.00868	±2.5	PASS	TH/VH
25	15.0	26615	1907.5	16QAM	75@0	-23.5	-0.01232	±2.5	PASS	TH/VH
25	20.0	26140	1860.0	QPSK	100@0	-18.18	-0.00978	±2.5	PASS	TH/VH
25	20.0	26140	1860.0	16QAM	100@0	3.72	0.002	±2.5	PASS	TH/VH
25	20.0	26365	1882.5	QPSK	100@0	-5.04	-0.00267	±2.5	PASS	TH/VH
25	20.0	26365	1882.5	16QAM	100@0	-34.33	-0.01824	±2.5	PASS	TH/VH
25	20.0	26590	1905.0	QPSK	100@0	-12.52	-0.00657	±2.5	PASS	TH/VH
25	20.0	26590	1905.0	16QAM	100@0	-33.5	-0.01759	±2.5	PASS	TH/VH
25	1.4	26047	1850.7	QPSK	6@0	-23.06	-0.01246	±2.5	PASS	TH/VL
25	1.4	26047	1850.7	16QAM	6@0	-0.49	-0.00026	±2.5	PASS	TH/VL
25	1.4	26365	1882.5	QPSK	6@0	-12.56	-0.00667	±2.5	PASS	TH/VL
25	1.4	26365	1882.5	16QAM	6@0	-14.53	-0.00772	±2.5	PASS	TH/VL

25	1.4	26683	1914.3	QPSK	6@0	-6.54	-0.00342	±2.5	PASS	TH/VL
25	1.4	26683	1914.3	16QAM	6@0	12.95	0.00676	±2.5	PASS	TH/VL
25	3.0	26055	1851.5	QPSK	15@0	-13.42	-0.00725	±2.5	PASS	TH/VL
25	3.0	26055	1851.5	16QAM	15@0	-27.57	-0.01489	±2.5	PASS	TH/VL
25	3.0	26365	1882.5	QPSK	15@0	-12.22	-0.00649	±2.5	PASS	TH/VL
25	3.0	26365	1882.5	16QAM	15@0	-30.44	-0.01617	±2.5	PASS	TH/VL
25	3.0	26675	1913.5	QPSK	15@0	-18.53	-0.00968	±2.5	PASS	TH/VL
25	3.0	26675	1913.5	16QAM	15@0	-64.43	-0.03367	±2.5	PASS	TH/VL
25	5.0	26065	1852.5	QPSK	25@0	-8.35	-0.00451	±2.5	PASS	TH/VL
25	5.0	26065	1852.5	16QAM	25@0	-16.24	-0.00876	±2.5	PASS	TH/VL
25	5.0	26365	1882.5	QPSK	25@0	-7.51	-0.00399	±2.5	PASS	TH/VL
25	5.0	26365	1882.5	16QAM	25@0	-20.4	-0.01084	±2.5	PASS	TH/VL
25	5.0	26665	1912.5	QPSK	25@0	-10.91	-0.00571	±2.5	PASS	TH/VL
25	5.0	26665	1912.5	16QAM	25@0	14.93	0.00781	±2.5	PASS	TH/VL
25	10.0	26090	1855.0	QPSK	50@0	-23.17	-0.01249	±2.5	PASS	TH/VL
25	10.0	26090	1855.0	16QAM	50@0	-46.05	-0.02482	±2.5	PASS	TH/VL
25	10.0	26365	1882.5	QPSK	50@0	-19.1	-0.01014	±2.5	PASS	TH/VL
25	10.0	26365	1882.5	16QAM	50@0	-39.45	-0.02096	±2.5	PASS	TH/VL
25	10.0	26640	1910.0	QPSK	50@0	-14.95	-0.00783	±2.5	PASS	TH/VL
25	10.0	26640	1910.0	16QAM	50@0	4.65	0.00243	±2.5	PASS	TH/VL
25	15.0	26115	1857.5	QPSK	75@0	-15.64	-0.00842	±2.5	PASS	TH/VL
25	15.0	26115	1857.5	16QAM	75@0	-20.48	-0.01103	±2.5	PASS	TH/VL
25	15.0	26365	1882.5	QPSK	75@0	-9.17	-0.00487	±2.5	PASS	TH/VL
25	15.0	26365	1882.5	16QAM	75@0	-22.19	-0.01179	±2.5	PASS	TH/VL
25	15.0	26615	1907.5	QPSK	75@0	-13.36	-0.007	±2.5	PASS	TH/VL
25	15.0	26615	1907.5	16QAM	75@0	13.35	0.007	±2.5	PASS	TH/VL
25	20.0	26140	1860.0	QPSK	100@0	-13.76	-0.0074	±2.5	PASS	TH/VL
25	20.0	26140	1860.0	16QAM	100@0	-31.91	-0.01716	±2.5	PASS	TH/VL
25	20.0	26365	1882.5	QPSK	100@0	-3.76	-0.002	±2.5	PASS	TH/VL
25	20.0	26365	1882.5	16QAM	100@0	-10.91	-0.0058	±2.5	PASS	TH/VL
25	20.0	26590	1905.0	QPSK	100@0	-6.95	-0.00365	±2.5	PASS	TH/VL
25	20.0	26590	1905.0	16QAM	100@0	-35.59	-0.01868	±2.5	PASS	TH/VL
25	1.4	26047	1850.7	QPSK	6@0	-28.44	-0.01537	±2.5	PASS	TH/VN
25	1.4	26047	1850.7	16QAM	6@0	-43.37	-0.02344	±2.5	PASS	TH/VN
25	1.4	26365	1882.5	QPSK	6@0	13.79	0.00733	±2.5	PASS	TH/VN
25	1.4	26365	1882.5	16QAM	6@0	17.98	0.00955	±2.5	PASS	TH/VN
25	1.4	26683	1914.3	QPSK	6@0	-18.4	-0.00961	±2.5	PASS	TH/VN
25	1.4	26683	1914.3	16QAM	6@0	-10.83	-0.00566	±2.5	PASS	TH/VN
25	3.0	26055	1851.5	QPSK	15@0	-13.19	-0.00712	±2.5	PASS	TH/VN
25	3.0	26055	1851.5	16QAM	15@0	-20.73	-0.0112	±2.5	PASS	TH/VN
25	3.0	26365	1882.5	QPSK	15@0	2.1	0.00112	±2.5	PASS	TH/VN
25	3.0	26365	1882.5	16QAM	15@0	-6.08	-0.00323	±2.5	PASS	TH/VN
25	3.0	26675	1913.5	QPSK	15@0	-20.99	-0.01097	±2.5	PASS	TH/VN

25	3.0	26675	1913.5	16QAM	15@0	-28.68	-0.01499	±2.5	PASS	TH/VN
25	5.0	26065	1852.5	QPSK	25@0	-22.2	-0.01198	±2.5	PASS	TH/VN
25	5.0	26065	1852.5	16QAM	25@0	-27.07	-0.01461	±2.5	PASS	TH/VN
25	5.0	26365	1882.5	QPSK	25@0	17.34	0.00921	±2.5	PASS	TH/VN
25	5.0	26365	1882.5	16QAM	25@0	20.66	0.01097	±2.5	PASS	TH/VN
25	5.0	26665	1912.5	QPSK	25@0	3.69	0.00193	±2.5	PASS	TH/VN
25	5.0	26665	1912.5	16QAM	25@0	-17.67	-0.00924	±2.5	PASS	TH/VN
25	10.0	26090	1855.0	QPSK	50@0	-22.06	-0.01189	±2.5	PASS	TH/VN
25	10.0	26090	1855.0	16QAM	50@0	-24.0	-0.01294	±2.5	PASS	TH/VN
25	10.0	26365	1882.5	QPSK	50@0	11.22	0.00596	±2.5	PASS	TH/VN
25	10.0	26365	1882.5	16QAM	50@0	11.67	0.0062	±2.5	PASS	TH/VN
25	10.0	26640	1910.0	QPSK	50@0	-2.96	-0.00155	±2.5	PASS	TH/VN
25	10.0	26640	1910.0	16QAM	50@0	-26.32	-0.01378	±2.5	PASS	TH/VN
25	15.0	26115	1857.5	QPSK	75@0	-11.79	-0.00635	±2.5	PASS	TH/VN
25	15.0	26115	1857.5	16QAM	75@0	-36.89	-0.01986	±2.5	PASS	TH/VN
25	15.0	26365	1882.5	QPSK	75@0	-2.13	-0.00113	±2.5	PASS	TH/VN
25	15.0	26365	1882.5	16QAM	75@0	6.48	0.00344	±2.5	PASS	TH/VN
25	15.0	26615	1907.5	QPSK	75@0	-12.46	-0.00653	±2.5	PASS	TH/VN
25	15.0	26615	1907.5	16QAM	75@0	-33.92	-0.01778	±2.5	PASS	TH/VN
25	20.0	26140	1860.0	QPSK	100@0	-18.3	-0.00984	±2.5	PASS	TH/VN
25	20.0	26140	1860.0	16QAM	100@0	-16.28	-0.00875	±2.5	PASS	TH/VN
25	20.0	26365	1882.5	QPSK	100@0	-7.74	-0.00411	±2.5	PASS	TH/VN
25	20.0	26365	1882.5	16QAM	100@0	-7.17	-0.00381	±2.5	PASS	TH/VN
25	20.0	26590	1905.0	QPSK	100@0	9.74	0.00511	±2.5	PASS	TH/VN
25	20.0	26590	1905.0	16QAM	100@0	-5.72	-0.003	±2.5	PASS	TH/VN
25	1.4	26047	1850.7	QPSK	6@0	-9.76	-0.00527	±2.5	PASS	TL/VH
25	1.4	26047	1850.7	16QAM	6@0	1.44	0.00078	±2.5	PASS	TL/VH
25	1.4	26365	1882.5	QPSK	6@0	-2.62	-0.00139	±2.5	PASS	TL/VH
25	1.4	26365	1882.5	16QAM	6@0	-38.25	-0.02032	±2.5	PASS	TL/VH
25	1.4	26683	1914.3	QPSK	6@0	-7.85	-0.0041	±2.5	PASS	TL/VH
25	1.4	26683	1914.3	16QAM	6@0	-10.09	-0.00527	±2.5	PASS	TL/VH
25	3.0	26055	1851.5	QPSK	15@0	10.89	0.00588	±2.5	PASS	TL/VH
25	3.0	26055	1851.5	16QAM	15@0	7.58	0.00409	±2.5	PASS	TL/VH
25	3.0	26365	1882.5	QPSK	15@0	-0.79	-0.00042	±2.5	PASS	TL/VH
25	3.0	26365	1882.5	16QAM	15@0	-19.15	-0.01018	±2.5	PASS	TL/VH
25	3.0	26675	1913.5	QPSK	15@0	-20.46	-0.01069	±2.5	PASS	TL/VH
25	3.0	26675	1913.5	16QAM	15@0	5.92	0.0031	±2.5	PASS	TL/VH
25	5.0	26065	1852.5	QPSK	25@0	-20.56	-0.0111	±2.5	PASS	TL/VH
25	5.0	26065	1852.5	16QAM	25@0	-13.1	-0.00707	±2.5	PASS	TL/VH
25	5.0	26365	1882.5	QPSK	25@0	-4.69	-0.00249	±2.5	PASS	TL/VH
25	5.0	26365	1882.5	16QAM	25@0	-22.17	-0.01178	±2.5	PASS	TL/VH
25	5.0	26665	1912.5	QPSK	25@0	-1.14	-0.0006	±2.5	PASS	TL/VH
25	5.0	26665	1912.5	16QAM	25@0	-20.38	-0.01066	±2.5	PASS	TL/VH