

4	5.0	20375	1752.5	QPSK	25@0	-13.12	-0.00749	±2.5	PASS	TH/VN
4	5.0	20375	1752.5	16QAM	25@0	-36.76	-0.02098	±2.5	PASS	TH/VN
4	10.0	20000	1715.0	QPSK	50@0	-12.46	-0.00727	±2.5	PASS	TH/VN
4	10.0	20000	1715.0	16QAM	50@0	-16.31	-0.00951	±2.5	PASS	TH/VN
4	10.0	20175	1732.5	QPSK	50@0	10.34	0.00597	±2.5	PASS	TH/VN
4	10.0	20175	1732.5	16QAM	50@0	-11.86	-0.00684	±2.5	PASS	TH/VN
4	10.0	20350	1750.0	QPSK	50@0	-23.2	-0.01326	±2.5	PASS	TH/VN
4	10.0	20350	1750.0	16QAM	50@0	-51.97	-0.0297	±2.5	PASS	TH/VN
4	15.0	20025	1717.5	QPSK	75@0	-25.63	-0.01493	±2.5	PASS	TH/VN
4	15.0	20025	1717.5	16QAM	75@0	-30.66	-0.01785	±2.5	PASS	TH/VN
4	15.0	20175	1732.5	QPSK	75@0	-5.69	-0.00329	±2.5	PASS	TH/VN
4	15.0	20175	1732.5	16QAM	75@0	-24.85	-0.01434	±2.5	PASS	TH/VN
4	15.0	20325	1747.5	QPSK	75@0	1.09	0.00062	±2.5	PASS	TH/VN
4	15.0	20325	1747.5	16QAM	75@0	-26.38	-0.0151	±2.5	PASS	TH/VN
4	20.0	20050	1720.0	QPSK	100@0	-11.26	-0.00655	±2.5	PASS	TH/VN
4	20.0	20050	1720.0	16QAM	100@0	1.49	0.00086	±2.5	PASS	TH/VN
4	20.0	20175	1732.5	QPSK	100@0	-2.57	-0.00149	±2.5	PASS	TH/VN
4	20.0	20175	1732.5	16QAM	100@0	-21.29	-0.01229	±2.5	PASS	TH/VN
4	20.0	20300	1745.0	QPSK	100@0	-1.29	-0.00074	±2.5	PASS	TH/VN
4	20.0	20300	1745.0	16QAM	100@0	-35.12	-0.02013	±2.5	PASS	TH/VN
4	1.4	19957	1710.7	QPSK	6@0	4.33	0.00253	±2.5	PASS	TL/VH
4	1.4	19957	1710.7	16QAM	6@0	-4.46	-0.00261	±2.5	PASS	TL/VH
4	1.4	20175	1732.5	QPSK	6@0	0.32	0.00018	±2.5	PASS	TL/VH
4	1.4	20175	1732.5	16QAM	6@0	-12.19	-0.00703	±2.5	PASS	TL/VH
4	1.4	20393	1754.3	QPSK	6@0	-19.21	-0.01095	±2.5	PASS	TL/VH
4	1.4	20393	1754.3	16QAM	6@0	-21.43	-0.01222	±2.5	PASS	TL/VH
4	3.0	19965	1711.5	QPSK	15@0	-21.5	-0.01256	±2.5	PASS	TL/VH
4	3.0	19965	1711.5	16QAM	15@0	-19.81	-0.01158	±2.5	PASS	TL/VH
4	3.0	20175	1732.5	QPSK	15@0	1.6	0.00092	±2.5	PASS	TL/VH
4	3.0	20175	1732.5	16QAM	15@0	-18.93	-0.01092	±2.5	PASS	TL/VH
4	3.0	20385	1753.5	QPSK	15@0	-23.75	-0.01354	±2.5	PASS	TL/VH
4	3.0	20385	1753.5	16QAM	15@0	-31.63	-0.01804	±2.5	PASS	TL/VH
4	5.0	19975	1712.5	QPSK	25@0	-0.53	-0.00031	±2.5	PASS	TL/VH
4	5.0	19975	1712.5	16QAM	25@0	-8.93	-0.00521	±2.5	PASS	TL/VH
4	5.0	20175	1732.5	QPSK	25@0	-7.65	-0.00442	±2.5	PASS	TL/VH
4	5.0	20175	1732.5	16QAM	25@0	-42.09	-0.02429	±2.5	PASS	TL/VH
4	5.0	20375	1752.5	QPSK	25@0	-15.22	-0.00869	±2.5	PASS	TL/VH
4	5.0	20375	1752.5	16QAM	25@0	-31.36	-0.01789	±2.5	PASS	TL/VH
4	10.0	20000	1715.0	QPSK	50@0	-5.05	-0.00294	±2.5	PASS	TL/VH
4	10.0	20000	1715.0	16QAM	50@0	-11.92	-0.00695	±2.5	PASS	TL/VH
4	10.0	20175	1732.5	QPSK	50@0	-5.45	-0.00315	±2.5	PASS	TL/VH
4	10.0	20175	1732.5	16QAM	50@0	-1.67	-0.00097	±2.5	PASS	TL/VH
4	10.0	20350	1750.0	QPSK	50@0	-6.65	-0.0038	±2.5	PASS	TL/VH

4	10.0	20350	1750.0	16QAM	50@0	-25.19	-0.0144	±2.5	PASS	TL/VH
4	15.0	20025	1717.5	QPSK	75@0	-18.22	-0.01061	±2.5	PASS	TL/VH
4	15.0	20025	1717.5	16QAM	75@0	-28.0	-0.0163	±2.5	PASS	TL/VH
4	15.0	20175	1732.5	QPSK	75@0	-27.07	-0.01562	±2.5	PASS	TL/VH
4	15.0	20175	1732.5	16QAM	75@0	-9.28	-0.00536	±2.5	PASS	TL/VH
4	15.0	20325	1747.5	QPSK	75@0	-24.59	-0.01407	±2.5	PASS	TL/VH
4	15.0	20325	1747.5	16QAM	75@0	-12.86	-0.00736	±2.5	PASS	TL/VH
4	20.0	20050	1720.0	QPSK	100@0	-8.61	-0.00501	±2.5	PASS	TL/VH
4	20.0	20050	1720.0	16QAM	100@0	-25.31	-0.01471	±2.5	PASS	TL/VH
4	20.0	20175	1732.5	QPSK	100@0	-24.25	-0.014	±2.5	PASS	TL/VH
4	20.0	20175	1732.5	16QAM	100@0	-2.55	-0.00147	±2.5	PASS	TL/VH
4	20.0	20300	1745.0	QPSK	100@0	-15.58	-0.00893	±2.5	PASS	TL/VH
4	20.0	20300	1745.0	16QAM	100@0	-24.25	-0.0139	±2.5	PASS	TL/VH
4	1.4	19957	1710.7	QPSK	6@0	-27.17	-0.01588	±2.5	PASS	TL/VN
4	1.4	19957	1710.7	16QAM	6@0	-9.9	-0.00579	±2.5	PASS	TL/VN
4	1.4	20175	1732.5	QPSK	6@0	-24.18	-0.01395	±2.5	PASS	TL/VN
4	1.4	20175	1732.5	16QAM	6@0	-13.63	-0.00787	±2.5	PASS	TL/VN
4	1.4	20393	1754.3	QPSK	6@0	14.78	0.00842	±2.5	PASS	TL/VN
4	1.4	20393	1754.3	16QAM	6@0	23.25	0.01325	±2.5	PASS	TL/VN
4	3.0	19965	1711.5	QPSK	15@0	12.04	0.00704	±2.5	PASS	TL/VN
4	3.0	19965	1711.5	16QAM	15@0	31.94	0.01866	±2.5	PASS	TL/VN
4	3.0	20175	1732.5	QPSK	15@0	-9.97	-0.00576	±2.5	PASS	TL/VN
4	3.0	20175	1732.5	16QAM	15@0	-10.31	-0.00595	±2.5	PASS	TL/VN
4	3.0	20385	1753.5	QPSK	15@0	13.6	0.00776	±2.5	PASS	TL/VN
4	3.0	20385	1753.5	16QAM	15@0	8.84	0.00504	±2.5	PASS	TL/VN
4	5.0	19975	1712.5	QPSK	25@0	8.38	0.0049	±2.5	PASS	TL/VN
4	5.0	19975	1712.5	16QAM	25@0	17.35	0.01013	±2.5	PASS	TL/VN
4	5.0	20175	1732.5	QPSK	25@0	-14.66	-0.00846	±2.5	PASS	TL/VN
4	5.0	20175	1732.5	16QAM	25@0	-14.69	-0.00848	±2.5	PASS	TL/VN
4	5.0	20375	1752.5	QPSK	25@0	-12.57	-0.00718	±2.5	PASS	TL/VN
4	5.0	20375	1752.5	16QAM	25@0	-22.76	-0.01299	±2.5	PASS	TL/VN
4	10.0	20000	1715.0	QPSK	50@0	-10.09	-0.00588	±2.5	PASS	TL/VN
4	10.0	20000	1715.0	16QAM	50@0	-35.13	-0.02049	±2.5	PASS	TL/VN
4	10.0	20175	1732.5	QPSK	50@0	-13.46	-0.00777	±2.5	PASS	TL/VN
4	10.0	20175	1732.5	16QAM	50@0	-31.16	-0.01798	±2.5	PASS	TL/VN
4	10.0	20350	1750.0	QPSK	50@0	-23.92	-0.01367	±2.5	PASS	TL/VN
4	10.0	20350	1750.0	16QAM	50@0	-25.96	-0.01484	±2.5	PASS	TL/VN
4	15.0	20025	1717.5	QPSK	75@0	-27.28	-0.01588	±2.5	PASS	TL/VN
4	15.0	20025	1717.5	16QAM	75@0	3.16	0.00184	±2.5	PASS	TL/VN
4	15.0	20175	1732.5	QPSK	75@0	-3.93	-0.00227	±2.5	PASS	TL/VN
4	15.0	20175	1732.5	16QAM	75@0	-0.66	-0.00038	±2.5	PASS	TL/VN
4	15.0	20325	1747.5	QPSK	75@0	7.32	0.00419	±2.5	PASS	TL/VN
4	15.0	20325	1747.5	16QAM	75@0	-38.6	-0.02209	±2.5	PASS	TL/VN

4	20.0	20050	1720.0	QPSK	100@0	-8.98	-0.00522	±2.5	PASS	TL/VN
4	20.0	20050	1720.0	16QAM	100@0	4.41	0.00256	±2.5	PASS	TL/VN
4	20.0	20175	1732.5	QPSK	100@0	-3.08	-0.00178	±2.5	PASS	TL/VN
4	20.0	20175	1732.5	16QAM	100@0	-30.13	-0.01739	±2.5	PASS	TL/VN
4	20.0	20300	1745.0	QPSK	100@0	-17.14	-0.00982	±2.5	PASS	TL/VN
4	20.0	20300	1745.0	16QAM	100@0	-8.58	-0.00492	±2.5	PASS	TL/VN
4	1.4	19957	1710.7	QPSK	6@0	-14.51	-0.00848	±2.5	PASS	TN/VH
4	1.4	19957	1710.7	16QAM	6@0	-15.11	-0.00883	±2.5	PASS	TN/VH
4	1.4	20175	1732.5	QPSK	6@0	5.71	0.00329	±2.5	PASS	TN/VH
4	1.4	20175	1732.5	16QAM	6@0	-36.09	-0.02083	±2.5	PASS	TN/VH
4	1.4	20393	1754.3	QPSK	6@0	-4.22	-0.00241	±2.5	PASS	TN/VH
4	1.4	20393	1754.3	16QAM	6@0	-31.71	-0.01808	±2.5	PASS	TN/VH
4	3.0	19965	1711.5	QPSK	15@0	-12.86	-0.00751	±2.5	PASS	TN/VH
4	3.0	19965	1711.5	16QAM	15@0	-28.97	-0.01693	±2.5	PASS	TN/VH
4	3.0	20175	1732.5	QPSK	15@0	-3.18	-0.00183	±2.5	PASS	TN/VH
4	3.0	20175	1732.5	16QAM	15@0	-21.67	-0.01251	±2.5	PASS	TN/VH
4	3.0	20385	1753.5	QPSK	15@0	-13.23	-0.00755	±2.5	PASS	TN/VH
4	3.0	20385	1753.5	16QAM	15@0	-1.9	-0.00109	±2.5	PASS	TN/VH
4	5.0	19975	1712.5	QPSK	25@0	-9.91	-0.00579	±2.5	PASS	TN/VH
4	5.0	19975	1712.5	16QAM	25@0	-19.4	-0.01133	±2.5	PASS	TN/VH
4	5.0	20175	1732.5	QPSK	25@0	-13.23	-0.00764	±2.5	PASS	TN/VH
4	5.0	20175	1732.5	16QAM	25@0	-10.63	-0.00613	±2.5	PASS	TN/VH
4	5.0	20375	1752.5	QPSK	25@0	-14.45	-0.00824	±2.5	PASS	TN/VH
4	5.0	20375	1752.5	16QAM	25@0	-14.28	-0.00815	±2.5	PASS	TN/VH
4	10.0	20000	1715.0	QPSK	50@0	-9.87	-0.00576	±2.5	PASS	TN/VH
4	10.0	20000	1715.0	16QAM	50@0	-23.55	-0.01373	±2.5	PASS	TN/VH
4	10.0	20175	1732.5	QPSK	50@0	-7.42	-0.00429	±2.5	PASS	TN/VH
4	10.0	20175	1732.5	16QAM	50@0	-32.46	-0.01873	±2.5	PASS	TN/VH
4	10.0	20350	1750.0	QPSK	50@0	-16.58	-0.00947	±2.5	PASS	TN/VH
4	10.0	20350	1750.0	16QAM	50@0	-13.12	-0.0075	±2.5	PASS	TN/VH
4	15.0	20025	1717.5	QPSK	75@0	-10.2	-0.00594	±2.5	PASS	TN/VH
4	15.0	20025	1717.5	16QAM	75@0	-37.67	-0.02193	±2.5	PASS	TN/VH
4	15.0	20175	1732.5	QPSK	75@0	-13.93	-0.00804	±2.5	PASS	TN/VH
4	15.0	20175	1732.5	16QAM	75@0	-13.52	-0.0078	±2.5	PASS	TN/VH
4	15.0	20325	1747.5	QPSK	75@0	-21.31	-0.0122	±2.5	PASS	TN/VH
4	15.0	20325	1747.5	16QAM	75@0	-12.47	-0.00714	±2.5	PASS	TN/VH
4	20.0	20050	1720.0	QPSK	100@0	-6.09	-0.00354	±2.5	PASS	TN/VH
4	20.0	20050	1720.0	16QAM	100@0	-32.22	-0.01873	±2.5	PASS	TN/VH
4	20.0	20175	1732.5	QPSK	100@0	-14.76	-0.00852	±2.5	PASS	TN/VH
4	20.0	20175	1732.5	16QAM	100@0	-13.88	-0.00801	±2.5	PASS	TN/VH
4	20.0	20300	1745.0	QPSK	100@0	-14.29	-0.00819	±2.5	PASS	TN/VH
4	20.0	20300	1745.0	16QAM	100@0	-19.73	-0.0113	±2.5	PASS	TN/VH
4	1.4	19957	1710.7	QPSK	6@0	-21.3	-0.01245	±2.5	PASS	TN/VL

4	1.4	19957	1710.7	16QAM	6@0	-9.21	-0.00539	±2.5	PASS	TN/VL
4	1.4	20175	1732.5	QPSK	6@0	-16.25	-0.00938	±2.5	PASS	TN/VL
4	1.4	20175	1732.5	16QAM	6@0	0.27	0.00016	±2.5	PASS	TN/VL
4	1.4	20393	1754.3	QPSK	6@0	7.05	0.00402	±2.5	PASS	TN/VL
4	1.4	20393	1754.3	16QAM	6@0	-24.28	-0.01384	±2.5	PASS	TN/VL
4	3.0	19965	1711.5	QPSK	15@0	-19.04	-0.01112	±2.5	PASS	TN/VL
4	3.0	19965	1711.5	16QAM	15@0	-15.76	-0.00921	±2.5	PASS	TN/VL
4	3.0	20175	1732.5	QPSK	15@0	-12.33	-0.00712	±2.5	PASS	TN/VL
4	3.0	20175	1732.5	16QAM	15@0	-12.22	-0.00705	±2.5	PASS	TN/VL
4	3.0	20385	1753.5	QPSK	15@0	-10.07	-0.00574	±2.5	PASS	TN/VL
4	3.0	20385	1753.5	16QAM	15@0	-19.77	-0.01127	±2.5	PASS	TN/VL
4	5.0	19975	1712.5	QPSK	25@0	-9.94	-0.00581	±2.5	PASS	TN/VL
4	5.0	19975	1712.5	16QAM	25@0	-28.04	-0.01637	±2.5	PASS	TN/VL
4	5.0	20175	1732.5	QPSK	25@0	0.32	0.00018	±2.5	PASS	TN/VL
4	5.0	20175	1732.5	16QAM	25@0	-17.77	-0.01026	±2.5	PASS	TN/VL
4	5.0	20375	1752.5	QPSK	25@0	-16.06	-0.00917	±2.5	PASS	TN/VL
4	5.0	20375	1752.5	16QAM	25@0	-43.34	-0.02473	±2.5	PASS	TN/VL
4	10.0	20000	1715.0	QPSK	50@0	-9.0	-0.00525	±2.5	PASS	TN/VL
4	10.0	20000	1715.0	16QAM	50@0	1.04	0.00061	±2.5	PASS	TN/VL
4	10.0	20175	1732.5	QPSK	50@0	2.16	0.00125	±2.5	PASS	TN/VL
4	10.0	20175	1732.5	16QAM	50@0	-38.75	-0.02237	±2.5	PASS	TN/VL
4	10.0	20350	1750.0	QPSK	50@0	-25.02	-0.0143	±2.5	PASS	TN/VL
4	10.0	20350	1750.0	16QAM	50@0	-36.74	-0.02099	±2.5	PASS	TN/VL
4	15.0	20025	1717.5	QPSK	75@0	-19.4	-0.01129	±2.5	PASS	TN/VL
4	15.0	20025	1717.5	16QAM	75@0	-43.95	-0.02559	±2.5	PASS	TN/VL
4	15.0	20175	1732.5	QPSK	75@0	-9.7	-0.0056	±2.5	PASS	TN/VL
4	15.0	20175	1732.5	16QAM	75@0	-7.67	-0.00443	±2.5	PASS	TN/VL
4	15.0	20325	1747.5	QPSK	75@0	-4.25	-0.00243	±2.5	PASS	TN/VL
4	15.0	20325	1747.5	16QAM	75@0	-15.39	-0.00881	±2.5	PASS	TN/VL
4	20.0	20050	1720.0	QPSK	100@0	-14.22	-0.00827	±2.5	PASS	TN/VL
4	20.0	20050	1720.0	16QAM	100@0	-3.89	-0.00226	±2.5	PASS	TN/VL
4	20.0	20175	1732.5	QPSK	100@0	3.91	0.00225	±2.5	PASS	TN/VL
4	20.0	20175	1732.5	16QAM	100@0	-32.76	-0.01891	±2.5	PASS	TN/VL
4	20.0	20300	1745.0	QPSK	100@0	-13.46	-0.00771	±2.5	PASS	TN/VL
4	20.0	20300	1745.0	16QAM	100@0	-40.1	-0.02298	±2.5	PASS	TN/VL
4	1.4	19957	1710.7	QPSK	6@0	-15.52	-0.00907	±2.5	PASS	TN/VN
4	1.4	19957	1710.7	16QAM	6@0	-27.82	-0.01626	±2.5	PASS	TN/VN
4	1.4	20175	1732.5	QPSK	6@0	-8.73	-0.00504	±2.5	PASS	TN/VN
4	1.4	20175	1732.5	16QAM	6@0	-11.67	-0.00674	±2.5	PASS	TN/VN
4	1.4	20393	1754.3	QPSK	6@0	-18.7	-0.01066	±2.5	PASS	TN/VN
4	1.4	20393	1754.3	16QAM	6@0	-6.77	-0.00386	±2.5	PASS	TN/VN
4	3.0	19965	1711.5	QPSK	15@0	-11.83	-0.00691	±2.5	PASS	TN/VN
4	3.0	19965	1711.5	16QAM	15@0	-18.93	-0.01106	±2.5	PASS	TN/VN

4	3.0	20175	1732.5	QPSK	15@0	-1.6	-0.00092	±2.5	PASS	TN/VN
4	3.0	20175	1732.5	16QAM	15@0	-36.51	-0.02107	±2.5	PASS	TN/VN
4	3.0	20385	1753.5	QPSK	15@0	-9.04	-0.00516	±2.5	PASS	TN/VN
4	3.0	20385	1753.5	16QAM	15@0	-37.94	-0.02164	±2.5	PASS	TN/VN
4	5.0	19975	1712.5	QPSK	25@0	-13.95	-0.00814	±2.5	PASS	TN/VN
4	5.0	19975	1712.5	16QAM	25@0	-20.59	-0.01202	±2.5	PASS	TN/VN
4	5.0	20175	1732.5	QPSK	25@0	-7.74	-0.00447	±2.5	PASS	TN/VN
4	5.0	20175	1732.5	16QAM	25@0	-7.65	-0.00442	±2.5	PASS	TN/VN
4	5.0	20375	1752.5	QPSK	25@0	8.9	0.00508	±2.5	PASS	TN/VN
4	5.0	20375	1752.5	16QAM	25@0	-35.09	-0.02002	±2.5	PASS	TN/VN
4	10.0	20000	1715.0	QPSK	50@0	-17.44	-0.01017	±2.5	PASS	TN/VN
4	10.0	20000	1715.0	16QAM	50@0	-22.19	-0.01294	±2.5	PASS	TN/VN
4	10.0	20175	1732.5	QPSK	50@0	-21.37	-0.01234	±2.5	PASS	TN/VN
4	10.0	20175	1732.5	16QAM	50@0	-25.16	-0.01452	±2.5	PASS	TN/VN
4	10.0	20350	1750.0	QPSK	50@0	-10.99	-0.00628	±2.5	PASS	TN/VN
4	10.0	20350	1750.0	16QAM	50@0	-37.74	-0.02156	±2.5	PASS	TN/VN
4	15.0	20025	1717.5	QPSK	75@0	2.59	0.00151	±2.5	PASS	TN/VN
4	15.0	20025	1717.5	16QAM	75@0	-12.55	-0.0073	±2.5	PASS	TN/VN
4	15.0	20175	1732.5	QPSK	75@0	-5.74	-0.00331	±2.5	PASS	TN/VN
4	15.0	20175	1732.5	16QAM	75@0	-20.8	-0.01201	±2.5	PASS	TN/VN
4	15.0	20325	1747.5	QPSK	75@0	-13.26	-0.00759	±2.5	PASS	TN/VN
4	15.0	20325	1747.5	16QAM	75@0	-40.2	-0.023	±2.5	PASS	TN/VN
4	20.0	20050	1720.0	QPSK	100@0	-10.39	-0.00604	±2.5	PASS	TN/VN
4	20.0	20050	1720.0	16QAM	100@0	-31.16	-0.01811	±2.5	PASS	TN/VN
4	20.0	20175	1732.5	QPSK	100@0	-18.4	-0.01062	±2.5	PASS	TN/VN
4	20.0	20175	1732.5	16QAM	100@0	-32.96	-0.01902	±2.5	PASS	TN/VN
4	20.0	20300	1745.0	QPSK	100@0	-12.36	-0.00708	±2.5	PASS	TN/VN
4	20.0	20300	1745.0	16QAM	100@0	-24.12	-0.01382	±2.5	PASS	TN/VN

H7.Modulation Characteristics

Test Result

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Verdict
4	1.4	19957	1710.7	QPSK	6@0	PASS
4	1.4	19957	1710.7	16QAM	6@0	PASS
4	1.4	20393	1754.3	QPSK	6@0	PASS
4	1.4	20393	1754.3	16QAM	6@0	PASS
4	3.0	19965	1711.5	QPSK	15@0	PASS
4	3.0	19965	1711.5	16QAM	15@0	PASS
4	3.0	20385	1753.5	QPSK	15@0	PASS
4	3.0	20385	1753.5	16QAM	15@0	PASS
4	5.0	19975	1712.5	QPSK	25@0	PASS
4	5.0	19975	1712.5	16QAM	25@0	PASS
4	5.0	20375	1752.5	QPSK	25@0	PASS
4	5.0	20375	1752.5	16QAM	25@0	PASS
4	10.0	20000	1715.0	QPSK	50@0	PASS
4	10.0	20000	1715.0	16QAM	50@0	PASS
4	10.0	20350	1750.0	QPSK	50@0	PASS
4	10.0	20350	1750.0	16QAM	50@0	PASS
4	15.0	20025	1717.5	QPSK	75@0	PASS
4	15.0	20025	1717.5	16QAM	75@0	PASS
4	15.0	20325	1747.5	QPSK	75@0	PASS
4	15.0	20325	1747.5	16QAM	75@0	PASS
4	20.0	20050	1720.0	QPSK	100@0	PASS
4	20.0	20050	1720.0	16QAM	100@0	PASS
4	20.0	20300	1745.0	QPSK	100@0	PASS
4	20.0	20300	1745.0	16QAM	100@0	PASS

Test Graphs







