




























H6.Frequency Stability

Test Result

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
4	1.4	19957	1710.7	QPSK	6@0	-2.17	-0.00127	±2.5	PASS	TL/VL
4	1.4	19957	1710.7	16QAM	6@0	0.32	0.00019	±2.5	PASS	TL/VL
4	1.4	20175	1732.5	QPSK	6@0	-25.73	-0.01485	±2.5	PASS	TL/VL
4	1.4	20175	1732.5	16QAM	6@0	-0.27	-0.00016	±2.5	PASS	TL/VL
4	1.4	20393	1754.3	QPSK	6@0	-12.86	-0.00733	±2.5	PASS	TL/VL
4	1.4	20393	1754.3	16QAM	6@0	-43.17	-0.02461	±2.5	PASS	TL/VL
4	3.0	19965	1711.5	QPSK	15@0	-17.45	-0.0102	±2.5	PASS	TL/VL
4	3.0	19965	1711.5	16QAM	15@0	-23.62	-0.0138	±2.5	PASS	TL/VL
4	3.0	20175	1732.5	QPSK	15@0	-4.71	-0.00272	±2.5	PASS	TL/VL
4	3.0	20175	1732.5	16QAM	15@0	-32.19	-0.01858	±2.5	PASS	TL/VL
4	3.0	20385	1753.5	QPSK	15@0	-10.47	-0.00597	±2.5	PASS	TL/VL
4	3.0	20385	1753.5	16QAM	15@0	-36.59	-0.02087	±2.5	PASS	TL/VL
4	5.0	19975	1712.5	QPSK	25@0	-6.02	-0.00352	±2.5	PASS	TL/VL
4	5.0	19975	1712.5	16QAM	25@0	-21.41	-0.0125	±2.5	PASS	TL/VL
4	5.0	20175	1732.5	QPSK	25@0	-2.79	-0.00161	±2.5	PASS	TL/VL
4	5.0	20175	1732.5	16QAM	25@0	-32.62	-0.01883	±2.5	PASS	TL/VL
4	5.0	20375	1752.5	QPSK	25@0	3.92	0.00224	±2.5	PASS	TL/VL
4	5.0	20375	1752.5	16QAM	25@0	-31.67	-0.01807	±2.5	PASS	TL/VL
4	10.0	20000	1715.0	QPSK	50@0	-34.46	-0.02009	±2.5	PASS	TL/VL
4	10.0	20000	1715.0	16QAM	50@0	-5.05	-0.00294	±2.5	PASS	TL/VL
4	10.0	20175	1732.5	QPSK	50@0	-0.24	-0.00014	±2.5	PASS	TL/VL
4	10.0	20175	1732.5	16QAM	50@0	-7.42	-0.00429	±2.5	PASS	TL/VL
4	10.0	20350	1750.0	QPSK	50@0	-11.09	-0.00634	±2.5	PASS	TL/VL
4	10.0	20350	1750.0	16QAM	50@0	-36.08	-0.02062	±2.5	PASS	TL/VL
4	15.0	20025	1717.5	QPSK	75@0	-13.59	-0.00791	±2.5	PASS	TL/VL
4	15.0	20025	1717.5	16QAM	75@0	-25.99	-0.01513	±2.5	PASS	TL/VL
4	15.0	20175	1732.5	QPSK	75@0	-4.15	-0.00239	±2.5	PASS	TL/VL
4	15.0	20175	1732.5	16QAM	75@0	-10.2	-0.00589	±2.5	PASS	TL/VL
4	15.0	20325	1747.5	QPSK	75@0	-0.44	-0.00025	±2.5	PASS	TL/VL
4	15.0	20325	1747.5	16QAM	75@0	4.82	0.00276	±2.5	PASS	TL/VL
4	20.0	20050	1720.0	QPSK	100@0	-23.07	-0.01342	±2.5	PASS	TL/VL
4	20.0	20050	1720.0	16QAM	100@0	-11.83	-0.00688	±2.5	PASS	TL/VL
4	20.0	20175	1732.5	QPSK	100@0	-8.13	-0.00469	±2.5	PASS	TL/VL
4	20.0	20175	1732.5	16QAM	100@0	-5.52	-0.00319	±2.5	PASS	TL/VL
4	20.0	20300	1745.0	QPSK	100@0	-5.85	-0.00335	±2.5	PASS	TL/VL
4	20.0	20300	1745.0	16QAM	100@0	-3.98	-0.00228	±2.5	PASS	TL/VL
4	1.4	19957	1710.7	QPSK	6@0	-12.06	-0.00705	±2.5	PASS	TH/VH
4	1.4	19957	1710.7	16QAM	6@0	-27.45	-0.01605	±2.5	PASS	TH/VH

4	1.4	20175	1732.5	QPSK	6@0	-10.13	-0.00585	±2.5	PASS	TH/VH
4	1.4	20175	1732.5	16QAM	6@0	-39.97	-0.02307	±2.5	PASS	TH/VH
4	1.4	20393	1754.3	QPSK	6@0	-15.35	-0.00875	±2.5	PASS	TH/VH
4	1.4	20393	1754.3	16QAM	6@0	-35.58	-0.02028	±2.5	PASS	TH/VH
4	3.0	19965	1711.5	QPSK	15@0	-17.31	-0.01011	±2.5	PASS	TH/VH
4	3.0	19965	1711.5	16QAM	15@0	-23.85	-0.01393	±2.5	PASS	TH/VH
4	3.0	20175	1732.5	QPSK	15@0	-3.33	-0.00192	±2.5	PASS	TH/VH
4	3.0	20175	1732.5	16QAM	15@0	-43.69	-0.02522	±2.5	PASS	TH/VH
4	3.0	20385	1753.5	QPSK	15@0	-11.8	-0.00673	±2.5	PASS	TH/VH
4	3.0	20385	1753.5	16QAM	15@0	-36.98	-0.02109	±2.5	PASS	TH/VH
4	5.0	19975	1712.5	QPSK	25@0	-18.17	-0.01061	±2.5	PASS	TH/VH
4	5.0	19975	1712.5	16QAM	25@0	-26.38	-0.0154	±2.5	PASS	TH/VH
4	5.0	20175	1732.5	QPSK	25@0	-2.43	-0.0014	±2.5	PASS	TH/VH
4	5.0	20175	1732.5	16QAM	25@0	-0.56	-0.00032	±2.5	PASS	TH/VH
4	5.0	20375	1752.5	QPSK	25@0	8.96	0.00511	±2.5	PASS	TH/VH
4	5.0	20375	1752.5	16QAM	25@0	-21.29	-0.01215	±2.5	PASS	TH/VH
4	10.0	20000	1715.0	QPSK	50@0	-20.31	-0.01184	±2.5	PASS	TH/VH
4	10.0	20000	1715.0	16QAM	50@0	-4.18	-0.00244	±2.5	PASS	TH/VH
4	10.0	20175	1732.5	QPSK	50@0	-6.31	-0.00364	±2.5	PASS	TH/VH
4	10.0	20175	1732.5	16QAM	50@0	-25.88	-0.01494	±2.5	PASS	TH/VH
4	10.0	20350	1750.0	QPSK	50@0	1.32	0.00075	±2.5	PASS	TH/VH
4	10.0	20350	1750.0	16QAM	50@0	-6.61	-0.00378	±2.5	PASS	TH/VH
4	15.0	20025	1717.5	QPSK	75@0	-16.57	-0.00965	±2.5	PASS	TH/VH
4	15.0	20025	1717.5	16QAM	75@0	-10.71	-0.00624	±2.5	PASS	TH/VH
4	15.0	20175	1732.5	QPSK	75@0	5.41	0.00312	±2.5	PASS	TH/VH
4	15.0	20175	1732.5	16QAM	75@0	4.16	0.0024	±2.5	PASS	TH/VH
4	15.0	20325	1747.5	QPSK	75@0	-19.27	-0.01103	±2.5	PASS	TH/VH
4	15.0	20325	1747.5	16QAM	75@0	-31.57	-0.01807	±2.5	PASS	TH/VH
4	20.0	20050	1720.0	QPSK	100@0	-26.46	-0.01539	±2.5	PASS	TH/VH
4	20.0	20050	1720.0	16QAM	100@0	-28.38	-0.0165	±2.5	PASS	TH/VH
4	20.0	20175	1732.5	QPSK	100@0	-13.59	-0.00784	±2.5	PASS	TH/VH
4	20.0	20175	1732.5	16QAM	100@0	-34.46	-0.01989	±2.5	PASS	TH/VH
4	20.0	20300	1745.0	QPSK	100@0	1.86	0.00107	±2.5	PASS	TH/VH
4	20.0	20300	1745.0	16QAM	100@0	-30.03	-0.01721	±2.5	PASS	TH/VH
4	1.4	19957	1710.7	QPSK	6@0	-28.21	-0.01649	±2.5	PASS	TH/VL
4	1.4	19957	1710.7	16QAM	6@0	-28.7	-0.01677	±2.5	PASS	TH/VL
4	1.4	20175	1732.5	QPSK	6@0	-4.71	-0.00272	±2.5	PASS	TH/VL
4	1.4	20175	1732.5	16QAM	6@0	-20.66	-0.01192	±2.5	PASS	TH/VL
4	1.4	20393	1754.3	QPSK	6@0	4.84	0.00276	±2.5	PASS	TH/VL
4	1.4	20393	1754.3	16QAM	6@0	3.32	0.00189	±2.5	PASS	TH/VL
4	3.0	19965	1711.5	QPSK	15@0	-22.39	-0.01308	±2.5	PASS	TH/VL
4	3.0	19965	1711.5	16QAM	15@0	9.03	0.00527	±2.5	PASS	TH/VL
4	3.0	20175	1732.5	QPSK	15@0	-13.98	-0.00807	±2.5	PASS	TH/VL

4	3.0	20175	1732.5	16QAM	15@0	-18.04	-0.01041	±2.5	PASS	TH/VL
4	3.0	20385	1753.5	QPSK	15@0	-1.59	-0.00091	±2.5	PASS	TH/VL
4	3.0	20385	1753.5	16QAM	15@0	-23.56	-0.01344	±2.5	PASS	TH/VL
4	5.0	19975	1712.5	QPSK	25@0	-6.15	-0.00359	±2.5	PASS	TH/VL
4	5.0	19975	1712.5	16QAM	25@0	13.25	0.00774	±2.5	PASS	TH/VL
4	5.0	20175	1732.5	QPSK	25@0	1.92	0.00111	±2.5	PASS	TH/VL
4	5.0	20175	1732.5	16QAM	25@0	-19.27	-0.01112	±2.5	PASS	TH/VL
4	5.0	20375	1752.5	QPSK	25@0	0.34	0.0002	±2.5	PASS	TH/VL
4	5.0	20375	1752.5	16QAM	25@0	3.82	0.00218	±2.5	PASS	TH/VL
4	10.0	20000	1715.0	QPSK	50@0	-14.26	-0.00832	±2.5	PASS	TH/VL
4	10.0	20000	1715.0	16QAM	50@0	-24.15	-0.01408	±2.5	PASS	TH/VL
4	10.0	20175	1732.5	QPSK	50@0	11.93	0.00689	±2.5	PASS	TH/VL
4	10.0	20175	1732.5	16QAM	50@0	-3.29	-0.0019	±2.5	PASS	TH/VL
4	10.0	20350	1750.0	QPSK	50@0	12.22	0.00698	±2.5	PASS	TH/VL
4	10.0	20350	1750.0	16QAM	50@0	-10.87	-0.00621	±2.5	PASS	TH/VL
4	15.0	20025	1717.5	QPSK	75@0	-25.09	-0.01461	±2.5	PASS	TH/VL
4	15.0	20025	1717.5	16QAM	75@0	-36.72	-0.02138	±2.5	PASS	TH/VL
4	15.0	20175	1732.5	QPSK	75@0	0.2	0.00012	±2.5	PASS	TH/VL
4	15.0	20175	1732.5	16QAM	75@0	-20.1	-0.0116	±2.5	PASS	TH/VL
4	15.0	20325	1747.5	QPSK	75@0	9.46	0.00541	±2.5	PASS	TH/VL
4	15.0	20325	1747.5	16QAM	75@0	-14.15	-0.0081	±2.5	PASS	TH/VL
4	20.0	20050	1720.0	QPSK	100@0	-21.53	-0.01252	±2.5	PASS	TH/VL
4	20.0	20050	1720.0	16QAM	100@0	-10.29	-0.00598	±2.5	PASS	TH/VL
4	20.0	20175	1732.5	QPSK	100@0	5.76	0.00333	±2.5	PASS	TH/VL
4	20.0	20175	1732.5	16QAM	100@0	-7.32	-0.00423	±2.5	PASS	TH/VL
4	20.0	20300	1745.0	QPSK	100@0	-8.15	-0.00467	±2.5	PASS	TH/VL
4	20.0	20300	1745.0	16QAM	100@0	-33.85	-0.0194	±2.5	PASS	TH/VL
4	1.4	19957	1710.7	QPSK	6@0	-22.56	-0.01319	±2.5	PASS	TH/VN
4	1.4	19957	1710.7	16QAM	6@0	4.53	0.00265	±2.5	PASS	TH/VN
4	1.4	20175	1732.5	QPSK	6@0	-8.25	-0.00476	±2.5	PASS	TH/VN
4	1.4	20175	1732.5	16QAM	6@0	-30.91	-0.01784	±2.5	PASS	TH/VN
4	1.4	20393	1754.3	QPSK	6@0	1.0	0.00057	±2.5	PASS	TH/VN
4	1.4	20393	1754.3	16QAM	6@0	-17.87	-0.01018	±2.5	PASS	TH/VN
4	3.0	19965	1711.5	QPSK	15@0	-19.4	-0.01133	±2.5	PASS	TH/VN
4	3.0	19965	1711.5	16QAM	15@0	-22.07	-0.0129	±2.5	PASS	TH/VN
4	3.0	20175	1732.5	QPSK	15@0	-18.27	-0.01054	±2.5	PASS	TH/VN
4	3.0	20175	1732.5	16QAM	15@0	-31.2	-0.01801	±2.5	PASS	TH/VN
4	3.0	20385	1753.5	QPSK	15@0	-2.09	-0.00119	±2.5	PASS	TH/VN
4	3.0	20385	1753.5	16QAM	15@0	-25.49	-0.01454	±2.5	PASS	TH/VN
4	5.0	19975	1712.5	QPSK	25@0	-14.02	-0.00819	±2.5	PASS	TH/VN
4	5.0	19975	1712.5	16QAM	25@0	-18.77	-0.01096	±2.5	PASS	TH/VN
4	5.0	20175	1732.5	QPSK	25@0	1.06	0.00061	±2.5	PASS	TH/VN
4	5.0	20175	1732.5	16QAM	25@0	-13.83	-0.00798	±2.5	PASS	TH/VN