
















H6.Frequency Stability

Test Result

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
5	1.4	20407	824.7	QPSK	6@0	-13.96	-0.01693	±2.5	PASS	TH/VH
5	1.4	20407	824.7	16QAM	6@0	-25.99	-0.03152	±2.5	PASS	TH/VH
5	1.4	20525	836.5	QPSK	6@0	-9.21	-0.01101	±2.5	PASS	TH/VH
5	1.4	20525	836.5	16QAM	6@0	-1.3	-0.00156	±2.5	PASS	TH/VH
5	1.4	20643	848.3	QPSK	6@0	0.67	0.00079	±2.5	PASS	TH/VH
5	1.4	20643	848.3	16QAM	6@0	3.92	0.00462	±2.5	PASS	TH/VH
5	3.0	20415	825.5	QPSK	15@0	-4.99	-0.00605	±2.5	PASS	TH/VH
5	3.0	20415	825.5	16QAM	15@0	-2.7	-0.00328	±2.5	PASS	TH/VH
5	3.0	20525	836.5	QPSK	15@0	-8.98	-0.01074	±2.5	PASS	TH/VH
5	3.0	20525	836.5	16QAM	15@0	-2.05	-0.00245	±2.5	PASS	TH/VH
5	3.0	20635	847.5	QPSK	15@0	-6.17	-0.00727	±2.5	PASS	TH/VH
5	3.0	20635	847.5	16QAM	15@0	-32.13	-0.03791	±2.5	PASS	TH/VH
5	5.0	20425	826.5	QPSK	25@0	-5.71	-0.00691	±2.5	PASS	TH/VH
5	5.0	20425	826.5	16QAM	25@0	-28.51	-0.03449	±2.5	PASS	TH/VH
5	5.0	20525	836.5	QPSK	25@0	-13.62	-0.01628	±2.5	PASS	TH/VH
5	5.0	20525	836.5	16QAM	25@0	-21.19	-0.02533	±2.5	PASS	TH/VH
5	5.0	20625	846.5	QPSK	25@0	-5.64	-0.00666	±2.5	PASS	TH/VH
5	5.0	20625	846.5	16QAM	25@0	3.22	0.0038	±2.5	PASS	TH/VH
5	10.0	20450	829.0	QPSK	50@0	-0.6	-0.00072	±2.5	PASS	TH/VH
5	10.0	20450	829.0	16QAM	50@0	3.32	0.004	±2.5	PASS	TH/VH
5	10.0	20525	836.5	QPSK	50@0	-0.96	-0.00115	±2.5	PASS	TH/VH
5	10.0	20525	836.5	16QAM	50@0	2.8	0.00335	±2.5	PASS	TH/VH
5	10.0	20600	844.0	QPSK	50@0	0.32	0.00038	±2.5	PASS	TH/VH
5	10.0	20600	844.0	16QAM	50@0	-16.12	-0.0191	±2.5	PASS	TH/VH
5	1.4	20407	824.7	QPSK	6@0	-8.83	-0.0107	±2.5	PASS	TH/VL
5	1.4	20407	824.7	16QAM	6@0	-16.95	-0.02055	±2.5	PASS	TH/VL
5	1.4	20525	836.5	QPSK	6@0	-7.97	-0.00953	±2.5	PASS	TH/VL
5	1.4	20525	836.5	16QAM	6@0	-6.64	-0.00793	±2.5	PASS	TH/VL
5	1.4	20643	848.3	QPSK	6@0	-6.65	-0.00784	±2.5	PASS	TH/VL
5	1.4	20643	848.3	16QAM	6@0	-11.14	-0.01314	±2.5	PASS	TH/VL
5	3.0	20415	825.5	QPSK	15@0	-13.95	-0.0169	±2.5	PASS	TH/VL
5	3.0	20415	825.5	16QAM	15@0	-21.17	-0.02565	±2.5	PASS	TH/VL
5	3.0	20525	836.5	QPSK	15@0	-7.71	-0.00922	±2.5	PASS	TH/VL
5	3.0	20525	836.5	16QAM	15@0	-10.46	-0.0125	±2.5	PASS	TH/VL
5	3.0	20635	847.5	QPSK	15@0	-11.52	-0.01359	±2.5	PASS	TH/VL
5	3.0	20635	847.5	16QAM	15@0	-18.14	-0.0214	±2.5	PASS	TH/VL
5	5.0	20425	826.5	QPSK	25@0	-9.87	-0.01194	±2.5	PASS	TH/VL
5	5.0	20425	826.5	16QAM	25@0	-18.75	-0.02269	±2.5	PASS	TH/VL

5	5.0	20525	836.5	QPSK	25@0	-12.53	-0.01498	±2.5	PASS	TH/VL
5	5.0	20525	836.5	16QAM	25@0	-10.19	-0.01218	±2.5	PASS	TH/VL
5	5.0	20625	846.5	QPSK	25@0	-4.45	-0.00526	±2.5	PASS	TH/VL
5	5.0	20625	846.5	16QAM	25@0	-13.19	-0.01558	±2.5	PASS	TH/VL
5	10.0	20450	829.0	QPSK	50@0	0.33	0.0004	±2.5	PASS	TH/VL
5	10.0	20450	829.0	16QAM	50@0	-11.63	-0.01403	±2.5	PASS	TH/VL
5	10.0	20525	836.5	QPSK	50@0	-13.2	-0.01578	±2.5	PASS	TH/VL
5	10.0	20525	836.5	16QAM	50@0	-12.85	-0.01536	±2.5	PASS	TH/VL
5	10.0	20600	844.0	QPSK	50@0	-17.29	-0.02049	±2.5	PASS	TH/VL
5	10.0	20600	844.0	16QAM	50@0	-9.13	-0.01081	±2.5	PASS	TH/VL
5	1.4	20407	824.7	QPSK	6@0	-15.06	-0.01827	±2.5	PASS	TH/VN
5	1.4	20407	824.7	16QAM	6@0	-19.35	-0.02347	±2.5	PASS	TH/VN
5	1.4	20525	836.5	QPSK	6@0	-4.05	-0.00484	±2.5	PASS	TH/VN
5	1.4	20525	836.5	16QAM	6@0	-6.48	-0.00775	±2.5	PASS	TH/VN
5	1.4	20643	848.3	QPSK	6@0	-1.3	-0.00153	±2.5	PASS	TH/VN
5	1.4	20643	848.3	16QAM	6@0	-12.17	-0.01435	±2.5	PASS	TH/VN
5	3.0	20415	825.5	QPSK	15@0	-10.67	-0.01293	±2.5	PASS	TH/VN
5	3.0	20415	825.5	16QAM	15@0	-18.01	-0.02182	±2.5	PASS	TH/VN
5	3.0	20525	836.5	QPSK	15@0	1.77	0.00212	±2.5	PASS	TH/VN
5	3.0	20525	836.5	16QAM	15@0	-6.88	-0.00823	±2.5	PASS	TH/VN
5	3.0	20635	847.5	QPSK	15@0	-2.39	-0.00282	±2.5	PASS	TH/VN
5	3.0	20635	847.5	16QAM	15@0	-8.0	-0.00944	±2.5	PASS	TH/VN
5	5.0	20425	826.5	QPSK	25@0	-9.74	-0.01179	±2.5	PASS	TH/VN
5	5.0	20425	826.5	16QAM	25@0	-12.25	-0.01482	±2.5	PASS	TH/VN
5	5.0	20525	836.5	QPSK	25@0	-5.14	-0.00614	±2.5	PASS	TH/VN
5	5.0	20525	836.5	16QAM	25@0	-12.75	-0.01524	±2.5	PASS	TH/VN
5	5.0	20625	846.5	QPSK	25@0	2.7	0.00319	±2.5	PASS	TH/VN
5	5.0	20625	846.5	16QAM	25@0	-5.64	-0.00666	±2.5	PASS	TH/VN
5	10.0	20450	829.0	QPSK	50@0	-6.81	-0.00821	±2.5	PASS	TH/VN
5	10.0	20450	829.0	16QAM	50@0	-14.13	-0.01705	±2.5	PASS	TH/VN
5	10.0	20525	836.5	QPSK	50@0	-6.69	-0.008	±2.5	PASS	TH/VN
5	10.0	20525	836.5	16QAM	50@0	-4.01	-0.00479	±2.5	PASS	TH/VN
5	10.0	20600	844.0	QPSK	50@0	1.04	0.00124	±2.5	PASS	TH/VN
5	10.0	20600	844.0	16QAM	50@0	-3.23	-0.00383	±2.5	PASS	TH/VN
5	1.4	20407	824.7	QPSK	6@0	-2.15	-0.0026	±2.5	PASS	TL/VH
5	1.4	20407	824.7	16QAM	6@0	-4.23	-0.00513	±2.5	PASS	TL/VH
5	1.4	20525	836.5	QPSK	6@0	-4.15	-0.00496	±2.5	PASS	TL/VH
5	1.4	20525	836.5	16QAM	6@0	-11.47	-0.01372	±2.5	PASS	TL/VH
5	1.4	20643	848.3	QPSK	6@0	-4.86	-0.00573	±2.5	PASS	TL/VH
5	1.4	20643	848.3	16QAM	6@0	-19.57	-0.02307	±2.5	PASS	TL/VH
5	3.0	20415	825.5	QPSK	15@0	-10.44	-0.01265	±2.5	PASS	TL/VH
5	3.0	20415	825.5	16QAM	15@0	-22.4	-0.02714	±2.5	PASS	TL/VH

5	3.0	20525	836.5	QPSK	15@0	-5.11	-0.00611	±2.5	PASS	TL/VH
5	3.0	20525	836.5	16QAM	15@0	-9.26	-0.01106	±2.5	PASS	TL/VH
5	3.0	20635	847.5	QPSK	15@0	-3.93	-0.00464	±2.5	PASS	TL/VH
5	3.0	20635	847.5	16QAM	15@0	-11.82	-0.01394	±2.5	PASS	TL/VH
5	5.0	20425	826.5	QPSK	25@0	0.32	0.00039	±2.5	PASS	TL/VH
5	5.0	20425	826.5	16QAM	25@0	-1.87	-0.00227	±2.5	PASS	TL/VH
5	5.0	20525	836.5	QPSK	25@0	-4.08	-0.00487	±2.5	PASS	TL/VH
5	5.0	20525	836.5	16QAM	25@0	-7.6	-0.00908	±2.5	PASS	TL/VH
5	5.0	20625	846.5	QPSK	25@0	-4.92	-0.00581	±2.5	PASS	TL/VH
5	5.0	20625	846.5	16QAM	25@0	-11.66	-0.01377	±2.5	PASS	TL/VH
5	10.0	20450	829.0	QPSK	50@0	-6.14	-0.0074	±2.5	PASS	TL/VH
5	10.0	20450	829.0	16QAM	50@0	-10.51	-0.01268	±2.5	PASS	TL/VH
5	10.0	20525	836.5	QPSK	50@0	-7.93	-0.00947	±2.5	PASS	TL/VH
5	10.0	20525	836.5	16QAM	50@0	-10.14	-0.01212	±2.5	PASS	TL/VH
5	10.0	20600	844.0	QPSK	50@0	-11.52	-0.01364	±2.5	PASS	TL/VH
5	10.0	20600	844.0	16QAM	50@0	-15.85	-0.01878	±2.5	PASS	TL/VH
5	1.4	20407	824.7	QPSK	6@0	-3.12	-0.00378	±2.5	PASS	TL/VN
5	1.4	20407	824.7	16QAM	6@0	-9.77	-0.01185	±2.5	PASS	TL/VN
5	1.4	20525	836.5	QPSK	6@0	-1.6	-0.00192	±2.5	PASS	TL/VN
5	1.4	20525	836.5	16QAM	6@0	-10.86	-0.01298	±2.5	PASS	TL/VN
5	1.4	20643	848.3	QPSK	6@0	-6.19	-0.0073	±2.5	PASS	TL/VN
5	1.4	20643	848.3	16QAM	6@0	-24.78	-0.02921	±2.5	PASS	TL/VN
5	3.0	20415	825.5	QPSK	15@0	-5.25	-0.00636	±2.5	PASS	TL/VN
5	3.0	20415	825.5	16QAM	15@0	-10.04	-0.01216	±2.5	PASS	TL/VN
5	3.0	20525	836.5	QPSK	15@0	-6.35	-0.00759	±2.5	PASS	TL/VN
5	3.0	20525	836.5	16QAM	15@0	-12.79	-0.01529	±2.5	PASS	TL/VN
5	3.0	20635	847.5	QPSK	15@0	-2.16	-0.00255	±2.5	PASS	TL/VN
5	3.0	20635	847.5	16QAM	15@0	-15.76	-0.0186	±2.5	PASS	TL/VN
5	5.0	20425	826.5	QPSK	25@0	-4.76	-0.00576	±2.5	PASS	TL/VN
5	5.0	20425	826.5	16QAM	25@0	-5.49	-0.00665	±2.5	PASS	TL/VN
5	5.0	20525	836.5	QPSK	25@0	-7.11	-0.0085	±2.5	PASS	TL/VN
5	5.0	20525	836.5	16QAM	25@0	-12.83	-0.01534	±2.5	PASS	TL/VN
5	5.0	20625	846.5	QPSK	25@0	-5.01	-0.00591	±2.5	PASS	TL/VN
5	5.0	20625	846.5	16QAM	25@0	-23.37	-0.02761	±2.5	PASS	TL/VN
5	10.0	20450	829.0	QPSK	50@0	-7.21	-0.0087	±2.5	PASS	TL/VN
5	10.0	20450	829.0	16QAM	50@0	-11.96	-0.01443	±2.5	PASS	TL/VN
5	10.0	20525	836.5	QPSK	50@0	-6.79	-0.00812	±2.5	PASS	TL/VN
5	10.0	20525	836.5	16QAM	50@0	-3.93	-0.0047	±2.5	PASS	TL/VN
5	10.0	20600	844.0	QPSK	50@0	-4.12	-0.00488	±2.5	PASS	TL/VN
5	10.0	20600	844.0	16QAM	50@0	-13.76	-0.01631	±2.5	PASS	TL/VN
5	1.4	20407	824.7	QPSK	6@0	-6.78	-0.00822	±2.5	PASS	TN/VH
5	1.4	20407	824.7	16QAM	6@0	-13.32	-0.01615	±2.5	PASS	TN/VH

5	1.4	20525	836.5	QPSK	6@0	3.95	0.00472	±2.5	PASS	TN/VH
5	1.4	20525	836.5	16QAM	6@0	-5.36	-0.00641	±2.5	PASS	TN/VH
5	1.4	20643	848.3	QPSK	6@0	-3.96	-0.00467	±2.5	PASS	TN/VH
5	1.4	20643	848.3	16QAM	6@0	-20.84	-0.02457	±2.5	PASS	TN/VH
5	3.0	20415	825.5	QPSK	15@0	-16.41	-0.01988	±2.5	PASS	TN/VH
5	3.0	20415	825.5	16QAM	15@0	-23.33	-0.02826	±2.5	PASS	TN/VH
5	3.0	20525	836.5	QPSK	15@0	6.51	0.00778	±2.5	PASS	TN/VH
5	3.0	20525	836.5	16QAM	15@0	-11.07	-0.01324	±2.5	PASS	TN/VH
5	3.0	20635	847.5	QPSK	15@0	-8.75	-0.01033	±2.5	PASS	TN/VH
5	3.0	20635	847.5	16QAM	15@0	-29.6	-0.03492	±2.5	PASS	TN/VH
5	5.0	20425	826.5	QPSK	25@0	-7.91	-0.00957	±2.5	PASS	TN/VH
5	5.0	20425	826.5	16QAM	25@0	-10.4	-0.01258	±2.5	PASS	TN/VH
5	5.0	20525	836.5	QPSK	25@0	-0.33	-0.00039	±2.5	PASS	TN/VH
5	5.0	20525	836.5	16QAM	25@0	-3.66	-0.00438	±2.5	PASS	TN/VH
5	5.0	20625	846.5	QPSK	25@0	-2.66	-0.00314	±2.5	PASS	TN/VH
5	5.0	20625	846.5	16QAM	25@0	-16.59	-0.0196	±2.5	PASS	TN/VH
5	10.0	20450	829.0	QPSK	50@0	-4.76	-0.00575	±2.5	PASS	TN/VH
5	10.0	20450	829.0	16QAM	50@0	-7.15	-0.00863	±2.5	PASS	TN/VH
5	10.0	20525	836.5	QPSK	50@0	-10.06	-0.01202	±2.5	PASS	TN/VH
5	10.0	20525	836.5	16QAM	50@0	-20.99	-0.02509	±2.5	PASS	TN/VH
5	10.0	20600	844.0	QPSK	50@0	-9.53	-0.01129	±2.5	PASS	TN/VH
5	10.0	20600	844.0	16QAM	50@0	-15.98	-0.01893	±2.5	PASS	TN/VH
5	1.4	20407	824.7	QPSK	6@0	-13.72	-0.01663	±2.5	PASS	TN/VL
5	1.4	20407	824.7	16QAM	6@0	-21.7	-0.02631	±2.5	PASS	TN/VL
5	1.4	20525	836.5	QPSK	6@0	-7.54	-0.00901	±2.5	PASS	TN/VL
5	1.4	20525	836.5	16QAM	6@0	-13.29	-0.01589	±2.5	PASS	TN/VL
5	1.4	20643	848.3	QPSK	6@0	-3.39	-0.004	±2.5	PASS	TN/VL
5	1.4	20643	848.3	16QAM	6@0	-21.59	-0.02545	±2.5	PASS	TN/VL
5	3.0	20415	825.5	QPSK	15@0	-3.78	-0.00457	±2.5	PASS	TN/VL
5	3.0	20415	825.5	16QAM	15@0	-14.13	-0.01712	±2.5	PASS	TN/VL
5	3.0	20525	836.5	QPSK	15@0	-2.37	-0.00284	±2.5	PASS	TN/VL
5	3.0	20525	836.5	16QAM	15@0	-3.86	-0.00462	±2.5	PASS	TN/VL
5	3.0	20635	847.5	QPSK	15@0	-4.84	-0.00571	±2.5	PASS	TN/VL
5	3.0	20635	847.5	16QAM	15@0	-23.13	-0.02729	±2.5	PASS	TN/VL
5	5.0	20425	826.5	QPSK	25@0	-9.06	-0.01096	±2.5	PASS	TN/VL
5	5.0	20425	826.5	16QAM	25@0	-22.07	-0.02671	±2.5	PASS	TN/VL
5	5.0	20525	836.5	QPSK	25@0	-2.26	-0.0027	±2.5	PASS	TN/VL
5	5.0	20525	836.5	16QAM	25@0	-13.62	-0.01628	±2.5	PASS	TN/VL
5	5.0	20625	846.5	QPSK	25@0	-0.67	-0.00079	±2.5	PASS	TN/VL
5	5.0	20625	846.5	16QAM	25@0	-18.53	-0.02188	±2.5	PASS	TN/VL
5	10.0	20450	829.0	QPSK	50@0	-7.91	-0.00954	±2.5	PASS	TN/VL
5	10.0	20450	829.0	16QAM	50@0	-11.39	-0.01374	±2.5	PASS	TN/VL

5	10.0	20525	836.5	QPSK	50@0	0.6	0.00072	±2.5	PASS	TN/VL
5	10.0	20525	836.5	16QAM	50@0	-0.6	-0.00072	±2.5	PASS	TN/VL
5	10.0	20600	844.0	QPSK	50@0	-5.22	-0.00619	±2.5	PASS	TN/VL
5	10.0	20600	844.0	16QAM	50@0	-21.21	-0.02514	±2.5	PASS	TN/VL
5	1.4	20407	824.7	QPSK	6@0	-0.41	-0.0005	±2.5	PASS	TN/VN
5	1.4	20407	824.7	16QAM	6@0	-8.74	-0.0106	±2.5	PASS	TN/VN
5	1.4	20525	836.5	QPSK	6@0	-7.31	-0.00874	±2.5	PASS	TN/VN
5	1.4	20525	836.5	16QAM	6@0	-17.08	-0.02042	±2.5	PASS	TN/VN
5	1.4	20643	848.3	QPSK	6@0	-9.8	-0.01155	±2.5	PASS	TN/VN
5	1.4	20643	848.3	16QAM	6@0	-23.92	-0.0282	±2.5	PASS	TN/VN
5	3.0	20415	825.5	QPSK	15@0	-3.08	-0.00373	±2.5	PASS	TN/VN
5	3.0	20415	825.5	16QAM	15@0	-6.11	-0.0074	±2.5	PASS	TN/VN
5	3.0	20525	836.5	QPSK	15@0	-8.55	-0.01023	±2.5	PASS	TN/VN
5	3.0	20525	836.5	16QAM	15@0	-22.12	-0.02644	±2.5	PASS	TN/VN
5	3.0	20635	847.5	QPSK	15@0	-5.64	-0.00665	±2.5	PASS	TN/VN
5	3.0	20635	847.5	16QAM	15@0	-17.75	-0.02095	±2.5	PASS	TN/VN
5	5.0	20425	826.5	QPSK	25@0	4.76	0.00576	±2.5	PASS	TN/VN
5	5.0	20425	826.5	16QAM	25@0	-1.24	-0.00151	±2.5	PASS	TN/VN
5	5.0	20525	836.5	QPSK	25@0	0.41	0.0005	±2.5	PASS	TN/VN
5	5.0	20525	836.5	16QAM	25@0	-5.69	-0.00681	±2.5	PASS	TN/VN
5	5.0	20625	846.5	QPSK	25@0	-4.42	-0.00522	±2.5	PASS	TN/VN
5	5.0	20625	846.5	16QAM	25@0	-18.83	-0.02224	±2.5	PASS	TN/VN
5	10.0	20450	829.0	QPSK	50@0	-12.67	-0.01529	±2.5	PASS	TN/VN
5	10.0	20450	829.0	16QAM	50@0	-13.3	-0.01605	±2.5	PASS	TN/VN
5	10.0	20525	836.5	QPSK	50@0	-3.12	-0.00373	±2.5	PASS	TN/VN
5	10.0	20525	836.5	16QAM	50@0	-8.54	-0.01021	±2.5	PASS	TN/VN
5	10.0	20600	844.0	QPSK	50@0	1.89	0.00224	±2.5	PASS	TN/VN
5	10.0	20600	844.0	16QAM	50@0	-5.42	-0.00642	±2.5	PASS	TN/VN
5	1.4	20407	824.7	QPSK	6@0	-11.03	-0.01337	±2.5	PASS	TL/VL
5	1.4	20407	824.7	16QAM	6@0	-21.16	-0.02565	±2.5	PASS	TL/VL
5	1.4	20525	836.5	QPSK	6@0	2.02	0.00241	±2.5	PASS	TL/VL
5	1.4	20525	836.5	16QAM	6@0	-15.19	-0.01816	±2.5	PASS	TL/VL
5	1.4	20643	848.3	QPSK	6@0	-7.28	-0.00858	±2.5	PASS	TL/VL
5	1.4	20643	848.3	16QAM	6@0	-28.05	-0.03307	±2.5	PASS	TL/VL
5	3.0	20415	825.5	QPSK	15@0	-12.23	-0.01482	±2.5	PASS	TL/VL
5	3.0	20415	825.5	16QAM	15@0	-16.09	-0.0195	±2.5	PASS	TL/VL
5	3.0	20525	836.5	QPSK	15@0	3.29	0.00393	±2.5	PASS	TL/VL
5	3.0	20525	836.5	16QAM	15@0	-6.11	-0.0073	±2.5	PASS	TL/VL
5	3.0	20635	847.5	QPSK	15@0	-8.85	-0.01045	±2.5	PASS	TL/VL
5	3.0	20635	847.5	16QAM	15@0	-21.66	-0.02556	±2.5	PASS	TL/VL
5	5.0	20425	826.5	QPSK	25@0	-0.34	-0.00042	±2.5	PASS	TL/VL
5	5.0	20425	826.5	16QAM	25@0	-9.26	-0.0112	±2.5	PASS	TL/VL

5	5.0	20525	836.5	QPSK	25@0	0.6	0.00072	±2.5	PASS	TL/VL
5	5.0	20525	836.5	16QAM	25@0	-4.85	-0.0058	±2.5	PASS	TL/VL
5	5.0	20625	846.5	QPSK	25@0	-11.23	-0.01327	±2.5	PASS	TL/VL
5	5.0	20625	846.5	16QAM	25@0	-24.95	-0.02947	±2.5	PASS	TL/VL
5	10.0	20450	829.0	QPSK	50@0	-8.45	-0.0102	±2.5	PASS	TL/VL
5	10.0	20450	829.0	16QAM	50@0	-13.0	-0.01569	±2.5	PASS	TL/VL
5	10.0	20525	836.5	QPSK	50@0	-3.23	-0.00386	±2.5	PASS	TL/VL
5	10.0	20525	836.5	16QAM	50@0	-6.81	-0.00814	±2.5	PASS	TL/VL
5	10.0	20600	844.0	QPSK	50@0	-1.85	-0.00219	±2.5	PASS	TL/VL
5	10.0	20600	844.0	16QAM	50@0	-15.75	-0.01866	±2.5	PASS	TL/VL

H7.Modulation Characteristics

Test Result

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Verdict
4	1.4	19957	1710.7	QPSK	6@0	PASS
4	1.4	19957	1710.7	16QAM	6@0	PASS
4	1.4	20393	1754.3	QPSK	6@0	PASS
4	1.4	20393	1754.3	16QAM	6@0	PASS
4	3.0	19965	1711.5	QPSK	15@0	PASS
4	3.0	19965	1711.5	16QAM	15@0	PASS
4	3.0	20385	1753.5	QPSK	15@0	PASS
4	3.0	20385	1753.5	16QAM	15@0	PASS
4	5.0	19975	1712.5	QPSK	25@0	PASS
4	5.0	19975	1712.5	16QAM	25@0	PASS
4	5.0	20375	1752.5	QPSK	25@0	PASS
4	5.0	20375	1752.5	16QAM	25@0	PASS
4	10.0	20000	1715.0	QPSK	50@0	PASS
4	10.0	20000	1715.0	16QAM	50@0	PASS
4	10.0	20350	1750.0	QPSK	50@0	PASS
4	10.0	20350	1750.0	16QAM	50@0	PASS
4	15.0	20025	1717.5	QPSK	75@0	PASS
4	15.0	20025	1717.5	16QAM	75@0	PASS
4	15.0	20325	1747.5	QPSK	75@0	PASS
4	15.0	20325	1747.5	16QAM	75@0	PASS
4	20.0	20050	1720.0	QPSK	100@0	PASS
4	20.0	20050	1720.0	16QAM	100@0	PASS
4	20.0	20300	1745.0	QPSK	100@0	PASS
4	20.0	20300	1745.0	16QAM	100@0	PASS

Test Graphs



