


































I6.Frequency Stability

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
26	1.4	26797	824.7	QPSK	6@0	-11.43	-0.01386	±2.5	PASS	TN/VN
26	1.4	26915	836.5	QPSK	6@0	-2.32	-0.00277	±2.5	PASS	TN/VN
26	1.4	27033	848.3	QPSK	6@0	-4.25	-0.00501	±2.5	PASS	TN/VN
26	3.0	26805	825.5	QPSK	15@0	-3.65	-0.00442	±2.5	PASS	TN/VN
26	3.0	26915	836.5	QPSK	15@0	-10.3	-0.01231	±2.5	PASS	TN/VN
26	3.0	27025	847.5	QPSK	15@0	-9.6	-0.01133	±2.5	PASS	TN/VN
26	5.0	26815	826.5	QPSK	25@0	-4.51	-0.00545	±2.5	PASS	TN/VN
26	5.0	26915	836.5	QPSK	25@0	-11.14	-0.01332	±2.5	PASS	TN/VN
26	5.0	27015	846.5	QPSK	25@0	-6.05	-0.00715	±2.5	PASS	TN/VN
26	10.0	26840	829.0	QPSK	50@0	-8.34	-0.01006	±2.5	PASS	TN/VN
26	10.0	26840	829.0	16QAM	50@0	1.02	0.00123	±2.5	PASS	TN/VN
26	10.0	26915	836.5	QPSK	50@0	-2.46	-0.00294	±2.5	PASS	TN/VN
26	10.0	26915	836.5	16QAM	50@0	3.6	0.00431	±2.5	PASS	TN/VN
26	10.0	26990	844.0	QPSK	50@0	-6.9	-0.00817	±2.5	PASS	TN/VN
26	10.0	26990	844.0	16QAM	50@0	-27.62	-0.03273	±2.5	PASS	TN/VN
26	15.0	26865	831.5	QPSK	75@0	-14.39	-0.01731	±2.5	PASS	TN/VN
26	1.4	26697	814.7	QPSK	6@0	-13.16	-0.01615	±2.5	PASS	TH/VH
26	1.4	26697	814.7	16QAM	6@0	-24.52	-0.0301	±2.5	PASS	TH/VH
26	1.4	26740	819.0	QPSK	6@0	-2.15	-0.00262	±2.5	PASS	TH/VH
26	1.4	26740	819.0	16QAM	6@0	15.81	0.0193	±2.5	PASS	TH/VH
26	1.4	26783	823.3	QPSK	6@0	-1.69	-0.00205	±2.5	PASS	TH/VH
26	1.4	26783	823.3	16QAM	6@0	9.14	0.0111	±2.5	PASS	TH/VH
26	3.0	26705	815.5	QPSK	15@0	-6.24	-0.00765	±2.5	PASS	TH/VH
26	3.0	26705	815.5	16QAM	15@0	-21.73	-0.02665	±2.5	PASS	TH/VH
26	3.0	26740	819.0	QPSK	15@0	-7.85	-0.00959	±2.5	PASS	TH/VH
26	3.0	26740	819.0	16QAM	15@0	-19.71	-0.02407	±2.5	PASS	TH/VH
26	3.0	26775	822.5	QPSK	15@0	-6.12	-0.00744	±2.5	PASS	TH/VH
26	3.0	26775	822.5	16QAM	15@0	-22.3	-0.02711	±2.5	PASS	TH/VH
26	5.0	26715	816.5	QPSK	25@0	-2.78	-0.0034	±2.5	PASS	TH/VH
26	5.0	26715	816.5	16QAM	25@0	-8.27	-0.01013	±2.5	PASS	TH/VH
26	5.0	26740	819.0	QPSK	25@0	-2.98	-0.00363	±2.5	PASS	TH/VH
26	5.0	26740	819.0	16QAM	25@0	-14.22	-0.01736	±2.5	PASS	TH/VH
26	5.0	26765	821.5	QPSK	25@0	-8.31	-0.01012	±2.5	PASS	TH/VH
26	5.0	26765	821.5	16QAM	25@0	-21.36	-0.026	±2.5	PASS	TH/VH
26	10.0	26740	819.0	QPSK	50@0	-11.19	-0.01366	±2.5	PASS	TH/VH
26	10.0	26740	819.0	16QAM	50@0	-24.62	-0.03006	±2.5	PASS	TH/VH
26	10.0	26740	819.0	QPSK	50@0	-29.01	-0.03542	±2.5	PASS	TH/VH
26	10.0	26740	819.0	16QAM	50@0	-41.3	-0.05043	±2.5	PASS	TH/VH
26	15.0	26765	821.5	QPSK	75@0	-12.37	-0.01506	±2.5	PASS	TH/VH

26	15.0	26765	821.5	16QAM	75@0	-25.73	-0.03133	±2.5	PASS	TH/VH
26	1.4	26697	814.7	QPSK	6@0	-7.61	-0.00934	±2.5	PASS	TH/VL
26	1.4	26697	814.7	16QAM	6@0	-12.4	-0.01522	±2.5	PASS	TH/VL
26	1.4	26740	819.0	QPSK	6@0	1.12	0.00136	±2.5	PASS	TH/VL
26	1.4	26740	819.0	16QAM	6@0	1.65	0.00201	±2.5	PASS	TH/VL
26	1.4	26783	823.3	QPSK	6@0	1.62	0.00196	±2.5	PASS	TH/VL
26	1.4	26783	823.3	16QAM	6@0	-5.99	-0.00728	±2.5	PASS	TH/VL
26	3.0	26705	815.5	QPSK	15@0	-8.54	-0.01047	±2.5	PASS	TH/VL
26	3.0	26705	815.5	16QAM	15@0	-10.7	-0.01312	±2.5	PASS	TH/VL
26	3.0	26740	819.0	QPSK	15@0	1.0	0.00122	±2.5	PASS	TH/VL
26	3.0	26740	819.0	16QAM	15@0	3.53	0.00431	±2.5	PASS	TH/VL
26	3.0	26775	822.5	QPSK	15@0	0.34	0.00042	±2.5	PASS	TH/VL
26	3.0	26775	822.5	16QAM	15@0	-7.45	-0.00906	±2.5	PASS	TH/VL
26	5.0	26715	816.5	QPSK	25@0	-8.54	-0.01046	±2.5	PASS	TH/VL
26	5.0	26715	816.5	16QAM	25@0	-12.45	-0.01524	±2.5	PASS	TH/VL
26	5.0	26740	819.0	QPSK	25@0	1.63	0.00199	±2.5	PASS	TH/VL
26	5.0	26740	819.0	16QAM	25@0	3.58	0.00437	±2.5	PASS	TH/VL
26	5.0	26765	821.5	QPSK	25@0	1.67	0.00204	±2.5	PASS	TH/VL
26	5.0	26765	821.5	16QAM	25@0	-5.98	-0.00728	±2.5	PASS	TH/VL
26	10.0	26740	819.0	QPSK	50@0	-5.62	-0.00686	±2.5	PASS	TH/VL
26	10.0	26740	819.0	16QAM	50@0	-3.89	-0.00475	±2.5	PASS	TH/VL
26	10.0	26740	819.0	QPSK	50@0	-1.37	-0.00168	±2.5	PASS	TH/VL
26	10.0	26740	819.0	16QAM	50@0	-5.45	-0.00665	±2.5	PASS	TH/VL
26	15.0	26865	831.5	QPSK	75@0	-8.17	-0.00994	±2.5	PASS	TH/VL
26	15.0	26865	831.5	16QAM	75@0	-23.05	-0.02805	±2.5	PASS	TH/VL
26	1.4	26697	814.7	QPSK	6@0	-6.9	-0.00846	±2.5	PASS	TH/VN
26	1.4	26697	814.7	16QAM	6@0	-22.44	-0.02755	±2.5	PASS	TH/VN
26	1.4	26740	819.0	QPSK	6@0	-4.69	-0.00573	±2.5	PASS	TH/VN
26	1.4	26740	819.0	16QAM	6@0	-3.66	-0.00447	±2.5	PASS	TH/VN
26	1.4	26783	823.3	QPSK	6@0	-5.41	-0.00657	±2.5	PASS	TH/VN
26	1.4	26783	823.3	16QAM	6@0	-13.78	-0.01673	±2.5	PASS	TH/VN
26	3.0	26705	815.5	QPSK	15@0	-13.69	-0.01679	±2.5	PASS	TH/VN
26	3.0	26705	815.5	16QAM	15@0	-24.0	-0.02943	±2.5	PASS	TH/VN
26	3.0	26740	819.0	QPSK	15@0	0.77	0.00094	±2.5	PASS	TH/VN
26	3.0	26740	819.0	16QAM	15@0	0.9	0.0011	±2.5	PASS	TH/VN
26	3.0	26775	822.5	QPSK	15@0	0.32	0.00039	±2.5	PASS	TH/VN
26	3.0	26775	822.5	16QAM	15@0	-7.24	-0.0088	±2.5	PASS	TH/VN
26	5.0	26715	816.5	QPSK	25@0	-5.76	-0.00706	±2.5	PASS	TH/VN
26	5.0	26715	816.5	16QAM	25@0	-9.57	-0.01172	±2.5	PASS	TH/VN
26	5.0	26740	819.0	QPSK	25@0	-10.3	-0.01258	±2.5	PASS	TH/VN
26	5.0	26740	819.0	16QAM	25@0	-14.98	-0.01829	±2.5	PASS	TH/VN
26	5.0	26765	821.5	QPSK	25@0	1.06	0.00129	±2.5	PASS	TH/VN
26	5.0	26765	821.5	16QAM	25@0	-8.31	-0.01012	±2.5	PASS	TH/VN

26	10.0	26740	819.0	QPSK	50@0	-7.55	-0.00922	±2.5	PASS	TH/VN
26	10.0	26740	819.0	16QAM	50@0	-13.13	-0.01603	±2.5	PASS	TH/VN
26	10.0	26740	819.0	QPSK	50@0	-17.35	-0.02119	±2.5	PASS	TH/VN
26	10.0	26740	819.0	16QAM	50@0	-25.15	-0.03071	±2.5	PASS	TH/VN
26	15.0	26865	831.5	QPSK	75@0	-5.42	-0.0066	±2.5	PASS	TH/VN
26	15.0	26865	831.5	16QAM	75@0	-15.96	-0.01943	±2.5	PASS	TH/VN
26	1.4	26697	814.7	QPSK	6@0	-2.62	-0.00321	±2.5	PASS	TL/VH
26	1.4	26697	814.7	16QAM	6@0	-8.27	-0.01015	±2.5	PASS	TL/VH
26	1.4	26740	819.0	QPSK	6@0	-1.03	-0.00126	±2.5	PASS	TL/VH
26	1.4	26740	819.0	16QAM	6@0	-6.57	-0.00802	±2.5	PASS	TL/VH
26	1.4	26783	823.3	QPSK	6@0	-8.3	-0.01008	±2.5	PASS	TL/VH
26	1.4	26783	823.3	16QAM	6@0	-13.9	-0.01689	±2.5	PASS	TL/VH
26	3.0	26705	815.5	QPSK	15@0	-0.24	-0.0003	±2.5	PASS	TL/VH
26	3.0	26705	815.5	16QAM	15@0	3.55	0.00435	±2.5	PASS	TL/VH
26	3.0	26740	819.0	QPSK	15@0	2.36	0.00288	±2.5	PASS	TL/VH
26	3.0	26740	819.0	16QAM	15@0	-6.07	-0.00741	±2.5	PASS	TL/VH
26	3.0	26775	822.5	QPSK	15@0	-5.36	-0.00652	±2.5	PASS	TL/VH
26	3.0	26775	822.5	16QAM	15@0	-16.24	-0.01974	±2.5	PASS	TL/VH
26	5.0	26715	816.5	QPSK	25@0	-6.07	-0.00743	±2.5	PASS	TL/VH
26	5.0	26715	816.5	16QAM	25@0	-2.53	-0.0031	±2.5	PASS	TL/VH
26	5.0	26740	819.0	QPSK	25@0	-6.57	-0.00802	±2.5	PASS	TL/VH
26	5.0	26740	819.0	16QAM	25@0	-11.94	-0.01458	±2.5	PASS	TL/VH
26	5.0	26765	821.5	QPSK	25@0	-1.36	-0.00165	±2.5	PASS	TL/VH
26	5.0	26765	821.5	16QAM	25@0	-10.97	-0.01336	±2.5	PASS	TL/VH
26	10.0	26740	819.0	QPSK	50@0	-1.1	-0.00134	±2.5	PASS	TL/VH
26	10.0	26740	819.0	16QAM	50@0	-9.77	-0.01193	±2.5	PASS	TL/VH
26	10.0	26740	819.0	QPSK	50@0	-13.52	-0.01651	±2.5	PASS	TL/VH
26	10.0	26740	819.0	16QAM	50@0	-16.77	-0.02047	±2.5	PASS	TL/VH
26	15.0	26865	831.5	QPSK	75@0	-10.04	-0.01222	±2.5	PASS	TL/VH
26	15.0	26865	831.5	16QAM	75@0	-10.89	-0.01325	±2.5	PASS	TL/VH
26	1.4	26697	814.7	QPSK	6@0	-9.58	-0.01176	±2.5	PASS	TL/VN
26	1.4	26697	814.7	16QAM	6@0	-26.56	-0.03261	±2.5	PASS	TL/VN
26	1.4	26740	819.0	QPSK	6@0	-2.16	-0.00264	±2.5	PASS	TL/VN
26	1.4	26740	819.0	16QAM	6@0	-1.67	-0.00204	±2.5	PASS	TL/VN
26	1.4	26783	823.3	QPSK	6@0	-9.0	-0.01093	±2.5	PASS	TL/VN
26	1.4	26783	823.3	16QAM	6@0	-17.84	-0.02167	±2.5	PASS	TL/VN
26	3.0	26705	815.5	QPSK	15@0	-4.59	-0.00563	±2.5	PASS	TL/VN
26	3.0	26705	815.5	16QAM	15@0	-9.06	-0.0111	±2.5	PASS	TL/VN
26	3.0	26740	819.0	QPSK	15@0	4.16	0.00508	±2.5	PASS	TL/VN
26	3.0	26740	819.0	16QAM	15@0	1.37	0.00168	±2.5	PASS	TL/VN
26	3.0	26775	822.5	QPSK	15@0	-5.72	-0.00696	±2.5	PASS	TL/VN
26	3.0	26775	822.5	16QAM	15@0	-12.65	-0.01537	±2.5	PASS	TL/VN
26	5.0	26715	816.5	QPSK	25@0	-5.35	-0.00655	±2.5	PASS	TL/VN

26	5.0	26715	816.5	16QAM	25@0	-7.64	-0.00936	±2.5	PASS	TL/VN
26	5.0	26740	819.0	QPSK	25@0	-2.52	-0.00307	±2.5	PASS	TL/VN
26	5.0	26740	819.0	16QAM	25@0	-7.21	-0.0088	±2.5	PASS	TL/VN
26	5.0	26765	821.5	QPSK	25@0	-1.09	-0.00132	±2.5	PASS	TL/VN
26	5.0	26765	821.5	16QAM	25@0	-10.41	-0.01268	±2.5	PASS	TL/VN
26	10.0	26740	819.0	QPSK	50@0	-10.04	-0.01226	±2.5	PASS	TL/VN
26	10.0	26740	819.0	16QAM	50@0	-23.37	-0.02854	±2.5	PASS	TL/VN
26	10.0	26740	819.0	QPSK	50@0	-28.51	-0.03481	±2.5	PASS	TL/VN
26	10.0	26740	819.0	16QAM	50@0	-36.62	-0.04471	±2.5	PASS	TL/VN
26	15.0	26865	831.5	QPSK	75@0	-1.33	-0.00162	±2.5	PASS	TL/VN
26	15.0	26865	831.5	16QAM	75@0	-15.28	-0.0186	±2.5	PASS	TL/VN
26	1.4	26697	814.7	QPSK	6@0	-8.8	-0.0108	±2.5	PASS	TN/VH
26	1.4	26697	814.7	16QAM	6@0	-16.87	-0.0207	±2.5	PASS	TN/VH
26	1.4	26740	819.0	QPSK	6@0	2.73	0.00334	±2.5	PASS	TN/VH
26	1.4	26740	819.0	16QAM	6@0	-2.37	-0.0029	±2.5	PASS	TN/VH
26	1.4	26783	823.3	QPSK	6@0	-0.93	-0.00113	±2.5	PASS	TN/VH
26	1.4	26783	823.3	16QAM	6@0	-13.65	-0.01658	±2.5	PASS	TN/VH
26	3.0	26705	815.5	QPSK	15@0	1.26	0.00154	±2.5	PASS	TN/VH
26	3.0	26705	815.5	16QAM	15@0	-3.92	-0.00481	±2.5	PASS	TN/VH
26	3.0	26740	819.0	QPSK	15@0	-0.57	-0.0007	±2.5	PASS	TN/VH
26	3.0	26740	819.0	16QAM	15@0	-10.91	-0.01333	±2.5	PASS	TN/VH
26	3.0	26775	822.5	QPSK	15@0	-0.82	-0.00099	±2.5	PASS	TN/VH
26	3.0	26775	822.5	16QAM	15@0	-16.49	-0.02005	±2.5	PASS	TN/VH
26	5.0	26715	816.5	QPSK	25@0	-10.37	-0.0127	±2.5	PASS	TN/VH
26	5.0	26715	816.5	16QAM	25@0	-15.71	-0.01924	±2.5	PASS	TN/VH
26	5.0	26740	819.0	QPSK	25@0	2.9	0.00355	±2.5	PASS	TN/VH
26	5.0	26740	819.0	16QAM	25@0	-9.23	-0.01127	±2.5	PASS	TN/VH
26	5.0	26765	821.5	QPSK	25@0	-2.5	-0.00305	±2.5	PASS	TN/VH
26	5.0	26765	821.5	16QAM	25@0	-14.18	-0.01726	±2.5	PASS	TN/VH
26	10.0	26740	819.0	QPSK	50@0	-2.47	-0.00302	±2.5	PASS	TN/VH
26	10.0	26740	819.0	16QAM	50@0	-8.98	-0.01097	±2.5	PASS	TN/VH
26	10.0	26740	819.0	QPSK	50@0	-9.06	-0.01106	±2.5	PASS	TN/VH
26	10.0	26740	819.0	16QAM	50@0	-22.62	-0.02761	±2.5	PASS	TN/VH
26	15.0	26865	831.5	QPSK	75@0	-3.06	-0.00373	±2.5	PASS	TN/VH
26	15.0	26865	831.5	16QAM	75@0	-11.63	-0.01416	±2.5	PASS	TN/VH
26	1.4	26697	814.7	QPSK	6@0	-6.32	-0.00776	±2.5	PASS	TN/VL
26	1.4	26697	814.7	16QAM	6@0	-30.96	-0.038	±2.5	PASS	TN/VL
26	1.4	26740	819.0	QPSK	6@0	-8.45	-0.01032	±2.5	PASS	TN/VL
26	1.4	26740	819.0	16QAM	6@0	-14.18	-0.01731	±2.5	PASS	TN/VL
26	1.4	26783	823.3	QPSK	6@0	1.69	0.00205	±2.5	PASS	TN/VL
26	1.4	26783	823.3	16QAM	6@0	-8.68	-0.01055	±2.5	PASS	TN/VL
26	3.0	26705	815.5	QPSK	15@0	-15.08	-0.01849	±2.5	PASS	TN/VL
26	3.0	26705	815.5	16QAM	15@0	-23.27	-0.02854	±2.5	PASS	TN/VL

26	3.0	26740	819.0	QPSK	15@0	-1.39	-0.00169	±2.5	PASS	TN/VL
26	3.0	26740	819.0	16QAM	15@0	-14.09	-0.0172	±2.5	PASS	TN/VL
26	3.0	26775	822.5	QPSK	15@0	-13.63	-0.01657	±2.5	PASS	TN/VL
26	3.0	26775	822.5	16QAM	15@0	-32.06	-0.03898	±2.5	PASS	TN/VL
26	5.0	26715	816.5	QPSK	25@0	-18.8	-0.02302	±2.5	PASS	TN/VL
26	5.0	26715	816.5	16QAM	25@0	-31.41	-0.03847	±2.5	PASS	TN/VL
26	5.0	26740	819.0	QPSK	25@0	-6.21	-0.00758	±2.5	PASS	TN/VL
26	5.0	26740	819.0	16QAM	25@0	-11.74	-0.01434	±2.5	PASS	TN/VL
26	5.0	26765	821.5	QPSK	25@0	1.95	0.00237	±2.5	PASS	TN/VL
26	5.0	26765	821.5	16QAM	25@0	-17.54	-0.02135	±2.5	PASS	TN/VL
26	10.0	26740	819.0	QPSK	50@0	-2.35	-0.00286	±2.5	PASS	TN/VL
26	10.0	26740	819.0	16QAM	50@0	-10.34	-0.01263	±2.5	PASS	TN/VL
26	10.0	26740	819.0	QPSK	50@0	-12.47	-0.01523	±2.5	PASS	TN/VL
26	10.0	26740	819.0	16QAM	50@0	-17.09	-0.02087	±2.5	PASS	TN/VL
26	15.0	26865	831.5	QPSK	75@0	-4.12	-0.00502	±2.5	PASS	TN/VL
26	15.0	26865	831.5	16QAM	75@0	-11.24	-0.01369	±2.5	PASS	TN/VL
26	1.4	26697	814.7	QPSK	6@0	-9.37	-0.0115	±2.5	PASS	TN/VN
26	1.4	26697	814.7	16QAM	6@0	-14.58	-0.01789	±2.5	PASS	TN/VN
26	1.4	26740	819.0	QPSK	6@0	3.36	0.0041	±2.5	PASS	TN/VN
26	1.4	26740	819.0	16QAM	6@0	4.06	0.00496	±2.5	PASS	TN/VN
26	1.4	26783	823.3	QPSK	6@0	-14.31	-0.01738	±2.5	PASS	TN/VN
26	1.4	26783	823.3	16QAM	6@0	-20.53	-0.02493	±2.5	PASS	TN/VN
26	3.0	26705	815.5	QPSK	15@0	-7.32	-0.00898	±2.5	PASS	TN/VN
26	3.0	26705	815.5	16QAM	15@0	-12.32	-0.0151	±2.5	PASS	TN/VN
26	3.0	26740	819.0	QPSK	15@0	-2.25	-0.00274	±2.5	PASS	TN/VN
26	3.0	26740	819.0	16QAM	15@0	-11.34	-0.01385	±2.5	PASS	TN/VN
26	3.0	26775	822.5	QPSK	15@0	-8.14	-0.0099	±2.5	PASS	TN/VN
26	3.0	26775	822.5	16QAM	15@0	-26.24	-0.0319	±2.5	PASS	TN/VN
26	5.0	26715	816.5	QPSK	25@0	0.94	0.00116	±2.5	PASS	TN/VN
26	5.0	26715	816.5	16QAM	25@0	-1.44	-0.00177	±2.5	PASS	TN/VN
26	5.0	26740	819.0	QPSK	25@0	-8.1	-0.00989	±2.5	PASS	TN/VN
26	5.0	26740	819.0	16QAM	25@0	-14.93	-0.01824	±2.5	PASS	TN/VN
26	5.0	26765	821.5	QPSK	25@0	-7.9	-0.00961	±2.5	PASS	TN/VN
26	5.0	26765	821.5	16QAM	25@0	-21.19	-0.02579	±2.5	PASS	TN/VN
26	10.0	26740	819.0	QPSK	50@0	-3.42	-0.00417	±2.5	PASS	TN/VN
26	10.0	26740	819.0	16QAM	50@0	-11.44	-0.01397	±2.5	PASS	TN/VN
26	10.0	26740	819.0	QPSK	50@0	-8.03	-0.0098	±2.5	PASS	TN/VN
26	10.0	26740	819.0	16QAM	50@0	7.78	0.0095	±2.5	PASS	TN/VN
26	15.0	26865	831.5	QPSK	75@0	-5.36	-0.00653	±2.5	PASS	TN/VN
26	15.0	26865	831.5	16QAM	75@0	2.68	0.00326	±2.5	PASS	TN/VN
26	1.4	26697	814.7	QPSK	6@0	-5.71	-0.00701	±2.5	PASS	TL/VL
26	1.4	26697	814.7	16QAM	6@0	-18.77	-0.02304	±2.5	PASS	TL/VL
26	1.4	26740	819.0	QPSK	6@0	-0.3	-0.00037	±2.5	PASS	TL/VL

26	1.4	26740	819.0	16QAM	6@0	-12.77	-0.0156	±2.5	PASS	TL/VL
26	1.4	26783	823.3	QPSK	6@0	-0.41	-0.0005	±2.5	PASS	TL/VL
26	1.4	26783	823.3	16QAM	6@0	-4.42	-0.00537	±2.5	PASS	TL/VL
26	3.0	26705	815.5	QPSK	15@0	-6.85	-0.0084	±2.5	PASS	TL/VL
26	3.0	26705	815.5	16QAM	15@0	-6.61	-0.0081	±2.5	PASS	TL/VL
26	3.0	26740	819.0	QPSK	15@0	0.32	0.00039	±2.5	PASS	TL/VL
26	3.0	26740	819.0	16QAM	15@0	-2.17	-0.00265	±2.5	PASS	TL/VL
26	3.0	26775	822.5	QPSK	15@0	-5.52	-0.00671	±2.5	PASS	TL/VL
26	3.0	26775	822.5	16QAM	15@0	-18.17	-0.02209	±2.5	PASS	TL/VL
26	5.0	26715	816.5	QPSK	25@0	-13.56	-0.01661	±2.5	PASS	TL/VL
26	5.0	26715	816.5	16QAM	25@0	-14.35	-0.01757	±2.5	PASS	TL/VL
26	5.0	26740	819.0	QPSK	25@0	-7.12	-0.0087	±2.5	PASS	TL/VL
26	5.0	26740	819.0	16QAM	25@0	-10.01	-0.01223	±2.5	PASS	TL/VL
26	5.0	26765	821.5	QPSK	25@0	-6.97	-0.00848	±2.5	PASS	TL/VL
26	5.0	26765	821.5	16QAM	25@0	-20.71	-0.02521	±2.5	PASS	TL/VL
26	10.0	26740	819.0	QPSK	50@0	-7.34	-0.00896	±2.5	PASS	TL/VL
26	10.0	26740	819.0	16QAM	50@0	-15.78	-0.01927	±2.5	PASS	TL/VL
26	10.0	26740	819.0	QPSK	50@0	-20.8	-0.0254	±2.5	PASS	TL/VL
26	10.0	26740	819.0	16QAM	50@0	-28.08	-0.03429	±2.5	PASS	TL/VL
26	15.0	26865	831.5	QPSK	75@0	-10.59	-0.01289	±2.5	PASS	TL/VL
26	15.0	26865	831.5	16QAM	75@0	-22.72	-0.02765	±2.5	PASS	TL/VL

17.Modulation Characteristics

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Verdict
26	1.4	26797	824.7	QPSK	6@0	PASS
26	1.4	26797	824.7	16QAM	6@0	PASS
26	1.4	26915	836.5	QPSK	6@0	PASS
26	1.4	26915	836.5	16QAM	6@0	PASS
26	1.4	27033	848.3	QPSK	6@0	PASS
26	1.4	27033	848.3	16QAM	6@0	PASS
26	3.0	26805	825.5	QPSK	15@0	PASS
26	3.0	26805	825.5	16QAM	15@0	PASS
26	3.0	26915	836.5	QPSK	15@0	PASS
26	3.0	26915	836.5	16QAM	15@0	PASS
26	3.0	27025	847.5	QPSK	15@0	PASS
26	3.0	27025	847.5	16QAM	15@0	PASS
26	5.0	26815	826.5	QPSK	25@0	PASS
26	5.0	26815	826.5	16QAM	25@0	PASS
26	5.0	26915	836.5	QPSK	25@0	PASS
26	5.0	26915	836.5	16QAM	25@0	PASS
26	5.0	27015	846.5	QPSK	25@0	PASS
26	5.0	27015	846.5	16QAM	25@0	PASS
26	10.0	26840	829.0	QPSK	50@0	PASS
26	10.0	26840	829.0	16QAM	50@0	PASS
26	10.0	26915	836.5	QPSK	50@0	PASS
26	10.0	26915	836.5	16QAM	50@0	PASS
26	10.0	26990	844.0	QPSK	50@0	PASS
26	10.0	26990	844.0	16QAM	50@0	PASS
26	15.0	26865	831.5	QPSK	75@0	PASS
26	15.0	26865	831.5	16QAM	75@0	PASS

