Appendix for 15.407

1. Bandwidth

1.1 Test Result

Test Mode	Frequency (MHz)	TX Type	ANT No.	Emission Bandwidth		Verdict
				Test Result (MHz)	Limits (MHz)	
802.11a	5180	SISO	1	20.092	Only for Report Use	PASS
	5200	SISO	1	20.024	Only for Report Use	PASS
	5240	SISO	1	20.354	Only for Report Use	PASS
	5260	SISO	1	20.195	Only for Report Use	PASS
	5300	SISO	1	20.063	Only for Report Use	PASS
	5320	SISO	1	20.060	Only for Report Use	PASS
	5500	SISO	1	20.263	Only for Report Use	PASS
	5580	SISO	1	20.258	Only for Report Use	PASS
	5600	SISO	1	20.367	Only for Report Use	PASS
	5700	SISO	1	20.381	Only for Report Use	PASS
	5720	SISO	1	20.439	Only for Report Use	PASS
802.11n(HT20)	5180	SISO	1	21.151	Only for Report Use	PASS
	5200	SISO	1	21.057	Only for Report Use	PASS
	5240	SISO	1	20.978	Only for Report Use	PASS
	5260	SISO	1	20.853	Only for Report Use	PASS
	5300	SISO	1	21.078	Only for Report Use	PASS
	5320	SISO	1	20.889	Only for Report Use	PASS
	5500	SISO	1	20.656	Only for Report Use	PASS
	5580	SISO	1	20.594	Only for Report Use	PASS
	5600	SISO	1	21.057	Only for Report Use	PASS
	5700	SISO	1	21.060	Only for Report Use	PASS
	5720	SISO	1	21.101	Only for Report Use	PASS
802.11n(HT40)	5190	SISO	1	39.477	Only for Report Use	PASS
	5230	SISO	1	39.301	Only for Report Use	PASS
	5270	SISO	1	39.516	Only for Report Use	PASS
	5310	SISO	1	39.243	Only for Report Use	PASS
	5510	SISO	1	39.273	Only for Report Use	PASS
	5550	SISO	1	39.332	Only for Report Use	PASS
	5590	SISO	1	39.470	Only for Report Use	PASS
	5670	SISO	1	39.290	Only for Report Use	PASS
	5710	SISO	1	39.319	Only for Report Use	PASS
802.11ac(VHT20)	5180	SISO	1	21.002	Only for Report Use	PASS
	5200	SISO	1	21.364	Only for Report Use	PASS
	5240	SISO	1	21.263	Only for Report Use	PASS
	5260	SISO	1	21.152	Only for Report Use	PASS
	5300	SISO	1	21.170	Only for Report Use	PASS
	5320	SISO	1	21.140	Only for Report Use	PASS
	5500	SISO	1	21.277	Only for Report Use	PASS
	5580	SISO	1	21.177	Only for Report Use	PASS
	5600	SISO	1	20.613	Only for Report Use	PASS
	5700	SISO	1	21.193	Only for Report Use	PASS
	5720	SISO	1	20.966	Only for Report Use	PASS
802.11ac(VHT40)	5190	SISO	1	39.573	Only for Report Use	PASS
	5230	SISO	1	39.839	Only for Report Use	PASS
	5270	SISO	1	39.930	Only for Report Use	PASS
	5310	SISO	1	39.857	Only for Report Use	PASS
	5510	SISO	1	39.920	Only for Report Use	PASS
	5550	SISO	1	39.872	Only for Report Use	PASS
	5590	SISO	1	40.167	Only for Report Use	PASS
	5670	SISO	1	39.700	Only for Report Use	PASS

	5710	SISO	1	39.642	Only for Report Use	PASS
802.11ac(VHT80)	5210	SISO	1	80.577	Only for Report Use	PASS
	5290	SISO	1	80.805	Only for Report Use	PASS
	5530	SISO	1	80.526	Only for Report Use	PASS
	5610	SISO	1	80.571	Only for Report Use	PASS
	5690	SISO	1	80.577	Only for Report Use	PASS

Test Mode	Frequency (MHz)	TX Type	ANT No.	Emission Bandwidth		Verdict
				Test Result (MHz)	Limits (MHz)	
802.11a	5745	SISO	1	16.326	≥0.5	PASS
	5785	SISO	1	16.335	≥0.5	PASS
	5825	SISO	1	16.204	≥0.5	PASS
802.11n(HT20)	5745	SISO	1	17.679	≥0.5	PASS
	5785	SISO	1	17.674	≥0.5	PASS
	5825	SISO	1	17.580	≥0.5	PASS
802.11n(HT40)	5755	SISO	1	36.477	≥0.5	PASS
	5795	SISO	1	35.811	≥0.5	PASS
802.11ac(VHT20)	5745	SISO	1	17.290	≥0.5	PASS
	5785	SISO	1	17.669	≥0.5	PASS
	5825	SISO	1	17.662	≥0.5	PASS
802.11ac(VHT40)	5755	SISO	1	35.900	≥0.5	PASS
	5795	SISO	1	36.406	≥0.5	PASS
802.11ac(VHT80)	5775	SISO	1	75.953	≥0.5	PASS

Test Mode	Frequency (MHz)	TX Type	ANT No.	99% Occupied Bandwidth	
				Test Result (MHz)	
802.11a	5180	SISO	1	16.576	Only for Report Use
	5200	SISO	1	16.557	Only for Report Use
	5240	SISO	1	16.564	Only for Report Use
	5260	SISO	1	16.562	Only for Report Use
	5300	SISO	1	16.563	Only for Report Use
	5320	SISO	1	16.528	Only for Report Use
	5500	SISO	1	16.582	Only for Report Use
	5580	SISO	1	16.571	Only for Report Use
	5600	SISO	1	16.605	Only for Report Use
	5700	SISO	1	16.567	Only for Report Use
	5720	SISO	1	16.574	Only for Report Use
	5745	SISO	1	16.570	Only for Report Use
	5785	SISO	1	16.596	Only for Report Use
	5825	SISO	1	16.583	Only for Report Use
802.11n(HT20)	5180	SISO	1	17.827	Only for Report Use
	5200	SISO	1	17.806	Only for Report Use
	5240	SISO	1	17.838	Only for Report Use
	5260	SISO	1	17.897	Only for Report Use
	5300	SISO	1	17.800	Only for Report Use
	5320	SISO	1	17.872	Only for Report Use
	5500	SISO	1	17.764	Only for Report Use
	5580	SISO	1	17.835	Only for Report Use
	5600	SISO	1	17.792	Only for Report Use
	5700	SISO	1	17.817	Only for Report Use
	5720	SISO	1	17.868	Only for Report Use
	5745	SISO	1	17.871	Only for Report Use
	5785	SISO	1	17.825	Only for Report Use
	5825	SISO	1	17.811	Only for Report Use
802.11n(HT40)	5190	SISO	1	36.563	Only for Report Use
	5230	SISO	1	36.438	Only for Report Use

	5270	SISO	1	36.500	Only for Report Use
	5310	SISO	1	36.484	Only for Report Use
	5510	SISO	1	36.506	Only for Report Use
	5550	SISO	1	36.372	Only for Report Use
	5590	SISO	1	36.617	Only for Report Use
	5670	SISO	1	36.503	Only for Report Use
	5710	SISO	1	36.511	Only for Report Use
	5755	SISO	1	36.419	Only for Report Use
	5795	SISO	1	36.605	Only for Report Use
802.11ac(VHT20)	5180	SISO	1	17.918	Only for Report Use
	5200	SISO	1	17.918	Only for Report Use
	5240	SISO	1	17.931	Only for Report Use
	5260	SISO	1	17.901	Only for Report Use
	5300	SISO	1	17.929	Only for Report Use
	5320	SISO	1	17.943	Only for Report Use
	5500	SISO	1	17.930	Only for Report Use
	5580	SISO	1	17.916	Only for Report Use
	5600	SISO	1	17.923	Only for Report Use
	5700	SISO	1	17.914	Only for Report Use
	5720	SISO	1	17.929	Only for Report Use
	5745	SISO	1	17.938	Only for Report Use
	5785	SISO	1	17.866	Only for Report Use
	5825	SISO	1	17.912	Only for Report Use
802.11ac(VHT40)	5190	SISO	1	36.809	Only for Report Use
	5230	SISO	1	36.840	Only for Report Use
	5270	SISO	1	36.819	Only for Report Use
	5310	SISO	1	36.811	Only for Report Use
	5510	SISO	1	36.868	Only for Report Use
	5550	SISO	1	36.743	Only for Report Use
	5590	SISO	1	36.820	Only for Report Use
	5670	SISO	1	36.976	Only for Report Use
	5710	SISO	1	36.753	Only for Report Use
	5755	SISO	1	36.869	Only for Report Use
	5795	SISO	1	36.920	Only for Report Use
802.11ac(VHT80)	5210	SISO	1	75.484	Only for Report Use
	5290	SISO	1	75.588	Only for Report Use
	5530	SISO	1	75.471	Only for Report Use
	5610	SISO	1	75.588	Only for Report Use
	5690	SISO	1	75.691	Only for Report Use
	5775	SISO	1	75.698	Only for Report Use

1.2 Test Graph - Emission Bandwidth






Bandwidth NTNV_802.11a_SISO_5240MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 20.354MHz
Marker:
1: 5229.862 MHz
-25.08dBm
2: 5250.216 MHz
-25.08dBm
3: 5239.700 MHz
0.92dBm
Trace
Level (dBm)
Frequency (MHz)
5210.0
5270.0


Bandwidth NTNV_802.11a_SISO_5260MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 20.195MHz
Marker:
1: 5249.958 MHz
-24.46dBm
2: 5270.154 MHz
-24.46dBm
3: 5260.600 MHz
1.54dBm
Trace
Level (dBm)
Frequency (MHz)
5230.0
5290.0


Bandwidth NTNV_802.11a_SISO_5300MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 20.063MHz
Marker:
1: 5290.046 MHz
-23.94dBm
2: 5310.110 MHz
-23.94dBm
3: 5300.540 MHz
2.06dBm
Trace
Level (dBm)
Frequency (MHz)
5270.0
5330.0


Bandwidth NTNV_802.11a_SISO_5320MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 20.060MHz
Marker:
1: 5310.101 MHz
-24.10dBm
2: 5330.162 MHz
-24.10dBm
3: 5320.540 MHz
1.90dBm
Trace
Level (dBm)
Frequency (MHz)
5290.0
5350.0


Bandwidth NTNV_802.11a_SISO_5500MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 20.263MHz
Marker:
1: 5490.007 MHz
-23.96dBm
2: 5510.271 MHz
-23.96dBm
3: 5500.600 MHz
2.04dBm
Trace
Level (dBm)
Frequency (MHz)
5470.0
5530.0


Bandwidth NTNV_802.11a_SISO_5580MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 20.258MHz
Marker:
1: 5569.936 MHz
-25.19dBm
2: 5590.194 MHz
-25.19dBm
3: 5580.600 MHz
0.81dBm
Trace
Level (dBm)
Frequency (MHz)
5550.0
5610.0


Bandwidth NTNV_802.11a_SISO_5600MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 20.367MHz
Marker:
1: 5589.935 MHz
-24.43dBm
2: 5610.302 MHz
-24.43dBm
3: 5600.540 MHz
1.57dBm
Trace
Level (dBm)
Frequency (MHz)
5570.0
5630.0


Bandwidth NTNV_802.11a_SISO_5700MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 20.381MHz
Marker:
1: 5689.897 MHz
-25.01dBm
2: 5710.278 MHz
-25.01dBm
3: 5700.540 MHz
0.99dBm
Trace
Level (dBm)
Frequency (MHz)
5670.0
5730.0


Bandwidth NTNV_802.11a_SISO_5720MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 20.439MHz
Marker:
1: 5709.842 MHz
-25.08dBm
2: 5730.281 MHz
-25.08dBm
3: 5720.540 MHz
0.92dBm
Trace
Level (dBm)
Frequency (MHz)
5690.0
5750.0


Bandwidth NTNV_802.11n(HT20)_SISO_5180MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 21.151MHz
Marker:
1: 5169.379 MHz
-26.60dBm
2: 5190.530 MHz
-26.60dBm
3: 5179.460 MHz
-0.60dBm
Trace
Level (dBm)
Frequency (MHz)
5150.0
5210.0


Bandwidth NTNV_802.11n(HT20)_SISO_5200MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 21.057MHz
Marker:
1: 5189.578 MHz
-26.89dBm
2: 5210.635 MHz
-26.89dBm
3: 5199.100 MHz
-0.89dBm
Trace
Level (dBm)
Frequency (MHz)
5170.0
5230.0


Bandwidth NTNV_802.11n(HT20)_SISO_5240MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 20.978MHz
Marker:
1: 5229.554 MHz
-26.66dBm
2: 5250.532 MHz
-26.66dBm
3: 5239.220 MHz
-0.66dBm
Trace
Level (dBm)
Frequency (MHz)
5210.0
5270.0


Bandwidth NTNV_802.11n(HT20)_SISO_5260MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 20.853MHz
Marker:
1: 5249.678 MHz
-26.66dBm
2: 5270.531 MHz
-26.66dBm
3: 5259.520 MHz
-0.66dBm
Trace
Level (dBm)
Frequency (MHz)
5230.0
5290.0


Bandwidth NTNV_802.11n(HT20)_SISO_5300MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 21.078MHz
Marker:
1: 5289.476 MHz
-26.73dBm
2: 5310.553 MHz
-26.73dBm
3: 5302.880 MHz
-0.73dBm
Trace
Level (dBm)
Frequency (MHz)
5270.0
5330.0


Bandwidth NTNV_802.11n(HT20)_SISO_5320MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 20.889MHz
Marker:
1: 5309.588 MHz
-27.10dBm
2: 5330.477 MHz
-27.10dBm
3: 5319.640 MHz
-1.10dBm
Trace
Level (dBm)
Frequency (MHz)
5290.0
5350.0


Bandwidth NTNV_802.11n(HT20)_SISO_5500MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 20.656MHz
Marker:
1: 5489.596 MHz
-25.73dBm
2: 5510.253 MHz
-25.73dBm
3: 5499.340 MHz
0.27dBm
Trace
Level (dBm)
Frequency (MHz)
5470.0
5530.0


Bandwidth NTNV_802.11n(HT20)_SISO_5580MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 20.594MHz
Marker:
1: 5569.687 MHz
-25.74dBm
2: 5590.281 MHz
-25.74dBm
3: 5579.280 MHz
0.26dBm
Trace
Level (dBm)
Frequency (MHz)
5550.0
5610.0


Bandwidth NTNV_802.11n(HT20)_SISO_5600MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 21.057MHz
Marker:
1: 5589.582 MHz
-26.99dBm
2: 5610.639 MHz
-26.99dBm
3: 5600.840 MHz
-0.99dBm
Trace
Level (dBm)
Frequency (MHz)
5570.0
5630.0


Bandwidth NTNV_802.11n(HT20)_SISO_5700MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 21.060MHz
Marker:
1: 5689.466 MHz
-26.95dBm
2: 5710.526 MHz
-26.95dBm
3: 5699.280 MHz
-0.95dBm
Trace
Level (dBm)
Frequency (MHz)
5670.0
5730.0


Bandwidth NTNV_802.11n(HT20)_SISO_5720MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 21.101MHz
Marker:
1: 5709.521 MHz
-27.44dBm
2: 5730.623 MHz
-27.44dBm
3: 5720.720 MHz
-1.44dBm
Trace
Level (dBm)
Frequency (MHz)
5690.0
5750.0


Bandwidth NTNV_802.11n(HT40)_SISO_5190MHz_ANT1
ANT=1 (SISO)
RBW=430kHz
VBW=1.3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 39.477MHz
Marker:
1: 5170.286 MHz
-23.96dBm
2: 5209.763 MHz
-23.96dBm
3: 5191.560 MHz
2.04dBm
Trace
Level (dBm)
Frequency (MHz)
5130.0
5250.0


Bandwidth NTNV_802.11n(HT40)_SISO_5230MHz_ANT1
ANT=1 (SISO)
RBW=430kHz
VBW=1.3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 39.301MHz
Marker:
1: 5210.392 MHz
-24.08dBm
2: 5249.694 MHz
-24.08dBm
3: 5227.960 MHz
1.92dBm
Trace
Level (dBm)
Frequency (MHz)
5170.0
5290.0


Bandwidth NTNV_802.11n(HT40)_SISO_5270MHz_ANT1
ANT=1 (SISO)
RBW=430kHz
VBW=1.3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 39.516MHz
Marker:
1: 5250.271 MHz
-27.91dBm
2: 5289.786 MHz
-27.91dBm
3: 5274.680 MHz
-1.91dBm
Trace
Level (dBm)
Frequency (MHz)
5210.0
5330.0


Bandwidth NTNV_802.11n(HT40)_SISO_5310MHz_ANT1
ANT=1 (SISO)
RBW=430kHz
VBW=1.3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 39.243MHz
Marker:
1: 5290.506 MHz
-24.62dBm
2: 5329.749 MHz
-24.62dBm
3: 5314.080 MHz
1.38dBm
Trace
Level (dBm)
Frequency (MHz)
5250.0
5370.0


Bandwidth NTNV_802.11n(HT40)_SISO_5510MHz_ANT1
ANT=1 (SISO)
RBW=430kHz
VBW=1.3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 39.273MHz
Marker:
1: 5490.372 MHz
-22.51dBm
2: 5529.645 MHz
-22.51dBm
3: 5508.080 MHz
3.49dBm
Trace
Level (dBm)
Frequency (MHz)
5450.0
5570.0


Bandwidth NTNV_802.11n(HT40)_SISO_5550MHz_ANT1
ANT=1 (SISO)
RBW=430kHz
VBW=1.3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 39.332MHz
Marker:
1: 5530.399 MHz
-24.88dBm
2: 5569.731 MHz
-24.88dBm
3: 5548.320 MHz
1.12dBm
Trace
Level (dBm)
Frequency (MHz)
5490.0
5610.0


Bandwidth NTNV_802.11n(HT40)_SISO_5590MHz_ANT1
ANT=1 (SISO)
RBW=430kHz
VBW=1.3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 39.470MHz
Marker:
1: 5570.227 MHz
-24.73dBm
2: 5609.698 MHz
-24.73dBm
3: 5592.280 MHz
1.27dBm
Trace
Level (dBm)
Frequency (MHz)
5530.0
5650.0


Bandwidth NTNV_802.11n(HT40)_SISO_5670MHz_ANT1
ANT=1 (SISO)
RBW=430kHz
VBW=1.3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 39.290MHz
Marker:
1: 5650.372 MHz
-25.06dBm
2: 5689.662 MHz
-25.06dBm
3: 5668.320 MHz
0.94dBm
Trace
Level (dBm)
Frequency (MHz)
5610.0
5730.0


Bandwidth NTNV_802.11n(HT40)_SISO_5710MHz_ANT1
ANT=1 (SISO)
RBW=430kHz
VBW=1.3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 39.319MHz
Marker:
1: 5690.420 MHz
-24.81dBm
2: 5729.739 MHz
-24.81dBm
3: 5709.040 MHz
1.19dBm
Trace
Level (dBm)
Frequency (MHz)
5650.0
5770.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5180MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 21.002MHz
Marker:
1: 5169.433 MHz
-26.03dBm
2: 5190.435 MHz
-26.03dBm
3: 5180.540 MHz
-0.03dBm
Trace
Level (dBm)
Frequency (MHz)
5150.0
5210.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5200MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 21.364MHz
Marker:
1: 5189.321 MHz
-27.64dBm
2: 5210.685 MHz
-27.64dBm
3: 5201.380 MHz
-1.64dBm
Trace
Level (dBm)
Frequency (MHz)
5170.0
5230.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5240MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 21.263MHz
Marker:
1: 5229.361 MHz
-27.72dBm
2: 5250.624 MHz
-27.72dBm
3: 5239.400 MHz
-1.72dBm
Trace
Level (dBm)
Frequency (MHz)
5210.0
5270.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5260MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 21.152MHz
Marker:
1: 5249.362 MHz
-27.40dBm
2: 5270.514 MHz
-27.40dBm
3: 5260.720 MHz
-1.40dBm
Trace
Level (dBm)
Frequency (MHz)
5230.0
5290.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5300MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 21.170MHz
Marker:
1: 5289.409 MHz
-27.43dBm
2: 5310.579 MHz
-27.43dBm
3: 5299.520 MHz
-1.43dBm
Trace
Level (dBm)
Frequency (MHz)
5270.0
5330.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5320MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 21.140MHz
Marker:
1: 5309.462 MHz
-27.69dBm
2: 5330.602 MHz
-27.69dBm
3: 5319.040 MHz
-1.69dBm
Trace
Level (dBm)
Frequency (MHz)
5290.0
5350.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5500MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 21.277MHz
Marker:
1: 5489.344 MHz
-27.24dBm
2: 5510.620 MHz
-27.24dBm
3: 5503.960 MHz
-1.24dBm
Trace
Level (dBm)
Frequency (MHz)
5470.0
5530.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5580MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 21.177MHz
Marker:
1: 5569.388 MHz
-27.89dBm
2: 5590.566 MHz
-27.89dBm
3: 5578.320 MHz
-1.89dBm
Trace
Level (dBm)
Frequency (MHz)
5550.0
5610.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5600MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 20.613MHz
Marker:
1: 5589.611 MHz
-24.70dBm
2: 5610.224 MHz
-24.70dBm
3: 5599.400 MHz
1.30dBm
Trace
Level (dBm)
Frequency (MHz)
5570.0
5630.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5700MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 21.193MHz
Marker:
1: 5689.371 MHz
-27.75dBm
2: 5710.564 MHz
-27.75dBm
3: 5699.340 MHz
-1.75dBm
Trace
Level (dBm)
Frequency (MHz)
5670.0
5730.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5720MHz_ANT1
ANT=1 (SISO)
RBW=200kHz
VBW=620kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1.467ms
26dB: 20.966MHz
Marker:
1: 5709.409 MHz
-27.30dBm
2: 5730.375 MHz
-27.30dBm
3: 5720.360 MHz
-1.30dBm
Trace
Level (dBm)
Frequency (MHz)
5690.0
5750.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5190MHz_ANT1
ANT=1 (SISO)
RBW=430kHz
VBW=1.3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 39.573MHz
Marker:
1: 5170.240 MHz
-22.51dBm
2: 5209.813 MHz
-22.51dBm
3: 5188.680 MHz
3.49dBm
Trace
Level (dBm)
Frequency (MHz)
5130.0
5250.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5230MHz_ANT1
ANT=1 (SISO)
RBW=430kHz
VBW=1.3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 39.839MHz
Marker:
1: 5210.138 MHz
-24.34dBm
2: 5249.977 MHz
-24.34dBm
3: 5230.840 MHz
1.66dBm
Trace
Level (dBm)
Frequency (MHz)
5170.0
5290.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5270MHz_ANT1
ANT=1 (SISO)
RBW=430kHz
VBW=1.3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 39.930MHz
Marker:
1: 5250.122 MHz
-25.02dBm
2: 5290.051 MHz
-25.02dBm
3: 5270.840 MHz
0.98dBm
Trace
Level (dBm)
Frequency (MHz)
5210.0
5330.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5310MHz_ANT1
ANT=1 (SISO)
RBW=430kHz
VBW=1.3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 39.857MHz
Marker:
1: 5290.079 MHz
-24.17dBm
2: 5329.936 MHz
-24.17dBm
3: 5303.880 MHz
1.83dBm
Trace
Level (dBm)
Frequency (MHz)
5250.0
5370.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5510MHz_ANT1
ANT=1 (SISO)
RBW=430kHz
VBW=1.3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 39.920MHz
Marker:
1: 5489.971 MHz
-24.36dBm
2: 5529.891 MHz
-24.36dBm
3: 5511.560 MHz
1.64dBm
Trace
Level (dBm)
Frequency (MHz)
5450.0
5570.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5550MHz_ANT1
ANT=1 (SISO)
RBW=430kHz
VBW=1.3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 39.872MHz
Marker:
1: 5530.039 MHz
-25.00dBm
2: 5569.911 MHz
-25.00dBm
3: 5547.600 MHz
1.00dBm
Trace
Level (dBm)
Frequency (MHz)
5490.0
5610.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5590MHz_ANT1
ANT=1 (SISO)
RBW=430kHz
VBW=1.3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 40.167MHz
Marker:
1: 5569.962 MHz
-25.46dBm
2: 5610.129 MHz
-25.46dBm
3: 5583.160 MHz
0.54dBm
Trace
Level (dBm)
Frequency (MHz)
5530.0
5650.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5670MHz_ANT1
ANT=1 (SISO)
RBW=430kHz
VBW=1.3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 39.700MHz
Marker:
1: 5650.138 MHz
-23.68dBm
2: 5689.838 MHz
-23.68dBm
3: 5672.640 MHz
2.32dBm
Trace
Level (dBm)
Frequency (MHz)
5610.0
5730.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5710MHz_ANT1
ANT=1 (SISO)
RBW=430kHz
VBW=1.3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 39.642MHz
Marker:
1: 5690.047 MHz
-24.90dBm
2: 5729.689 MHz
-24.90dBm
3: 5711.080 MHz
1.10dBm
Trace
Level (dBm)
Frequency (MHz)
5650.0
5770.0


Bandwidth NTNV_802.11ac(VHT80)_SISO_5210MHz_ANT1
ANT=1 (SISO)
RBW=820kHz
VBW=2.7MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 80.577MHz
Marker:
1: 5169.959 MHz
-28.65dBm
2: 5250.536 MHz
-28.65dBm
3: 5207.600 MHz
-2.65dBm
Trace
Level (dBm)
Frequency (MHz)
5090.0
5330.0


Bandwidth NTNV_802.11ac(VHT80)_SISO_5290MHz_ANT1
ANT=1 (SISO)
RBW=820kHz
VBW=2.7MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 80.805MHz
Marker:
1: 5249.835 MHz
-29.96dBm
2: 5330.640 MHz
-29.96dBm
3: 5292.400 MHz
-3.96dBm
Trace
Level (dBm)
Frequency (MHz)
5170.0
5410.0


Bandwidth NTNV_802.11ac(VHT80)_SISO_5530MHz_ANT1
ANT=1 (SISO)
RBW=820kHz
VBW=2.7MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 80.526MHz
Marker:
1: 5489.960 MHz
-29.23dBm
2: 5570.485 MHz
-29.23dBm
3: 5533.120 MHz
-3.23dBm
Trace
Level (dBm)
Frequency (MHz)
5410.0
5650.0


Bandwidth NTNV_802.11ac(VHT80)_SISO_5610MHz_ANT1
ANT=1 (SISO)
RBW=820kHz
VBW=2.7MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 80.571MHz
Marker:
1: 5570.023 MHz
-29.17dBm
2: 5650.594 MHz
-29.17dBm
3: 5619.600 MHz
-3.17dBm
Trace
Level (dBm)
Frequency (MHz)
5490.0
5730.0


Bandwidth NTNV_802.11ac(VHT80)_SISO_5690MHz_ANT1
ANT=1 (SISO)
RBW=820kHz
VBW=2.7MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
26dB: 80.577MHz
Marker:
1: 5650.043 MHz
-29.61dBm
2: 5730.621 MHz
-29.61dBm
3: 5687.120 MHz
-3.61dBm
Trace
Level (dBm)
Frequency (MHz)
5570.0
5810.0


Bandwidth NTNV_802.11a_SISO_5745MHz_ANT1
ANT=1 (SISO)
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=5.8ms
6dB: 16.326MHz
Marker:
1: 5736.831 MHz
-8.43dBm
2: 5753.157 MHz
-8.43dBm
3: 5745.300 MHz
-2.43dBm
Trace
Level (dBm)
Frequency (MHz)
5715.0
5775.0


Bandwidth NTNV_802.11a_SISO_5785MHz_ANT1
ANT=1 (SISO)
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=5.8ms
6dB: 16.335MHz
Marker:
1: 5776.867 MHz
-8.46dBm
2: 5793.202 MHz
-8.46dBm
3: 5787.520 MHz
-2.46dBm
Trace
Level (dBm)
Frequency (MHz)
5755.0
5815.0


Bandwidth NTNV_802.11a_SISO_5825MHz_ANT1
ANT=1 (SISO)
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=5.8ms
6dB: 16.204MHz
Marker:
1: 5816.825 MHz
-8.75dBm
2: 5833.029 MHz
-8.75dBm
3: 5826.320 MHz
-2.75dBm
Trace
Level (dBm)
Frequency (MHz)
5795.0
5855.0


Bandwidth NTNV_802.11n(HT20)_SISO_5745MHz_ANT1
ANT=1 (SISO)
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=5.8ms
6dB: 17.679MHz
Marker:
1: 5736.219 MHz
-9.41dBm
2: 5753.898 MHz
-9.41dBm
3: 5746.320 MHz
-3.41dBm
Trace
Level (dBm)
Frequency (MHz)
5715.0
5775.0


Bandwidth NTNV_802.11n(HT20)_SISO_5785MHz_ANT1
ANT=1 (SISO)
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=5.8ms
6dB: 17.674MHz
Marker:
1: 5776.173 MHz
-9.91dBm
2: 5793.847 MHz
-9.91dBm
3: 5786.320 MHz
-3.91dBm
Trace
Level (dBm)
Frequency (MHz)
5755.0
5815.0


Bandwidth NTNV_802.11n(HT20)_SISO_5825MHz_ANT1
ANT=1 (SISO)
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=5.8ms
6dB: 17.580MHz
Marker:
1: 5816.257 MHz
-10.21dBm
2: 5833.836 MHz
-10.21dBm
3: 5826.260 MHz
-4.21dBm
Trace
Level (dBm)
Frequency (MHz)
5795.0
5855.0


Bandwidth NTNV_802.11n(HT40)_SISO_5755MHz_ANT1
ANT=1 (SISO)
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=11.533ms
6dB: 36.477MHz
Marker:
1: 5736.780 MHz
-10.71dBm
2: 5773.257 MHz
-10.71dBm
3: 5746.360 MHz
-4.71dBm
Trace
Level (dBm)
Frequency (MHz)
5695.0
5815.0


Bandwidth NTNV_802.11n(HT40)_SISO_5795MHz_ANT1
ANT=1 (SISO)
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=11.533ms
6dB: 35.811MHz
Marker:
1: 5777.315 MHz
-10.36dBm
2: 5813.126 MHz
-10.36dBm
3: 5798.840 MHz
-4.36dBm
Trace
Level (dBm)
Frequency (MHz)
5735.0
5855.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5745MHz_ANT1
ANT=1 (SISO)
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=5.8ms
6dB: 17.290MHz
Marker:
1: 5736.214 MHz
-9.24dBm
2: 5753.504 MHz
-9.24dBm
3: 5746.260 MHz
-3.24dBm
Trace
Level (dBm)
Frequency (MHz)
5715.0
5775.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5785MHz_ANT1
ANT=1 (SISO)
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=5.8ms
6dB: 17.669MHz
Marker:
1: 5776.187 MHz
-9.92dBm
2: 5793.856 MHz
-9.92dBm
3: 5784.700 MHz
-3.92dBm
Trace
Level (dBm)
Frequency (MHz)
5755.0
5815.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5825MHz_ANT1
ANT=1 (SISO)
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=5.8ms
6dB: 17.662MHz
Marker:
1: 5816.202 MHz
-10.39dBm
2: 5833.864 MHz
-10.39dBm
3: 5826.260 MHz
-4.39dBm
Trace
Level (dBm)
Frequency (MHz)
5795.0
5855.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5755MHz_ANT1
ANT=1 (SISO)
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=11.533ms
6dB: 35.900MHz
Marker:
1: 5736.833 MHz
-10.51dBm
2: 5772.733 MHz
-10.51dBm
3: 5746.240 MHz
-4.51dBm
Trace
Level (dBm)
Frequency (MHz)
5695.0
5815.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5795MHz_ANT1
ANT=1 (SISO)
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=11.533ms
6dB: 36.406MHz
Marker:
1: 5776.861 MHz
-10.96dBm
2: 5813.267 MHz
-10.96dBm
3: 5798.720 MHz
-4.96dBm
Trace
Level (dBm)
Frequency (MHz)
5735.0
5855.0


Bandwidth NTNV_802.11ac(VHT80)_SISO_5775MHz_ANT1
ANT=1 (SISO)
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=23ms
6dB: 75.953MHz
Marker:
1: 5736.949 MHz
-17.92dBm
2: 5812.902 MHz
-17.92dBm
3: 5766.360 MHz
-11.92dBm
Trace
Level (dBm)
Frequency (MHz)
5655.0
5895.0

1.3 Test Graph - 99% Occupied Bandwidth






Bandwidth NTNV_802.11a_SISO_5240MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 16.564MHz
Marker:
1: 5231.768 MHz
-4.95dBm
2: 5248.332 MHz
-8.02dBm
Trace
Level (dBm)
Frequency (MHz)
5210.0
5270.0


Bandwidth NTNV_802.11a_SISO_5260MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 16.562MHz
Marker:
1: 5251.768 MHz
-4.27dBm
2: 5268.330 MHz
-8.08dBm
Trace
Level (dBm)
Frequency (MHz)
5230.0
5290.0


Bandwidth NTNV_802.11a_SISO_5300MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 16.563MHz
Marker:
1: 5291.779 MHz
-4.64dBm
2: 5308.341 MHz
-7.31dBm
Trace
Level (dBm)
Frequency (MHz)
5270.0
5330.0


Bandwidth NTNV_802.11a_SISO_5320MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 16.528MHz
Marker:
1: 5311.799 MHz
-4.29dBm
2: 5328.326 MHz
-7.87dBm
Trace
Level (dBm)
Frequency (MHz)
5290.0
5350.0


Bandwidth NTNV_802.11a_SISO_5500MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 16.582MHz
Marker:
1: 5491.781 MHz
-4.00dBm
2: 5508.362 MHz
-6.33dBm
Trace
Level (dBm)
Frequency (MHz)
5470.0
5530.0


Bandwidth NTNV_802.11a_SISO_5580MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 16.571MHz
Marker:
1: 5571.765 MHz
-4.44dBm
2: 5588.337 MHz
-7.13dBm
Trace
Level (dBm)
Frequency (MHz)
5550.0
5610.0


Bandwidth NTNV_802.11a_SISO_5600MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 16.605MHz
Marker:
1: 5591.781 MHz
-4.42dBm
2: 5608.386 MHz
-7.34dBm
Trace
Level (dBm)
Frequency (MHz)
5570.0
5630.0


Bandwidth NTNV_802.11a_SISO_5700MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 16.567MHz
Marker:
1: 5691.780 MHz
-4.59dBm
2: 5708.347 MHz
-8.52dBm
Trace
Level (dBm)
Frequency (MHz)
5670.0
5730.0


Bandwidth NTNV_802.11a_SISO_5720MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 16.574MHz
Marker:
1: 5711.783 MHz
-5.10dBm
2: 5728.358 MHz
-7.87dBm
Trace
Level (dBm)
Frequency (MHz)
5690.0
5750.0


Bandwidth NTNV_802.11a_SISO_5745MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 16.570MHz
Marker:
1: 5736.747 MHz
-6.53dBm
2: 5753.317 MHz
-9.27dBm
Trace
Level (dBm)
Frequency (MHz)
5715.0
5775.0


Bandwidth NTNV_802.11a_SISO_5785MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 16.596MHz
Marker:
1: 5776.771 MHz
-5.18dBm
2: 5793.367 MHz
-8.45dBm
Trace
Level (dBm)
Frequency (MHz)
5755.0
5815.0


Bandwidth NTNV_802.11a_SISO_5825MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 16.583MHz
Marker:
1: 5816.776 MHz
-5.92dBm
2: 5833.359 MHz
-8.64dBm
Trace
Level (dBm)
Frequency (MHz)
5795.0
5855.0


Bandwidth NTNV_802.11n(HT20)_SISO_5180MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.827MHz
Marker:
1: 5171.115 MHz
-5.18dBm
2: 5188.941 MHz
-7.94dBm
Trace
Level (dBm)
Frequency (MHz)
5150.0
5210.0


Bandwidth NTNV_802.11n(HT20)_SISO_5200MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.806MHz
Marker:
1: 5191.107 MHz
-4.88dBm
2: 5208.913 MHz
-7.83dBm
Trace
Level (dBm)
Frequency (MHz)
5170.0
5230.0


Bandwidth NTNV_802.11n(HT20)_SISO_5240MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.838MHz
Marker:
1: 5231.108 MHz
-6.80dBm
2: 5248.946 MHz
-7.59dBm
Trace
Level (dBm)
Frequency (MHz)
5210.0
5270.0


Bandwidth NTNV_802.11n(HT20)_SISO_5260MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.897MHz
Marker:
1: 5251.120 MHz
-6.94dBm
2: 5269.017 MHz
-8.05dBm
Trace
Level (dBm)
Frequency (MHz)
5230.0
5290.0