

3.1.3 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6435	RU26	Left(0)	-8.49	-9.14	-8.32	-8.72	-2.64	/	Pass
				RU242	Left(61)	0.68	-0.09	0.73	0.20	6.41	/	Pass
				RU26+52	/	-3.93	-4.59	-3.89	-4.44	1.82	/	Pass
			6475	RU26	Left(0)	-8.23	-8.34	-7.71	-8.60	-2.19	/	Pass
				RU242	Left(61)	1.07	0.77	1.28	0.75	6.99	/	Pass
				RU26+52	/	-3.61	-3.91	-3.26	-4.07	2.32	/	Pass
			6515	RU26	Left(0)	-7.80	-8.24	-7.58	-8.16	-1.92	/	Pass
				RU242	Left(61)	1.31	1.00	1.39	0.97	7.19	/	Pass
				RU26+52	/	-3.16	-3.50	-3.18	-3.70	2.64	/	Pass
	802.11be (EHT40)	MIMO	6445	RU26	Left(0)	-8.03	-8.73	-7.84	-8.95	-2.34	/	Pass
				RU484	Left(65)	3.89	3.55	4.16	3.45	9.79	/	Pass
				RU26+52	/	-3.52	-4.40	-3.32	-4.14	2.20	/	Pass
			6485	RU26	Left(0)	-7.74	-7.98	-7.77	-8.66	-2.00	/	Pass
				RU484	Left(65)	4.39	4.30	4.72	4.09	10.40	/	Pass
	802.11be (EHT80)	MIMO	6465	RU26+52	/	-3.14	-3.37	-2.76	-3.80	2.77	/	Pass
				RU26	Left(0)	-8.01	-8.55	-8.06	-8.49	-2.25	/	Pass
				RU996	Left(67)	7.35	6.95	7.54	7.04	13.25	/	Pass
				RU26+52	/	-3.23	-3.67	-2.84	-3.15	2.81	/	Pass
				P-20M-RU242+484	/	6.09	5.72	6.36	5.65	11.99	/	Pass

3.1.4 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6435	RU26	Left(0)	-5.99	-6.64	-5.82	-6.22	5.88	<=30	Pass
				RU242	Left(61)	3.18	2.41	3.23	2.70	14.93	<=30	Pass
				RU26+52	/	-1.43	-2.09	-1.39	-1.94	10.34	<=30	Pass
			6475	RU26	Left(0)	-5.73	-5.84	-5.21	-6.10	6.33	<=30	Pass
				RU242	Left(61)	3.57	3.27	3.78	3.25	15.51	<=30	Pass
				RU26+52	/	-1.11	-1.41	-0.76	-1.57	10.84	<=30	Pass
			6515	RU26	Left(0)	-5.30	-5.74	-5.08	-5.66	6.60	<=30	Pass
				RU242	Left(61)	3.81	3.50	3.89	3.47	15.71	<=30	Pass
				RU26+52	/	-0.66	-1.00	-0.68	-1.20	11.16	<=30	Pass
	802.11be (EHT40)	MIMO	6445	RU26	Left(0)	-5.53	-6.23	-5.34	-6.45	6.18	<=30	Pass
				RU484	Left(65)	6.39	6.05	6.66	5.95	18.31	<=30	Pass
				RU26+52	/	-1.02	-1.90	-0.82	-1.64	10.72	<=30	Pass
			6485	RU26	Left(0)	-5.24	-5.48	-5.27	-6.16	6.52	<=30	Pass
				RU484	Left(65)	6.89	6.80	7.22	6.59	18.92	<=30	Pass
	802.11be (EHT80)	MIMO	6465	RU26+52	/	-0.64	-0.87	-0.26	-1.30	11.29	<=30	Pass
				RU26	Left(0)	-5.51	-6.05	-5.56	-5.99	6.27	<=30	Pass
				RU996	Left(67)	9.85	9.45	10.04	9.54	21.77	<=30	Pass
				RU26+52	/	-0.73	-1.17	-0.34	-0.65	11.33	<=30	Pass
				P-20M-RU242+484	/	8.59	8.22	8.86	8.15	20.51	<=30	Pass

Note1: Antenna Gain:

- Band: 6 Ant1: 2.50dBi;
- Band: 7 Ant1: 2.50dBi;
- Band: 8 Ant1: 2.50dBi;
- Band: 6+7 Ant1: 2.50dBi;
- Band: 7+8 Ant1: 2.50dBi;
- Band: 5 Ant1: 2.50dBi;
- Band: 6 Ant2: 2.50dBi;

- Band: 7 Ant2: 2.50dBi;
- Band: 8 Ant2: 2.50dBi;
- Band: 6+7 Ant2: 2.50dBi;
- Band: 7+8 Ant2: 2.50dBi;
- Band: 5 Ant2: 2.50dBi;
- Band: 7+8 Ant3: 2.50dBi;
- Band: 5 Ant3: 2.50dBi;
- Band: 6 Ant3: 2.50dBi;
- Band: 7 Ant3: 2.50dBi;
- Band: 8 Ant3: 2.50dBi;
- Band: 6+7 Ant3: 2.50dBi;
- Band: 5 Ant4: 2.50dBi;
- Band: 6 Ant4: 2.50dBi;
- Band: 7 Ant4: 2.50dBi;
- Band: 8 Ant4: 2.50dBi;
- Band: 6+7 Ant4: 2.50dBi;
- Band: 7+8 Ant4: 2.50dBi;

As for MIMO with Beamforming, the directional gain is 8.52dBi, applicable for modes 802.11ax/be

Note2: E.I.R.P = Measured Power + Antenna Gain

Note3: The Duty Cycle Factor is compensated in the tables.

3.1.5 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6535	RU26	Left(0)	-7.40	-7.91	-7.22	-7.97	-1.59	/	Pass
				RU242	Left(61)	1.69	1.34	1.78	1.29	7.55	/	Pass
				RU26+52	/	-2.76	-2.98	-2.79	-3.38	3.05	/	Pass
			6695	RU26	Left(0)	-8.49	-9.02	-8.65	-8.67	-2.68	/	Pass
				RU242	Left(61)	0.40	0.17	0.35	0.41	6.35	/	Pass
				RU26+52	/	-3.87	-4.19	-4.37	-4.16	1.88	/	Pass
			6855	RU26	Left(0)	-7.04	-7.36	-6.69	-7.21	-1.05	/	Pass
				RU242	Left(61)	1.41	1.41	2.09	1.64	7.67	/	Pass
				RU26+52	/	-2.93	-2.91	-2.08	-2.53	3.42	/	Pass
	802.11be (EHT40)	MIMO	6565	RU26	Left(0)	-7.11	-7.88	-7.30	-7.67	-1.46	/	Pass
				RU484	Left(65)	5.03	4.40	4.93	4.77	10.81	/	Pass
				RU26+52	/	-2.49	-2.97	-2.69	-2.83	3.28	/	Pass
			6685	RU26	Left(0)	-7.71	-8.32	-8.23	-8.28	-2.11	/	Pass
				RU484	Left(65)	4.05	3.93	3.91	4.12	10.02	/	Pass
				RU26+52	/	-3.47	-3.64	-3.98	-3.48	2.38	/	Pass
			6845	RU26	Left(0)	-8.88	-8.77	-8.35	-9.04	-2.73	/	Pass
				RU484	Left(65)	3.04	3.02	3.46	2.88	9.13	/	Pass
				RU26+52	/	-4.24	-4.06	-3.90	-4.31	1.90	/	Pass
	802.11be (EHT80)	MIMO	6625	RU26	Left(0)	-7.23	-7.88	-7.71	-7.87	-1.64	/	Pass
				RU996	Left(67)	7.58	7.13	7.22	7.21	13.31	/	Pass
				RU26+52	/	-2.34	-3.13	-2.76	-2.93	3.24	/	Pass
				P-20M-RU242+484	/	6.00	5.62	5.45	5.83	11.75	/	Pass
			6705	RU26	Left(0)	-7.90	-8.62	-8.49	-8.52	-2.35	/	Pass
				RU996	Left(67)	7.50	6.51	7.10	6.63	12.97	/	Pass
				RU26+52	/	-3.34	-3.63	-3.21	-3.54	2.59	/	Pass
				P-20M-RU242+484	/	4.97	4.97	5.48	5.06	11.15	/	Pass
			6785	RU26	Left(0)	-8.51	-8.64	-7.58	-8.09	-2.16	/	Pass
				RU996	Left(67)	6.06	6.26	7.05	6.16	12.42	/	Pass
				RU26+52	/	-3.84	-3.79	-3.11	-3.87	2.38	/	Pass
				P-20M-RU242+484	/	4.45	4.48	5.33	4.45	10.71	/	Pass
	802.11be (EHT160)	MIMO	6665	RU996	Left(67)	7.72	7.38	7.41	7.62	13.56	/	Pass
				2xRU996	Left(68)	10.48	10.19	10.29	10.44	16.37	/	Pass

				RU26+52	/	-2.07	-3.02	-3.02	-3.02	3.26	/	Pass
				P-20M- RU242+484+996	/	9.41	8.75	9.12	9.05	15.11	/	Pass
				P-40M-RU484+996	/	9.13	8.44	8.79	8.65	14.78	/	Pass

3.1.6 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6535	RU26	Left(0)	-4.90	-5.41	-4.72	-5.47	6.93	<=30	Pass
				RU242	Left(61)	4.19	3.84	4.28	3.79	16.07	<=30	Pass
				RU26+52	/	-0.26	-0.48	-0.29	-0.88	11.57	<=30	Pass
			6695	RU26	Left(0)	-5.99	-6.52	-6.15	-6.17	5.84	<=30	Pass
				RU242	Left(61)	2.90	2.67	2.85	2.91	14.87	<=30	Pass
				RU26+52	/	-1.37	-1.69	-1.87	-1.66	10.40	<=30	Pass
			6855	RU26	Left(0)	-4.54	-4.86	-4.19	-4.71	7.47	<=30	Pass
				RU242	Left(61)	3.91	3.91	4.59	4.14	16.19	<=30	Pass
				RU26+52	/	-0.43	-0.41	0.42	-0.03	11.94	<=30	Pass
	802.11be (EHT40)	MIMO	6565	RU26	Left(0)	-4.61	-5.38	-4.80	-5.17	7.06	<=30	Pass
				RU484	Left(65)	7.53	6.90	7.43	7.27	19.33	<=30	Pass
				RU26+52	/	0.01	-0.47	-0.19	-0.33	11.80	<=30	Pass
			6685	RU26	Left(0)	-5.21	-5.82	-5.73	-5.78	6.41	<=30	Pass
				RU484	Left(65)	6.55	6.43	6.41	6.62	18.54	<=30	Pass
				RU26+52	/	-0.97	-1.14	-1.48	-0.98	10.90	<=30	Pass
			6845	RU26	Left(0)	-6.38	-6.27	-5.85	-6.54	5.79	<=30	Pass
				RU484	Left(65)	5.54	5.52	5.96	5.38	17.65	<=30	Pass
				RU26+52	/	-1.74	-1.56	-1.40	-1.81	10.42	<=30	Pass
	802.11be (EHT80)	MIMO	6625	RU26	Left(0)	-4.73	-5.38	-5.21	-5.37	6.88	<=30	Pass
				RU996	Left(67)	10.08	9.63	9.72	9.71	21.83	<=30	Pass
				RU26+52	/	0.16	-0.63	-0.26	-0.43	11.76	<=30	Pass
				P-20M-RU242+484	/	8.50	8.12	7.95	8.33	20.27	<=30	Pass
			6705	RU26	Left(0)	-5.40	-6.12	-5.99	-6.02	6.17	<=30	Pass
				RU996	Left(67)	10.00	9.01	9.60	9.13	21.49	<=30	Pass
				RU26+52	/	-0.84	-1.13	-0.71	-1.04	11.11	<=30	Pass
				P-20M-RU242+484	/	7.47	7.47	7.98	7.56	19.67	<=30	Pass
			6785	RU26	Left(0)	-6.01	-6.14	-5.08	-5.59	6.36	<=30	Pass
				RU996	Left(67)	8.56	8.76	9.55	8.66	20.94	<=30	Pass
				RU26+52	/	-1.34	-1.29	-0.61	-1.37	10.90	<=30	Pass
				P-20M-RU242+484	/	6.95	6.98	7.83	6.95	19.23	<=30	Pass
	802.11be (EHT160)	MIMO	6665	RU996	Left(67)	10.22	9.88	9.91	10.12	22.08	<=30	Pass
				2xRU996	Left(68)	12.98	12.69	12.79	12.94	24.89	<=30	Pass
				RU26+52	/	0.43	-0.52	-0.52	-0.52	11.78	<=30	Pass
				P-20M- RU242+484+996	/	11.91	11.25	11.62	11.55	23.63	<=30	Pass
				P-40M-RU484+996	/	11.63	10.94	11.29	11.15	23.30	<=30	Pass

Note1: Antenna Gain:

- Band: 6 Ant1: 2.50dBi;
- Band: 7 Ant1: 2.50dBi;
- Band: 8 Ant1: 2.50dBi;
- Band: 6+7 Ant1: 2.50dBi;
- Band: 7+8 Ant1: 2.50dBi;
- Band: 5 Ant1: 2.50dBi;
- Band: 6 Ant2: 2.50dBi;
- Band: 7 Ant2: 2.50dBi;
- Band: 8 Ant2: 2.50dBi;
- Band: 6+7 Ant2: 2.50dBi;
- Band: 7+8 Ant2: 2.50dBi;
- Band: 5 Ant2: 2.50dBi;
- Band: 7+8 Ant3: 2.50dBi;

- Band: 5 Ant3: 2.50dBi;
- Band: 6 Ant3: 2.50dBi;
- Band: 7 Ant3: 2.50dBi;
- Band: 8 Ant3: 2.50dBi;
- Band: 6+7 Ant3: 2.50dBi;
- Band: 5 Ant4: 2.50dBi;
- Band: 6 Ant4: 2.50dBi;
- Band: 7 Ant4: 2.50dBi;
- Band: 8 Ant4: 2.50dBi;
- Band: 6+7 Ant4: 2.50dBi;
- Band: 7+8 Ant4: 2.50dBi;

As for MIMO with Beamforming, the directional gain is 8.52dBi, applicable for modes 802.11ax/be

Note2: E.I.R.P = Measured Power + Antenna Gain

Note3: The Duty Cycle Factor is compensated in the tables.

3.1.7 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6895	RU26	Left(0)	-7.78	-7.69	-7.35	-7.94	-1.66	/	Pass
				RU242	Left(61)	1.38	1.32	1.77	1.28	7.46	/	Pass
				RU26+52	/	-2.43	-2.61	-2.10	-2.75	3.55	/	Pass
			6995	RU26	Left(0)	-8.85	-8.72	-8.83	-9.24	-2.89	/	Pass
				RU242	Left(61)	0.27	0.33	0.75	0.13	6.40	/	Pass
				RU26+52	/	-3.53	-3.71	-3.32	-3.81	2.43	/	Pass
			7115	RU26	Left(0)	-	-9.70	-9.18	-	-3.98	/	Pass
				RU242	Left(61)	-1.39	-0.69	0.04	-1.06	5.28	/	Pass
				RU26+52	/	-5.24	-4.64	-3.94	-5.34	1.27	/	Pass
	802.11be (EHT40)	MIMO	6925	RU26	Left(0)	-7.58	-7.69	-7.62	-7.78	-1.65	/	Pass
				RU484	Left(65)	4.71	4.51	5.03	4.54	10.72	/	Pass
				RU26+52	/	-2.74	-2.92	-2.84	-2.98	3.15	/	Pass
			7005	RU26	Left(0)	-8.97	-8.75	-8.87	-8.93	-2.86	/	Pass
				RU484	Left(65)	3.24	3.66	4.04	3.08	9.54	/	Pass
				RU26+52	/	-4.28	-4.30	-3.74	-4.35	1.86	/	Pass
			7085	RU26	Left(0)	-	-9.39	-9.43	-	-3.83	/	Pass
				RU484	Left(65)	2.59	2.82	3.61	2.08	8.83	/	Pass
				RU26+52	/	-5.46	-5.06	-4.56	-6.00	0.78	/	Pass
	802.11be (EHT80)	MIMO	6945	RU26	Left(0)	-7.51	-7.24	-7.33	-7.17	-1.29	/	Pass
				RU996	Left(67)	7.52	7.58	7.77	7.67	13.66	/	Pass
				RU26+52	/	-2.33	-2.42	-2.09	-2.49	3.69	/	Pass
				P-20M-RU242+484	/	6.06	6.11	6.32	6.11	12.17	/	Pass
			7025	RU26	Left(0)	-9.02	-8.58	-8.58	-8.75	-2.71	/	Pass
				RU996	Left(67)	6.08	6.44	7.05	5.69	12.36	/	Pass
				RU26+52	/	-3.75	-3.57	-3.49	-3.99	2.32	/	Pass
				P-20M-RU242+484	/	4.59	4.98	5.34	4.34	10.85	/	Pass
	802.11be (EHT160)	MIMO	6985	RU996	Left(67)	6.49	6.26	6.50	6.29	12.41	/	Pass
				2xRU996	Left(68)	8.76	8.56	9.09	8.40	14.73	/	Pass
				RU26+52	/	-2.71	-3.71	-3.26	-3.62	2.71	/	Pass
				P-20M-RU242+484+996	/	7.93	7.64	8.26	7.44	13.85	/	Pass
				P-40M-RU484+996	/	8.00	7.84	8.28	7.65	13.97	/	Pass

3.1.8 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6895	RU26	Left(0)	-5.28	-5.19	-4.85	-5.44	6.86	<=30	Pass
				RU242	Left(61)	3.88	3.82	4.27	3.78	15.98	<=30	Pass
				RU26+52	/	0.07	-0.11	0.40	-0.25	12.07	<=30	Pass
			6995	RU26	Left(0)	-6.35	-6.22	-6.33	-6.74	5.63	<=30	Pass
				RU242	Left(61)	2.77	2.83	3.25	2.63	14.92	<=30	Pass
				RU26+52	/	-1.03	-1.21	-0.82	-1.31	10.95	<=30	Pass
			7115	RU26	Left(0)	-8.29	-7.20	-6.68	-8.02	4.54	<=30	Pass
				RU242	Left(61)	1.11	1.81	2.54	1.44	13.80	<=30	Pass
				RU26+52	/	-2.74	-2.14	-1.44	-2.84	9.79	<=30	Pass
	802.11be (EHT40)	MIMO	6925	RU26	Left(0)	-5.08	-5.19	-5.12	-5.28	6.87	<=30	Pass
				RU484	Left(65)	7.21	7.01	7.53	7.04	19.24	<=30	Pass
				RU26+52	/	-0.24	-0.42	-0.34	-0.48	11.67	<=30	Pass
			7005	RU26	Left(0)	-6.47	-6.25	-6.37	-6.43	5.66	<=30	Pass
				RU484	Left(65)	5.74	6.16	6.54	5.58	18.06	<=30	Pass
				RU26+52	/	-1.78	-1.80	-1.24	-1.85	10.38	<=30	Pass
			7085	RU26	Left(0)	-7.89	-6.89	-6.93	-7.79	4.69	<=30	Pass
				RU484	Left(65)	5.09	5.32	6.11	4.58	17.35	<=30	Pass
				RU26+52	/	-2.96	-2.56	-2.06	-3.50	9.30	<=30	Pass
	802.11be (EHT80)	MIMO	6945	RU26	Left(0)	-5.01	-4.74	-4.83	-4.67	7.23	<=30	Pass
				RU996	Left(67)	10.02	10.08	10.27	10.17	22.18	<=30	Pass
				RU26+52	/	0.17	0.08	0.41	0.01	12.21	<=30	Pass
				P-20M-RU242+484	/	8.56	8.61	8.82	8.61	20.69	<=30	Pass
			7025	RU26	Left(0)	-6.52	-6.08	-6.08	-6.25	5.81	<=30	Pass
				RU996	Left(67)	8.58	8.94	9.55	8.19	20.88	<=30	Pass
				RU26+52	/	-1.25	-1.07	-0.99	-1.49	10.84	<=30	Pass
				P-20M-RU242+484	/	7.09	7.48	7.84	6.84	19.37	<=30	Pass
	802.11be (EHT160)	MIMO	6985	RU996	Left(67)	8.99	8.76	9.00	8.79	20.93	<=30	Pass
				2xRU996	Left(68)	11.26	11.06	11.59	10.90	23.25	<=30	Pass
				RU26+52	/	-0.21	-1.21	-0.76	-1.12	11.23	<=30	Pass
				P-20M-RU242+484+996	/	10.43	10.14	10.76	9.94	22.37	<=30	Pass
				P-40M-RU484+996	/	10.50	10.34	10.78	10.15	22.49	<=30	Pass

Note1: Antenna Gain:

- Band: 6 Ant1: 2.50dBi;
- Band: 7 Ant1: 2.50dBi;
- Band: 8 Ant1: 2.50dBi;
- Band: 6+7 Ant1: 2.50dBi;
- Band: 7+8 Ant1: 2.50dBi;
- Band: 5 Ant1: 2.50dBi;
- Band: 6 Ant2: 2.50dBi;
- Band: 7 Ant2: 2.50dBi;
- Band: 8 Ant2: 2.50dBi;
- Band: 6+7 Ant2: 2.50dBi;
- Band: 7+8 Ant2: 2.50dBi;
- Band: 5 Ant2: 2.50dBi;
- Band: 7+8 Ant3: 2.50dBi;
- Band: 5 Ant3: 2.50dBi;
- Band: 6 Ant3: 2.50dBi;
- Band: 7 Ant3: 2.50dBi;
- Band: 8 Ant3: 2.50dBi;
- Band: 6+7 Ant3: 2.50dBi;
- Band: 5 Ant4: 2.50dBi;
- Band: 6 Ant4: 2.50dBi;
- Band: 7 Ant4: 2.50dBi;
- Band: 8 Ant4: 2.50dBi;
- Band: 6+7 Ant4: 2.50dBi;

- Band: 7+8 Ant4: 2.50dBi;
As for MIMO with Beamforming, the directional gain is 8.52dBi, applicable for modes 802.11ax/be
Note2: E.I.R.P = Measured Power + Antenna Gain
Note3: The Duty Cycle Factor is compensated in the tables.

3.1.9 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6875	RU26	Left(0)	-7.69	-8.16	-7.89	-8.35	-1.99	/	Pass
				RU242	Left(61)	2.10	2.27	2.68	2.54	8.42	/	Pass
				RU26+52	/	-2.19	-2.64	-2.32	-2.55	3.60	/	Pass
	802.11be (EHT40)	MIMO	6885	RU26	Left(0)	-8.30	-8.46	-8.17	-8.72	-2.39	/	Pass
				RU484	Left(65)	3.98	3.81	4.01	3.62	9.88	/	Pass
				RU26+52	/	-2.92	-3.10	-2.88	-3.39	2.95	/	Pass
	802.11be (EHT80)	MIMO	6865	RU26	Left(0)	-7.75	-7.82	-7.60	-7.69	-1.69	/	Pass
				RU996	Left(67)	7.34	7.56	7.93	6.93	13.48	/	Pass
				RU26+52	/	-2.51	-2.78	-1.89	-2.96	3.50	/	Pass
	802.11be (EHT160)	MIMO	6825	P-20M-RU242+484	/	5.92	5.65	6.28	5.59	11.89	/	Pass
				RU996	Left(67)	8.06	7.81	8.48	7.89	14.09	/	Pass
				2xRU996	Left(68)	10.00	9.57	10.39	9.70	15.95	/	Pass
				RU26+52	/	-2.90	-3.22	-2.42	-3.00	3.15	/	Pass
				P-20M-RU242+484+996	/	9.61	9.29	9.84	9.43	15.57	/	Pass
				P-40M-RU484+996	/	9.24	8.87	9.51	8.90	15.16	/	Pass
	802.11be (EHT320)	MIMO	6745	4xRU996	Left(70)	13.27	12.58	13.09	12.83	18.97	/	Pass
				RU26+52	/	-3.04	-3.82	-3.58	-3.42	2.56	/	Pass
				P-40M-RU484+996+2X996	/	12.86	12.23	12.98	12.72	18.73	/	Pass
				P-80M-RU996+2X996	/	12.59	12.21	12.51	12.53	18.48	/	Pass
				P-80+40M-RU996+484+996	/	11.13	10.45	11.11	10.73	16.88	/	Pass
			6905	4xRU996	Left(70)	12.65	11.49	12.12	11.62	18.02	/	Pass
				RU26+52	/	-2.28	-3.19	-2.46	-3.09	3.28	/	Pass
				P-40M-RU484+996+2X996	/	10.38	10.16	10.62	10.13	16.35	/	Pass
				P-80M-RU996+2X996	/	10.37	10.08	10.69	10.05	16.33	/	Pass
				P-80+40M-RU996+484+996	/	9.64	9.23	9.78	9.04	15.45	/	Pass

3.1.10 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6875	RU26	Left(0)	-5.19	-5.66	-5.39	-5.85	6.53	<=30	Pass
				RU242	Left(61)	4.60	4.77	5.18	5.04	16.94	<=30	Pass
				RU26+52	/	0.31	-0.14	0.18	-0.05	12.12	<=30	Pass
	802.11be (EHT40)	MIMO	6885	RU26	Left(0)	-5.80	-5.96	-5.67	-6.22	6.13	<=30	Pass
				RU484	Left(65)	6.48	6.31	6.51	6.12	18.40	<=30	Pass
				RU26+52	/	-0.42	-0.60	-0.38	-0.89	11.47	<=30	Pass
	802.11be (EHT80)	MIMO	6865	RU26	Left(0)	-5.25	-5.32	-5.10	-5.19	6.83	<=30	Pass
				RU996	Left(67)	9.84	10.06	10.43	9.43	22.00	<=30	Pass
				RU26+52	/	-0.01	-0.28	0.61	-0.46	12.02	<=30	Pass
	802.11be (EHT160)	MIMO	6825	P-20M-RU242+484	/	8.42	8.15	8.78	8.09	20.41	<=30	Pass
				RU996	Left(67)	10.56	10.31	10.98	10.39	22.61	<=30	Pass
				2xRU996	Left(68)	12.50	12.07	12.89	12.20	24.47	<=30	Pass

802.11be (EHT320)				RU26+52	/	-0.40	-0.72	0.08	-0.50	11.67	<=30	Pass
				P-20M-RU242+484+996	/	12.11	11.79	12.34	11.93	24.09	<=30	Pass
				P-40M-RU484+996	/	11.74	11.37	12.01	11.40	23.68	<=30	Pass
	MIMO	6745	4xRU996	Left(70)	15.77	15.08	15.59	15.33	27.49	<=30	Pass	
			RU26+52	/	-0.54	-1.32	-1.08	-0.92	11.08	<=30	Pass	
			P-40M- RU484+996+2X996	/	15.36	14.73	15.48	15.22	27.25	<=30	Pass	
			P-80M-RU996+2X996	/	15.09	14.71	15.01	15.03	27.00	<=30	Pass	
			P-80+40M- RU996+484+996	/	13.63	12.95	13.61	13.23	25.40	<=30	Pass	
		6905	4xRU996	Left(70)	15.15	13.99	14.62	14.12	26.54	<=30	Pass	
			RU26+52	/	0.22	-0.69	0.04	-0.59	11.80	<=30	Pass	
			P-40M- RU484+996+2X996	/	12.88	12.66	13.12	12.63	24.87	<=30	Pass	
			P-80M-RU996+2X996	/	12.87	12.58	13.19	12.55	24.85	<=30	Pass	
P-80+40M- RU996+484+996			/	12.14	11.73	12.28	11.54	23.97	<=30	Pass		

Note1: Antenna Gain:

- Band: 6 Ant1: 2.50dBi;
- Band: 7 Ant1: 2.50dBi;
- Band: 8 Ant1: 2.50dBi;
- Band: 6+7 Ant1: 2.50dBi;
- Band: 7+8 Ant1: 2.50dBi;
- Band: 5 Ant1: 2.50dBi;
- Band: 6 Ant2: 2.50dBi;
- Band: 7 Ant2: 2.50dBi;
- Band: 8 Ant2: 2.50dBi;
- Band: 6+7 Ant2: 2.50dBi;
- Band: 7+8 Ant2: 2.50dBi;
- Band: 5 Ant2: 2.50dBi;
- Band: 7+8 Ant3: 2.50dBi;
- Band: 5 Ant3: 2.50dBi;
- Band: 6 Ant3: 2.50dBi;
- Band: 7 Ant3: 2.50dBi;
- Band: 8 Ant3: 2.50dBi;
- Band: 6+7 Ant3: 2.50dBi;
- Band: 5 Ant4: 2.50dBi;
- Band: 6 Ant4: 2.50dBi;
- Band: 7 Ant4: 2.50dBi;
- Band: 8 Ant4: 2.50dBi;
- Band: 6+7 Ant4: 2.50dBi;
- Band: 7+8 Ant4: 2.50dBi;

As for MIMO with Beamforming, the directional gain is 8.52dBi, applicable for modes 802.11ax/be

Note2: E.I.R.P = Measured Power + Antenna Gain

Note3: The Duty Cycle Factor is compensated in the tables.

3.1.11 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT40)	MIMO	6525	RU26	Left(0)	-7.77	-8.73	-7.78	-8.02	-2.04	/	Pass
				RU484	Left(65)	4.25	3.67	4.56	4.51	10.28	/	Pass
				RU26+52	/	-3.07	-3.43	-2.75	-2.94	2.98	/	Pass
	802.11be (EHT80)	MIMO	6545	RU26	Left(0)	-7.24	-8.05	-7.46	-8.31	-1.72	/	Pass
				RU996	Left(67)	7.84	7.16	7.45	7.27	13.46	/	Pass
				RU26+52	/	-2.88	-3.67	-3.24	-3.54	2.70	/	Pass
				P-20M-RU242+484	/	6.18	5.41	6.05	5.63	11.85	/	Pass
802.11be	MIMO	6505	RU996	Left(67)	7.23	6.17	6.86	6.37	12.70	/	Pass	

	(EHT160)			2xRU996	Left(68)	10.24	9.21	9.69	10.96	16.09	/	Pass
				RU26+52	/	-2.63	-3.48	-2.69	-2.81	3.13	/	Pass
				P-20M-RU242+484+996	/	9.56	8.54	9.05	8.72	15.01	/	Pass
				P-40M-RU484+996	/	8.85	7.83	8.46	8.07	14.34	/	Pass
	802.11be (EHT320)	MIMO	6585	4xRU996	Left(70)	13.86	12.68	13.13	13.08	19.23	/	Pass
				RU26+52	/	-2.69	-3.74	-3.34	-3.55	2.71	/	Pass
				P-40M- RU484+996+2X996	/	12.68	11.52	11.99	11.89	18.06	/	Pass
				P-80M-RU996+2X996	/	11.93	10.91	11.48	11.24	17.43	/	Pass
				P-80+40M- RU996+484+996	/	10.83	9.79	10.19	10.11	16.27	/	Pass

3.1.12 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT40)	MIMO	6525	RU26	Left(0)	-5.27	-6.23	-5.28	-5.52	6.48	<=30	Pass
				RU484	Left(65)	6.75	6.17	7.06	7.01	18.80	<=30	Pass
				RU26+52	/	-0.57	-0.93	-0.25	-0.44	11.50	<=30	Pass
	802.11be (EHT80)	MIMO	6545	RU26	Left(0)	-4.74	-5.55	-4.96	-5.81	6.80	<=30	Pass
				RU996	Left(67)	10.34	9.66	9.95	9.77	21.98	<=30	Pass
				RU26+52	/	-0.38	-1.17	-0.74	-1.04	11.22	<=30	Pass
				P-20M-RU242+484	/	8.68	7.91	8.55	8.13	20.37	<=30	Pass
	802.11be (EHT160)	MIMO	6505	RU996	Left(67)	9.73	8.67	9.36	8.87	21.22	<=30	Pass
				2xRU996	Left(68)	12.74	11.71	12.19	13.46	24.61	<=30	Pass
				RU26+52	/	-0.13	-0.98	-0.19	-0.31	11.65	<=30	Pass
				P-20M-RU242+484+996	/	12.06	11.04	11.55	11.22	23.53	<=30	Pass
	802.11be (EHT320)	MIMO	6585	P-40M-RU484+996	/	11.35	10.33	10.96	10.57	22.86	<=30	Pass
				4xRU996	Left(70)	16.36	15.18	15.63	15.58	27.75	<=30	Pass
				RU26+52	/	-0.19	-1.24	-0.84	-1.05	11.23	<=30	Pass
				P-40M- RU484+996+2X996	/	15.18	14.02	14.49	14.39	26.58	<=30	Pass
				P-80M-RU996+2X996	/	14.43	13.41	13.98	13.74	25.95	<=30	Pass
				P-80+40M- RU996+484+996	/	13.33	12.29	12.69	12.61	24.79	<=30	Pass

Note1: Antenna Gain:


- Band: 6 Ant1: 2.50dBi;
- Band: 7 Ant1: 2.50dBi;
- Band: 8 Ant1: 2.50dBi;
- Band: 6+7 Ant1: 2.50dBi;
- Band: 7+8 Ant1: 2.50dBi;
- Band: 5 Ant1: 2.50dBi;
- Band: 6 Ant2: 2.50dBi;
- Band: 7 Ant2: 2.50dBi;
- Band: 8 Ant2: 2.50dBi;
- Band: 6+7 Ant2: 2.50dBi;
- Band: 7+8 Ant2: 2.50dBi;
- Band: 5 Ant2: 2.50dBi;
- Band: 7+8 Ant3: 2.50dBi;
- Band: 5 Ant3: 2.50dBi;
- Band: 6 Ant3: 2.50dBi;
- Band: 7 Ant3: 2.50dBi;
- Band: 8 Ant3: 2.50dBi;
- Band: 6+7 Ant3: 2.50dBi;
- Band: 5 Ant4: 2.50dBi;
- Band: 6 Ant4: 2.50dBi;
- Band: 7 Ant4: 2.50dBi;
- Band: 8 Ant4: 2.50dBi;
- Band: 6+7 Ant4: 2.50dBi;
- Band: 7+8 Ant4: 2.50dBi;

As for MIMO with Beamforming, the directional gain is 8.52dBi, applicable for modes 802.11ax/be
Note2: E.I.R.P = Measured Power + Antenna Gain
Note3: The Duty Cycle Factor is compensated in the tables.


3.2 Test Graph

3.2.1 Power


802.11be(EHT20)_LCH_5955MHz_RU26_Left(0)_Ant1_NTNV




802.11be(EHT20)_LCH_5955MHz_RU26_Left(0)_Ant2_NTNV




802.11be(EHT20) LCH_5955MHz_RU26_Left(0)_Ant3_NTNV




802.11be(EHT20) LCH_5955MHz_RU26_Left(0)_Ant4_NTNV




802.11be(EHT20) LCH_5955MHz_RU242_Left(61)_Ant1_NTNV




802.11be(EHT20) LCH_5955MHz_RU242_Left(61)_Ant2_NTNV




802.11be(EHT20) LCH_5955MHz_RU242_Left(61)_Ant3_NTNV




802.11be(EHT20) LCH_5955MHz_RU242_Left(61)_Ant4_NTNV




802.11be(EHT20)_LCH_5955MHz_26+52_ / Ant1_NTNV




802.11be(EHT20)_LCH_5955MHz_26+52_ / Ant2_NTNV




802.11be(EHT20)_LCH_5955MHz_26+52_ / Ant3_NTNV




802.11be(EHT20)_LCH_5955MHz_26+52_ / Ant4_NTNV




802.11be(EHT20)_MCH_6175MHz_RU26_Left(0)_Ant1_NTNV




802.11be(EHT20)_MCH_6175MHz_RU26_Left(0)_Ant2_NTNV




802.11be(EHT20)_MCH_6175MHz_RU26_Left(0)_Ant3_NTNV




802.11be(EHT20)_MCH_6175MHz_RU26_Left(0)_Ant4_NTNV




802.11be(EHT20)_MCH_6175MHz_RU242_Left(61)_Ant1_NTNV




802.11be(EHT20)_MCH_6175MHz_RU242_Left(61)_Ant2_NTNV




802.11be(EHT20)_MCH_6175MHz_RU242_Left(61)_Ant3_NTNV




802.11be(EHT20)_MCH_6175MHz_RU242_Left(61)_Ant4_NTNV




802.11be(EHT20)_MCH_6175MHz_26+52 / Ant1_NTNV




802.11be(EHT20)_MCH_6175MHz_26+52 / Ant2_NTNV




802.11be(EHT20)_MCH_6175MHz_26+52 / Ant3_NTNV




802.11be(EHT20)_MCH_6175MHz_26+52 / Ant4_NTNV




802.11be(EHT20)_HCH_6415MHz_RU26_Left(0)_Ant1_NTNV




802.11be(EHT20)_HCH_6415MHz_RU26_Left(0)_Ant2_NTNV




802.11be(EHT20)_HCH_6415MHz_RU26_Left(0)_Ant3_NTNV




802.11be(EHT20)_HCH_6415MHz_RU26_Left(0)_Ant4_NTNV




802.11be(EHT20)_HCH_6415MHz_RU242_Left(61)_Ant1_NTNV




802.11be(EHT20)_HCH_6415MHz_RU242_Left(61)_Ant2_NTNV




802.11be(EHT20)_HCH_6415MHz_RU242_Left(61)_Ant3_NTNV




802.11be(EHT20)_HCH_6415MHz_RU242_Left(61)_Ant4_NTNV




802.11be(EHT20)_HCH_6415MHz_26+52_ / Ant1_NTNV




802.11be(EHT20)_HCH_6415MHz_26+52_ / Ant2_NTNV




802.11be(EHT20) HCH 6415MHz 26+52 / Ant3_NTNV




802.11be(EHT20) HCH 6415MHz 26+52 / Ant4_NTNV




802.11be(EHT40) LCH_5965MHz_RU26_Left(0)_Ant1_NTNV




802.11be(EHT40) LCH_5965MHz_RU26_Left(0)_Ant2_NTNV




802.11be(EHT40) LCH_5965MHz_RU26_Left(0)_Ant3_NTNV




802.11be(EHT40) LCH_5965MHz_RU26_Left(0)_Ant4_NTNV




802.11be(EHT40) LCH_5965MHz_RU484_Left(65)_Ant1_NTNV




802.11be(EHT40) LCH_5965MHz_RU484_Left(65)_Ant2_NTNV




802.11be(EHT40) LCH_5965MHz_RU484_Left(65)_Ant3_NTNV




802.11be(EHT40) LCH_5965MHz_RU484_Left(65)_Ant4_NTNV




802.11be(EHT40)_LCH_5965MHz_26+52_ / Ant1_NTNV




802.11be(EHT40)_LCH_5965MHz_26+52_ / Ant2_NTNV




802.11be(EHT40)_LCH_5965MHz_26+52_ / Ant3_NTNV




802.11be(EHT40)_LCH_5965MHz_26+52_ / Ant4_NTNV




802.11be(EHT40)_MCH_6165MHz_RU26_Left(0)_Ant1_NTNV




802.11be(EHT40)_MCH_6165MHz_RU26_Left(0)_Ant2_NTNV




802.11be(EHT40)_MCH_6165MHz_RU26_Left(0)_Ant3_NTNV




802.11be(EHT40)_MCH_6165MHz_RU26_Left(0)_Ant4_NTNV




802.11be(EHT40)_MCH_6165MHz_RU484_Left(65)_Ant1_NTNV




802.11be(EHT40)_MCH_6165MHz_RU484_Left(65)_Ant2_NTNV




802.11be(EHT40)_MCH_6165MHz_RU484_Left(65)_Ant3_NTNV




802.11be(EHT40)_MCH_6165MHz_RU484_Left(65)_Ant4_NTNV




802.11be(EHT40)_MCH_6165MHz_26+52_ / Ant1_NTNV




802.11be(EHT40)_MCH_6165MHz_26+52_ / Ant2_NTNV




802.11be(EHT40) MCH 6165MHz 26+52 / Ant3_NTNV




802.11be(EHT40) MCH 6165MHz 26+52 / Ant4_NTNV




802.11be(EHT40)_HCH_6405MHz_RU26_Left(0)_Ant1_NTNV




802.11be(EHT40)_HCH_6405MHz_RU26_Left(0)_Ant2_NTNV




802.11be(EHT40)_HCH_6405MHz_RU26_Left(0)_Ant3_NTNV




802.11be(EHT40)_HCH_6405MHz_RU26_Left(0)_Ant4_NTNV




802.11be(EHT40)_HCH_6405MHz_RU484_Left(65)_Ant1_NTNV




802.11be(EHT40)_HCH_6405MHz_RU484_Left(65)_Ant2_NTNV




802.11be(EHT40)_HCH_6405MHz_RU484_Left(65)_Ant3_NTNV




802.11be(EHT40)_HCH_6405MHz_RU484_Left(65)_Ant4_NTNV




802.11be(EHT40) HCH 6405MHz 26+52 / Ant1_NTNV




802.11be(EHT40) HCH 6405MHz 26+52 / Ant2_NTNV




802.11be(EHT40) HCH 6405MHz 26+52 / Ant3_NTNV




802.11be(EHT40) HCH 6405MHz 26+52 / Ant4_NTNV




802.11be(EHT80) LCH_5985MHz_RU26_Left(0)_Ant1_NTNV




802.11be(EHT80) LCH_5985MHz_RU26_Left(0)_Ant2_NTNV




802.11be(EHT80) LCH_5985MHz_RU26_Left(0)_Ant3_NTNV




802.11be(EHT80) LCH_5985MHz_RU26_Left(0)_Ant4_NTNV




802.11be(EHT80) LCH_5985MHz_RU996_Left(67)_Ant1_NTNV




802.11be(EHT80) LCH_5985MHz_RU996_Left(67)_Ant2_NTNV




802.11be(EHT80) LCH_5985MHz_RU996_Left(67)_Ant3_NTNV




802.11be(EHT80) LCH_5985MHz_RU996_Left(67)_Ant4_NTNV




802.11be(EHT80)_LCH_5985MHz_26+52_/_Ant1_NTNV




802.11be(EHT80)_LCH_5985MHz_26+52_/_Ant2_NTNV




802.11be(EHT80)_LCH_5985MHz_26+52_ / Ant3_NTNV




802.11be(EHT80)_LCH_5985MHz_26+52_ / Ant4_NTNV




802.11be(EHT80)_LCH_5985MHz_P-20M-RU242+484_/_Ant1_NTNV




802.11be(EHT80)_LCH_5985MHz_P-20M-RU242+484_/_Ant2_NTNV




802.11be(EHT80)_LCH_5985MHz_P-20M-RU242+484_/_Ant3_NTNV




802.11be(EHT80)_LCH_5985MHz_P-20M-RU242+484_/_Ant4_NTNV




802.11be(EHT80)_MCH_6145MHz_RU26_Left(0)_Ant1_NTNV




802.11be(EHT80)_MCH_6145MHz_RU26_Left(0)_Ant2_NTNV




802.11be(EHT80)_MCH_6145MHz_RU26_Left(0)_Ant3_NTNV




802.11be(EHT80)_MCH_6145MHz_RU26_Left(0)_Ant4_NTNV




802.11be(EHT80)_MCH_6145MHz_RU996_Left(67)_Ant1_NTNV




802.11be(EHT80)_MCH_6145MHz_RU996_Left(67)_Ant2_NTNV




802.11be(EHT80)_MCH_6145MHz_RU996_Left(67)_Ant3_NTNV




802.11be(EHT80)_MCH_6145MHz_RU996_Left(67)_Ant4_NTNV




802.11be(EHT80)_MCH_6145MHz_26+52_/_Ant1_NTNV




802.11be(EHT80)_MCH_6145MHz_26+52_/_Ant2_NTNV




802.11be(EHT80)_MCH_6145MHz_26+52_/_Ant3_NTNV




802.11be(EHT80)_MCH_6145MHz_26+52_/_Ant4_NTNV




802.11be(EHT80)_MCH_6145MHz_P-20M-RU242+484 / Ant1_NTNV




802.11be(EHT80)_MCH_6145MHz_P-20M-RU242+484 / Ant2_NTNV




802.11be(EHT80)_MCH_6145MHz_P-20M-RU242+484 / Ant3_NTNV




802.11be(EHT80)_MCH_6145MHz_P-20M-RU242+484 / Ant4_NTNV




802.11be(EHT80)_HCH_6385MHz_RU26_Left(0)_Ant1_NTNV




802.11be(EHT80)_HCH_6385MHz_RU26_Left(0)_Ant2_NTNV




802.11be(EHT80)_HCH_6385MHz_RU26_Left(0)_Ant3_NTNV




802.11be(EHT80)_HCH_6385MHz_RU26_Left(0)_Ant4_NTNV




802.11be(EHT80)_HCH_6385MHz_RU996_Left(67)_Ant1_NTNV




802.11be(EHT80)_HCH_6385MHz_RU996_Left(67)_Ant2_NTNV




802.11be(EHT80)_HCH_6385MHz_RU996_Left(67)_Ant3_NTNV




802.11be(EHT80)_HCH_6385MHz_RU996_Left(67)_Ant4_NTNV




802.11be(EHT80) HCH 6385MHz 26+52 / Ant1_NTNV




802.11be(EHT80) HCH 6385MHz 26+52 / Ant2_NTNV




802.11be(EHT80) HCH 6385MHz 26+52 / Ant3_NTNV




802.11be(EHT80) HCH 6385MHz 26+52 / Ant4_NTNV




802.11be(EHT80)_HCH_6385MHz_P-20M-RU242+484_ / Ant1_NTNV




802.11be(EHT80)_HCH_6385MHz_P-20M-RU242+484_ / Ant2_NTNV




802.11be(EHT80)_HCH_6385MHz_P-20M-RU242+484_ / Ant3_NTNV




802.11be(EHT80)_HCH_6385MHz_P-20M-RU242+484_ / Ant4_NTNV




802.11be(EHT160)_LCH_6025MHz_RU996_Left(67)_Ant1_NTNV




802.11be(EHT160)_LCH_6025MHz_RU996_Left(67)_Ant2_NTNV




802.11be(EHT160)_LCH_6025MHz_RU996_Left(67)_Ant3_NTNV




802.11be(EHT160)_LCH_6025MHz_RU996_Left(67)_Ant4_NTNV




802.11be(EHT160)_LCH_6025MHz_2xRU996_Left(68)_Ant1_NTNV




802.11be(EHT160)_LCH_6025MHz_2xRU996_Left(68)_Ant2_NTNV




802.11be(EHT160)_LCH_6025MHz_2xRU996_Left(68)_Ant3_NTNV




802.11be(EHT160)_LCH_6025MHz_2xRU996_Left(68)_Ant4_NTNV




802.11be(EHT160) LCH_6025MHz_26+52 / Ant1_NTNV




802.11be(EHT160) LCH_6025MHz_26+52 / Ant2_NTNV




802.11be(EHT160) LCH_6025MHz_26+52 / Ant3_NTNV




802.11be(EHT160) LCH_6025MHz_26+52 / Ant4_NTNV




802.11be(EHT160)_LCH_6025MHz_P-20M-RU242+484+996 / Ant1_NTNV




802.11be(EHT160)_LCH_6025MHz_P-20M-RU242+484+996 / Ant2_NTNV




802.11be(EHT160)_LCH_6025MHz_P-20M-RU242+484+996 / Ant3_NTNV




802.11be(EHT160)_LCH_6025MHz_P-20M-RU242+484+996 / Ant4_NTNV




802.11be(EHT160) LCH_6025MHz_P-40M-RU484+996 / Ant1_NTNV




802.11be(EHT160) LCH_6025MHz_P-40M-RU484+996 / Ant2_NTNV




802.11be(EHT160) LCH_6025MHz_P-40M-RU484+996 / Ant3_NTNV




802.11be(EHT160) LCH_6025MHz_P-40M-RU484+996 / Ant4_NTNV




802.11be(EHT160)_MCH_6185MHz_RU996_Left(67)_Ant1_NTNV




802.11be(EHT160)_MCH_6185MHz_RU996_Left(67)_Ant2_NTNV




802.11be(EHT160)_MCH_6185MHz_RU996_Left(67)_Ant3_NTNV




802.11be(EHT160)_MCH_6185MHz_RU996_Left(67)_Ant4_NTNV




802.11be(EHT160)_MCH_6185MHz_2xRU996_Left(68)_Ant1_NTNV




802.11be(EHT160)_MCH_6185MHz_2xRU996_Left(68)_Ant2_NTNV




802.11be(EHT160)_MCH_6185MHz_2xRU996_Left(68)_Ant3_NTNV




802.11be(EHT160)_MCH_6185MHz_2xRU996_Left(68)_Ant4_NTNV




802.11be(EHT160)_MCH_6185MHz_26+52 / _Ant1_NTNV




802.11be(EHT160)_MCH_6185MHz_26+52 / _Ant2_NTNV




802.11be(EHT160)_MCH_6185MHz_26+52 / _Ant3_NTNV




802.11be(EHT160)_MCH_6185MHz_26+52 / _Ant4_NTNV




802.11be(EHT160)_MCH_6185MHz_P-20M-RU242+484+996 / Ant1_NTNV




802.11be(EHT160)_MCH_6185MHz_P-20M-RU242+484+996 / Ant2_NTNV




802.11be(EHT160)_MCH_6185MHz_P-20M-RU242+484+996 / Ant3_NTNV




802.11be(EHT160)_MCH_6185MHz_P-20M-RU242+484+996 / Ant4_NTNV




802.11be(EHT160)_MCH_6185MHz_P-40M-RU484+996 / _Ant1_NTNV




802.11be(EHT160)_MCH_6185MHz_P-40M-RU484+996 / _Ant2_NTNV




802.11be(EHT160)_MCH_6185MHz_P-40M-RU484+996 / _Ant3_NTNV




802.11be(EHT160)_MCH_6185MHz_P-40M-RU484+996 / _Ant4_NTNV




802.11be(EHT160)_HCH_6345MHz_RU996_Left(67)_Ant1_NTNV




802.11be(EHT160)_HCH_6345MHz_RU996_Left(67)_Ant2_NTNV




802.11be(EHT160)_HCH_6345MHz_RU996_Left(67)_Ant3_NTNV




802.11be(EHT160)_HCH_6345MHz_RU996_Left(67)_Ant4_NTNV




802.11be(EHT160)_HCH_6345MHz_2xRU996_Left(68)_Ant1_NTNV




802.11be(EHT160)_HCH_6345MHz_2xRU996_Left(68)_Ant2_NTNV




802.11be(EHT160)_HCH_6345MHz_2xRU996_Left(68)_Ant3_NTNV




802.11be(EHT160)_HCH_6345MHz_2xRU996_Left(68)_Ant4_NTNV




802.11be(EHT160)_HCH_6345MHz_26+52 / _Ant1_NTNV




802.11be(EHT160)_HCH_6345MHz_26+52 / _Ant2_NTNV




802.11be(EHT160)_HCH_6345MHz_26+52 / _Ant3_NTNV




802.11be(EHT160)_HCH_6345MHz_26+52 / _Ant4_NTNV




802.11be(EHT160) HCH_6345MHz_P-20M-RU242+484+996 / Ant1_NTNV




802.11be(EHT160) HCH_6345MHz_P-20M-RU242+484+996 / Ant2_NTNV




802.11be(EHT160) HCH_6345MHz_P-20M-RU242+484+996 / Ant3_NTNV




802.11be(EHT160) HCH_6345MHz_P-20M-RU242+484+996 / Ant4_NTNV




802.11be(EHT160)_HCH_6345MHz_P-40M-RU484+996 / _Ant1_NTNV




802.11be(EHT160)_HCH_6345MHz_P-40M-RU484+996 / _Ant2_NTNV




802.11be(EHT160)_HCH_6345MHz_P-40M-RU484+996 / _Ant3_NTNV




802.11be(EHT160)_HCH_6345MHz_P-40M-RU484+996 / _Ant4_NTNV




802.11be(EHT320)_LCH_6105MHz_4xRU996_Left(70)_Ant1_NTNV




802.11be(EHT320)_LCH_6105MHz_4xRU996_Left(70)_Ant2_NTNV




802.11be(EHT320)_LCH_6105MHz_4xRU996_Left(70)_Ant3_NTNV




802.11be(EHT320)_LCH_6105MHz_4xRU996_Left(70)_Ant4_NTNV




802.11be(EHT320) LCH_6105MHz_26+52 / Ant1_NTNV




802.11be(EHT320) LCH_6105MHz_26+52 / Ant2_NTNV




802.11be(EHT320) LCH_6105MHz_26+52 / Ant3_NTNV




802.11be(EHT320) LCH_6105MHz_26+52 / Ant4_NTNV




802.11be(EHT320) LCH_6105MHz_P-40M-RU484+996+2X996 / Ant1_NTNV




802.11be(EHT320) LCH_6105MHz_P-40M-RU484+996+2X996 / Ant2_NTNV




802.11be(EHT320)_LCH_6105MHz_P-40M-RU484+996+2X996 / Ant3_NTNV




802.11be(EHT320)_LCH_6105MHz_P-40M-RU484+996+2X996 / Ant4_NTNV




802.11be(EHT320) LCH_6105MHz_P-80M-RU996+2X996 / Ant1_NTNV




802.11be(EHT320) LCH_6105MHz_P-80M-RU996+2X996 / Ant2_NTNV




802.11be(EHT320) LCH_6105MHz_P-80M-RU996+2X996 / Ant3_NTNV




802.11be(EHT320) LCH_6105MHz_P-80M-RU996+2X996 / Ant4_NTNV




802.11be(EHT320)_LCH_6105MHz_P-80+40M-RU996+484+996 / Ant1_NTNV




802.11be(EHT320)_LCH_6105MHz_P-80+40M-RU996+484+996 / Ant2_NTNV




802.11be(EHT320)_LCH_6105MHz_P-80+40M-RU996+484+996 / Ant3_NTNV




802.11be(EHT320)_LCH_6105MHz_P-80+40M-RU996+484+996 / Ant4_NTNV




802.11be(EHT320)_HCH_6265MHz_4xRU996_Left(70)_Ant1_NTNV



802.11be(EHT320)_HCH_6265MHz_4xRU996_Left(70)_Ant2_NTNV



802.11be(EHT320)_HCH_6265MHz_4xRU996_Left(70)_Ant3_NTNV



802.11be(EHT320)_HCH_6265MHz_4xRU996_Left(70)_Ant4_NTNV

