




802.11be(EHT320)_MCH_6585MHz_26+52_/_Ant3_NTNV




802.11be(EHT320)_MCH_6585MHz_26+52_/_Ant4_NTNV




802.11be(EHT320)_MCH_6585MHz_P-40M-RU484+996+2X996 / _Ant1_NTNV




802.11be(EHT320)_MCH_6585MHz_P-40M-RU484+996+2X996 / _Ant2_NTNV




802.11be(EHT320)_MCH_6585MHz_P-40M-RU484+996+2X996 / Ant3_NTNV




802.11be(EHT320)_MCH_6585MHz_P-40M-RU484+996+2X996 / Ant4_NTNV




802.11be(EHT320)_MCH_6585MHz_P-80M-RU996+2X996 / Ant1_NTNV




802.11be(EHT320)_MCH_6585MHz_P-80M-RU996+2X996 / Ant2_NTNV




802.11be(EHT320)_MCH_6585MHz_P-80M-RU996+2X996 / Ant3_NTNV




802.11be(EHT320)_MCH_6585MHz_P-80M-RU996+2X996 / Ant4_NTNV




802.11be(EHT320)_MCH_6585MHz_P-80+40M-RU996+484+996 / Ant1_NTNV




802.11be(EHT320)_MCH_6585MHz_P-80+40M-RU996+484+996 / Ant2_NTNV



802.11be(EHT320)_MCH_6585MHz_P-80+40M-RU996+484+996 / Ant3 NTN



802.11be(EHT320)_MCH_6585MHz_P-80+40M-RU996+484+996 / Ant4 NTN



Appendix A.4: Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	5955	RU26	Left(0)	-10.37	-11.50	-10.54	-11.15	-5.21	/	Pass
				RU242	Left(61)	-11.66	-12.32	-10.77	-11.73	-6.02	/	Pass
				RU26+52	/	-11.91	-13.19	-11.58	-12.39	-6.57	/	Pass
			6175	RU26	Left(0)	-10.33	-10.94	-10.31	-10.21	-4.68	/	Pass
				RU242	Left(61)	-8.60	-10.29	-8.62	-8.36	-3.63	/	Pass
				RU26+52	/	-9.09	-10.43	-8.90	-8.79	-3.98	/	Pass
			6415	RU26	Left(0)	-9.33	-10.49	-8.71	-9.64	-3.75	/	Pass
				RU242	Left(61)	-8.37	-10.25	-8.77	-8.82	-3.75	/	Pass
				RU26+52	/	-9.05	-10.37	-8.94	-9.24	-3.89	/	Pass
	802.11be (EHT40)	MIMO	5965	RU26	Left(0)	-13.50	-14.28	-13.40	-14.40	-8.03	/	Pass
				RU484	Left(65)	-12.61	-12.84	-11.64	-13.05	-6.98	/	Pass
				RU26+52	/	-13.08	-14.02	-12.84	-13.75	-7.75	/	Pass
			6165	RU26	Left(0)	-10.88	-11.41	-11.18	-9.95	-5.18	/	Pass
				RU484	Left(65)	-10.01	-11.48	-9.85	-9.52	-4.98	/	Pass
				RU26+52	/	-9.97	-11.74	-9.93	-9.40	-4.89	/	Pass
			6405	RU26	Left(0)	-9.33	-10.65	-9.10	-9.77	-3.75	/	Pass
				RU484	Left(65)	-8.82	-10.41	-8.96	-9.08	-4.00	/	Pass
				RU26+52	/	-9.03	-10.65	-9.20	-9.92	-4.12	/	Pass
	802.11be (EHT80)	MIMO	5985	RU26	Left(0)	-13.87	-14.86	-13.72	-15.16	-8.41	/	Pass
				RU996	Left(67)	-12.21	-12.72	-11.61	-12.49	-6.40	/	Pass
				RU26+52	/	-13.99	-14.91	-13.82	-14.91	-8.69	/	Pass
				P-20M-RU242+484	/	-12.01	-12.58	-11.60	-12.31	-6.38	/	Pass
			6145	RU26	Left(0)	-10.23	-11.52	-12.37	-11.97	-5.63	/	Pass
				RU996	Left(67)	-9.28	-	-	-9.76	-5.04	/	Pass

							11.87	10.17				
				RU26+52	/	-9.87	-	-9.31	-9.26	-4.89	/	Pass
				P-20M-RU242+484	/	-	-	-9.84	-9.60	-5.28	/	Pass
						10.11	11.87					
			6385	RU26	Left(0)	-9.26	-	-9.97	-	-4.22	/	Pass
				RU996	Left(67)	-8.77	-	-9.80	-9.44	-4.56	/	Pass
				RU26+52	/	-8.72	-	-9.87	-8.83	-4.65	/	Pass
				P-20M-RU242+484	/	-9.13	-	-9.10	-9.34	-4.14	/	Pass
							10.84					
	802.11be (EHT160)	MIMO	6025	RU996	Left(67)	-	-	-	-	-5.50	/	Pass
				2xRU996	Left(68)	-	-	-	-	-5.86	/	Pass
				RU26+52	/	-	-	-	-	-7.70	/	Pass
				P-20M-RU242+484+996	/	-9.97	-	-	-8.78	-4.48	/	Pass
				P-40M-RU484+996	/	-9.93	-	-	-9.22	-4.68	/	Pass
							11.15	11.53	10.66	11.03		
				RU996	Left(67)	-8.93	-	-9.13	-8.57	-4.06	/	Pass
				2xRU996	Left(68)	-9.32	-	-9.73	-8.90	-4.55	/	Pass
				RU26+52	/	-9.01	-	-9.36	-8.66	-4.20	/	Pass
				P-20M-RU242+484+996	/	-9.27	-	-9.64	-8.58	-4.49	/	Pass
				P-40M-RU484+996	/	-9.01	-	-9.69	-8.19	-4.34	/	Pass
							10.45	11.87	10.14	10.69		
			6345	RU996	Left(67)	-8.41	-	-9.70	-8.87	-3.97	/	Pass
				2xRU996	Left(68)	-8.99	-	-9.69	-9.44	-4.42	/	Pass
				RU26+52	/	-8.95	-	-9.97	-	-4.38	/	Pass
				P-20M-RU242+484+996	/	-8.66	-	-9.48	-8.97	-4.05	/	Pass
				P-40M-RU484+996	/	-8.43	-	-9.21	-9.15	-4.17	/	Pass
							11.23					
	802.11be (EHT320)	MIMO	6105	4xRU996	Left(70)	-9.09	-	-9.31	-8.36	-3.72	/	Pass
				RU26+52	/	-9.09	-	-9.58	-9.26	-3.56	/	Pass
				P-40M-RU484+996+2X996	/	-9.13	-	-9.25	-8.37	-3.79	/	Pass
				P-80M-RU996+2X996	/	-9.18	-	-9.54	-8.70	-3.75	/	Pass
				P-80+40M-RU996+484+996	/	-8.89	-	-9.15	-8.20	-3.65	/	Pass
							10.13					
			6265	4xRU996	Left(70)	-8.60	-	-9.62	-8.70	-4.25	/	Pass
				RU26+52	/	-9.18	-	-8.96	-9.46	-4.10	/	Pass
				P-40M-	/	-8.52	-	-9.43	-8.63	-4.34	/	Pass
							10.24					
							10.25					
							10.56					
							10.43					
							11.16					

				RU484+996+2X996			11.15					
				P-80M-RU996+2X996	/	-8.28	-	-9.44	-8.67	-4.27	/	Pass
				P-80+40M-RU996+484+996	/	-8.80	-	-9.94	-9.73	-4.71	/	Pass

4.1.2 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	5955	RU26	Left(0)	-7.87	-9.00	-8.04	-8.65	3.31	<=5	Pass
				RU242	Left(61)	-9.16	-9.82	-8.27	-9.23	2.50	<=5	Pass
				RU26+52	/	-9.41	-	-9.08	-9.89	1.95	<=5	Pass
			6175	RU26	Left(0)	-7.83	-8.44	-7.81	-7.71	3.84	<=5	Pass
				RU242	Left(61)	-6.10	-7.79	-6.12	-5.86	4.89	<=5	Pass
				RU26+52	/	-6.59	-7.93	-6.40	-6.29	4.54	<=5	Pass
			6415	RU26	Left(0)	-6.83	-7.99	-6.21	-7.14	4.77	<=5	Pass
				RU242	Left(61)	-5.87	-7.75	-6.27	-6.32	4.77	<=5	Pass
				RU26+52	/	-6.55	-7.87	-6.44	-6.74	4.63	<=5	Pass
	802.11be (EHT40)	MIMO	5965	RU26	Left(0)	-	-	-	-	0.49	<=5	Pass
				RU484	Left(65)	-	-	-9.14	-	1.54	<=5	Pass
				RU26+52	/	-	-	-	-	0.77	<=5	Pass
			6165	RU26	Left(0)	-8.38	-8.91	-8.68	-7.45	3.34	<=5	Pass
				RU484	Left(65)	-7.51	-8.98	-7.35	-7.02	3.54	<=5	Pass
				RU26+52	/	-7.47	-9.24	-7.43	-6.90	3.63	<=5	Pass
			6405	RU26	Left(0)	-6.83	-8.15	-6.60	-7.27	4.77	<=5	Pass
				RU484	Left(65)	-6.32	-7.91	-6.46	-6.58	4.52	<=5	Pass
				RU26+52	/	-6.53	-8.15	-6.70	-7.42	4.40	<=5	Pass
	802.11be (EHT80)	MIMO	5985	RU26	Left(0)	-	-	-	-	0.11	<=5	Pass
				RU996	Left(67)	-9.71	-	-9.11	-9.99	2.12	<=5	Pass
				RU26+52	/	-	-	-	-	-0.17	<=5	Pass
				P-20M-RU242+484	/	-9.51	-	-9.10	-9.81	2.14	<=5	Pass
			6145	RU26	Left(0)	-7.73	-9.02	-9.87	-9.47	2.89	<=5	Pass
				RU996	Left(67)	-6.78	-9.37	-7.67	-7.26	3.48	<=5	Pass
				RU26+52	/	-7.37	-8.76	-6.81	-6.76	3.63	<=5	Pass
				P-20M-RU242+484	/	-7.61	-9.37	-7.34	-7.10	3.24	<=5	Pass
			6385	RU26	Left(0)	-6.76	-8.52	-7.47	-7.64	4.30	<=5	Pass
				RU996	Left(67)	-6.27	-8.34	-7.30	-6.94	3.96	<=5	Pass
				RU26+52	/	-6.22	-8.33	-7.37	-6.33	3.87	<=5	Pass
				P-20M-RU242+484	/	-6.63	-7.99	-6.60	-6.84	4.38	<=5	Pass
	802.11be (EHT160)	MIMO	6025	RU996	Left(67)	-8.65	-9.03	-8.16	-8.53	3.02	<=5	Pass
				2xRU996	Left(68)	-7.95	-9.37	-7.64	-8.19	2.66	<=5	Pass
				RU26+52	/	-	-	-	-	0.82	<=5	Pass
				P-20M-RU242+484+996	/	-7.47	-8.82	-7.56	-6.28	4.04	<=5	Pass
				P-40M-RU484+996	/	-7.43	-9.00	-7.81	-6.72	3.84	<=5	Pass
			6185	RU996	Left(67)	-6.43	-8.08	-6.63	-6.07	4.46	<=5	Pass

802.11be (EHT320)	MIMO	6345	2xRU996	Left(68)	-6.82	-8.95	-7.23	-6.40	3.97	<=5	Pass
			RU26+52	/	-6.51	-8.73	-6.86	-6.16	4.32	<=5	Pass
			P-20M- RU242+484+996	/	-6.77	-8.65	-7.14	-6.08	4.03	<=5	Pass
			P-40M-RU484+996	/	-6.51	-8.27	-7.19	-5.69	4.18	<=5	Pass
			RU996	Left(67)	-5.91	-7.82	-7.20	-6.37	4.55	<=5	Pass
			2xRU996	Left(68)	-6.49	-8.25	-7.19	-6.94	4.10	<=5	Pass
			RU26+52	/	-6.45	-8.50	-7.47	-7.56	4.14	<=5	Pass
			P-20M- RU242+484+996	/	-6.16	-7.90	-6.98	-6.47	4.47	<=5	Pass
			P-40M-RU484+996	/	-5.93	-7.83	-6.71	-6.65	4.35	<=5	Pass
			4xRU996	Left(70)	-6.59	-7.91	-6.81	-5.86	4.80	<=5	Pass
		6105	RU26+52	/	-6.59	-7.63	-7.08	-6.76	4.96	<=5	Pass
			P-40M- RU484+996+2X996	/	-6.63	-7.74	-6.75	-5.87	4.73	<=5	Pass
			P-80M-RU996+2X996	/	-6.68	-7.75	-7.04	-6.20	4.77	<=5	Pass
			P-80+40M- RU996+484+996	/	-6.39	-8.06	-6.65	-5.70	4.87	<=5	Pass
			4xRU996	Left(70)	-6.10	-7.93	-7.12	-6.20	4.27	<=5	Pass
		6265	RU26+52	/	-6.68	-8.66	-6.46	-6.96	4.42	<=5	Pass
			P-40M- RU484+996+2X996	/	-6.02	-8.65	-6.93	-6.13	4.18	<=5	Pass
			P-80M-RU996+2X996	/	-5.78	-8.35	-6.94	-6.17	4.25	<=5	Pass
			P-80+40M- RU996+484+996	/	-6.30	-8.84	-7.44	-7.23	3.81	<=5	Pass

Note1: Antenna Gain:

- Band: 6 Ant1: 2.50dBi;
- Band: 7 Ant1: 2.50dBi;
- Band: 8 Ant1: 2.50dBi;
- Band: 6+7 Ant1: 2.50dBi;
- Band: 7+8 Ant1: 2.50dBi;
- Band: 5 Ant1: 2.50dBi;
- Band: 6 Ant2: 2.50dBi;
- Band: 7 Ant2: 2.50dBi;
- Band: 8 Ant2: 2.50dBi;
- Band: 6+7 Ant2: 2.50dBi;
- Band: 7+8 Ant2: 2.50dBi;
- Band: 5 Ant2: 2.50dBi;
- Band: 7+8 Ant3: 2.50dBi;
- Band: 5 Ant3: 2.50dBi;
- Band: 6 Ant3: 2.50dBi;
- Band: 7 Ant3: 2.50dBi;
- Band: 8 Ant3: 2.50dBi;
- Band: 6+7 Ant3: 2.50dBi;
- Band: 5 Ant4: 2.50dBi;
- Band: 6 Ant4: 2.50dBi;
- Band: 7 Ant4: 2.50dBi;
- Band: 8 Ant4: 2.50dBi;
- Band: 6+7 Ant4: 2.50dBi;
- Band: 7+8 Ant4: 2.50dBi;

1. As for MIMO mode, the directional gain is 8.5dBi (Antenna Gain (2.5dBi) +array gain (6dB)).

2. The antenna gain is 2.5dBi. All results listed in above tables are eirp, which have been compensated by directional gains already.

3. Considering that the If Partial_RU PSD < Full_RU PSD, only the additional testing on Partial_RU modes for band edge and spurious emissions are required (refer to TCB Workshop, October 26, 2022)

4.1.3 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)					Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	

NTNV	802.11be (EHT20)	MIMO	6435	RU26	Left(0)	-10.42	-11.01	-10.29	-11.12	-4.96	/	Pass
				RU242	Left(61)	-9.95	-11.58	-10.39	-10.64	-5.28	/	Pass
				RU26+52	/	-10.34	-11.60	-10.22	-10.60	-5.26	/	Pass
			6475	RU26	Left(0)	-10.56	-10.96	-9.90	-11.08	-4.80	/	Pass
				RU242	Left(61)	-9.45	-10.59	-10.03	-10.19	-4.49	/	Pass
				RU26+52	/	-9.85	-10.49	-10.16	-10.26	-4.75	/	Pass
			6515	RU26	Left(0)	-10.35	-10.58	-9.76	-10.75	-4.45	/	Pass
				RU242	Left(61)	-9.50	-10.42	-9.62	-9.97	-4.16	/	Pass
				RU26+52	/	-9.60	-10.53	-10.01	-10.43	-4.46	/	Pass
	802.11be (EHT40)	MIMO	6445	RU26	Left(0)	-9.76	-10.98	-9.92	-11.11	-4.46	/	Pass
				RU484	Left(65)	-9.74	-10.78	-10.14	-10.41	-4.72	/	Pass
				RU26+52	/	-10.09	-11.00	-10.27	-10.97	-5.19	/	Pass
			6485	RU26	Left(0)	-9.51	-9.99	-9.46	-10.51	-3.94	/	Pass
				RU484	Left(65)	-9.51	-10.19	-9.59	-9.60	-4.01	/	Pass
				RU26+52	/	-9.87	-10.24	-9.64	-10.58	-4.53	/	Pass
	802.11be (EHT80)	MIMO	6465	RU26	Left(0)	-9.78	-10.61	-9.94	-10.53	-4.22	/	Pass
				RU996	Left(67)	-9.52	-10.06	-9.20	-9.65	-3.95	/	Pass
				RU26+52	/	-9.03	-10.79	-9.75	-9.52	-4.15	/	Pass
				P-20M- RU242+484	/	-9.40	-10.35	-9.48	-9.65	-4.02	/	Pass

4.1.4 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6435	RU26	Left(0)	-7.92	-8.51	-7.79	-8.62	3.56	<=5	Pass
				RU242	Left(61)	-7.45	-9.08	-7.89	-8.14	3.24	<=5	Pass
				RU26+52	/	-7.84	-9.10	-7.72	-8.10	3.26	<=5	Pass
			6475	RU26	Left(0)	-8.06	-8.46	-7.40	-8.58	3.72	<=5	Pass
				RU242	Left(61)	-6.95	-8.09	-7.53	-7.69	4.03	<=5	Pass
				RU26+52	/	-7.35	-7.99	-7.66	-7.76	3.77	<=5	Pass
			6515	RU26	Left(0)	-7.85	-8.08	-7.26	-8.25	4.07	<=5	Pass
				RU242	Left(61)	-7.00	-7.92	-7.12	-7.47	4.36	<=5	Pass
				RU26+52	/	-7.10	-8.03	-7.51	-7.93	4.06	<=5	Pass
	802.11be (EHT40)	MIMO	6445	RU26	Left(0)	-7.26	-8.48	-7.42	-8.61	4.06	<=5	Pass
				RU484	Left(65)	-7.24	-8.28	-7.64	-7.91	3.80	<=5	Pass
				RU26+52	/	-7.59	-8.50	-7.77	-8.47	3.33	<=5	Pass
			6485	RU26	Left(0)	-7.01	-7.49	-6.96	-8.01	4.58	<=5	Pass
				RU484	Left(65)	-7.01	-7.69	-7.09	-7.10	4.51	<=5	Pass
				RU26+52	/	-7.37	-7.74	-7.14	-8.08	3.99	<=5	Pass
	802.11be (EHT80)	MIMO	6465	RU26	Left(0)	-7.28	-8.11	-7.44	-8.03	4.30	<=5	Pass
				RU996	Left(67)	-7.02	-7.56	-6.70	-7.15	4.57	<=5	Pass
				RU26+52	/	-6.53	-8.29	-7.25	-7.02	4.37	<=5	Pass
				P-20M- RU242+484	/	-6.90	-7.85	-6.98	-7.15	4.50	<=5	Pass

Note1: Antenna Gain:

- Band: 6 Ant1: 2.50dBi;
- Band: 7 Ant1: 2.50dBi;
- Band: 8 Ant1: 2.50dBi;
- Band: 6+7 Ant1: 2.50dBi;
- Band: 7+8 Ant1: 2.50dBi;
- Band: 5 Ant1: 2.50dBi;
- Band: 6 Ant2: 2.50dBi;
- Band: 7 Ant2: 2.50dBi;
- Band: 8 Ant2: 2.50dBi;
- Band: 6+7 Ant2: 2.50dBi;
- Band: 7+8 Ant2: 2.50dBi;
- Band: 5 Ant2: 2.50dBi;

- Band: 7+8 Ant3: 2.50dBi;
 - Band: 5 Ant3: 2.50dBi;
 - Band: 6 Ant3: 2.50dBi;
 - Band: 7 Ant3: 2.50dBi;
 - Band: 8 Ant3: 2.50dBi;
 - Band: 6+7 Ant3: 2.50dBi;
 - Band: 5 Ant4: 2.50dBi;
 - Band: 6 Ant4: 2.50dBi;
 - Band: 7 Ant4: 2.50dBi;
 - Band: 8 Ant4: 2.50dBi;
 - Band: 6+7 Ant4: 2.50dBi;
 - Band: 7+8 Ant4: 2.50dBi;
1. As for MIMO mode, the directional gain is 8.5dBi (Antenna Gain (2.5dBi) +array gain (6dB)).
 2. The antenna gain is 2.5dBi. All results listed in above tables are eirp, which have been compensated by directional gains already.
 3. Considering that the If Partial_RU PSD < Full_RU PSD, only the additional testing on Partial_RU modes for band edge and spurious emissions are required (refer to TCB Workshop, October 26, 2022)

4.1.5 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6535	RU26	Left(0)	-9.51	-	-9.51	-	-4.16	/	Pass
				RU242	Left(61)	-9.09	-9.99	-9.29	-9.64	-3.95	/	Pass
				RU26+52	/	-9.05	-9.97	-9.38	-9.90	-3.79	/	Pass
			6695	RU26	Left(0)	-	-	-	-	-5.18	/	Pass
				RU242	Left(61)	-	-	-	-	-5.53	/	Pass
				RU26+52	/	-	-	-	-	-5.31	/	Pass
			6855	RU26	Left(0)	-9.30	-9.15	-8.90	-9.54	-3.57	/	Pass
				RU242	Left(61)	-9.95	-	-9.47	-9.83	-4.31	/	Pass
				RU26+52	/	-9.73	-9.98	-9.13	-9.45	-3.99	/	Pass
	802.11be (EHT40)	MIMO	6565	RU26	Left(0)	-9.16	-9.74	-9.48	-9.73	-3.61	/	Pass
				RU484	Left(65)	-8.89	-9.86	-9.01	-9.44	-3.57	/	Pass
				RU26+52	/	-9.18	-9.90	-9.23	-9.63	-3.83	/	Pass
			6685	RU26	Left(0)	-9.51	-	-	-	-4.28	/	Pass
				RU484	Left(65)	-	-	-	-	-4.78	/	Pass
				RU26+52	/	-	-	-	-	-4.94	/	Pass
			6845	RU26	Left(0)	-	-	-	-	-4.97	/	Pass
				RU484	Left(65)	-	-	-	-	-5.61	/	Pass
				RU26+52	/	-	-	-	-	-5.59	/	Pass
	802.11be (EHT80)	MIMO	6625	RU26	Left(0)	-9.53	-	-9.84	-	-3.99	/	Pass
				RU996	Left(67)	-9.55	-	-9.81	-9.92	-4.14	/	Pass
				RU26+52	/	-8.96	-	-9.34	-9.50	-3.62	/	Pass
				P-20M-RU242+484	/	-9.87	-	-	-	-4.52	/	Pass

							10.38	10.34	10.18			
			6705	RU26	Left(0)	-9.98	-	-	-	-4.55	/	Pass
				RU996	Left(67)	-9.87	-	-	-	-4.69	/	Pass
				RU26+52	/	-	-	-9.54	-	-4.55	/	Pass
				P-20M-RU242+484	/	-	-	-	-	-5.09	/	Pass
			6785	RU26	Left(0)	-	-	-9.90	-	-4.74	/	Pass
				RU996	Left(67)	-	-	-	-	-5.39	/	Pass
				RU26+52	/	-	-	-9.64	-	-4.71	/	Pass
				P-20M-RU242+484	/	-	-	-	-	-5.77	/	Pass
	802.11be (EHT160)	MIMO	6665	RU996	Left(67)	-9.40	-9.83	-9.70	-9.49	-3.89	/	Pass
				2xRU996	Left(68)	-9.43	-	-9.76	-9.69	-4.04	/	Pass
				RU26+52	/	-9.69	-	-9.70	-	-4.08	/	Pass
				P-20M-RU242+484+996	/	-	-	-	-	-4.72	/	Pass
				P-40M-RU484+996	/	-9.52	-	-9.94	-9.98	-4.31	/	Pass

4.1.6 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)					Limit	Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO		
NTNV	802.11be (EHT20)	MIMO	6535	RU26	Left(0)	-7.01	-7.89	-7.01	-7.59	4.36	<=5	Pass
				RU242	Left(61)	-6.59	-7.49	-6.79	-7.14	4.57	<=5	Pass
				RU26+52	/	-6.55	-7.47	-6.88	-7.40	4.73	<=5	Pass
			6695	RU26	Left(0)	-8.26	-8.88	-8.59	-8.21	3.34	<=5	Pass
				RU242	Left(61)	-8.37	-8.73	-8.15	-8.32	2.99	<=5	Pass
				RU26+52	/	-8.03	-8.31	-8.32	-8.57	3.21	<=5	Pass
			6855	RU26	Left(0)	-6.80	-6.65	-6.40	-7.04	4.95	<=5	Pass
				RU242	Left(61)	-7.45	-7.62	-6.97	-7.33	4.21	<=5	Pass
				RU26+52	/	-7.23	-7.48	-6.63	-6.95	4.53	<=5	Pass
	802.11be (EHT40)	MIMO	6565	RU26	Left(0)	-6.66	-7.24	-6.98	-7.23	4.91	<=5	Pass
				RU484	Left(65)	-6.39	-7.36	-6.51	-6.94	4.95	<=5	Pass
				RU26+52	/	-6.68	-7.40	-6.73	-7.13	4.69	<=5	Pass
			6685	RU26	Left(0)	-7.01	-7.84	-7.64	-7.91	4.24	<=5	Pass
				RU484	Left(65)	-7.91	-7.78	-7.78	-7.75	3.74	<=5	Pass
				RU26+52	/	-7.91	-7.88	-8.02	-7.92	3.58	<=5	Pass
			6845	RU26	Left(0)	-8.37	-8.38	-8.02	-8.52	3.55	<=5	Pass
				RU484	Left(65)	-8.61	-8.78	-8.45	-8.94	2.91	<=5	Pass
				RU26+52	/	-8.68	-8.92	-8.28	-8.91	2.93	<=5	Pass
	802.11be (EHT80)	MIMO	6625	RU26	Left(0)	-7.03	-7.80	-7.34	-7.58	4.53	<=5	Pass
				RU996	Left(67)	-7.05	-7.56	-7.31	-7.42	4.38	<=5	Pass
				RU26+52	/	-6.46	-7.71	-6.84	-7.00	4.90	<=5	Pass
				P-20M-RU242+484	/	-7.37	-7.88	-7.84	-7.68	4.00	<=5	Pass
			6705	RU26	Left(0)	-7.48	-8.16	-7.59	-8.51	3.97	<=5	Pass
				RU996	Left(67)	-7.37	-7.99	-7.66	-8.19	3.83	<=5	Pass
				RU26+52	/	-7.81	-8.27	-7.04	-8.04	3.97	<=5	Pass

	802.11be (EHT160)	MIMO	6785	P-20M-RU242+484	/	-8.66	-8.56	-7.69	-8.15	3.43	<=5	Pass
				RU26	Left(0)	-8.27	-8.48	-7.40	-8.27	3.78	<=5	Pass
				RU996	Left(67)	-8.55	-8.80	-7.91	-8.74	3.13	<=5	Pass
				RU26+52	/	-8.40	-8.21	-7.14	-8.38	3.81	<=5	Pass
				P-20M-RU242+484	/	-9.15	-9.28	-8.04	-9.13	2.75	<=5	Pass
			6665	RU996	Left(67)	-6.90	-7.33	-7.20	-6.99	4.63	<=5	Pass
				2xRU996	Left(68)	-6.93	-7.70	-7.26	-7.19	4.48	<=5	Pass
				RU26+52	/	-7.19	-7.68	-7.20	-7.68	4.44	<=5	Pass
				P-20M-RU242+484+996	/	-7.57	-8.24	-7.82	-7.79	3.80	<=5	Pass
				P-40M-RU484+996	/	-7.02	-8.07	-7.44	-7.48	4.21	<=5	Pass

Note1: Antenna Gain:

- Band: 6 Ant1: 2.50dBi;
- Band: 7 Ant1: 2.50dBi;
- Band: 8 Ant1: 2.50dBi;
- Band: 6+7 Ant1: 2.50dBi;
- Band: 7+8 Ant1: 2.50dBi;
- Band: 5 Ant1: 2.50dBi;
- Band: 6 Ant2: 2.50dBi;
- Band: 7 Ant2: 2.50dBi;
- Band: 8 Ant2: 2.50dBi;
- Band: 6+7 Ant2: 2.50dBi;
- Band: 7+8 Ant2: 2.50dBi;
- Band: 5 Ant2: 2.50dBi;
- Band: 7+8 Ant3: 2.50dBi;
- Band: 5 Ant3: 2.50dBi;
- Band: 6 Ant3: 2.50dBi;
- Band: 7 Ant3: 2.50dBi;
- Band: 8 Ant3: 2.50dBi;
- Band: 6+7 Ant3: 2.50dBi;
- Band: 5 Ant4: 2.50dBi;
- Band: 6 Ant4: 2.50dBi;
- Band: 7 Ant4: 2.50dBi;
- Band: 8 Ant4: 2.50dBi;
- Band: 6+7 Ant4: 2.50dBi;
- Band: 7+8 Ant4: 2.50dBi;

1. As for MIMO mode, the directional gain is 8.5dBi (Antenna Gain (2.5dBi) +array gain (6dB)).

2. The antenna gain is 2.5dBi. All results listed in above tables are eirp, which have been compensated by directional gains already.

3. Considering that the If Partial_RU PSD < Full_RU PSD, only the additional testing on Partial_RU modes for band edge and spurious emissions are required (refer to TCB Workshop, October 26, 2022)

4.1.7 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6895	RU26	Left(0)	-9.82	-9.91	-9.92	-10.28	-4.36	/	Pass
				RU242	Left(61)	-10.06	-10.27	-9.51	-10.19	-4.25	/	Pass
				RU26+52	/	-9.35	-9.65	-9.05	-9.59	-3.75	/	Pass
			6995	RU26	Left(0)	-10.87	-10.63	-10.99	-11.34	-5.23	/	Pass
				RU242	Left(61)	-11.03	-11.16	-10.37	-11.44	-5.53	/	Pass
				RU26+52	/	-10.56	-10.56	-10.13	-10.39	-4.86	/	Pass
			7115	RU26	Left(0)	-12.75	-11.71	-11.46	-12.76	-6.31	/	Pass
				RU242	Left(61)	-	-	-	-	-6.66	/	Pass

						12.79	12.19	11.34	12.37			
				RU26+52	/	-	-	-	-	-5.98	/	Pass
				RU26	Left(0)	-9.88	-9.64	-9.36	-9.83	-3.88	/	Pass
				RU484	Left(65)	-9.63	-9.88	-9.54	-9.68	-4.10	/	Pass
				RU26+52	/	-9.69	-	-9.42	-	-4.22	/	Pass
							10.04		10.14			
			6925	RU26	Left(0)	-	-	-	-	-5.13	/	Pass
				RU484	Left(65)	-	-	-	-	-5.38	/	Pass
				RU26+52	/	-	-	-	-	-5.44	/	Pass
							11.01		11.10			
			7005	RU26	Left(0)	-	-	-	-	-5.91	/	Pass
				RU484	Left(65)	-	-	-	-	-6.03	/	Pass
				RU26+52	/	-	-	-	-	-6.34	/	Pass
							12.55		11.90			
			7085	RU26	Left(0)	-	-	-	-	-5.07	/	Pass
				RU484	Left(65)	-	-	-	-	-5.33	/	Pass
				RU26+52	/	-	-	-	-	-5.06	/	Pass
				P-20M-RU242+484	/	-	-	-	-	-5.45	/	Pass
							10.96		10.58			
			6945	RU26	Left(0)	-	-	-	-	-5.10	/	Pass
				RU996	Left(67)	-	-	-	-	-5.26	/	Pass
				RU26+52	/	-	-	-	-	-4.69	/	Pass
				P-20M-RU242+484	/	-	-	-	-	-5.43	/	Pass
							11.35		11.55			
			7025	RU26	Left(0)	-	-	-	-	-4.84	/	Pass
				RU996	Left(67)	-	-	-	-			
				2xRU996	Left(68)	-	-	-	-			
				RU26+52	/	-	-	-	-			
				P-20M-RU242+484	/	-	-	-	-			
							10.24		10.51			
			6985	RU996	Left(67)	-	-	-	-			
				2xRU996	Left(68)	-	-	-	-			
				RU26+52	/	-	-	-	-			
				P-20M-RU242+484+996	/	-	-	-	-			
				P-40M-RU484+996	/	-	-	-	-			
							10.29		10.50			

4.1.8 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)					Limit	Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO		
NTNV	802.11be (EHT20)	MIMO	6895	RU26	Left(0)	-7.32	-7.41	-7.42	-7.78	4.16	<=5	Pass
				RU242	Left(61)	-7.56	-7.77	-7.01	-7.69	4.27	<=5	Pass
				RU26+52	/	-6.85	-7.15	-6.55	-7.09	4.77	<=5	Pass
			6995	RU26	Left(0)	-8.37	-8.13	-8.49	-8.84	3.29	<=5	Pass
				RU242	Left(61)	-8.53	-8.66	-7.87	-8.94	2.99	<=5	Pass
				RU26+52	/	-8.06	-8.06	-7.63	-7.89	3.66	<=5	Pass
			7115	RU26	Left(0)	-	-9.21	-8.96	-	2.21	<=5	Pass
				RU242	Left(61)	-	-9.69	-8.84	-9.87	1.86	<=5	Pass
						10.29						

				RU26+52	/	-9.38	-9.29	-8.38	-9.81	2.54	<=5	Pass		
802.11be (EHT40)	MIMO	6925		RU26	Left(0)	-7.38	-7.14	-6.86	-7.33	4.64	<=5	Pass		
				RU484	Left(65)	-7.13	-7.38	-7.04	-7.18	4.42	<=5	Pass		
				RU26+52	/	-7.19	-7.54	-6.92	-7.64	4.30	<=5	Pass		
		7005		RU26	Left(0)	-8.49	-8.55	-8.40	-8.20	3.39	<=5	Pass		
				RU484	Left(65)	-8.77	-8.24	-7.66	-8.84	3.14	<=5	Pass		
				RU26+52	/	-8.51	-8.60	-8.28	-8.84	3.08	<=5	Pass		
		7085		RU26	Left(0)	-9.70	-9.10	-8.66	-9.80	2.61	<=5	Pass		
				RU484	Left(65)	-9.32	-8.96	-8.48	-9.72	2.49	<=5	Pass		
				RU26+52	/	-10.05	-9.40	-8.83	-10.08	2.18	<=5	Pass		
		802.11be (EHT80)	MIMO	6945		RU26	Left(0)	-7.24	-6.89	-7.11	-6.90	4.99	<=5	Pass
						RU996	Left(67)	-7.28	-7.06	-7.28	-6.98	4.57	<=5	Pass
	RU26+52				/	-7.11	-6.74	-6.58	-7.09	4.93	<=5	Pass		
	P-20M-RU242+484				/	-7.10	-7.53	-7.10	-7.49	4.46	<=5	Pass		
7025				RU26	Left(0)	-8.14	-8.31	-8.40	-8.69	3.45	<=5	Pass		
				RU996	Left(67)	-8.71	-8.24	-7.47	-8.88	3.19	<=5	Pass		
				RU26+52	/	-8.25	-7.96	-7.87	-8.43	3.46	<=5	Pass		
				P-20M-RU242+484	/	-8.46	-8.08	-8.01	-8.68	3.07	<=5	Pass		
802.11be (EHT160)	MIMO			6985		RU996	Left(67)	-8.43	-8.83	-8.46	-8.19	3.42	<=5	Pass
						2xRU996	Left(68)	-8.49	-8.66	-8.10	-8.55	3.26	<=5	Pass
						RU26+52	/	-8.13	-7.86	-7.79	-7.91	3.83	<=5	Pass
						P-20M-RU242+484+996	/	-8.85	-9.05	-8.67	-8.77	3.09	<=5	Pass
			P-40M-RU484+996		/	-7.74	-8.01	-7.95	-8.00	3.68	<=5	Pass		

Note1: Antenna Gain:

- Band: 6 Ant1: 2.50dBi;
- Band: 7 Ant1: 2.50dBi;
- Band: 8 Ant1: 2.50dBi;
- Band: 6+7 Ant1: 2.50dBi;
- Band: 7+8 Ant1: 2.50dBi;
- Band: 5 Ant1: 2.50dBi;
- Band: 6 Ant2: 2.50dBi;
- Band: 7 Ant2: 2.50dBi;
- Band: 8 Ant2: 2.50dBi;
- Band: 6+7 Ant2: 2.50dBi;
- Band: 7+8 Ant2: 2.50dBi;
- Band: 5 Ant2: 2.50dBi;
- Band: 7+8 Ant3: 2.50dBi;
- Band: 5 Ant3: 2.50dBi;
- Band: 6 Ant3: 2.50dBi;
- Band: 7 Ant3: 2.50dBi;
- Band: 8 Ant3: 2.50dBi;
- Band: 6+7 Ant3: 2.50dBi;
- Band: 5 Ant4: 2.50dBi;
- Band: 6 Ant4: 2.50dBi;
- Band: 7 Ant4: 2.50dBi;
- Band: 8 Ant4: 2.50dBi;
- Band: 6+7 Ant4: 2.50dBi;
- Band: 7+8 Ant4: 2.50dBi;

1. As for MIMO mode, the directional gain is 8.5dBi (Antenna Gain (2.5dBi) +array gain (6dB)).

2. The antenna gain is 2.5dBi. All results listed in above tables are eirp, which have been compensated by directional gains already.

3. Considering that the If Partial_RU PSD < Full_RU PSD, only the additional testing on Partial_RU modes for band edge and spurious emissions are required (refer to TCB Workshop, October 26, 2022)

4.1.9 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)					Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO Limit	

NTNV	802.11be (EHT20)	MIMO	6875	RU26	Left(0)	-	-	-	-	-4.49	/	Pass
				RU242	Left(61)	-9.22	-9.22	-8.88	-8.81	-3.59	/	Pass
				RU26+52	/	-8.80	-9.57	-9.10	-9.36	-3.64	/	Pass
	802.11be (EHT40)	MIMO	6885	RU26	Left(0)	-	-	-	-	-4.66	/	Pass
				RU484	Left(65)	-	-	-	-	-4.86	/	Pass
				RU26+52	/	-	-	-9.96	-	-4.39	/	Pass
	802.11be (EHT80)	MIMO	6865	RU26	Left(0)	-9.59	-	-9.66	-9.68	-3.97	/	Pass
				RU996	Left(67)	-	-9.74	-9.27	-	-4.38	/	Pass
				RU26+52	/	-9.57	-	-9.14	-9.93	-3.91	/	Pass
				P-20M-RU242+484	/	-	-	-9.16	-	-4.41	/	Pass
	802.11be (EHT160)	MIMO	6825	RU996	Left(67)	-9.54	-9.65	-8.97	-9.35	-3.69	/	Pass
				2xRU996	Left(68)	-	-	-9.66	-	-4.29	/	Pass
				RU26+52	/	-	-	-9.21	-	-4.49	/	Pass
				P-20M-RU242+484+996	/	-9.84	-9.78	-9.47	-	-4.11	/	Pass
				P-40M-RU484+996	/	-9.51	-9.92	-9.30	-9.99	-4.02	/	Pass
	802.11be (EHT320)	MIMO	6745	4xRU996	Left(70)	-8.92	-	-9.72	-	-4.29	/	Pass
				RU26+52	/	-	-	-	-	-5.07	/	Pass
				P-40M-RU484+996+2X996	/	-9.23	-	-9.33	-9.66	-3.96	/	Pass
				P-80M-RU996+2X996	/	-9.07	-9.73	-8.78	-8.99	-3.56	/	Pass
				P-80+40M-RU996+484+996	/	-9.70	-	-9.73	-	-4.34	/	Pass
			6905	4xRU996	Left(70)	-9.79	-	-9.83	-	-4.40	/	Pass
				RU26+52	/	-9.80	-	-9.86	-	-4.35	/	Pass
				P-40M-RU484+996+2X996	/	-	-	-	-	-5.51	/	Pass
				P-80M-RU996+2X996	/	-	-	-	-	-5.18	/	Pass
				P-80+40M-RU996+484+996	/	-	-	-	-	-5.36	/	Pass

4.1.10 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6875	RU26	Left(0)	-7.52	-7.75	-7.58	-8.10	4.03	<=5	Pass
				RU242	Left(61)	-6.72	-6.72	-6.38	-6.31	4.93	<=5	Pass
				RU26+52	/	-6.30	-7.07	-6.60	-6.86	4.88	<=5	Pass
	802.11be (EHT40)	MIMO	6885	RU26	Left(0)	-7.69	-8.20	-7.78	-8.32	3.86	<=5	Pass
				RU484	Left(65)	-7.86	-8.25	-7.84	-7.91	3.66	<=5	Pass
				RU26+52	/	-7.74	-7.66	-7.46	-7.67	4.13	<=5	Pass
	802.11be (EHT80)	MIMO	6865	RU26	Left(0)	-7.09	-7.57	-7.16	-7.18	4.55	<=5	Pass
				RU996	Left(67)	-7.61	-7.24	-6.77	-7.85	4.14	<=5	Pass

	802.11be (EHT160)	MIMO	6825	RU26+52	/	-7.07	-7.55	-6.64	-7.43	4.61	<=5	Pass
				P-20M-RU242+484	/	-7.62	-8.27	-6.66	-8.01	4.11	<=5	Pass
				RU996	Left(67)	-7.04	-7.15	-6.47	-6.85	4.83	<=5	Pass
				2xRU996	Left(68)	-7.56	-7.90	-7.16	-7.59	4.23	<=5	Pass
				RU26+52	/	-7.68	-8.30	-6.71	-7.93	4.03	<=5	Pass
				P-20M-RU242+484+996	/	-7.34	-7.28	-6.97	-7.60	4.41	<=5	Pass
	802.11be (EHT320)	MIMO	6745	P-40M-RU484+996	/	-7.01	-7.42	-6.80	-7.49	4.50	<=5	Pass
				4xRU996	Left(70)	-6.42	-7.86	-7.22	-7.50	4.23	<=5	Pass
				RU26+52	/	-8.26	-8.39	-8.23	-8.44	3.45	<=5	Pass
				P-40M-RU484+996+2X996	/	-6.73	-7.52	-6.83	-7.16	4.56	<=5	Pass
				P-80M-RU996+2X996	/	-6.57	-7.23	-6.28	-6.49	4.96	<=5	Pass
				P-80+40M-RU996+484+996	/	-7.20	-8.22	-7.23	-7.82	4.18	<=5	Pass
			6905	4xRU996	Left(70)	-7.29	-8.32	-7.33	-7.63	4.12	<=5	Pass
				RU26+52	/	-7.30	-8.11	-7.36	-7.98	4.17	<=5	Pass
				P-40M-RU484+996+2X996	/	-8.68	-9.19	-8.23	-8.31	3.01	<=5	Pass
				P-80M-RU996+2X996	/	-8.49	-8.68	-7.62	-8.25	3.34	<=5	Pass
				P-80+40M-RU996+484+996	/	-8.45	-8.89	-8.37	-9.04	3.16	<=5	Pass

Note1: Antenna Gain:

- Band: 6 Ant1: 2.50dBi;
- Band: 7 Ant1: 2.50dBi;
- Band: 8 Ant1: 2.50dBi;
- Band: 6+7 Ant1: 2.50dBi;
- Band: 7+8 Ant1: 2.50dBi;
- Band: 5 Ant1: 2.50dBi;
- Band: 6 Ant2: 2.50dBi;
- Band: 7 Ant2: 2.50dBi;
- Band: 8 Ant2: 2.50dBi;
- Band: 6+7 Ant2: 2.50dBi;
- Band: 7+8 Ant2: 2.50dBi;
- Band: 5 Ant2: 2.50dBi;
- Band: 7+8 Ant3: 2.50dBi;
- Band: 5 Ant3: 2.50dBi;
- Band: 6 Ant3: 2.50dBi;
- Band: 7 Ant3: 2.50dBi;
- Band: 8 Ant3: 2.50dBi;
- Band: 6+7 Ant3: 2.50dBi;
- Band: 5 Ant4: 2.50dBi;
- Band: 6 Ant4: 2.50dBi;
- Band: 7 Ant4: 2.50dBi;
- Band: 8 Ant4: 2.50dBi;
- Band: 6+7 Ant4: 2.50dBi;
- Band: 7+8 Ant4: 2.50dBi;

1. As for MIMO mode, the directional gain is 8.5dBi (Antenna Gain (2.5dBi) +array gain (6dB)).

2. The antenna gain is 2.5dBi. All results listed in above tables are eirp, which have been compensated by directional gains already.

3. Considering that the If Partial_RU PSD < Full_RU PSD, only the additional testing on Partial_RU modes for band edge and spurious emissions are required (refer to TCB Workshop, October 26, 2022)

4.1.11 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT40)	MIMO	6525	RU26	Left(0)	-9.65	-	-9.47	-9.93	-4.15	/	Pass
				RU484	Left(65)	-9.55	-	-9.10	-9.19	-3.92	/	Pass

				RU26+52	/	-9.60	-10.59	-9.62	-9.40	-4.08	/	Pass
	802.11be (EHT80)	MIMO	6545	RU26	Left(0)	-9.26	-9.87	-9.42	-9.87	-3.94	/	Pass
				RU996	Left(67)	-9.18	-10.00	-9.37	-9.77	-3.77	/	Pass
				RU26+52	/	-9.09	-10.22	-10.03	-10.12	-4.15	/	Pass
				P-20M-RU242+484	/	-9.45	-10.28	-9.72	-9.73	-4.04	/	Pass
	802.11be (EHT160)	MIMO	6505	RU996	Left(67)	-9.64	-10.97	-10.25	-10.19	-4.60	/	Pass
				2xRU996	Left(68)	-9.51	-10.70	-10.12	-8.45	-3.92	/	Pass
				RU26+52	/	-9.18	-10.73	-9.38	-9.91	-4.26	/	Pass
				P-20M-RU242+484+996	/	-9.46	-11.20	-10.30	-10.43	-4.46	/	Pass
				P-40M-RU484+996	/	-9.68	-10.88	-10.30	-10.52	-4.63	/	Pass
	802.11be (EHT320)	MIMO	6585	4xRU996	Left(70)	-8.77	-10.05	-9.64	-9.79	-3.73	/	Pass
				RU26+52	/	-9.59	-10.54	-10.32	-10.63	-4.38	/	Pass
				P-40M-RU484+996+2X996	/	-9.28	-10.76	-10.23	-10.22	-4.36	/	Pass
				P-80M-RU996+2X996	/	-9.18	-10.82	-9.83	-10.02	-4.25	/	Pass
				P-80+40M-RU996+484+996	/	-10.02	-10.98	-10.55	-10.25	-4.80	/	Pass

4.1.12 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)					Limit	Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO		
NTNV	802.11be (EHT40)	MIMO	6525	RU26	Left(0)	-7.15	-7.95	-6.97	-7.43	4.37	<=5	Pass
				RU484	Left(65)	-7.05	-8.05	-6.60	-6.69	4.60	<=5	Pass
				RU26+52	/	-7.10	-8.09	-7.12	-6.90	4.44	<=5	Pass
	802.11be (EHT80)	MIMO	6545	RU26	Left(0)	-6.76	-7.37	-6.92	-7.37	4.58	<=5	Pass
				RU996	Left(67)	-6.68	-7.50	-6.87	-7.27	4.75	<=5	Pass
				RU26+52	/	-6.59	-7.72	-7.53	-7.62	4.37	<=5	Pass
				P-20M-RU242+484	/	-6.95	-7.78	-7.22	-7.23	4.48	<=5	Pass
	802.11be (EHT160)	MIMO	6505	RU996	Left(67)	-7.14	-8.47	-7.75	-7.69	3.92	<=5	Pass
				2xRU996	Left(68)	-7.01	-8.20	-7.62	-5.95	4.60	<=5	Pass
				RU26+52	/	-6.68	-8.23	-6.88	-7.41	4.26	<=5	Pass
				P-20M-RU242+484+996	/	-6.96	-8.70	-7.80	-7.93	4.06	<=5	Pass
				P-40M-RU484+996	/	-7.18	-8.38	-7.80	-8.02	3.89	<=5	Pass
	802.11be (EHT320)	MIMO	6585	4xRU996	Left(70)	-6.27	-7.55	-7.14	-7.29	4.79	<=5	Pass
				RU26+52	/	-7.09	-8.04	-7.82	-8.13	4.14	<=5	Pass
				P-40M-RU484+996+2X996	/	-6.78	-8.26	-7.73	-7.72	4.16	<=5	Pass
				P-80M-RU996+2X996	/	-6.68	-8.32	-7.33	-7.52	4.27	<=5	Pass
				P-80+40M-RU996+484+996	/	-7.52	-8.48	-8.05	-7.75	3.72	<=5	Pass

Note1: Antenna Gain:

- Band: 6 Ant1: 2.50dBi;
- Band: 7 Ant1: 2.50dBi;
- Band: 8 Ant1: 2.50dBi;

- Band: 6+7 Ant1: 2.50dBi;
- Band: 7+8 Ant1: 2.50dBi;
- Band: 5 Ant1: 2.50dBi;
- Band: 6 Ant2: 2.50dBi;
- Band: 7 Ant2: 2.50dBi;
- Band: 8 Ant2: 2.50dBi;
- Band: 6+7 Ant2: 2.50dBi;
- Band: 7+8 Ant2: 2.50dBi;
- Band: 5 Ant2: 2.50dBi;
- Band: 7+8 Ant3: 2.50dBi;
- Band: 5 Ant3: 2.50dBi;
- Band: 6 Ant3: 2.50dBi;
- Band: 7 Ant3: 2.50dBi;
- Band: 8 Ant3: 2.50dBi;
- Band: 6+7 Ant3: 2.50dBi;
- Band: 5 Ant4: 2.50dBi;
- Band: 6 Ant4: 2.50dBi;
- Band: 7 Ant4: 2.50dBi;
- Band: 8 Ant4: 2.50dBi;
- Band: 6+7 Ant4: 2.50dBi;
- Band: 7+8 Ant4: 2.50dBi;

1. As for MIMO mode, the directional gain is 8.5dBi (Antenna Gain (2.5dBi) +array gain (6dB)).


2. The antenna gain is 2.5dBi. All results listed in above tables are eirp, which have been compensated by directional gains already.

3. Considering that the If Partial_RU PSD < Full_RU PSD, only the additional testing on Partial_RU modes for band edge and spurious emissions are required (refer to TCB Workshop, October 26, 2022)


4.2 Test Graph

4.2.1 PSD


802.11be(EHT20)_LCH_5955MHz_RU26_Left(0)_Ant1_NTNV




802.11be(EHT20)_LCH_5955MHz_RU26_Left(0)_Ant2_NTNV




802.11be(EHT20) LCH_5955MHz_RU26_Left(0)_Ant3_NTNV




802.11be(EHT20) LCH_5955MHz_RU26_Left(0)_Ant4_NTNV




802.11be(EHT20) LCH_5955MHz_RU26_Left(0)_MIMO_NTNV




802.11be(EHT20) LCH_5955MHz_RU242_Left(61)_Ant1_NTNV




802.11be(EHT20) LCH_5955MHz_RU242_Left(61)_Ant2_NTNV




802.11be(EHT20) LCH_5955MHz_RU242_Left(61)_Ant3_NTNV




802.11be(EHT20) LCH 5955MHz RU242 Left(61) Ant4 NTN




802.11be(EHT20) LCH 5955MHz RU242 Left(61) MIMO NTN




802.11be(EHT20)_LCH_5955MHz_26+52_ / Ant1_NTNV




802.11be(EHT20)_LCH_5955MHz_26+52_ / Ant2_NTNV




802.11be(EHT20)_LCH_5955MHz_26+52_ / Ant3_NTNV




802.11be(EHT20)_LCH_5955MHz_26+52_ / Ant4_NTNV




802.11be(EHT20) LCH 5955MHz 26+52 / MIMO NTN




802.11be(EHT20) MCH 6175MHz RU26 Left(0) Ant1 NTN




802.11be(EHT20)_MCH_6175MHz_RU26_Left(0)_Ant2_NTNV




802.11be(EHT20)_MCH_6175MHz_RU26_Left(0)_Ant3_NTNV




802.11be(EHT20)_MCH_6175MHz_RU26_Left(0)_Ant4_NTNV




802.11be(EHT20)_MCH_6175MHz_RU26_Left(0)_MIMO_NTNV




802.11be(EHT20)_MCH_6175MHz_RU242_Left(61)_Ant1_NTNV




802.11be(EHT20)_MCH_6175MHz_RU242_Left(61)_Ant2_NTNV




802.11be(EHT20)_MCH_6175MHz_RU242_Left(61)_Ant3_NTNV




802.11be(EHT20)_MCH_6175MHz_RU242_Left(61)_Ant4_NTNV




802.11be(EHT20)_MCH_6175MHz_RU242_Left(61)_MIMO_NTNV




802.11be(EHT20)_MCH_6175MHz_26+52_/_Ant1_NTNV




802.11be(EHT20)_MCH_6175MHz_26+52_ / Ant2_NTNV




802.11be(EHT20)_MCH_6175MHz_26+52_ / Ant3_NTNV




802.11be(EHT20)_MCH_6175MHz_26+52_ / Ant4_NTNV




802.11be(EHT20)_MCH_6175MHz_26+52_ / MIMO_NTNV




802.11be(EHT20)_HCH_6415MHz_RU26_Left(0)_Ant1_NTNV




802.11be(EHT20)_HCH_6415MHz_RU26_Left(0)_Ant2_NTNV




802.11be(EHT20)_HCH_6415MHz_RU26_Left(0)_Ant3_NTNV




802.11be(EHT20)_HCH_6415MHz_RU26_Left(0)_Ant4_NTNV




802.11be(EHT20)_HCH_6415MHz_RU26_Left(0)_MIMO_NTNV




802.11be(EHT20)_HCH_6415MHz_RU242_Left(61)_Ant1_NTNV




802.11be(EHT20)_HCH_6415MHz_RU242_Left(61)_Ant2_NTNV




802.11be(EHT20)_HCH_6415MHz_RU242_Left(61)_Ant3_NTNV




802.11be(EHT20)_HCH_6415MHz_RU242_Left(61)_Ant4_NTNV




802.11be(EHT20)_HCH_6415MHz_RU242_Left(61)_MIMO_NTNV




802.11be(EHT20)_HCH_6415MHz_26+52_ / Ant1_NTNV




802.11be(EHT20)_HCH_6415MHz_26+52_ / Ant2_NTNV




802.11be(EHT20)_HCH_6415MHz_26+52_ / Ant3_NTNV




802.11be(EHT20)_HCH_6415MHz_26+52_ / Ant4_NTNV




802.11be(EHT20)_HCH_6415MHz_26+52 / MIMO NTN




802.11be(EHT40)_LCH_5965MHz_RU26_Left(0)_Ant1 NTN




802.11be(EHT40) LCH_5965MHz_RU26_Left(0)_Ant2_NTNV




802.11be(EHT40) LCH_5965MHz_RU26_Left(0)_Ant3_NTNV




802.11be(EHT40)_LCH_5965MHz_RU26_Left(0)_Ant4_NTNV




802.11be(EHT40)_LCH_5965MHz_RU26_Left(0)_MIMO_NTNV




802.11be(EHT40) LCH_5965MHz_RU484_Left(65)_Ant1_NTNV




802.11be(EHT40) LCH_5965MHz_RU484_Left(65)_Ant2_NTNV




802.11be(EHT40) LCH_5965MHz_RU484_Left(65)_Ant3_NTNV




802.11be(EHT40) LCH_5965MHz_RU484_Left(65)_Ant4_NTNV




802.11be(EHT40)_LCH_5965MHz_RU484_Left(65)_MIMO_NTNV




802.11be(EHT40)_LCH_5965MHz_26+52_/_Ant1_NTNV




802.11be(EHT40)_LCH_5965MHz_26+52_ / Ant2_NTNV




802.11be(EHT40)_LCH_5965MHz_26+52_ / Ant3_NTNV




802.11be(EHT40) LCH_5965MHz_26+52 / Ant4_NTNV




802.11be(EHT40) LCH_5965MHz_26+52 / MIMO_NTNV




802.11be(EHT40)_MCH_6165MHz_RU26_Left(0)_Ant1_NTNV




802.11be(EHT40)_MCH_6165MHz_RU26_Left(0)_Ant2_NTNV




802.11be(EHT40)_MCH_6165MHz_RU26_Left(0)_Ant3_NTNV




802.11be(EHT40)_MCH_6165MHz_RU26_Left(0)_Ant4_NTNV




802.11be(EHT40) MCH_6165MHz RU26_Left(0) MIMO_NTNV




802.11be(EHT40) MCH_6165MHz RU484_Left(65) Ant1_NTNV




802.11be(EHT40)_MCH_6165MHz_RU484_Left(65)_Ant2_NTNV




802.11be(EHT40)_MCH_6165MHz_RU484_Left(65)_Ant3_NTNV




802.11be(EHT40)_MCH_6165MHz_RU484_Left(65)_Ant4_NTNV




802.11be(EHT40)_MCH_6165MHz_RU484_Left(65)_MIMO_NTNV




802.11be(EHT40) MCH 6165MHz 26+52 / Ant1_NTNV




802.11be(EHT40) MCH 6165MHz 26+52 / Ant2_NTNV




802.11be(EHT40) MCH 6165MHz 26+52 / Ant3_NTNV




802.11be(EHT40) MCH 6165MHz 26+52 / Ant4_NTNV




802.11be(EHT40)_MCH_6165MHz_26+52 / MIMO NTN




802.11be(EHT40)_HCH_6405MHz_RU26_Left(0)_Ant1_NTNV




802.11be(EHT40)_HCH_6405MHz_RU26_Left(0)_Ant2_NTNV




802.11be(EHT40)_HCH_6405MHz_RU26_Left(0)_Ant3_NTNV




802.11be(EHT40)_HCH_6405MHz_RU26_Left(0)_Ant4_NTNV




802.11be(EHT40)_HCH_6405MHz_RU26_Left(0)_MIMO_NTNV




802.11be(EHT40)_HCH_6405MHz_RU484_Left(65)_Ant1_NTNV




802.11be(EHT40)_HCH_6405MHz_RU484_Left(65)_Ant2_NTNV




802.11be(EHT40)_HCH_6405MHz_RU484_Left(65)_Ant3_NTNV




802.11be(EHT40)_HCH_6405MHz_RU484_Left(65)_Ant4_NTNV




802.11be(EHT40)_HCH_6405MHz_RU484_Left(65)_MIMO_NTNV




802.11be(EHT40)_HCH_6405MHz_26+52_/_Ant1_NTNV




802.11be(EHT40) HCH 6405MHz 26+52 / Ant2_NTNV




802.11be(EHT40) HCH 6405MHz 26+52 / Ant3_NTNV




802.11be(EHT40)_HCH_6405MHz_26+52_ / Ant4_NTNV




802.11be(EHT40)_HCH_6405MHz_26+52_ / MIMO_NTNV




802.11be(EHT80) LCH_5985MHz_RU26_Left(0)_Ant1_NTNV




802.11be(EHT80) LCH_5985MHz_RU26_Left(0)_Ant2_NTNV




802.11be(EHT80) LCH_5985MHz_RU26_Left(0)_Ant3_NTNV




802.11be(EHT80) LCH_5985MHz_RU26_Left(0)_Ant4_NTNV




802.11be(EHT80)_LCH_5985MHz_RU26_Left(0)_MIMO_NTNV




802.11be(EHT80)_LCH_5985MHz_RU996_Left(67)_Ant1_NTNV




802.11be(EHT80) LCH_5985MHz_RU996_Left(67)_Ant2_NTNV




802.11be(EHT80) LCH_5985MHz_RU996_Left(67)_Ant3_NTNV




802.11be(EHT80)_LCH_5985MHz_RU996_Left(67)_Ant4_NTNV




802.11be(EHT80)_LCH_5985MHz_RU996_Left(67)_MIMO_NTNV




802.11be(EHT80)_LCH_5985MHz_26+52_ / Ant1_NTNV




802.11be(EHT80)_LCH_5985MHz_26+52_ / Ant2_NTNV




802.11be(EHT80)_LCH_5985MHz_26+52_ / Ant3_NTNV




802.11be(EHT80)_LCH_5985MHz_26+52_ / Ant4_NTNV




802.11be(EHT80)_LCH_5985MHz_26+52 / MIMO_NTNV




802.11be(EHT80)_LCH_5985MHz_P-20M-RU242+484 / Ant1_NTNV




802.11be(EHT80)_LCH_5985MHz_P-20M-RU242+484_/_Ant2_NTNV




802.11be(EHT80)_LCH_5985MHz_P-20M-RU242+484_/_Ant3_NTNV




802.11be(EHT80)_LCH_5985MHz_P-20M-RU242+484 / Ant4 NTN




802.11be(EHT80)_LCH_5985MHz_P-20M-RU242+484 / MIMO NTN




802.11be(EHT80)_MCH_6145MHz_RU26_Left(0)_Ant1_NTNV




802.11be(EHT80)_MCH_6145MHz_RU26_Left(0)_Ant2_NTNV




802.11be(EHT80)_MCH_6145MHz_RU26_Left(0)_Ant3_NTNV




802.11be(EHT80)_MCH_6145MHz_RU26_Left(0)_Ant4_NTNV




802.11be(EHT80) MCH_6145MHz RU26_Left(0) MIMO_NTNV




802.11be(EHT80) MCH_6145MHz RU996_Left(67) Ant1_NTNV




802.11be(EHT80)_MCH_6145MHz_RU996_Left(67)_Ant2_NTNV




802.11be(EHT80)_MCH_6145MHz_RU996_Left(67)_Ant3_NTNV




802.11be(EHT80)_MCH_6145MHz_RU996_Left(67)_Ant4_NTNV




802.11be(EHT80)_MCH_6145MHz_RU996_Left(67)_MIMO_NTNV




802.11be(EHT80)_MCH_6145MHz_26+52_/_Ant1_NTNV




802.11be(EHT80)_MCH_6145MHz_26+52_/_Ant2_NTNV




802.11be(EHT80)_MCH_6145MHz_26+52_/_Ant3_NTNV




802.11be(EHT80)_MCH_6145MHz_26+52_/_Ant4_NTNV




802.11be(EHT80)_MCH_6145MHz_26+52 / MIMO NTN




802.11be(EHT80)_MCH_6145MHz_P-20M-RU242+484 / Ant1 NTN




802.11be(EHT80)_MCH_6145MHz_P-20M-RU242+484 / Ant2_NTNV




802.11be(EHT80)_MCH_6145MHz_P-20M-RU242+484 / Ant3_NTNV




802.11be(EHT80)_MCH_6145MHz_P-20M-RU242+484 / Ant4_NTNV




802.11be(EHT80)_MCH_6145MHz_P-20M-RU242+484 / MIMO_NTNV




802.11be(EHT80)_HCH_6385MHz_RU26_Left(0)_Ant1_NTNV




802.11be(EHT80)_HCH_6385MHz_RU26_Left(0)_Ant2_NTNV




802.11be(EHT80)_HCH_6385MHz_RU26_Left(0)_Ant3_NTNV




802.11be(EHT80)_HCH_6385MHz_RU26_Left(0)_Ant4_NTNV




802.11be(EHT80)_HCH_6385MHz_RU26_Left(0)_MIMO_NTNV




802.11be(EHT80)_HCH_6385MHz_RU996_Left(67)_Ant1_NTNV




802.11be(EHT80)_HCH_6385MHz_RU996_Left(67)_Ant2_NTNV




802.11be(EHT80)_HCH_6385MHz_RU996_Left(67)_Ant3_NTNV




802.11be(EHT80)_HCH_6385MHz_RU996_Left(67)_Ant4_NTNV




802.11be(EHT80)_HCH_6385MHz_RU996_Left(67)_MIMO_NTNV




802.11be(EHT80)_HCH_6385MHz_26+52_ / Ant1_NTNV




802.11be(EHT80)_HCH_6385MHz_26+52_ / Ant2_NTNV




802.11be(EHT80)_HCH_6385MHz_26+52_ / Ant3_NTNV




802.11be(EHT80)_HCH_6385MHz_26+52_ / Ant4_NTNV




802.11be(EHT80)_HCH_6385MHz_26+52 / MIMO NTN




802.11be(EHT80)_HCH_6385MHz_P-20M-RU242+484 / Ant1 NTN




802.11be(EHT80)_HCH_6385MHz_P-20M-RU242+484_ / Ant2_NTNV




802.11be(EHT80)_HCH_6385MHz_P-20M-RU242+484_ / Ant3_NTNV




802.11be(EHT80)_HCH_6385MHz_P-20M-RU242+484 / Ant4_NTNV




802.11be(EHT80)_HCH_6385MHz_P-20M-RU242+484 / MIMO_NTNV




802.11be(EHT160)_LCH_6025MHz_RU996_Left(67)_Ant1_NTNV




802.11be(EHT160)_LCH_6025MHz_RU996_Left(67)_Ant2_NTNV




802.11be(EHT160)_LCH_6025MHz_RU996_Left(67)_Ant3_NTNV




802.11be(EHT160)_LCH_6025MHz_RU996_Left(67)_Ant4_NTNV




802.11be(EHT160)_LCH_6025MHz_RU996_Left(67)_MIMO_NTNV




802.11be(EHT160)_LCH_6025MHz_2xRU996_Left(68)_Ant1_NTNV




802.11be(EHT160)_LCH_6025MHz_2xRU996_Left(68)_Ant2_NTNV




802.11be(EHT160)_LCH_6025MHz_2xRU996_Left(68)_Ant3_NTNV




802.11be(EHT160)_LCH_6025MHz_2xRU996_Left(68)_Ant4_NTNV




802.11be(EHT160)_LCH_6025MHz_2xRU996_Left(68)_MIMO_NTNV




802.11be(EHT160) LCH_6025MHz_26+52 / Ant1_NTNV




802.11be(EHT160) LCH_6025MHz_26+52 / Ant2_NTNV




802.11be(EHT160) LCH_6025MHz_26+52 / Ant3_NTNV




802.11be(EHT160) LCH_6025MHz_26+52 / Ant4_NTNV




802.11be(EHT160)_LCH_6025MHz_26+52 / MIMO_NTNV




802.11be(EHT160)_LCH_6025MHz_P-20M-RU242+484+996 / Ant1_NTNV




802.11be(EHT160)_LCH_6025MHz_P-20M-RU242+484+996 / Ant2_NTNV




802.11be(EHT160)_LCH_6025MHz_P-20M-RU242+484+996 / Ant3_NTNV




802.11be(EHT160)_LCH_6025MHz_P-20M-RU242+484+996 / Ant4_NTNV




802.11be(EHT160)_LCH_6025MHz_P-20M-RU242+484+996 / MIMO_NTNV




802.11be(EHT160) LCH_6025MHz_P-40M-RU484+996 / Ant1_NTNV




802.11be(EHT160) LCH_6025MHz_P-40M-RU484+996 / Ant2_NTNV




802.11be(EHT160) LCH_6025MHz_P-40M-RU484+996 / Ant3_NTNV




802.11be(EHT160) LCH_6025MHz_P-40M-RU484+996 / Ant4_NTNV




802.11be(EHT160)_LCH_6025MHz_P-40M-RU484+996 / MIMO_NTNV




802.11be(EHT160)_MCH_6185MHz_RU996_Left(67)_Ant1_NTNV




802.11be(EHT160)_MCH_6185MHz_RU996_Left(67)_Ant2_NTNV



802.11be(EHT160)_MCH_6185MHz_RU996_Left(67)_Ant3_NTNV



802.11be(EHT160)_MCH_6185MHz_RU996_Left(67)_Ant4_NTNV



802.11be(EHT160)_MCH_6185MHz_RU996_Left(67)_MIMO_NTNV

