

Shenzhen Qianmu Communication Technology Co., Ltd.

Rooms 425 and 443, 4th Floor, Block A, Huafeng Zhigu-Hangcheng High-Tech Industrial Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen

NO.	ITEMS	DETAILS
1	model	QM-IRT(X2)-915
2	Frequency Band	900-930MHz
3	VSWR	≤ 2.0
4	impedance	50 Ω
5	Antenna Type	Spring antenna


Shenzhen Qianmu Communication Technology Co., Ltd.

Rooms 425 and 443, 4th Floor, Block A, Huafeng Zhigu-Hangcheng High-Tech Industrial Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen

Product electrical performance test data:


Marker	900MHz	915MHz	930MHz
Returnloss	1. 83	1. 52	3. 74
VSWR	-10. 429	-14. 068	-5. 03

S11:



Shenzhen Qianmu Communication Technology Co., Ltd.

Rooms 425 and 443, 4th Floor, Block A, Huafeng Zhigu-Hangcheng High-Tech Industrial Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen



Gain, efficiency and radiation pattern:

Frequency (MHz)	Gain (dBi)	Efficiency (%)
900	0.11	26.53
915	0.14	30.67
930	0.03	22.66

Shenzhen Qianmu Communication Technology Co., Ltd.

Rooms 425 and 443, 4th Floor, Block A, Huafeng Zhigu-Hangcheng High-Tech Industrial Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen

Pattern 915MHz

