


ANNEX F TEST DATA

For

Project No.:	8333EU122504W
Client:	Shenzhen MiaoMing Intelligent Technology Co.,Ltd
Product Description:	WD_RTL8852BELGA_V10
Model No.:	WD_RTL8852BELGA_V10
FCC ID:	2AXHE-RTL8852BELGA
Technology:	WiFi 2.4G
Test Engineer:	<i>Mikoy zhu</i>
Test Date:	2025-09-10

Test Summary

Item	Result
Duty Cycle	Pass
Bandwidth	Pass
Maximum Conducted Output Power	Pass
Maximum Power Spectral Density	Pass
Unwanted Emissions In Non-restricted Frequency Bands	Pass



1. Duty Cycle


1.1 Test Result

1.1.1 Ant1


Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11b	SISO	2412	/	/	8.350	8.396	99.45	0.02	0.04
802.11g	SISO	2412	/	/	0.148	0.197	75.13	1.24	1.03
802.11n (HT20)	SISO	2412	/	/	0.177	0.225	78.67	1.04	0.79
802.11n (HT40)	SISO	2422	/	/	0.183	0.229	79.91	0.97	0.48
802.11ax (HEW20)	MIMO	2412	SU	/	0.175	0.223	78.48	1.05	0.44
802.11ax (HEW40)	MIMO	2422	SU	/	0.170	0.220	77.27	1.12	0.78

1.2 Test Graph


1.2.1 Ant1




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11ax(HEW20)_LCH_2412MHz_SU_ / _Ant1 (MIMO)_NTNV



802.11ax(HEW40)_LCH_2422MHz_SU_ / _Ant1 (MIMO)_NTNV



2. Bandwidth

2.1 Test Result

2.1.1 OBW


Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
						Result	Limit	
802.11b	SISO	2412	/	/	1	13.392	/	Pass
		2437	/	/	1	13.410	/	Pass
		2462	/	/	1	13.410	/	Pass
802.11g	SISO	2412	/	/	1	17.374	/	Pass
		2437	/	/	1	17.324	/	Pass
		2462	/	/	1	17.354	/	Pass
802.11n (HT20)	SISO	2412	/	/	1	18.317	/	Pass
		2437	/	/	1	18.400	/	Pass
		2462	/	/	1	18.295	/	Pass
802.11n (HT40)	SISO	2422	/	/	1	36.383	/	Pass
		2437	/	/	1	36.289	/	Pass
		2452	/	/	1	36.175	/	Pass
802.11ax (HEW20)	MIMO	2412	SU	/	1	19.050	/	Pass
		2437	SU	/	1	19.096	/	Pass
		2462	SU	/	1	19.057	/	Pass
802.11ax (HEW40)	MIMO	2422	SU	/	1	37.896	/	Pass
		2437	SU	/	1	37.828	/	Pass
		2452	SU	/	1	37.776	/	Pass

2.1.2 6dB BW


Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	6dB Bandwidth (MHz)		Verdict
						Result	Limit	
802.11b	SISO	2412	/	/	1	10.355	>=0.5	Pass
		2437	/	/	1	10.352	>=0.5	Pass
		2462	/	/	1	10.350	>=0.5	Pass
802.11g	SISO	2412	/	/	1	16.035	>=0.5	Pass
		2437	/	/	1	16.075	>=0.5	Pass
		2462	/	/	1	15.961	>=0.5	Pass
802.11n (HT20)	SISO	2412	/	/	1	17.178	>=0.5	Pass
		2437	/	/	1	17.251	>=0.5	Pass
		2462	/	/	1	17.184	>=0.5	Pass
802.11n (HT40)	SISO	2422	/	/	1	35.695	>=0.5	Pass
		2437	/	/	1	35.624	>=0.5	Pass
		2452	/	/	1	35.349	>=0.5	Pass
802.11ax (HEW20)	MIMO	2412	SU	/	1	18.412	>=0.5	Pass
		2437	SU	/	1	18.021	>=0.5	Pass
		2462	SU	/	1	18.455	>=0.5	Pass
802.11ax (HEW40)	MIMO	2422	SU	/	1	37.046	>=0.5	Pass
		2437	SU	/	1	36.901	>=0.5	Pass
		2452	SU	/	1	35.536	>=0.5	Pass

2.2 Test Graph


2.2.1 OBW




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV





802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV









802.11ax(HEW20)_LCH_2412MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW20)_MCH_2437MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW20)_HCH_2462MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW40)_LCH_2422MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW40)_MCH_2437MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW40)_HCH_2452MHz_SU_ / _Ant1 (MIMO)_NTNV




2.2.2 6dB BW




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV





802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV









802.11ax(HEW20)_LCH_2412MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW20)_MCH_2437MHz_SU_ / _Ant1 (MIMO)_NTNV






802.11ax(HEW40)_MCH_2437MHz_SU_ / _Ant1 (MIMO)_NTNV



802.11ax(HEW40)_HCH_2452MHz_SU_ / _Ant1 (MIMO)_NTNV



3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Peak Conducted Output Power (dBm)				Verdict
					ANT1	ANT2	MIMO	Limit	
802.11b	SISO	2412	/	/	10.92	11.67	/	<=30	Pass
		2437	/	/	10.95	11.59	/	<=30	Pass
		2462	/	/	11.34	12.28	/	<=30	Pass
802.11g	SISO	2412	/	/	15.76	14.16	/	<=30	Pass
		2437	/	/	15.93	13.95	/	<=30	Pass
		2462	/	/	14.58	14.69	/	<=30	Pass
802.11n (HT20)	SISO	2412	/	/	14.04	14.02	/	<=30	Pass
		2437	/	/	14.11	13.79	16.96	<=30	Pass
		2462	/	/	13.58	14.59	17.12	<=30	Pass
802.11n (HT40)	SISO	2422	/	/	13.45	14.33	16.92	<=30	Pass
		2437	/	/	13.49	13.63	16.57	<=30	Pass
		2452	/	/	13.64	13.94	16.80	<=30	Pass
802.11ax (HEW20)	MIMO	2412	SU	/	13.69	13.91	16.81	<=30	Pass
		2437	SU	/	13.73	13.68	16.72	<=30	Pass
		2462	SU	/	14.13	14.45	17.30	<=30	Pass
802.11ax (HEW40)	MIMO	2422	SU	/	13.81	14.05	16.94	<=30	Pass
		2437	SU	/	13.97	13.98	16.99	<=30	Pass
		2452	SU	/	14.04	14.18	17.12	<=30	Pass
Note1: Antenna Gain: Ant1: 1.98dBi; Ant2: 1.98dBi; Note2: Directional Gain: Correlated (Directional Gain =4.99dBi) Formulas: Directional gain = 10 log[(10 ^{G1/20} + 10 ^{G2/20} + ... + 10 ^{GN/20}) ² /NANT] dBi									

4. Maximum Power Spectral Density


4.1 Test Result


4.1.1 PSD

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm)				Verdict
					ANT1	ANT2	MIMO	Limit	
802.11b	SISO	2412	/	/	-1.14	-0.41	/	<=8	Pass
		2437	/	/	-1.02	-0.63	/	<=8	Pass
		2462	/	/	-0.68	0.41	/	<=8	Pass
802.11g	SISO	2412	/	/	-1.71	-3.36	/	<=8	Pass
		2437	/	/	-1.43	-3.51	/	<=8	Pass
		2462	/	/	-2.83	-2.69	/	<=8	Pass
802.11n (HT20)	SISO	2412	/	/	-3.33	-3.37	-0.34	<=8	Pass
		2437	/	/	-3.20	-3.51	-0.34	<=8	Pass
		2462	/	/	-3.69	-2.67	-0.14	<=8	Pass
802.11n (HT40)	SISO	2422	/	/	-7.50	-6.82	-4.14	<=8	Pass
		2437	/	/	-7.26	-7.05	-4.14	<=8	Pass
		2452	/	/	-6.97	-6.63	-3.79	<=8	Pass
802.11ax (HEW20)	MIMO	2412	SU	/	-4.60	-4.42	-1.50	<=8	Pass
		2437	SU	/	-4.48	-4.48	-1.47	<=8	Pass
		2462	SU	/	-4.11	-3.82	-0.95	<=8	Pass
802.11ax (HEW40)	MIMO	2422	SU	/	-7.93	-7.83	-4.87	<=8	Pass
		2437	SU	/	-7.77	-7.63	-4.69	<=8	Pass
		2452	SU	/	-7.49	-7.17	-4.32	<=8	Pass
Note1: Antenna Gain: Ant1: 1.98dBi; Ant2: 1.98dBi; Note2: Directional Gain: Correlated (Directional Gain =4.99dBi) Formulas: Directional gain = 10 log[(10 ^{G1/20} + 10 ^{G2/20} + ... + 10 ^{GN/20}) ² /NANT] dBi									


4.2 Test Graph

4.2.1 PSD








802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV





802.11b_HCH_2462MHz_Ant2 (SISO)_NTNV





















802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant2 (SISO)_NTNV









802.11ax(HEW20)_LCH_2412MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW20)_LCH_2412MHz_SU_ / _Ant2 (MIMO)_NTNV







802.11ax(HEW20)_MCH_2437MHz_SU_/_Ant2 (MIMO)_NTNV




802.11ax(HEW20)_MCH_2437MHz_SU_/_MIMO_NTNV







802.11ax(HEW20)_HCH_2462MHz_SU_/_MIMO_NTNV




802.11ax(HEW40)_LCH_2422MHz_SU_/_Ant1 (MIMO)_NTNV




802.11ax(HEW40)_LCH_2422MHz_SU_ / _Ant2 (MIMO)_NTNV




802.11ax(HEW40)_LCH_2422MHz_SU_ / _MIMO_NTNV




802.11ax(HEW40)_MCH_2437MHz_SU_/_Ant1 (MIMO)_NTNV




802.11ax(HEW40)_MCH_2437MHz_SU_/_Ant2 (MIMO)_NTNV




802.11ax(HEW40)_MCH_2437MHz_SU_/_MIMO_NTNV




802.11ax(HEW40)_HCH_2452MHz_SU_/_Ant1 (MIMO)_NTNV



802.11ax(HEW40)_HCH_2452MHz_SU_/_Ant2 (MIMO)_NTNV



802.11ax(HEW40)_HCH_2452MHz_SU_/_MIMO_NTNV



5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Test Result

5.1.1 Ref


Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Reference (dBm)
802.11b	SISO	2412	/	/	1	-1.07
					2	-0.29
		2437	/	/	1	-1.00
					2	-0.40
		2462	/	/	1	-0.63
					2	0.40
802.11g	SISO	2412	/	/	1	-1.79
					2	-3.35
		2437	/	/	1	-1.45
					2	-3.52
		2462	/	/	1	-2.83
					2	-2.67
802.11n (HT20)	SISO	2412	/	/	1	-3.34
					2	-3.35
		2437	/	/	1	-3.23
					2	-3.46
		2462	/	/	1	-3.68
					2	-2.66
802.11n (HT40)	SISO	2422	/	/	1	-7.56
					2	-6.72
		2437	/	/	1	-7.31
					2	-7.08
		2452	/	/	1	-6.98
					2	-6.64
802.11ax (HEW20)	MIMO	2412	SU	/	1	-4.59
					2	-4.41
		2437	SU	/	1	-4.49
					2	-4.50
		2462	SU	/	1	-4.13
					2	-3.80
802.11ax (HEW40)	MIMO	2422	SU	/	1	-7.94
					2	-8.00
		2437	SU	/	1	-7.76
					2	-7.61
		2452	SU	/	1	-7.34
					2	-7.23
Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.						


5.1.2 CSE


Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	/	/	1	-0.63	-20.63	Pass
					2	0.40	-19.60	Pass
		2437	/	/	1	-0.63	-20.63	Pass
					2	0.40	-19.60	Pass
		2462	/	/	1	-0.63	-20.63	Pass
					2	0.40	-19.60	Pass
802.11g	SISO	2412	/	/	1	-1.45	-21.45	Pass
					2	-2.67	-22.67	Pass
		2437	/	/	1	-1.45	-21.45	Pass
					2	-2.67	-22.67	Pass
		2462	/	/	1	-1.45	-21.45	Pass
					2	-2.67	-22.67	Pass
802.11n (HT20)	SISO	2412	/	/	1	-3.23	-23.23	Pass
					2	-2.66	-22.66	Pass
		2437	/	/	1	-3.23	-23.23	Pass
					2	-2.66	-22.66	Pass
		2462	/	/	1	-3.23	-23.23	Pass
					2	-2.66	-22.66	Pass
802.11n (HT40)	SISO	2422	/	/	1	-6.98	-26.98	Pass
					2	-6.64	-26.64	Pass
		2437	/	/	1	-6.98	-26.98	Pass
					2	-6.64	-26.64	Pass
		2452	/	/	1	-6.98	-26.98	Pass
					2	-6.64	-26.64	Pass
802.11ax (HEW20)	MIMO	2412	SU	/	1	-4.13	-24.13	Pass
					2	-3.80	-23.80	Pass
		2437	SU	/	1	-4.13	-24.13	Pass
					2	-3.80	-23.80	Pass
		2462	SU	/	1	-4.13	-24.13	Pass
					2	-3.80	-23.80	Pass
802.11ax (HEW40)	MIMO	2422	SU	/	1	-7.34	-27.34	Pass
					2	-7.23	-27.23	Pass
		2437	SU	/	1	-7.34	-27.34	Pass
					2	-7.23	-27.23	Pass
		2452	SU	/	1	-7.34	-27.34	Pass
					2	-7.23	-27.23	Pass
Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.								


5.2 Test Graph


5.2.1 Ref


























802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant2 (SISO)_NTNV







802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_HCH_2452MHz_Ant2 (SISO)_NTNV








802.11ax(HEW20)_MCH_2437MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW20)_MCH_2437MHz_SU_ / _Ant2 (MIMO)_NTNV









802.11ax(HEW40)_MCH_2437MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW40)_MCH_2437MHz_SU_ / _Ant2 (MIMO)_NTNV







5.2.2 CSE




802.11b_LCH_2412MHz_Ant2 (SISO)_NTNV




802.11b_LCH_2412MHz_Ant2 (SISO)_NTNV




802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11b_MCH_2437MHz_Ant2 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant2 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant2 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant2 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant2 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant2 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant2 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant2 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant2 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant2 (SISO)_NTNV







802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant2 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant2 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant2 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant2 (SISO)_NTNV







802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_HCH_2452MHz_Ant2 (SISO)_NTNV




802.11n(HT40)_HCH_2452MHz_Ant2 (SISO)_NTNV




802.11ax(HEW20)_LCH_2412MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW20)_LCH_2412MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW20)_LCH_2412MHz_SU_ / _Ant2 (MIMO)_NTNV




802.11ax(HEW20)_LCH_2412MHz_SU_ / _Ant2 (MIMO)_NTNV




802.11ax(HEW20)_MCH_2437MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW20)_MCH_2437MHz_SU_ / _Ant2 (MIMO)_NTNV




802.11ax(HEW20)_HCH_2462MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW20)_HCH_2462MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW20)_HCH_2462MHz_SU_ / _Ant2 (MIMO)_NTNV




802.11ax(HEW20)_HCH_2462MHz_SU_ / _Ant2 (MIMO)_NTNV




802.11ax(HEW40)_LCH_2422MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW40)_LCH_2422MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW40)_LCH_2422MHz_SU_ / _Ant2 (MIMO)_NTNV




802.11ax(HEW40)_LCH_2422MHz_SU_ / _Ant2 (MIMO)_NTNV




802.11ax(HEW40)_MCH_2437MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW40)_MCH_2437MHz_SU_ / _Ant2 (MIMO)_NTNV




802.11ax(HEW40)_HCH_2452MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW40)_HCH_2452MHz_SU_ / _Ant1 (MIMO)_NTNV



802.11ax(HEW40)_HCH_2452MHz_SU_ / _Ant2 (MIMO)_NTNV



802.11ax(HEW40)_HCH_2452MHz_SU_ / _Ant2 (MIMO)_NTNV



----- End of Report -----