




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant2_NTNV




802.11ax(HEW20) LCH_5180MHz_SU / Ant1_NTNV




802.11ax(HEW20) LCH_5180MHz_SU / Ant2_NTNV




802.11ax(HEW20) HCH_5240MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20) HCH_5240MHz_SU_ / _Ant2_NTNV




802.11ax(HEW20) LCH_5745MHz_SU / Ant1_NTNV




802.11ax(HEW20) LCH_5745MHz_SU / Ant2_NTNV




802.11ax(HEW20) HCH_5825MHz_SU_ / _Ant1_NTNV



802.11ax(HEW20) HCH_5825MHz_SU_ / _Ant2_NTNV




802.11ax(HEW40) LCH_5190MHz_SU / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5028.000	-49.29	-21.20	28.09	Pass	Peak	7	5028.000	-56.02	-41.20	14.82	Pass	AVG
2	5060.000	-50.15	-21.20	28.95	Pass	Peak	8	5060.000	-55.84	-41.20	14.64	Pass	AVG
3	5087.500	-49.62	-21.20	28.42	Pass	Peak	9	5087.500	-55.97	-41.20	14.77	Pass	AVG
4	5108.500	-49.01	-21.20	27.81	Pass	Peak	10	5108.500	-56.17	-41.20	14.97	Pass	AVG
5	5129.000	-46.65	-21.20	25.45	Pass	Peak	11	5129.000	-54.47	-41.20	13.27	Pass	AVG
6	5150.000	-45.72	-21.20	24.52	Pass	Peak	12	5150.000	-52.81	-41.20	11.61	Pass	AVG

802.11ax(HEW40) LCH_5190MHz_SU / Ant2_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4791.500	-49.71	-21.20	28.51	Pass	Peak	7	4791.500	-56.34	-41.20	15.14	Pass	AVG
2	4906.500	-50.23	-21.20	29.03	Pass	Peak	8	4906.500	-56.23	-41.20	15.03	Pass	AVG
3	5013.500	-50.45	-21.20	29.25	Pass	Peak	9	5013.500	-56.25	-41.20	15.05	Pass	AVG
4	5107.500	-50.62	-21.20	29.42	Pass	Peak	10	5107.500	-55.97	-41.20	14.77	Pass	AVG
5	5128.500	-47.82	-21.20	26.62	Pass	Peak	11	5128.500	-55.44	-41.20	14.24	Pass	AVG
6	5150.000	-44.05	-21.20	22.85	Pass	Peak	12	5150.000	-53.10	-41.20	11.90	Pass	AVG


802.11ax(HEW40) HCH_5230MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40) HCH_5230MHz_SU_ / _Ant2_NTNV




802.11ax(HEW40) LCH_5755MHz_SU / Ant1_NTNV




802.11ax(HEW40) LCH_5755MHz_SU / Ant2_NTNV




802.11ax(HEW40) HCH_5795MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40) HCH_5795MHz_SU_ / _Ant2_NTNV




802.11ax(HEW80) MCH_5210MHz_SU_ / Ant1_NTNV



802.11ax(HEW80) MCH_5210MHz_SU_ / Ant1_NTNV




802.11ax(HEW80) MCH_5210MHz_SU_ / Ant2_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4896.500	-51.34	-21.20	30.14	Pass	Peak	7	4896.500	-56.26	-41.20	15.06	Pass	AVG
2	4981.000	-49.67	-21.20	28.47	Pass	Peak	8	4981.000	-56.30	-41.20	15.10	Pass	AVG
3	5040.000	-49.97	-21.20	28.77	Pass	Peak	9	5040.000	-56.11	-41.20	14.91	Pass	AVG
4	5080.500	-48.52	-21.20	27.32	Pass	Peak	10	5080.500	-55.65	-41.20	14.45	Pass	AVG
5	5113.000	-46.96	-21.20	25.76	Pass	Peak	11	5113.000	-53.67	-41.20	12.47	Pass	AVG
6	5148.500	-46.11	-21.20	24.91	Pass	Peak	12	5148.500	-52.87	-41.20	11.67	Pass	AVG

802.11ax(HEW80) MCH_5210MHz_SU_ / Ant2_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5359.500	-48.42	-21.20	27.22	Pass	Peak	4	5359.500	-53.88	-41.20	12.68	Pass	AVG
2	5411.500	-44.97	-21.20	23.77	Pass	Peak	5	5411.500	-53.20	-41.20	12.00	Pass	AVG
3	5458.500	-46.13	-21.20	24.93	Pass	Peak	6	5458.500	-53.87	-41.20	12.67	Pass	AVG


802.11ax(HEW80) MCH_5775MHz_SU / Ant1_NTNV




802.11ax(HEW80) MCH_5775MHz_SU / Ant1_NTNV



802.11ax(HEW80) MCH_5775MHz_SU / Ant2_NTNV



802.11ax(HEW80) MCH_5775MHz_SU / Ant2_NTNV



6. Frequency Stability

6.1 Test Result

6.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	102	5179.960	5150 to 5250	Pass
						120	5180.000	5150 to 5250	Pass
						138	5179.980	5150 to 5250	Pass
					-30	120	5180.100	5150 to 5250	Pass
					-20	120	5180.040	5150 to 5250	Pass
					-10	120	5180.040	5150 to 5250	Pass
					0	120	5179.980	5150 to 5250	Pass
					10	120	5180.060	5150 to 5250	Pass
					30	120	5179.960	5150 to 5250	Pass
					40	120	5179.980	5150 to 5250	Pass
					50	120	5179.920	5150 to 5250	Pass
		5200	/	/	20	102	5200.000	5150 to 5250	Pass
						120	5199.980	5150 to 5250	Pass
						138	5200.000	5150 to 5250	Pass
					-30	120	5200.040	5150 to 5250	Pass
					-20	120	5200.000	5150 to 5250	Pass
					-10	120	5199.960	5150 to 5250	Pass
					0	120	5200.100	5150 to 5250	Pass
					10	120	5200.020	5150 to 5250	Pass
					30	120	5200.040	5150 to 5250	Pass
					40	120	5200.020	5150 to 5250	Pass
					50	120	5200.040	5150 to 5250	Pass
		5240	/	/	20	102	5240.000	5150 to 5250	Pass
						120	5240.060	5150 to 5250	Pass
						138	5240.020	5150 to 5250	Pass
					-30	120	5240.040	5150 to 5250	Pass
					-20	120	5239.960	5150 to 5250	Pass
					-10	120	5240.100	5150 to 5250	Pass
					0	120	5240.000	5150 to 5250	Pass
					10	120	5240.020	5150 to 5250	Pass
					30	120	5240.060	5150 to 5250	Pass
					40	120	5240.020	5150 to 5250	Pass
					50	120	5240.020	5150 to 5250	Pass
		5745	/	/	20	102	5745.060	5725 to 5850	Pass
						120	5745.080	5725 to 5850	Pass
						138	5745.020	5725 to 5850	Pass
					-30	120	5745.020	5725 to 5850	Pass
					-20	120	5745.000	5725 to 5850	Pass
					-10	120	5744.980	5725 to 5850	Pass
					0	120	5744.980	5725 to 5850	Pass

					10	120	5745.040	5725 to 5850	Pass
					30	120	5745.000	5725 to 5850	Pass
					40	120	5745.000	5725 to 5850	Pass
					50	120	5745.000	5725 to 5850	Pass
		5785	/	/	20	102	5785.000	5725 to 5850	Pass
						120	5785.000	5725 to 5850	Pass
						138	5784.980	5725 to 5850	Pass
					-30	120	5784.960	5725 to 5850	Pass
					-20	120	5785.000	5725 to 5850	Pass
					-10	120	5785.020	5725 to 5850	Pass
					0	120	5785.000	5725 to 5850	Pass
					10	120	5784.980	5725 to 5850	Pass
					30	120	5785.080	5725 to 5850	Pass
					40	120	5785.020	5725 to 5850	Pass
					50	120	5784.960	5725 to 5850	Pass
		5825	/	/	20	102	5825.020	5725 to 5850	Pass
						120	5825.040	5725 to 5850	Pass
						138	5825.000	5725 to 5850	Pass
					-30	120	5824.980	5725 to 5850	Pass
					-20	120	5824.980	5725 to 5850	Pass
					-10	120	5824.980	5725 to 5850	Pass
					0	120	5825.040	5725 to 5850	Pass
					10	120	5825.000	5725 to 5850	Pass
					30	120	5824.960	5725 to 5850	Pass
					40	120	5825.000	5725 to 5850	Pass
					50	120	5825.000	5725 to 5850	Pass
802.11n (HT20)	SISO	5180	/	/	20	102	5180.020	5150 to 5250	Pass
						120	5179.940	5150 to 5250	Pass
						138	5180.020	5150 to 5250	Pass
					-30	120	5179.940	5150 to 5250	Pass
					-20	120	5180.000	5150 to 5250	Pass
					-10	120	5179.900	5150 to 5250	Pass
					0	120	5180.040	5150 to 5250	Pass
					10	120	5179.940	5150 to 5250	Pass
					30	120	5179.940	5150 to 5250	Pass
					40	120	5180.020	5150 to 5250	Pass
					50	120	5179.960	5150 to 5250	Pass
		5200	/	/	20	102	5200.000	5150 to 5250	Pass
						120	5199.980	5150 to 5250	Pass
						138	5199.960	5150 to 5250	Pass
					-30	120	5199.980	5150 to 5250	Pass
					-20	120	5199.980	5150 to 5250	Pass
					-10	120	5200.040	5150 to 5250	Pass
					0	120	5199.960	5150 to 5250	Pass
					10	120	5200.080	5150 to 5250	Pass
					30	120	5200.060	5150 to 5250	Pass
					40	120	5200.020	5150 to 5250	Pass
					50	120	5200.000	5150 to 5250	Pass
		5240	/	/	20	102	5240.040	5150 to 5250	Pass
						120	5240.000	5150 to 5250	Pass
						138	5240.040	5150 to 5250	Pass
					-30	120	5240.040	5150 to 5250	Pass

					-20	120	5240.020	5150 to 5250	Pass
					-10	120	5240.000	5150 to 5250	Pass
					0	120	5240.080	5150 to 5250	Pass
					10	120	5239.960	5150 to 5250	Pass
					30	120	5240.060	5150 to 5250	Pass
					40	120	5240.020	5150 to 5250	Pass
					50	120	5240.020	5150 to 5250	Pass
		5745	/	/	20	102	5745.080	5725 to 5850	Pass
						120	5745.020	5725 to 5850	Pass
						138	5745.040	5725 to 5850	Pass
					-30	120	5745.040	5725 to 5850	Pass
					-20	120	5745.020	5725 to 5850	Pass
					-10	120	5745.020	5725 to 5850	Pass
					0	120	5744.980	5725 to 5850	Pass
					10	120	5745.040	5725 to 5850	Pass
					30	120	5745.040	5725 to 5850	Pass
					40	120	5745.020	5725 to 5850	Pass
					50	120	5745.020	5725 to 5850	Pass
		5785	/	/	20	102	5785.000	5725 to 5850	Pass
						120	5785.000	5725 to 5850	Pass
						138	5785.000	5725 to 5850	Pass
					-30	120	5784.960	5725 to 5850	Pass
					-20	120	5784.960	5725 to 5850	Pass
					-10	120	5784.960	5725 to 5850	Pass
					0	120	5784.980	5725 to 5850	Pass
					10	120	5784.980	5725 to 5850	Pass
					30	120	5784.980	5725 to 5850	Pass
					40	120	5785.000	5725 to 5850	Pass
					50	120	5785.020	5725 to 5850	Pass
		5825	/	/	20	102	5825.020	5725 to 5850	Pass
						120	5825.020	5725 to 5850	Pass
						138	5825.000	5725 to 5850	Pass
					-30	120	5824.980	5725 to 5850	Pass
					-20	120	5824.960	5725 to 5850	Pass
					-10	120	5824.960	5725 to 5850	Pass
					0	120	5824.940	5725 to 5850	Pass
					10	120	5825.020	5725 to 5850	Pass
					30	120	5824.940	5725 to 5850	Pass
					40	120	5825.100	5725 to 5850	Pass
					50	120	5824.960	5725 to 5850	Pass
802.11n (HT40)	SISO	5190	/	/	20	102	5190.040	5150 to 5250	Pass
						120	5190.000	5150 to 5250	Pass
						138	5190.040	5150 to 5250	Pass
					-30	120	5190.000	5150 to 5250	Pass
					-20	120	5190.040	5150 to 5250	Pass
					-10	120	5190.040	5150 to 5250	Pass
					0	120	5190.080	5150 to 5250	Pass
					10	120	5190.000	5150 to 5250	Pass
					30	120	5189.920	5150 to 5250	Pass
					40	120	5190.000	5150 to 5250	Pass
					50	120	5190.080	5150 to 5250	Pass
		5230	/	/	20	102	5229.960	5150 to 5250	Pass

						120	5230.040	5150 to 5250	Pass
						138	5229.960	5150 to 5250	Pass
					-30	120	5230.040	5150 to 5250	Pass
					-20	120	5230.080	5150 to 5250	Pass
					-10	120	5230.000	5150 to 5250	Pass
					0	120	5230.080	5150 to 5250	Pass
					10	120	5230.000	5150 to 5250	Pass
					30	120	5230.000	5150 to 5250	Pass
					40	120	5230.040	5150 to 5250	Pass
					50	120	5230.040	5150 to 5250	Pass
		5755	/	/	20	102	5755.000	5725 to 5850	Pass
						120	5754.920	5725 to 5850	Pass
						138	5755.040	5725 to 5850	Pass
					-30	120	5755.000	5725 to 5850	Pass
					-20	120	5755.040	5725 to 5850	Pass
					-10	120	5754.960	5725 to 5850	Pass
					0	120	5755.080	5725 to 5850	Pass
					10	120	5755.000	5725 to 5850	Pass
					30	120	5755.000	5725 to 5850	Pass
					40	120	5755.080	5725 to 5850	Pass
					50	120	5755.040	5725 to 5850	Pass
		5795	/	/	20	102	5795.040	5725 to 5850	Pass
						120	5795.080	5725 to 5850	Pass
						138	5795.080	5725 to 5850	Pass
					-30	120	5795.000	5725 to 5850	Pass
					-20	120	5795.000	5725 to 5850	Pass
					-10	120	5795.080	5725 to 5850	Pass
					0	120	5795.040	5725 to 5850	Pass
					10	120	5794.920	5725 to 5850	Pass
					30	120	5795.040	5725 to 5850	Pass
					40	120	5794.960	5725 to 5850	Pass
					50	120	5795.080	5725 to 5850	Pass
802.11ac (VHT20)	SISO	5180	/	/	20	102	5179.960	5150 to 5250	Pass
						120	5180.020	5150 to 5250	Pass
						138	5179.980	5150 to 5250	Pass
					-30	120	5180.000	5150 to 5250	Pass
					-20	120	5180.000	5150 to 5250	Pass
					-10	120	5180.000	5150 to 5250	Pass
					0	120	5180.020	5150 to 5250	Pass
					10	120	5180.000	5150 to 5250	Pass
					30	120	5180.000	5150 to 5250	Pass
					40	120	5180.000	5150 to 5250	Pass
					50	120	5180.000	5150 to 5250	Pass
		5200	/	/	20	102	5199.940	5150 to 5250	Pass
						120	5200.000	5150 to 5250	Pass
						138	5199.940	5150 to 5250	Pass
					-30	120	5200.000	5150 to 5250	Pass
					-20	120	5199.920	5150 to 5250	Pass
					-10	120	5200.040	5150 to 5250	Pass
					0	120	5200.020	5150 to 5250	Pass
					10	120	5199.940	5150 to 5250	Pass
					30	120	5199.960	5150 to 5250	Pass

					40	120	5199.960	5150 to 5250	Pass
					50	120	5200.000	5150 to 5250	Pass
		5240	/	/	20	102	5240.060	5150 to 5250	Pass
						120	5239.980	5150 to 5250	Pass
						138	5240.040	5150 to 5250	Pass
					-30	120	5240.080	5150 to 5250	Pass
					-20	120	5240.060	5150 to 5250	Pass
					-10	120	5240.020	5150 to 5250	Pass
					0	120	5240.100	5150 to 5250	Pass
					10	120	5240.000	5150 to 5250	Pass
					30	120	5240.060	5150 to 5250	Pass
					40	120	5240.060	5150 to 5250	Pass
					50	120	5240.020	5150 to 5250	Pass
		5745	/	/	20	102	5745.020	5725 to 5850	Pass
						120	5745.000	5725 to 5850	Pass
						138	5745.000	5725 to 5850	Pass
					-30	120	5745.000	5725 to 5850	Pass
					-20	120	5745.060	5725 to 5850	Pass
					-10	120	5744.980	5725 to 5850	Pass
					0	120	5745.100	5725 to 5850	Pass
					10	120	5745.020	5725 to 5850	Pass
					30	120	5745.060	5725 to 5850	Pass
					40	120	5745.060	5725 to 5850	Pass
					50	120	5745.060	5725 to 5850	Pass
		5785	/	/	20	102	5785.000	5725 to 5850	Pass
						120	5784.940	5725 to 5850	Pass
						138	5784.980	5725 to 5850	Pass
					-30	120	5785.040	5725 to 5850	Pass
					-20	120	5784.980	5725 to 5850	Pass
					-10	120	5784.980	5725 to 5850	Pass
					0	120	5784.920	5725 to 5850	Pass
					10	120	5784.960	5725 to 5850	Pass
					30	120	5785.060	5725 to 5850	Pass
					40	120	5785.000	5725 to 5850	Pass
					50	120	5784.940	5725 to 5850	Pass
		5825	/	/	20	102	5824.960	5725 to 5850	Pass
						120	5825.000	5725 to 5850	Pass
						138	5824.960	5725 to 5850	Pass
					-30	120	5825.000	5725 to 5850	Pass
					-20	120	5825.000	5725 to 5850	Pass
					-10	120	5824.980	5725 to 5850	Pass
					0	120	5824.980	5725 to 5850	Pass
					10	120	5825.020	5725 to 5850	Pass
					30	120	5825.000	5725 to 5850	Pass
					40	120	5825.000	5725 to 5850	Pass
					50	120	5824.980	5725 to 5850	Pass
802.11ac (VHT40)	SISO	5190	/	/	20	102	5190.040	5150 to 5250	Pass
						120	5190.040	5150 to 5250	Pass
						138	5190.040	5150 to 5250	Pass
					-30	120	5190.000	5150 to 5250	Pass
					-20	120	5189.960	5150 to 5250	Pass
					-10	120	5190.080	5150 to 5250	Pass

					0	120	5190.040	5150 to 5250	Pass
					10	120	5190.000	5150 to 5250	Pass
					30	120	5190.000	5150 to 5250	Pass
					40	120	5190.040	5150 to 5250	Pass
					50	120	5190.040	5150 to 5250	Pass
		5230	/	/	20	102	5230.040	5150 to 5250	Pass
						120	5230.000	5150 to 5250	Pass
						138	5229.960	5150 to 5250	Pass
					-30	120	5230.000	5150 to 5250	Pass
					-20	120	5230.080	5150 to 5250	Pass
					-10	120	5230.040	5150 to 5250	Pass
					0	120	5230.000	5150 to 5250	Pass
					10	120	5230.040	5150 to 5250	Pass
					30	120	5230.080	5150 to 5250	Pass
					40	120	5230.000	5150 to 5250	Pass
					50	120	5230.080	5150 to 5250	Pass
		5755	/	/	20	102	5755.040	5725 to 5850	Pass
						120	5755.040	5725 to 5850	Pass
						138	5755.040	5725 to 5850	Pass
					-30	120	5755.040	5725 to 5850	Pass
					-20	120	5755.040	5725 to 5850	Pass
					-10	120	5755.080	5725 to 5850	Pass
					0	120	5755.040	5725 to 5850	Pass
					10	120	5755.000	5725 to 5850	Pass
					30	120	5755.000	5725 to 5850	Pass
					40	120	5755.000	5725 to 5850	Pass
					50	120	5755.080	5725 to 5850	Pass
		5795	/	/	20	102	5795.040	5725 to 5850	Pass
						120	5795.000	5725 to 5850	Pass
						138	5794.960	5725 to 5850	Pass
					-30	120	5795.080	5725 to 5850	Pass
					-20	120	5794.960	5725 to 5850	Pass
					-10	120	5795.000	5725 to 5850	Pass
					0	120	5795.000	5725 to 5850	Pass
					10	120	5795.080	5725 to 5850	Pass
					30	120	5794.960	5725 to 5850	Pass
					40	120	5795.040	5725 to 5850	Pass
					50	120	5795.040	5725 to 5850	Pass
802.11ac (VHT80)	SISO	5210	/	/	20	102	5210.075	5150 to 5250	Pass
						120	5210.075	5150 to 5250	Pass
						138	5210.075	5150 to 5250	Pass
					-30	120	5210.075	5150 to 5250	Pass
					-20	120	5210.075	5150 to 5250	Pass
					-10	120	5210.075	5150 to 5250	Pass
					0	120	5210.075	5150 to 5250	Pass
					10	120	5210.075	5150 to 5250	Pass
					30	120	5210.075	5150 to 5250	Pass
					40	120	5210.075	5150 to 5250	Pass
					50	120	5210.075	5150 to 5250	Pass
		5775	/	/	20	102	5775.075	5725 to 5850	Pass
						120	5775.000	5725 to 5850	Pass
						138	5775.000	5725 to 5850	Pass

802.11ax (HEW20)	SISO				-30	120	5775.000	5725 to 5850	Pass
					-20	120	5775.000	5725 to 5850	Pass
					-10	120	5775.075	5725 to 5850	Pass
					0	120	5774.925	5725 to 5850	Pass
					10	120	5775.000	5725 to 5850	Pass
					30	120	5775.075	5725 to 5850	Pass
					40	120	5774.925	5725 to 5850	Pass
		5180	SU	/	50	120	5775.000	5725 to 5850	Pass
					20	102	5179.960	5150 to 5250	Pass
						120	5179.980	5150 to 5250	Pass
						138	5179.980	5150 to 5250	Pass
					-30	120	5180.000	5150 to 5250	Pass
					-20	120	5179.980	5150 to 5250	Pass
					-10	120	5180.020	5150 to 5250	Pass
					0	120	5180.000	5150 to 5250	Pass
					10	120	5180.000	5150 to 5250	Pass
					30	120	5180.040	5150 to 5250	Pass
					40	120	5180.020	5150 to 5250	Pass
					50	120	5180.000	5150 to 5250	Pass
		5200	SU	/	20	102	5199.980	5150 to 5250	Pass
						120	5200.000	5150 to 5250	Pass
						138	5200.020	5150 to 5250	Pass
					-30	120	5200.000	5150 to 5250	Pass
					-20	120	5199.960	5150 to 5250	Pass
					-10	120	5199.980	5150 to 5250	Pass
					0	120	5199.980	5150 to 5250	Pass
					10	120	5199.980	5150 to 5250	Pass
					30	120	5199.980	5150 to 5250	Pass
					40	120	5200.000	5150 to 5250	Pass
					50	120	5200.020	5150 to 5250	Pass
		5240	SU	/	20	102	5240.000	5150 to 5250	Pass
						120	5239.980	5150 to 5250	Pass
						138	5239.980	5150 to 5250	Pass
					-30	120	5240.020	5150 to 5250	Pass
					-20	120	5240.020	5150 to 5250	Pass
					-10	120	5240.020	5150 to 5250	Pass
					0	120	5240.020	5150 to 5250	Pass
					10	120	5240.060	5150 to 5250	Pass
					30	120	5240.040	5150 to 5250	Pass
					40	120	5240.060	5150 to 5250	Pass
					50	120	5240.020	5150 to 5250	Pass
		5745	SU	/	20	102	5744.940	5725 to 5850	Pass
						120	5745.020	5725 to 5850	Pass
						138	5745.020	5725 to 5850	Pass
					-30	120	5745.000	5725 to 5850	Pass
					-20	120	5744.960	5725 to 5850	Pass
					-10	120	5745.000	5725 to 5850	Pass
					0	120	5745.060	5725 to 5850	Pass
					10	120	5744.960	5725 to 5850	Pass
					30	120	5745.040	5725 to 5850	Pass
					40	120	5745.020	5725 to 5850	Pass
					50	120	5744.960	5725 to 5850	Pass

		5785	SU	/	20	102	5784.980	5725 to 5850	Pass
						120	5784.980	5725 to 5850	Pass
						138	5785.020	5725 to 5850	Pass
					-30	120	5784.980	5725 to 5850	Pass
					-20	120	5784.940	5725 to 5850	Pass
					-10	120	5784.960	5725 to 5850	Pass
					0	120	5785.000	5725 to 5850	Pass
					10	120	5785.020	5725 to 5850	Pass
					30	120	5785.020	5725 to 5850	Pass
					40	120	5785.000	5725 to 5850	Pass
					50	120	5785.040	5725 to 5850	Pass
		5825	SU	/	20	102	5824.980	5725 to 5850	Pass
						120	5825.020	5725 to 5850	Pass
						138	5825.020	5725 to 5850	Pass
					-30	120	5825.020	5725 to 5850	Pass
					-20	120	5825.020	5725 to 5850	Pass
					-10	120	5825.000	5725 to 5850	Pass
					0	120	5825.000	5725 to 5850	Pass
					10	120	5825.060	5725 to 5850	Pass
					30	120	5825.000	5725 to 5850	Pass
					40	120	5825.020	5725 to 5850	Pass
					50	120	5825.000	5725 to 5850	Pass
802.11ax (HEW40)	SISO	5190	SU	/	20	102	5190.040	5150 to 5250	Pass
						120	5190.000	5150 to 5250	Pass
						138	5190.000	5150 to 5250	Pass
					-30	120	5190.080	5150 to 5250	Pass
					-20	120	5190.040	5150 to 5250	Pass
					-10	120	5190.040	5150 to 5250	Pass
					0	120	5189.960	5150 to 5250	Pass
					10	120	5189.960	5150 to 5250	Pass
					30	120	5190.000	5150 to 5250	Pass
					40	120	5190.040	5150 to 5250	Pass
					50	120	5190.000	5150 to 5250	Pass
		5230	SU	/	20	102	5230.040	5150 to 5250	Pass
						120	5230.040	5150 to 5250	Pass
						138	5230.080	5150 to 5250	Pass
					-30	120	5229.960	5150 to 5250	Pass
					-20	120	5230.000	5150 to 5250	Pass
					-10	120	5230.080	5150 to 5250	Pass
					0	120	5230.040	5150 to 5250	Pass
					10	120	5229.960	5150 to 5250	Pass
					30	120	5230.040	5150 to 5250	Pass
					40	120	5230.080	5150 to 5250	Pass
					50	120	5229.960	5150 to 5250	Pass
		5755	SU	/	20	102	5755.000	5725 to 5850	Pass
						120	5754.960	5725 to 5850	Pass
						138	5755.000	5725 to 5850	Pass
					-30	120	5755.040	5725 to 5850	Pass
					-20	120	5755.000	5725 to 5850	Pass
					-10	120	5755.040	5725 to 5850	Pass
					0	120	5755.040	5725 to 5850	Pass
					10	120	5755.000	5725 to 5850	Pass

802.11ax (HEW80)	SISO	5795	SU	/	30	120	5755.000	5725 to 5850	Pass
					40	120	5755.000	5725 to 5850	Pass
					50	120	5755.000	5725 to 5850	Pass
					20	102	5795.000	5725 to 5850	Pass
						120	5794.960	5725 to 5850	Pass
						138	5794.960	5725 to 5850	Pass
					-30	120	5795.040	5725 to 5850	Pass
					-20	120	5795.040	5725 to 5850	Pass
					-10	120	5795.040	5725 to 5850	Pass
					0	120	5795.000	5725 to 5850	Pass
					10	120	5795.040	5725 to 5850	Pass
					30	120	5795.040	5725 to 5850	Pass
					40	120	5795.040	5725 to 5850	Pass
					50	120	5794.960	5725 to 5850	Pass
		5210	SU	/	20	102	5210.075	5150 to 5250	Pass
						120	5210.075	5150 to 5250	Pass
						138	5210.000	5150 to 5250	Pass
					-30	120	5210.075	5150 to 5250	Pass
					-20	120	5210.075	5150 to 5250	Pass
					-10	120	5210.150	5150 to 5250	Pass
					0	120	5210.075	5150 to 5250	Pass
					10	120	5210.075	5150 to 5250	Pass
					30	120	5210.000	5150 to 5250	Pass
					40	120	5210.075	5150 to 5250	Pass
					50	120	5210.000	5150 to 5250	Pass
		5775	SU	/	20	102	5775.000	5725 to 5850	Pass
						120	5775.000	5725 to 5850	Pass
						138	5775.075	5725 to 5850	Pass
					-30	120	5775.075	5725 to 5850	Pass
					-20	120	5775.075	5725 to 5850	Pass
					-10	120	5775.000	5725 to 5850	Pass
					0	120	5775.000	5725 to 5850	Pass
					10	120	5775.075	5725 to 5850	Pass
					30	120	5775.075	5725 to 5850	Pass
					40	120	5775.075	5725 to 5850	Pass
					50	120	5775.075	5725 to 5850	Pass

Note: All antenna were tested, but only the worst case has been reported in this report.

----- End of Report -----