

11AX40MIMO_Ant1_5755



11AX40MIMO_Ant3_5755



11AX40MIMO_Ant1_5795

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11AX40MIMO_Ant3_5795



11AX80MIMO_Ant1_5690



11AX80MIMO_Ant3_5690

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

11AX80MIMO_Ant1_5775



11AX80MIMO_Ant3_5775



11BE20MIMO_Ant1_5720

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11BE20MIMO_Ant3_5720



11BE20MIMO_Ant1_5745



11BE20MIMO_Ant3_5745

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11BE20MIMO_Ant1_5785



11BE20MIMO_Ant3_5785



11BE20MIMO_Ant1_5825

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11BE20MIMO_Ant3_5825



11BE40MIMO_Ant1_5710



11BE40MIMO_Ant3_5710

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11BE40MIMO_Ant1_5755



11BE40MIMO_Ant3_5755



11BE40MIMO_Ant1_5795

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11BE40MIMO_Ant3_5795



11BE80MIMO_Ant1_5690



11BE80MIMO_Ant3_5690

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11BE80MIMO_Ant1_5775



11BE80MIMO_Ant3_5775



11BE240MIMO_Ant1_5610

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11BE240MIMO_Ant3_5610

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

11.4. APPENDIX D: MAXIMUM CONDUCTED OUTPUT POWER

11.4.1. Test Result

For FCC UNII-1&UNII-2A&UNII-2C&UNII-3 test data table:

Test Mode	Antenna	Channel	Power [dBm]	FCC Limit [dBm]	ISED Limit [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
11A-CDD	Ant1	5180	23.06	≤30.00	---	26.06	---	PASS
	Ant3	5180	22.86	≤30.00	---	25.86	---	PASS
	total	5180	25.97	≤30.00	---	28.97	---	PASS
	Ant1	5200	22.75	≤30.00	---	25.75	---	PASS
	Ant3	5200	22.66	≤30.00	---	25.66	---	PASS
	total	5200	25.72	≤30.00	---	28.72	---	PASS
	Ant1	5240	21.26	≤30.00	---	24.26	---	PASS
	Ant3	5240	19.11	≤30.00	---	22.11	---	PASS
	total	5240	23.33	≤30.00	---	26.33	---	PASS
	Ant1	5260	18.94	≤23.98	≤23.23	21.94	≤23.23	PASS
	Ant3	5260	18.48	≤23.98	≤23.31	21.48	≤23.31	PASS
	total	5260	21.73	≤23.98	≤23.23	24.73	≤23.23	PASS
	Ant1	5280	19.15	≤23.98	≤23.29	22.15	≤23.29	PASS
	Ant3	5280	18.61	≤23.98	≤23.30	21.61	≤23.30	PASS
	total	5280	21.90	≤23.98	≤23.29	24.90	≤23.29	PASS
	Ant1	5320	19.16	≤23.98	≤23.29	22.16	≤23.29	PASS
	Ant3	5320	18.72	≤23.98	≤23.28	21.72	≤23.28	PASS
	total	5320	21.96	≤23.98	≤23.28	24.96	≤23.28	PASS
	Ant1	5500	18.57	≤23.98	≤23.29	21.57	≤23.29	PASS
	Ant3	5500	18.45	≤23.98	≤23.29	21.45	≤23.29	PASS
	total	5500	21.52	≤23.98	≤23.29	24.52	≤23.29	PASS
	Ant1	5580	18.84	≤23.98	≤23.31	21.84	≤23.31	PASS
	Ant3	5580	18.79	≤23.98	≤23.28	21.79	≤23.28	PASS
	total	5580	21.83	≤23.98	≤23.28	24.83	≤23.28	PASS
	Ant1	5700	18.36	≤23.98	≤23.28	21.36	≤23.28	PASS
	Ant3	5700	18.48	≤23.98	≤23.29	21.48	≤23.29	PASS
	total	5700	21.43	≤23.98	≤23.28	24.43	≤23.28	PASS
	Ant1	5720_UNII-2C	17.59	≤23.12	≤22.28	20.59	≤22.28	PASS
	Ant3	5720_UNII-2C	17.32	≤23.00	≤22.27	20.32	≤22.27	PASS
	total	5720_UNII-2C	20.47	≤23.98	≤22.27	23.47	≤22.27	PASS
	Ant1	5720_UNII-3	11.15	≤30.00	≤30.00	14.15	---	PASS
	Ant3	5720_UNII-3	11.34	≤30.00	≤30.00	14.34	---	PASS
	total	5720_UNII-3	14.26	≤30.00	≤30.00	17.26	---	PASS
	Ant1	5745	21.87	≤30.00	≤30.00	24.87	---	PASS
	Ant3	5745	22.50	≤30.00	≤30.00	25.50	---	PASS
	total	5745	25.21	≤30.00	≤30.00	28.21	---	PASS
	Ant1	5785	22.24	≤30.00	≤30.00	25.24	---	PASS
	Ant3	5785	22.46	≤30.00	≤30.00	25.46	---	PASS
	total	5785	25.36	≤30.00	≤30.00	28.36	---	PASS
	Ant1	5825	22.51	≤30.00	≤30.00	25.51	---	PASS
	Ant3	5825	22.82	≤30.00	≤30.00	25.82	---	PASS
	total	5825	25.68	≤30.00	≤30.00	28.68	---	PASS
11AX20MIMO	Ant1	5180	22.51	≤30.00	---	25.51	---	PASS
	Ant3	5180	20.51	≤30.00	---	23.51	---	PASS
	total	5180	24.63	≤30.00	---	27.63	---	PASS
	Ant1	5200	22.96	≤30.00	---	25.96	---	PASS
	Ant3	5200	22.74	≤30.00	---	25.74	---	PASS
	total	5200	25.86	≤30.00	---	28.86	---	PASS
	Ant1	5240	21.37	≤30.00	---	24.37	---	PASS

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

	Ant3	5240	19.19	≤30.00	---	22.19	---	PASS
	total	5240	23.43	≤30.00	---	26.43	---	PASS
	Ant1	5260	19.20	≤23.98	≤23.81	22.20	≤30.00	PASS
	Ant3	5260	18.65	≤23.98	≤23.80	21.65	≤30.00	PASS
	total	5260	21.94	≤23.98	≤23.80	24.94	≤30.00	PASS
	Ant1	5280	19.03	≤23.98	≤23.80	22.03	≤30.00	PASS
	Ant3	5280	18.99	≤23.98	≤23.83	21.99	≤30.00	PASS
	total	5280	22.02	≤23.98	≤23.80	25.02	≤30.00	PASS
	Ant1	5320	19.29	≤23.98	≤23.83	22.29	≤30.00	PASS
	Ant3	5320	19.14	≤23.98	≤23.81	22.14	≤30.00	PASS
	total	5320	22.23	≤23.98	≤23.81	25.23	≤30.00	PASS
	Ant1	5500	18.91	≤23.98	≤23.81	21.91	≤30.00	PASS
	Ant3	5500	18.82	≤23.98	≤23.81	21.82	≤30.00	PASS
	total	5500	21.88	≤23.98	≤23.81	24.88	≤30.00	PASS
	Ant1	5580	18.98	≤23.98	≤23.82	21.98	≤30.00	PASS
	Ant3	5580	19.20	≤23.98	≤23.82	22.20	≤30.00	PASS
	total	5580	22.10	≤23.98	≤23.82	25.10	≤30.00	PASS
	Ant1	5700	18.90	≤23.98	≤23.82	21.90	≤30.00	PASS
	Ant3	5700	18.85	≤23.98	≤23.82	21.85	≤30.00	PASS
	total	5700	21.89	≤23.98	≤23.82	24.89	≤30.00	PASS
	Ant1	5720_UNII-2C	17.67	≤23.08	≤22.64	20.67	≤30.00	PASS
	Ant3	5720_UNII-2C	17.30	≤22.96	≤22.63	20.30	≤30.00	PASS
	total	5720_UNII-2C	20.50	≤23.98	≤22.63	23.50	≤30.00	PASS
	Ant1	5720_UNII-3	12.08	≤30.00	≤30.00	15.08	---	PASS
	Ant3	5720_UNII-3	11.61	≤30.00	≤30.00	14.61	---	PASS
	total	5720_UNII-3	14.86	≤30.00	≤30.00	17.86	---	PASS
	Ant1	5745	22.85	≤30.00	≤30.00	25.85	---	PASS
	Ant3	5745	22.33	≤30.00	≤30.00	25.33	---	PASS
	total	5745	25.61	≤30.00	≤30.00	28.61	---	PASS
	Ant1	5785	22.53	≤30.00	≤30.00	25.53	---	PASS
	Ant3	5785	22.24	≤30.00	≤30.00	25.24	---	PASS
	total	5785	25.40	≤30.00	≤30.00	28.40	---	PASS
	Ant1	5825	22.50	≤30.00	≤30.00	25.50	---	PASS
	Ant3	5825	22.53	≤30.00	≤30.00	25.53	---	PASS
	total	5825	25.53	≤30.00	≤30.00	28.53	---	PASS
11AX40MIMO	Ant1	5190	21.06	≤30.00	---	24.06	---	PASS
	Ant3	5190	18.87	≤30.00	---	21.87	---	PASS
	total	5190	23.11	≤30.00	---	26.11	---	PASS
	Ant1	5230	20.50	≤30.00	---	23.50	---	PASS
	Ant3	5230	18.41	≤30.00	---	21.41	---	PASS
	total	5230	22.59	≤30.00	---	25.59	---	PASS
	Ant1	5270	20.15	≤23.98	≤23.98	23.15	≤30.00	PASS
	Ant3	5270	20.02	≤23.98	≤23.98	23.02	≤30.00	PASS
	total	5270	23.10	≤23.98	≤23.98	26.10	≤30.00	PASS
	Ant1	5310	19.60	≤23.98	≤23.98	22.60	≤30.00	PASS
	Ant3	5310	17.17	≤23.98	≤23.98	20.17	≤30.00	PASS
	total	5310	21.56	≤23.98	≤23.98	24.56	≤30.00	PASS
	Ant1	5510	20.61	≤23.98	≤23.98	23.61	≤30.00	PASS
	Ant3	5510	20.67	≤23.98	≤23.98	23.67	≤30.00	PASS
	total	5510	23.65	≤23.98	≤23.98	26.65	≤30.00	PASS
	Ant1	5550	20.66	≤23.98	≤23.98	23.66	≤30.00	PASS
	Ant3	5550	20.82	≤23.98	≤23.98	23.82	≤30.00	PASS
	total	5550	23.75	≤23.98	≤23.98	26.75	≤30.00	PASS
	Ant1	5670	20.00	≤23.98	≤23.98	23.00	≤30.00	PASS
	Ant3	5670	20.24	≤23.98	≤23.98	23.24	≤30.00	PASS
	total	5670	23.13	≤23.98	≤23.98	26.13	≤30.00	PASS

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

	Ant1	5710_UNII-2C	20.16	≤23.98	≤23.98	23.16	≤30.00	PASS
	Ant3	5710_UNII-2C	19.92	≤23.98	≤23.98	22.92	≤30.00	PASS
	total	5710_UNII-2C	23.05	≤23.98	≤23.98	26.05	≤30.00	PASS
	Ant1	5710_UNII-3	9.55	≤30.00	≤30.00	12.55	---	PASS
	Ant3	5710_UNII-3	9.15	≤30.00	≤30.00	12.15	---	PASS
	total	5710_UNII-3	12.36	≤30.00	≤30.00	15.36	---	PASS
	Ant1	5755	22.50	≤30.00	≤30.00	25.50	---	PASS
	Ant3	5755	22.81	≤30.00	≤30.00	25.81	---	PASS
	total	5755	25.67	≤30.00	≤30.00	28.67	---	PASS
	Ant1	5795	22.04	≤30.00	≤30.00	25.04	---	PASS
	Ant3	5795	21.35	≤30.00	≤30.00	24.35	---	PASS
	total	5795	24.72	≤30.00	≤30.00	27.72	---	PASS
11AX80MIMO	Ant1	5210	21.48	≤30.00	---	24.48	---	PASS
	Ant3	5210	19.26	≤30.00	---	22.26	---	PASS
	total	5210	23.52	≤30.00	---	26.52	---	PASS
	Ant1	5290	20.41	≤23.98	≤23.98	23.41	≤30.00	PASS
	Ant3	5290	19.21	≤23.98	≤23.98	22.21	≤30.00	PASS
	total	5290	22.86	≤23.98	≤23.98	25.86	≤30.00	PASS
	Ant1	5530	20.48	≤23.98	≤23.98	23.48	≤30.00	PASS
	Ant3	5530	18.19	≤23.98	≤23.98	21.19	≤30.00	PASS
	total	5530	22.49	≤23.98	≤23.98	25.49	≤30.00	PASS
	Ant1	5610	20.63	≤23.98	≤23.98	23.63	≤30.00	PASS
	Ant3	5610	19.71	≤23.98	≤23.98	22.71	≤30.00	PASS
	total	5610	23.20	≤23.98	≤23.98	26.20	≤30.00	PASS
	Ant1	5690_UNII-2C	20.07	≤23.98	≤23.98	23.07	≤30.00	PASS
	Ant3	5690_UNII-2C	18.98	≤23.98	≤23.98	21.98	≤30.00	PASS
	total	5690_UNII-2C	22.57	≤23.98	≤23.98	25.57	≤30.00	PASS
	Ant1	5690_UNII-3	5.95	≤30.00	≤30.00	8.95	---	PASS
	Ant3	5690_UNII-3	4.69	≤30.00	≤30.00	7.69	---	PASS
	total	5690_UNII-3	8.38	≤30.00	≤30.00	11.38	---	PASS
	Ant1	5775	21.20	≤30.00	≤30.00	24.20	---	PASS
	Ant3	5775	20.24	≤30.00	≤30.00	23.24	---	PASS
	total	5775	23.76	≤30.00	≤30.00	26.76	---	PASS
11AX160MIMO	Ant1	5250_UNII-1	17.32	≤23.98	---	20.32	---	PASS
	Ant3	5250_UNII-1	16.05	≤23.98	---	19.05	---	PASS
	total	5250_UNII-1	19.74	≤23.98	---	22.74	---	PASS
	Ant1	5250_UNII-2A	16.88	≤23.98	≤23.98	19.88	≤30.00	PASS
	Ant3	5250_UNII-2A	14.88	≤23.98	≤23.98	17.88	≤30.00	PASS
	total	5250_UNII-2A	19.00	≤23.98	≤23.98	22.00	≤30.00	PASS
	Ant1	5570	18.73	≤23.98	≤23.98	21.73	≤30.00	PASS
	Ant3	5570	17.86	≤23.98	≤23.98	20.86	≤30.00	PASS
	total	5570	21.33	≤23.98	≤23.98	24.33	≤30.00	PASS
11BE20MIMO	Ant1	5180	23.35	≤30.00	---	26.35	---	PASS
	Ant3	5180	22.37	≤30.00	---	25.37	---	PASS
	total	5180	25.90	≤30.00	---	28.90	---	PASS

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

	Ant1	5200	23.21	≤30.00	---	26.21	---	PASS
	Ant3	5200	22.12	≤30.00	---	25.12	---	PASS
	total	5200	25.71	≤30.00	---	28.71	---	PASS
	Ant1	5240	21.52	≤30.00	---	24.52	---	PASS
	Ant3	5240	19.24	≤30.00	---	22.24	---	PASS
	total	5240	23.54	≤30.00	---	26.54	---	PASS
	Ant1	5260	18.15	≤23.98	≤23.84	21.15	≤30.00	PASS
	Ant3	5260	17.14	≤23.98	≤23.83	20.14	≤30.00	PASS
	total	5260	20.68	≤23.98	≤23.83	23.68	≤30.00	PASS
	Ant1	5280	18.20	≤23.98	≤23.85	21.20	≤30.00	PASS
	Ant3	5280	17.33	≤23.98	≤23.84	20.33	≤30.00	PASS
	total	5280	20.80	≤23.98	≤23.84	23.80	≤30.00	PASS
	Ant1	5320	18.02	≤23.98	≤23.84	21.02	≤30.00	PASS
	Ant3	5320	17.47	≤23.98	≤23.84	20.47	≤30.00	PASS
	total	5320	20.76	≤23.98	≤23.84	23.76	≤30.00	PASS
	Ant1	5500	17.98	≤23.98	≤23.83	20.98	≤30.00	PASS
	Ant3	5500	16.45	≤23.98	≤23.85	19.45	≤30.00	PASS
	total	5500	20.29	≤23.98	≤23.83	23.29	≤30.00	PASS
	Ant1	5580	18.20	≤23.98	≤23.84	21.20	≤30.00	PASS
	Ant3	5580	17.07	≤23.98	≤23.85	20.07	≤30.00	PASS
	total	5580	20.68	≤23.98	≤23.84	23.68	≤30.00	PASS
	Ant1	5700	17.76	≤23.98	≤23.85	20.76	≤30.00	PASS
	Ant3	5700	16.42	≤23.98	≤23.84	19.42	≤30.00	PASS
	total	5700	20.15	≤23.98	≤23.84	23.15	≤30.00	PASS
	Ant1	5720_UNII-2C	16.93	≤23.16	≤22.64	19.93	≤30.00	PASS
	Ant3	5720_UNII-2C	15.71	≤23.08	≤22.64	18.71	≤30.00	PASS
	total	5720_UNII-2C	19.37	≤23.98	≤22.64	22.37	≤30.00	PASS
	Ant1	5720_UNII-3	10.47	≤30.00	≤30.00	13.47	---	PASS
	Ant3	5720_UNII-3	9.90	≤30.00	≤30.00	12.90	---	PASS
	total	5720_UNII-3	13.20	≤30.00	≤30.00	16.20	---	PASS
	Ant1	5745	22.62	≤30.00	≤30.00	25.62	---	PASS
	Ant3	5745	21.63	≤30.00	≤30.00	24.63	---	PASS
	total	5745	25.16	≤30.00	≤30.00	28.16	---	PASS
	Ant1	5785	22.45	≤30.00	≤30.00	25.45	---	PASS
	Ant3	5785	21.56	≤30.00	≤30.00	24.56	---	PASS
	total	5785	25.04	≤30.00	≤30.00	28.04	---	PASS
	Ant1	5825	22.68	≤30.00	≤30.00	25.68	---	PASS
	Ant3	5825	21.70	≤30.00	≤30.00	24.70	---	PASS
	total	5825	25.23	≤30.00	≤30.00	28.23	---	PASS
11BE40MIMO	Ant1	5190	22.07	≤30.00	---	25.07	---	PASS
	Ant3	5190	19.69	≤30.00	---	22.69	---	PASS
	total	5190	24.05	≤30.00	---	27.05	---	PASS
	Ant1	5230	23.25	≤30.00	---	26.25	---	PASS
	Ant3	5230	22.27	≤30.00	---	25.27	---	PASS
	total	5230	25.80	≤30.00	---	28.80	---	PASS
	Ant1	5270	20.36	≤23.98	≤23.98	23.36	≤30.00	PASS
	Ant3	5270	19.24	≤23.98	≤23.98	22.24	≤30.00	PASS
	total	5270	22.85	≤23.98	≤23.98	25.85	≤30.00	PASS
	Ant1	5310	20.31	≤23.98	≤23.98	23.31	≤30.00	PASS
	Ant3	5310	19.25	≤23.98	≤23.98	22.25	≤30.00	PASS
	total	5310	22.82	≤23.98	≤23.98	25.82	≤30.00	PASS
	Ant1	5510	20.85	≤23.98	≤23.98	23.85	≤30.00	PASS
	Ant3	5510	19.67	≤23.98	≤23.98	22.67	≤30.00	PASS
	total	5510	23.31	≤23.98	≤23.98	26.31	≤30.00	PASS
	Ant1	5550	20.75	≤23.98	≤23.98	23.75	≤30.00	PASS
	Ant3	5550	19.20	≤23.98	≤23.98	22.20	≤30.00	PASS
	total	5550	23.05	≤23.98	≤23.98	26.05	≤30.00	PASS

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

	Ant1	5670	21.10	≤23.98	≤23.98	24.10	≤30.00	PASS
	Ant3	5670	20.19	≤23.98	≤23.98	23.19	≤30.00	PASS
	total	5670	23.68	≤23.98	≤23.98	26.68	≤30.00	PASS
	Ant1	5710_UNII-2C	21.28	≤23.98	≤23.98	24.28	≤30.00	PASS
	Ant3	5710_UNII-2C	19.46	≤23.98	≤23.98	22.46	≤30.00	PASS
	total	5710_UNII-2C	23.47	≤23.98	≤23.98	26.47	≤30.00	PASS
	Ant1	5710_UNII-3	9.78	≤30.00	≤30.00	12.78	---	PASS
	Ant3	5710_UNII-3	9.05	≤30.00	≤30.00	12.05	---	PASS
	total	5710_UNII-3	12.44	≤30.00	≤30.00	15.44	---	PASS
	Ant1	5755	22.48	≤30.00	≤30.00	25.48	---	PASS
	Ant3	5755	21.59	≤30.00	≤30.00	24.59	---	PASS
	total	5755	25.07	≤30.00	≤30.00	28.07	---	PASS
	Ant1	5795	23.02	≤30.00	≤30.00	26.02	---	PASS
	Ant3	5795	21.31	≤30.00	≤30.00	24.31	---	PASS
	total	5795	25.26	≤30.00	≤30.00	28.26	---	PASS
11BE80MIMO	Ant1	5210	21.06	≤30.00	---	24.06	---	PASS
	Ant3	5210	19.55	≤30.00	---	22.55	---	PASS
	total	5210	23.38	≤30.00	---	26.38	---	PASS
	Ant1	5290	20.30	≤23.98	≤23.98	23.30	≤30.00	PASS
	Ant3	5290	18.86	≤23.98	≤23.98	21.86	≤30.00	PASS
	total	5290	22.65	≤23.98	≤23.98	25.65	≤30.00	PASS
	Ant1	5530	20.78	≤23.98	≤23.98	23.78	≤30.00	PASS
	Ant3	5530	18.73	≤23.98	≤23.98	21.73	≤30.00	PASS
	total	5530	22.89	≤23.98	≤23.98	25.89	≤30.00	PASS
	Ant1	5610	20.89	≤23.98	≤23.98	23.89	≤30.00	PASS
	Ant3	5610	19.37	≤23.98	≤23.98	22.37	≤30.00	PASS
	total	5610	23.21	≤23.98	≤23.98	26.21	≤30.00	PASS
	Ant1	5690_UNII-2C	20.17	≤23.98	≤23.98	23.17	≤30.00	PASS
	Ant3	5690_UNII-2C	18.23	≤23.98	≤23.98	21.23	≤30.00	PASS
	total	5690_UNII-2C	22.32	≤23.98	≤23.98	25.32	≤30.00	PASS
	Ant1	5690_UNII-3	5.72	≤30.00	≤30.00	8.72	---	PASS
	Ant3	5690_UNII-3	4.25	≤30.00	≤30.00	7.25	---	PASS
	total	5690_UNII-3	8.06	≤30.00	≤30.00	11.06	---	PASS
	Ant1	5775	20.94	≤30.00	≤30.00	23.94	---	PASS
	Ant3	5775	19.02	≤30.00	≤30.00	22.02	---	PASS
	total	5775	23.10	≤30.00	≤30.00	26.10	---	PASS
11BE160MIMO	Ant1	5250_UNII-1	17.06	≤23.98	---	20.06	---	PASS
	Ant3	5250_UNII-1	16.26	≤23.98	---	19.26	---	PASS
	total	5250_UNII-1	19.69	≤23.98	---	22.69	---	PASS
	Ant1	5250_UNII-2A	16.32	≤23.98	≤23.98	19.32	≤30.00	PASS
	Ant3	5250_UNII-2A	14.61	≤23.98	≤23.98	17.61	≤30.00	PASS
	total	5250_UNII-2A	18.56	≤23.98	≤23.98	21.56	≤30.00	PASS
	Ant1	5570	18.78	≤23.98	≤23.98	21.78	≤30.00	PASS
	Ant3	5570	16.95	≤23.98	≤23.98	19.95	≤30.00	PASS
	total	5570	20.97	≤23.98	≤23.98	23.97	≤30.00	PASS

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

11BE240MIMO	Ant1	5610_UNII-2C	12.30	≤23.98	≤23.98	15.30	≤30.00	PASS
	Ant3	5610_UNII-2C	11.49	≤23.98	≤23.98	14.49	≤30.00	PASS
	total	5610_UNII-2C	14.92	≤23.98	≤23.98	17.92	≤30.00	PASS
	Ant1	5610_UNII-3	-5.45	≤30.00	≤30.00	-2.45	≤30.00	PASS
	Ant3	5610_UNII-3	-7.05	≤30.00	≤30.00	-4.05	≤30.00	PASS
	total	5610_UNII-3	-3.17	≤30.00	≤30.00	-0.17	≤30.00	PASS

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

For ISED UNII-1&UNII-2A&UNII-2C&UNII-3 test data table:

Test Mode	Antenna	Channel	Power [dBm]	FCC Limit [dBm]	ISED Limit [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
11A-CDD	Ant1	5180	11.75	≤30.00	---	14.75	≤22.27	PASS
	Ant3	5180	11.16	≤30.00	---	14.16	≤22.33	PASS
	total	5180	14.48	≤30.00	---	17.48	≤22.27	PASS
	Ant1	5200	11.14	≤30.00	---	14.14	≤22.34	PASS
	Ant3	5200	10.94	≤30.00	---	13.94	≤22.30	PASS
	total	5200	14.05	≤30.00	---	17.05	≤22.30	PASS
	Ant1	5240	11.16	≤30.00	---	14.16	≤22.31	PASS
	Ant3	5240	11.06	≤30.00	---	14.06	≤22.29	PASS
	total	5240	14.12	≤30.00	---	17.12	≤22.29	PASS
	Ant1	5260	18.94	≤23.98	≤23.23	21.94	≤23.23	PASS
	Ant3	5260	18.48	≤23.98	≤23.31	21.48	≤23.31	PASS
	total	5260	21.73	≤23.98	≤23.23	24.73	≤23.23	PASS
	Ant1	5280	19.15	≤23.98	≤23.29	22.15	≤23.29	PASS
	Ant3	5280	18.61	≤23.98	≤23.30	21.61	≤23.30	PASS
	total	5280	21.90	≤23.98	≤23.29	24.90	≤23.29	PASS
	Ant1	5320	19.16	≤23.98	≤23.29	22.16	≤23.29	PASS
	Ant3	5320	18.72	≤23.98	≤23.28	21.72	≤23.28	PASS
	total	5320	21.96	≤23.98	≤23.28	24.96	≤23.28	PASS
	Ant1	5500	18.57	≤23.98	≤23.29	21.57	≤23.29	PASS
	Ant3	5500	18.45	≤23.98	≤23.29	21.45	≤23.29	PASS
	total	5500	21.52	≤23.98	≤23.29	24.52	≤23.29	PASS
	Ant1	5580	18.84	≤23.98	≤23.31	21.84	≤23.31	PASS
	Ant3	5580	18.79	≤23.98	≤23.28	21.79	≤23.28	PASS
	total	5580	21.83	≤23.98	≤23.28	24.83	≤23.28	PASS
	Ant1	5700	18.36	≤23.98	≤23.28	21.36	≤23.28	PASS
	Ant3	5700	18.48	≤23.98	≤23.29	21.48	≤23.29	PASS
	total	5700	21.43	≤23.98	≤23.28	24.43	≤23.28	PASS
	Ant1	5720_UNII-2C	17.59	≤23.12	≤22.28	20.59	≤22.28	PASS
	Ant3	5720_UNII-2C	17.32	≤23.00	≤22.27	20.32	≤22.27	PASS
	total	5720_UNII-2C	20.47	≤23.98	≤22.27	23.47	≤22.27	PASS
	Ant1	5720_UNII-3	11.15	≤30.00	≤30.00	14.15	---	PASS
	Ant3	5720_UNII-3	11.34	≤30.00	≤30.00	14.34	---	PASS
	total	5720_UNII-3	14.26	≤30.00	≤30.00	17.26	---	PASS
	Ant1	5745	21.87	≤30.00	≤30.00	24.87	---	PASS
	Ant3	5745	22.50	≤30.00	≤30.00	25.50	---	PASS
	total	5745	25.21	≤30.00	≤30.00	28.21	---	PASS
	Ant1	5785	22.24	≤30.00	≤30.00	25.24	---	PASS
	Ant3	5785	22.46	≤30.00	≤30.00	25.46	---	PASS
	total	5785	25.36	≤30.00	≤30.00	28.36	---	PASS
	Ant1	5825	22.51	≤30.00	≤30.00	25.51	---	PASS
	Ant3	5825	22.82	≤30.00	≤30.00	25.82	---	PASS
	total	5825	25.68	≤30.00	≤30.00	28.68	---	PASS
11AX20MIMO	Ant1	5180	12.73	≤30.00	---	15.73	≤22.81	PASS
	Ant3	5180	12.29	≤30.00	---	15.29	≤22.83	PASS
	total	5180	15.53	≤30.00	---	18.53	≤22.81	PASS
	Ant1	5200	12.47	≤30.00	---	15.47	≤22.82	PASS
	Ant3	5200	12.08	≤30.00	---	15.08	≤22.81	PASS
	total	5200	15.29	≤30.00	---	18.29	≤22.81	PASS
	Ant1	5240	12.59	≤30.00	---	15.59	≤22.82	PASS
	Ant3	5240	12.05	≤30.00	---	15.05	≤22.81	PASS
	total	5240	15.34	≤30.00	---	18.34	≤22.81	PASS

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

	Ant1	5260	19.20	≤23.98	≤23.81	22.20	≤30.00	PASS
	Ant3	5260	18.65	≤23.98	≤23.80	21.65	≤30.00	PASS
	total	5260	21.94	≤23.98	≤23.80	24.94	≤30.00	PASS
	Ant1	5280	19.03	≤23.98	≤23.80	22.03	≤30.00	PASS
	Ant3	5280	18.99	≤23.98	≤23.83	21.99	≤30.00	PASS
	total	5280	22.02	≤23.98	≤23.80	25.02	≤30.00	PASS
	Ant1	5320	19.29	≤23.98	≤23.83	22.29	≤30.00	PASS
	Ant3	5320	19.14	≤23.98	≤23.81	22.14	≤30.00	PASS
	total	5320	22.23	≤23.98	≤23.81	25.23	≤30.00	PASS
	Ant1	5500	18.91	≤23.98	≤23.81	21.91	≤30.00	PASS
	Ant3	5500	18.82	≤23.98	≤23.81	21.82	≤30.00	PASS
	total	5500	21.88	≤23.98	≤23.81	24.88	≤30.00	PASS
	Ant1	5580	18.98	≤23.98	≤23.82	21.98	≤30.00	PASS
	Ant3	5580	19.20	≤23.98	≤23.82	22.20	≤30.00	PASS
	total	5580	22.10	≤23.98	≤23.82	25.10	≤30.00	PASS
	Ant1	5700	18.90	≤23.98	≤23.82	21.90	≤30.00	PASS
	Ant3	5700	18.85	≤23.98	≤23.82	21.85	≤30.00	PASS
	total	5700	21.89	≤23.98	≤23.82	24.89	≤30.00	PASS
	Ant1	5720_UNII-2C	17.67	≤23.08	≤22.64	20.67	≤30.00	PASS
	Ant3	5720_UNII-2C	17.30	≤22.96	≤22.63	20.30	≤30.00	PASS
	total	5720_UNII-2C	20.50	≤23.98	≤22.63	23.50	≤30.00	PASS
	Ant1	5720_UNII-3	12.08	≤30.00	≤30.00	15.08	---	PASS
	Ant3	5720_UNII-3	11.61	≤30.00	≤30.00	14.61	---	PASS
	total	5720_UNII-3	14.86	≤30.00	≤30.00	17.86	---	PASS
	Ant1	5745	22.85	≤30.00	≤30.00	25.85	---	PASS
	Ant3	5745	22.33	≤30.00	≤30.00	25.33	---	PASS
	total	5745	25.61	≤30.00	≤30.00	28.61	---	PASS
	Ant1	5785	22.53	≤30.00	≤30.00	25.53	---	PASS
	Ant3	5785	22.24	≤30.00	≤30.00	25.24	---	PASS
	total	5785	25.40	≤30.00	≤30.00	28.40	---	PASS
	Ant1	5825	22.50	≤30.00	≤30.00	25.50	---	PASS
	Ant3	5825	22.53	≤30.00	≤30.00	25.53	---	PASS
	total	5825	25.53	≤30.00	≤30.00	28.53	---	PASS
11AX40MIMO	Ant1	5190	15.06	≤30.00	---	18.06	≤23.00	PASS
	Ant3	5190	14.69	≤30.00	---	17.69	≤23.00	PASS
	total	5190	17.89	≤30.00	---	20.89	≤23.00	PASS
	Ant1	5230	15.61	≤30.00	---	18.61	≤23.00	PASS
	Ant3	5230	15.14	≤30.00	---	18.14	≤23.00	PASS
	total	5230	18.39	≤30.00	---	21.39	≤23.00	PASS
	Ant1	5270	20.15	≤23.98	≤23.98	23.15	≤30.00	PASS
	Ant3	5270	20.02	≤23.98	≤23.98	23.02	≤30.00	PASS
	total	5270	23.10	≤23.98	≤23.98	26.10	≤30.00	PASS
	Ant1	5310	19.60	≤23.98	≤23.98	22.60	≤30.00	PASS
	Ant3	5310	17.17	≤23.98	≤23.98	20.17	≤30.00	PASS
	total	5310	21.56	≤23.98	≤23.98	24.56	≤30.00	PASS
	Ant1	5510	20.61	≤23.98	≤23.98	23.61	≤30.00	PASS
	Ant3	5510	20.67	≤23.98	≤23.98	23.67	≤30.00	PASS
	total	5510	23.65	≤23.98	≤23.98	26.65	≤30.00	PASS
	Ant1	5550	20.66	≤23.98	≤23.98	23.66	≤30.00	PASS
	Ant3	5550	20.82	≤23.98	≤23.98	23.82	≤30.00	PASS
	total	5550	23.75	≤23.98	≤23.98	26.75	≤30.00	PASS
	Ant1	5670	20.00	≤23.98	≤23.98	23.00	≤30.00	PASS
	Ant3	5670	20.24	≤23.98	≤23.98	23.24	≤30.00	PASS
	total	5670	23.13	≤23.98	≤23.98	26.13	≤30.00	PASS
	Ant1	5710_UNII-2C	20.16	≤23.98	≤23.98	23.16	≤30.00	PASS

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

	Ant3	5710_UNII-2C	19.92	≤23.98	≤23.98	22.92	≤30.00	PASS
	total	5710_UNII-2C	23.05	≤23.98	≤23.98	26.05	≤30.00	PASS
	Ant1	5710_UNII-3	9.55	≤30.00	≤30.00	12.55	---	PASS
	Ant3	5710_UNII-3	9.15	≤30.00	≤30.00	12.15	---	PASS
	total	5710_UNII-3	12.36	≤30.00	≤30.00	15.36	---	PASS
	Ant1	5755	22.50	≤30.00	≤30.00	25.50	---	PASS
	Ant3	5755	22.81	≤30.00	≤30.00	25.81	---	PASS
	total	5755	25.67	≤30.00	≤30.00	28.67	---	PASS
	Ant1	5795	22.04	≤30.00	≤30.00	25.04	---	PASS
	Ant3	5795	21.35	≤30.00	≤30.00	24.35	---	PASS
	total	5795	24.72	≤30.00	≤30.00	27.72	---	PASS
11AX80MIMO	Ant1	5210	16.52	≤30.00	---	19.52	≤23.00	PASS
	Ant3	5210	16.04	≤30.00	---	19.04	≤23.00	PASS
	total	5210	19.30	≤30.00	---	22.30	≤23.00	PASS
	Ant1	5290	20.41	≤23.98	≤23.98	23.41	≤30.00	PASS
	Ant3	5290	19.21	≤23.98	≤23.98	22.21	≤30.00	PASS
	total	5290	22.86	≤23.98	≤23.98	25.86	≤30.00	PASS
	Ant1	5530	20.48	≤23.98	≤23.98	23.48	≤30.00	PASS
	Ant3	5530	18.19	≤23.98	≤23.98	21.19	≤30.00	PASS
	total	5530	22.49	≤23.98	≤23.98	25.49	≤30.00	PASS
	Ant1	5610	20.63	≤23.98	≤23.98	23.63	≤30.00	PASS
	Ant3	5610	19.71	≤23.98	≤23.98	22.71	≤30.00	PASS
	total	5610	23.20	≤23.98	≤23.98	26.20	≤30.00	PASS
	Ant1	5690_UNII-2C	20.07	≤23.98	≤23.98	23.07	≤30.00	PASS
	Ant3	5690_UNII-2C	18.98	≤23.98	≤23.98	21.98	≤30.00	PASS
	total	5690_UNII-2C	22.57	≤23.98	≤23.98	25.57	≤30.00	PASS
	Ant1	5690_UNII-3	5.95	≤30.00	≤30.00	8.95	---	PASS
	Ant3	5690_UNII-3	4.69	≤30.00	≤30.00	7.69	---	PASS
	total	5690_UNII-3	8.38	≤30.00	≤30.00	11.38	---	PASS
	Ant1	5775	21.20	≤30.00	≤30.00	24.20	---	PASS
	Ant3	5775	20.24	≤30.00	≤30.00	23.24	---	PASS
	total	5775	23.76	≤30.00	≤30.00	26.76	---	PASS
11AX160MIMO	Ant1	5250_UNII-1	17.32	≤23.98	---	20.32	≤23.00	PASS
	Ant3	5250_UNII-1	16.05	≤23.98	---	19.05	≤23.00	PASS
	total	5250_UNII-1	19.74	≤23.98	---	22.74	≤23.00	PASS
	Ant1	5250_UNII-2A	16.88	≤23.98	≤23.98	19.88	≤30.00	PASS
	Ant3	5250_UNII-2A	14.88	≤23.98	≤23.98	17.88	≤30.00	PASS
	total	5250_UNII-2A	19.00	≤23.98	≤23.98	22.00	≤30.00	PASS
	Ant1	5570	18.73	≤23.98	≤23.98	21.73	≤30.00	PASS
	Ant3	5570	17.86	≤23.98	≤23.98	20.86	≤30.00	PASS
	total	5570	21.33	≤23.98	≤23.98	24.33	≤30.00	PASS
11BE20MIMO	Ant1	5180	11.14	≤30.00	---	14.14	≤22.84	PASS
	Ant3	5180	10.89	≤30.00	---	13.89	≤22.84	PASS
	total	5180	14.03	≤30.00	---	20.04	≤22.84	PASS
	Ant1	5200	10.98	≤30.00	---	13.98	≤22.83	PASS
	Ant3	5200	10.57	≤30.00	---	13.57	≤22.83	PASS

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

	total	5200	13.79	≤30.00	---	19.80	≤22.83	PASS
	Ant1	5240	10.76	≤30.00	---	13.76	≤22.83	PASS
	Ant3	5240	10.36	≤30.00	---	13.36	≤22.83	PASS
	total	5240	13.57	≤30.00	---	16.57	≤22.83	PASS
	Ant1	5260	18.15	≤23.98	≤23.84	21.15	≤30.00	PASS
	Ant3	5260	17.14	≤23.98	≤23.83	20.14	≤30.00	PASS
	total	5260	20.68	≤23.98	≤23.83	23.68	≤30.00	PASS
	Ant1	5280	18.20	≤23.98	≤23.85	21.20	≤30.00	PASS
	Ant3	5280	17.33	≤23.98	≤23.84	20.33	≤30.00	PASS
	total	5280	20.80	≤23.98	≤23.84	23.80	≤30.00	PASS
	Ant1	5320	18.02	≤23.98	≤23.84	21.02	≤30.00	PASS
	Ant3	5320	17.47	≤23.98	≤23.84	20.47	≤30.00	PASS
	total	5320	20.76	≤23.98	≤23.84	23.76	≤30.00	PASS
	Ant1	5500	17.98	≤23.98	≤23.83	20.98	≤30.00	PASS
	Ant3	5500	16.45	≤23.98	≤23.85	19.45	≤30.00	PASS
	total	5500	20.29	≤23.98	≤23.83	23.29	≤30.00	PASS
	Ant1	5580	18.20	≤23.98	≤23.84	21.20	≤30.00	PASS
	Ant3	5580	17.07	≤23.98	≤23.85	20.07	≤30.00	PASS
	total	5580	20.68	≤23.98	≤23.84	23.68	≤30.00	PASS
	Ant1	5700	17.76	≤23.98	≤23.85	20.76	≤30.00	PASS
	Ant3	5700	16.42	≤23.98	≤23.84	19.42	≤30.00	PASS
	total	5700	20.15	≤23.98	≤23.84	23.15	≤30.00	PASS
	Ant1	5720_UNII-2C	16.93	≤23.16	≤22.64	19.93	≤30.00	PASS
	Ant3	5720_UNII-2C	15.71	≤23.08	≤22.64	18.71	≤30.00	PASS
	total	5720_UNII-2C	19.37	≤23.98	≤22.64	22.37	≤30.00	PASS
	Ant1	5720_UNII-3	10.47	≤30.00	≤30.00	13.47	---	PASS
	Ant3	5720_UNII-3	9.90	≤30.00	≤30.00	12.90	---	PASS
	total	5720_UNII-3	13.20	≤30.00	≤30.00	16.20	---	PASS
	Ant1	5745	22.62	≤30.00	≤30.00	25.62	---	PASS
	Ant3	5745	21.63	≤30.00	≤30.00	24.63	---	PASS
	total	5745	25.16	≤30.00	≤30.00	28.16	---	PASS
	Ant1	5785	22.45	≤30.00	≤30.00	25.45	---	PASS
	Ant3	5785	21.56	≤30.00	≤30.00	24.56	---	PASS
	total	5785	25.04	≤30.00	≤30.00	28.04	---	PASS
	Ant1	5825	22.68	≤30.00	≤30.00	25.68	---	PASS
	Ant3	5825	21.70	≤30.00	≤30.00	24.70	---	PASS
	total	5825	25.23	≤30.00	≤30.00	28.23	---	PASS
11BE40MIMO	Ant1	5190	14.13	≤30.00	---	17.13	≤23.00	PASS
	Ant3	5190	14.10	≤30.00	---	17.10	≤23.00	PASS
	total	5190	17.13	≤30.00	---	20.13	≤23.00	PASS
	Ant1	5230	13.69	≤30.00	---	16.69	≤23.00	PASS
	Ant3	5230	13.54	≤30.00	---	16.54	≤23.00	PASS
	total	5230	16.63	≤30.00	---	19.63	≤23.00	PASS
	Ant1	5270	20.36	≤23.98	≤23.98	23.36	≤30.00	PASS
	Ant3	5270	19.24	≤23.98	≤23.98	22.24	≤30.00	PASS
	total	5270	22.85	≤23.98	≤23.98	25.85	≤30.00	PASS
	Ant1	5310	20.31	≤23.98	≤23.98	23.31	≤30.00	PASS
	Ant3	5310	19.25	≤23.98	≤23.98	22.25	≤30.00	PASS
	total	5310	22.82	≤23.98	≤23.98	25.82	≤30.00	PASS
	Ant1	5510	20.85	≤23.98	≤23.98	23.85	≤30.00	PASS
	Ant3	5510	19.67	≤23.98	≤23.98	22.67	≤30.00	PASS
	total	5510	23.31	≤23.98	≤23.98	26.31	≤30.00	PASS
	Ant1	5550	20.75	≤23.98	≤23.98	23.75	≤30.00	PASS
	Ant3	5550	19.20	≤23.98	≤23.98	22.20	≤30.00	PASS
	total	5550	23.05	≤23.98	≤23.98	26.05	≤30.00	PASS
	Ant1	5670	21.10	≤23.98	≤23.98	24.10	≤30.00	PASS
	Ant3	5670	20.19	≤23.98	≤23.98	23.19	≤30.00	PASS

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

	total	5670	23.68	≤23.98	≤23.98	26.68	≤30.00	PASS
	Ant1	5710_UNII-2C	21.28	≤23.98	≤23.98	24.28	≤30.00	PASS
	Ant3	5710_UNII-2C	19.46	≤23.98	≤23.98	22.46	≤30.00	PASS
	total	5710_UNII-2C	23.47	≤23.98	≤23.98	26.47	≤30.00	PASS
	Ant1	5710_UNII-3	9.78	≤30.00	≤30.00	12.78	---	PASS
	Ant3	5710_UNII-3	9.05	≤30.00	≤30.00	12.05	---	PASS
	total	5710_UNII-3	12.44	≤30.00	≤30.00	15.44	---	PASS
	Ant1	5755	22.48	≤30.00	≤30.00	25.48	---	PASS
	Ant3	5755	21.59	≤30.00	≤30.00	24.59	---	PASS
	total	5755	25.07	≤30.00	≤30.00	28.07	---	PASS
	Ant1	5795	23.02	≤30.00	≤30.00	26.02	---	PASS
	Ant3	5795	21.31	≤30.00	≤30.00	24.31	---	PASS
	total	5795	25.26	≤30.00	≤30.00	28.26	---	PASS
11BE80MIMO	Ant1	5210	16.77	≤30.00	---	19.77	≤23.00	PASS
	Ant3	5210	16.10	≤30.00	---	19.10	≤23.00	PASS
	total	5210	19.46	≤30.00	---	22.46	≤23.00	PASS
	Ant1	5290	20.30	≤23.98	≤23.98	23.30	≤30.00	PASS
	Ant3	5290	18.86	≤23.98	≤23.98	21.86	≤30.00	PASS
	total	5290	22.65	≤23.98	≤23.98	25.65	≤30.00	PASS
	Ant1	5530	20.78	≤23.98	≤23.98	23.78	≤30.00	PASS
	Ant3	5530	18.73	≤23.98	≤23.98	21.73	≤30.00	PASS
	total	5530	22.89	≤23.98	≤23.98	25.89	≤30.00	PASS
	Ant1	5610	20.89	≤23.98	≤23.98	23.89	≤30.00	PASS
	Ant3	5610	19.37	≤23.98	≤23.98	22.37	≤30.00	PASS
	total	5610	23.21	≤23.98	≤23.98	26.21	≤30.00	PASS
	Ant1	5690_UNII-2C	20.17	≤23.98	≤23.98	23.17	≤30.00	PASS
	Ant3	5690_UNII-2C	18.23	≤23.98	≤23.98	21.23	≤30.00	PASS
	total	5690_UNII-2C	22.32	≤23.98	≤23.98	25.32	≤30.00	PASS
	Ant1	5690_UNII-3	5.72	≤30.00	≤30.00	8.72	---	PASS
	Ant3	5690_UNII-3	4.25	≤30.00	≤30.00	7.25	---	PASS
	total	5690_UNII-3	8.06	≤30.00	≤30.00	11.06	---	PASS
	Ant1	5775	20.94	≤30.00	≤30.00	23.94	---	PASS
	Ant3	5775	19.02	≤30.00	≤30.00	22.02	---	PASS
	total	5775	23.10	≤30.00	≤30.00	26.10	---	PASS
11BE160MIMO	Ant1	5250_UNII-1	17.06	≤23.98	---	20.06	≤23.00	PASS
	Ant3	5250_UNII-1	16.26	≤23.98	---	19.26	≤23.00	PASS
	total	5250_UNII-1	19.69	≤23.98	---	22.69	≤23.00	PASS
	Ant1	5250_UNII-2A	16.32	≤23.98	≤23.98	19.32	≤30.00	PASS
	Ant3	5250_UNII-2A	14.61	≤23.98	≤23.98	17.61	≤30.00	PASS
	total	5250_UNII-2A	18.56	≤23.98	≤23.98	21.56	≤30.00	PASS
	Ant1	5570	18.78	≤23.98	≤23.98	21.78	≤30.00	PASS
	Ant3	5570	16.95	≤23.98	≤23.98	19.95	≤30.00	PASS
	total	5570	20.97	≤23.98	≤23.98	23.97	≤30.00	PASS
11BE240MIMO	Ant1	5610_UNII-2C	12.30	≤23.98	≤23.98	15.30	≤30.00	PASS

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

	Ant3	5610_UNII-2C	11.49	≤23.98	≤23.98	14.49	≤30.00	PASS
	total	5610_UNII-2C	14.92	≤23.98	≤23.98	17.92	≤30.00	PASS
	Ant1	5610_UNII-3	-5.45	≤30.00	≤30.00	-2.45	≤30.00	PASS
	Ant3	5610_UNII-3	-7.05	≤30.00	≤30.00	-4.05	≤30.00	PASS
	total	5610_UNII-3	-3.17	≤30.00	≤30.00	-0.17	≤30.00	PASS

Note: 1. Conducted Power=Meas. Level+ Correction Factor
2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

11.4.2. Test Graphs



11A-CDD_Ant1_5720_UNII-2C



11A-CDD_Ant3_5720_UNII-2C



11A-CDD_Ant1_5720_UNII-3

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11A-CDD_Ant3_5720_UNII-3



11AX20MIMO_Ant1_5720_UNII-2C



11AX20MIMO_Ant3_5720_UNII-2C

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11AX20MIMO_Ant1_5720_UNII-3



11AX20MIMO_Ant3_5720_UNII-3



11AX40MIMO_Ant1_5710_UNII-2C

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11AX40MIMO_Ant3_5710_UNII-2C



11AX40MIMO_Ant1_5710_UNII-3



11AX40MIMO_Ant3_5710_UNII-3

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11AX80MIMO_Ant1_5690_UNII-2C



11AX80MIMO_Ant3_5690_UNII-2C



11AX80MIMO_Ant1_5690_UNII-3

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11AX80MIMO_Ant3_5690_UNII-3



11AX160MIMO_Ant1_5250_UNII-1



11AX160MIMO_Ant3_5250_UNII-1

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11AX160MIMO_Ant1_5250_UNII-2A



11AX160MIMO_Ant3_5250_UNII-2A



11BE20MIMO_Ant1_5720_UNII-2C

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.