

11AX40-CDD_Ant3_5795



11AX40-CDD_Ant4_5795



11AX80-CDD_Ant1_5775

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11AX80-CDD_Ant2_5775



11AX80-CDD_Ant3_5775



11AX80-CDD_Ant4_5775

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11BE20-CDD_Ant1_5745



11BE20-CDD_Ant2_5745



11BE20-CDD_Ant3_5745

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11BE20-CDD_Ant4_5745



11BE20-CDD_Ant1_5785



11BE20-CDD_Ant2_5785

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11BE20-CDD_Ant3_5785



11BE20-CDD_Ant4_5785



11BE20-CDD_Ant1_5825

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11BE20-CDD_Ant2_5825



11BE20-CDD_Ant3_5825



11BE20-CDD_Ant4_5825

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11BE40-CDD_Ant1_5755



11BE40-CDD_Ant2_5755



11BE40-CDD_Ant3_5755

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11BE40-CDD_Ant4_5755



11BE40-CDD_Ant1_5795



11BE40-CDD_Ant2_5795

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11BE40-CDD_Ant3_5795



11BE40-CDD_Ant4_5795



11BE80-CDD_Ant1_5775

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11BE80-CDD_Ant2_5775



11BE80-CDD_Ant3_5775



11BE80-CDD_Ant4_5775

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

11.4. APPENDIX D: MAXIMUM AVERAGE CONDUCTED OUTPUT POWER

11.4.1. Test Result

Test Mode	Antenna	Channel	Power [dBm]	Limit [dBm]	Verdict
11A-CDD	Ant1	5180	21.19	≤30.00	PASS
	Ant2	5180	20.57	≤30.00	PASS
	Ant3	5180	20.78	≤30.00	PASS
	Ant4	5180	21.42	≤30.00	PASS
	total	5180	27.02	≤30.00	PASS
	Ant1	5200	21.15	≤30.00	PASS
	Ant2	5200	20.66	≤30.00	PASS
	Ant3	5200	21.18	≤30.00	PASS
	Ant4	5200	21.32	≤30.00	PASS
	total	5200	27.11	≤30.00	PASS
	Ant1	5240	21.01	≤30.00	PASS
	Ant2	5240	20.78	≤30.00	PASS
	Ant3	5240	21.26	≤30.00	PASS
	Ant4	5240	21.05	≤30.00	PASS
	total	5240	27.05	≤30.00	PASS
	Ant1	5260	15.86	≤23.98	PASS
	Ant2	5260	15.40	≤23.98	PASS
	Ant3	5260	14.67	≤23.98	PASS
	Ant4	5260	15.48	≤23.98	PASS
	total	5260	21.39	≤23.98	PASS
	Ant1	5280	15.33	≤23.98	PASS
	Ant2	5280	15.25	≤23.98	PASS
	Ant3	5280	14.90	≤23.98	PASS
	Ant4	5280	15.09	≤23.98	PASS
	total	5280	21.17	≤23.98	PASS
	Ant1	5320	15.05	≤23.98	PASS
	Ant2	5320	15.19	≤23.98	PASS
	Ant3	5320	14.94	≤23.98	PASS
	Ant4	5320	15.17	≤23.98	PASS
	total	5320	21.11	≤23.98	PASS
	Ant1	5500	15.52	≤23.98	PASS
	Ant2	5500	15.08	≤23.98	PASS
	Ant3	5500	15.44	≤23.98	PASS
	Ant4	5500	15.44	≤23.98	PASS
	total	5500	21.39	≤23.98	PASS
	Ant1	5580	16.17	≤23.98	PASS
	Ant2	5580	15.54	≤23.98	PASS
	Ant3	5580	15.75	≤23.98	PASS
	Ant4	5580	15.29	≤23.98	PASS
	total	5580	21.72	≤23.98	PASS
	Ant1	5700	15.09	≤23.98	PASS
	Ant2	5700	14.76	≤23.98	PASS
	Ant3	5700	16.59	≤23.98	PASS
	Ant4	5700	15.19	≤23.98	PASS
	total	5700	21.49	≤23.98	PASS
	Ant1	5745	24.30	≤30.00	PASS
	Ant2	5745	23.32	≤30.00	PASS
	Ant3	5745	24.12	≤30.00	PASS
	Ant4	5745	23.87	≤30.00	PASS
	total	5745	29.94	≤30.00	PASS
	Ant1	5785	23.93	≤30.00	PASS
	Ant2	5785	23.13	≤30.00	PASS
	Ant3	5785	24.36	≤30.00	PASS
	Ant4	5785	23.68	≤30.00	PASS
	total	5785	29.82	≤30.00	PASS
	Ant1	5825	23.14	≤30.00	PASS
	Ant2	5825	22.99	≤30.00	PASS

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

	Ant3	5825	24.10	≤30.00	PASS
	Ant4	5825	23.45	≤30.00	PASS
	total	5825	29.46	≤30.00	PASS
11AX20-CDD	Ant1	5180	21.96	≤30.00	PASS
	Ant2	5180	21.52	≤30.00	PASS
	Ant3	5180	21.91	≤30.00	PASS
	Ant4	5180	22.26	≤30.00	PASS
	total	5180	27.94	≤30.00	PASS
	Ant1	5200	22.04	≤30.00	PASS
	Ant2	5200	21.49	≤30.00	PASS
	Ant3	5200	21.93	≤30.00	PASS
	Ant4	5200	22.10	≤30.00	PASS
	total	5200	27.92	≤30.00	PASS
	Ant1	5240	21.80	≤30.00	PASS
	Ant2	5240	21.63	≤30.00	PASS
	Ant3	5240	22.21	≤30.00	PASS
	Ant4	5240	21.92	≤30.00	PASS
	total	5240	27.92	≤30.00	PASS
	Ant1	5260	16.78	≤23.98	PASS
	Ant2	5260	16.13	≤23.98	PASS
	Ant3	5260	15.81	≤23.98	PASS
	Ant4	5260	16.34	≤23.98	PASS
	total	5260	22.30	≤23.98	PASS
	Ant1	5280	16.18	≤23.98	PASS
	Ant2	5280	16.06	≤23.98	PASS
	Ant3	5280	15.88	≤23.98	PASS
	Ant4	5280	15.98	≤23.98	PASS
	total	5280	22.05	≤23.98	PASS
	Ant1	5320	15.49	≤23.98	PASS
	Ant2	5320	15.77	≤23.98	PASS
	Ant3	5320	16.08	≤23.98	PASS
	Ant4	5320	15.83	≤23.98	PASS
	total	5320	21.82	≤23.98	PASS
	Ant1	5500	16.09	≤23.98	PASS
	Ant2	5500	15.82	≤23.98	PASS
	Ant3	5500	16.10	≤23.98	PASS
	Ant4	5500	16.37	≤23.98	PASS
	total	5500	22.12	≤23.98	PASS
	Ant1	5580	16.26	≤23.98	PASS
	Ant2	5580	15.89	≤23.98	PASS
	Ant3	5580	16.39	≤23.98	PASS
	Ant4	5580	15.58	≤23.98	PASS
	total	5580	22.06	≤23.98	PASS
	Ant1	5700	15.86	≤23.98	PASS
	Ant2	5700	15.43	≤23.98	PASS
	Ant3	5700	17.42	≤23.98	PASS
	Ant4	5700	16.02	≤23.98	PASS
	total	5700	22.27	≤23.98	PASS
	Ant1	5745	24.02	≤30.00	PASS
	Ant2	5745	22.77	≤30.00	PASS
	Ant3	5745	23.87	≤30.00	PASS
	Ant4	5745	23.28	≤30.00	PASS
	total	5745	29.53	≤30.00	PASS
	Ant1	5785	23.58	≤30.00	PASS
	Ant2	5785	22.87	≤30.00	PASS
	Ant3	5785	24.23	≤30.00	PASS
	Ant4	5785	23.65	≤30.00	PASS
	total	5785	29.63	≤30.00	PASS
	Ant1	5825	23.18	≤30.00	PASS
	Ant2	5825	22.59	≤30.00	PASS
	Ant3	5825	24.04	≤30.00	PASS
	Ant4	5825	23.44	≤30.00	PASS
	total	5825	29.36	≤30.00	PASS

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

11AX40-CDD	Ant1	5190	21.54	≤30.00	PASS
	Ant2	5190	22.03	≤30.00	PASS
	Ant3	5190	20.25	≤30.00	PASS
	Ant4	5190	21.38	≤30.00	PASS
	total	5190	27.37	≤30.00	PASS
	Ant1	5230	23.24	≤30.00	PASS
	Ant2	5230	24.73	≤30.00	PASS
	Ant3	5230	22.57	≤30.00	PASS
	Ant4	5230	23.19	≤30.00	PASS
	total	5230	29.53	≤30.00	PASS
	Ant1	5270	17.88	≤23.98	PASS
	Ant2	5270	17.39	≤23.98	PASS
	Ant3	5270	17.24	≤23.98	PASS
	Ant4	5270	17.46	≤23.98	PASS
	total	5270	23.52	≤23.98	PASS
	Ant1	5310	17.32	≤23.98	PASS
	Ant2	5310	17.40	≤23.98	PASS
	Ant3	5310	17.59	≤23.98	PASS
	Ant4	5310	17.38	≤23.98	PASS
	total	5310	23.44	≤23.98	PASS
	Ant1	5510	17.56	≤23.98	PASS
	Ant2	5510	17.37	≤23.98	PASS
	Ant3	5510	17.99	≤23.98	PASS
	Ant4	5510	17.27	≤23.98	PASS
	total	5510	23.58	≤23.98	PASS
	Ant1	5550	16.79	≤23.98	PASS
	Ant2	5550	17.76	≤23.98	PASS
	Ant3	5550	18.04	≤23.98	PASS
	Ant4	5550	16.94	≤23.98	PASS
	total	5550	23.44	≤23.98	PASS
	Ant1	5670	17.82	≤23.98	PASS
	Ant2	5670	17.07	≤23.98	PASS
	Ant3	5670	18.64	≤23.98	PASS
	Ant4	5670	17.48	≤23.98	PASS
	total	5670	23.81	≤23.98	PASS
	Ant1	5755	24.35	≤30.00	PASS
	Ant2	5755	23.25	≤30.00	PASS
	Ant3	5755	24.38	≤30.00	PASS
	Ant4	5755	23.61	≤30.00	PASS
	total	5755	29.94	≤30.00	PASS
	Ant1	5795	23.47	≤30.00	PASS
	Ant2	5795	22.97	≤30.00	PASS
	Ant3	5795	24.39	≤30.00	PASS
	Ant4	5795	23.37	≤30.00	PASS
	total	5795	29.60	≤30.00	PASS
11AX80-CDD	Ant1	5210	20.57	≤30.00	PASS
	Ant2	5210	21.89	≤30.00	PASS
	Ant3	5210	19.98	≤30.00	PASS
	Ant4	5210	20.41	≤30.00	PASS
	total	5210	26.79	≤30.00	PASS
	Ant1	5290	17.35	≤23.98	PASS
	Ant2	5290	17.22	≤23.98	PASS
	Ant3	5290	17.23	≤23.98	PASS
	Ant4	5290	17.17	≤23.98	PASS
	total	5290	23.26	≤23.98	PASS
	Ant1	5530	17.36	≤23.98	PASS
	Ant2	5530	17.96	≤23.98	PASS
	Ant3	5530	18.07	≤23.98	PASS
	Ant4	5530	16.95	≤23.98	PASS
	total	5530	23.63	≤23.98	PASS
	Ant1	5610	18.11	≤23.98	PASS
	Ant2	5610	17.19	≤23.98	PASS
	Ant3	5610	17.91	≤23.98	PASS

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

	Ant4	5610	17.38	≤23.98	PASS
	total	5610	23.68	≤23.98	PASS
	Ant1	5775	22.96	≤30.00	PASS
	Ant2	5775	24.11	≤30.00	PASS
	Ant3	5775	22.12	≤30.00	PASS
	Ant4	5775	22.83	≤30.00	PASS
	total	5775	29.09	≤30.00	PASS
11AX160-CDD	Ant1	5250_UNII-1	16.06	≤23.98	PASS
	Ant2	5250_UNII-1	17.76	≤23.98	PASS
	Ant3	5250_UNII-1	15.44	≤23.98	PASS
	Ant4	5250_UNII-1	15.65	≤23.98	PASS
	total	5250_UNII-1	22.35	≤23.98	PASS
	Ant1	5250_UNII-2A	14.39	≤23.98	PASS
	Ant2	5250_UNII-2A	16.01	≤23.98	PASS
	Ant3	5250_UNII-2A	13.78	≤23.98	PASS
	Ant4	5250_UNII-2A	13.84	≤23.98	PASS
	total	5250_UNII-2A	20.62	≤23.98	PASS
	Ant1	5570	17.36	≤23.98	PASS
	Ant2	5570	18.68	≤23.98	PASS
	Ant3	5570	17.62	≤23.98	PASS
	Ant4	5570	16.84	≤23.98	PASS
	total	5570	23.70	≤23.98	PASS
11BE20-CDD	Ant1	5180	21.79	≤30.00	PASS
	Ant2	5180	21.56	≤30.00	PASS
	Ant3	5180	22.26	≤30.00	PASS
	Ant4	5180	22.16	≤30.00	PASS
	total	5180	27.97	≤30.00	PASS
	Ant1	5200	21.41	≤30.00	PASS
	Ant2	5200	21.74	≤30.00	PASS
	Ant3	5200	22.45	≤30.00	PASS
	Ant4	5200	22.12	≤30.00	PASS
	total	5200	27.97	≤30.00	PASS
	Ant1	5240	20.98	≤30.00	PASS
	Ant2	5240	21.67	≤30.00	PASS
	Ant3	5240	22.59	≤30.00	PASS
	Ant4	5240	21.93	≤30.00	PASS
	total	5240	27.85	≤30.00	PASS
	Ant1	5260	16.27	≤23.98	PASS
	Ant2	5260	16.29	≤23.98	PASS
	Ant3	5260	16.30	≤23.98	PASS
	Ant4	5260	16.52	≤23.98	PASS
	total	5260	22.37	≤23.98	PASS
	Ant1	5280	16.28	≤23.98	PASS
	Ant2	5280	16.18	≤23.98	PASS
	Ant3	5280	16.39	≤23.98	PASS
	Ant4	5280	16.09	≤23.98	PASS
	total	5280	22.26	≤23.98	PASS
	Ant1	5320	16.19	≤23.98	PASS
	Ant2	5320	15.99	≤23.98	PASS
	Ant3	5320	16.43	≤23.98	PASS
	Ant4	5320	16.01	≤23.98	PASS
	total	5320	22.18	≤23.98	PASS
	Ant1	5500	16.54	≤23.98	PASS
	Ant2	5500	16.05	≤23.98	PASS
	Ant3	5500	16.66	≤23.98	PASS
	Ant4	5500	16.43	≤23.98	PASS
	total	5500	22.45	≤23.98	PASS
	Ant1	5580	16.26	≤23.98	PASS
	Ant2	5580	16.36	≤23.98	PASS
	Ant3	5580	16.68	≤23.98	PASS
	Ant4	5580	16.15	≤23.98	PASS
	total	5580	22.39	≤23.98	PASS
	Ant1	5700	15.70	≤23.98	PASS

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

	Ant2	5700	15.44	≤23.98	PASS
	Ant3	5700	17.46	≤23.98	PASS
	Ant4	5700	16.07	≤23.98	PASS
	total	5700	22.26	≤23.98	PASS
	Ant1	5745	23.42	≤30.00	PASS
	Ant2	5745	23.20	≤30.00	PASS
	Ant3	5745	24.35	≤30.00	PASS
	Ant4	5745	23.95	≤30.00	PASS
	total	5745	29.77	≤30.00	PASS
	Ant1	5785	23.22	≤30.00	PASS
	Ant2	5785	23.24	≤30.00	PASS
	Ant3	5785	24.61	≤30.00	PASS
	Ant4	5785	23.81	≤30.00	PASS
	total	5785	29.78	≤30.00	PASS
	Ant1	5825	22.94	≤30.00	PASS
	Ant2	5825	23.10	≤30.00	PASS
	Ant3	5825	24.26	≤30.00	PASS
	Ant4	5825	23.69	≤30.00	PASS
	total	5825	29.55	≤30.00	PASS
11BE40-CDD	Ant1	5190	21.28	≤30.00	PASS
	Ant2	5190	22.30	≤30.00	PASS
	Ant3	5190	20.41	≤30.00	PASS
	Ant4	5190	20.99	≤30.00	PASS
	total	5190	27.32	≤30.00	PASS
	Ant1	5230	23.15	≤30.00	PASS
	Ant2	5230	24.71	≤30.00	PASS
	Ant3	5230	22.58	≤30.00	PASS
	Ant4	5230	23.14	≤30.00	PASS
	total	5230	29.49	≤30.00	PASS
	Ant1	5270	17.38	≤23.98	PASS
	Ant2	5270	17.43	≤23.98	PASS
	Ant3	5270	17.69	≤23.98	PASS
	Ant4	5270	17.50	≤23.98	PASS
	total	5270	23.52	≤23.98	PASS
	Ant1	5310	17.79	≤23.98	PASS
	Ant2	5310	17.34	≤23.98	PASS
	Ant3	5310	17.80	≤23.98	PASS
	Ant4	5310	17.44	≤23.98	PASS
	total	5310	23.62	≤23.98	PASS
	Ant1	5510	17.70	≤23.98	PASS
	Ant2	5510	17.38	≤23.98	PASS
	Ant3	5510	17.99	≤23.98	PASS
	Ant4	5510	17.48	≤23.98	PASS
	total	5510	23.66	≤23.98	PASS
	Ant1	5550	16.89	≤23.98	PASS
	Ant2	5550	17.69	≤23.98	PASS
	Ant3	5550	17.98	≤23.98	PASS
	Ant4	5550	16.65	≤23.98	PASS
	total	5550	23.36	≤23.98	PASS
	Ant1	5670	17.43	≤23.98	PASS
	Ant2	5670	17.11	≤23.98	PASS
	Ant3	5670	18.55	≤23.98	PASS
	Ant4	5670	17.48	≤23.98	PASS
	total	5670	23.70	≤23.98	PASS
	Ant1	5755	23.10	≤30.00	PASS
	Ant2	5755	23.64	≤30.00	PASS
	Ant3	5755	24.58	≤30.00	PASS
	Ant4	5755	23.90	≤30.00	PASS
	total	5755	29.86	≤30.00	PASS
	Ant1	5795	23.28	≤30.00	PASS
	Ant2	5795	22.86	≤30.00	PASS
	Ant3	5795	24.40	≤30.00	PASS
	Ant4	5795	23.54	≤30.00	PASS

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

	total	5795	29.58	≤30.00	PASS
11BE80-CDD	Ant1	5210	20.58	≤30.00	PASS
	Ant2	5210	21.80	≤30.00	PASS
	Ant3	5210	19.72	≤30.00	PASS
	Ant4	5210	20.19	≤30.00	PASS
	total	5210	26.66	≤30.00	PASS
	Ant1	5290	17.63	≤23.98	PASS
	Ant2	5290	18.74	≤23.98	PASS
	Ant3	5290	17.47	≤23.98	PASS
	Ant4	5290	17.78	≤23.98	PASS
	total	5290	23.95	≤23.98	PASS
	Ant1	5530	17.46	≤23.98	PASS
	Ant2	5530	17.64	≤23.98	PASS
	Ant3	5530	18.13	≤23.98	PASS
	Ant4	5530	16.86	≤23.98	PASS
	total	5530	23.57	≤23.98	PASS
	Ant1	5610	17.49	≤23.98	PASS
	Ant2	5610	17.43	≤23.98	PASS
	Ant3	5610	18.33	≤23.98	PASS
	Ant4	5610	17.71	≤23.98	PASS
	total	5610	23.78	≤23.98	PASS
	Ant1	5775	22.80	≤30.00	PASS
	Ant2	5775	23.93	≤30.00	PASS
	Ant3	5775	22.00	≤30.00	PASS
	Ant4	5775	22.66	≤30.00	PASS
	total	5775	28.92	≤30.00	PASS
11BE160-CDD	Ant1	5250_UNII-1	15.48	≤23.98	PASS
	Ant2	5250_UNII-1	17.02	≤23.98	PASS
	Ant3	5250_UNII-1	14.69	≤23.98	PASS
	Ant4	5250_UNII-1	15.03	≤23.98	PASS
	total	5250_UNII-1	21.67	≤23.98	PASS
	Ant1	5250_UNII-2A	13.79	≤23.98	PASS
	Ant2	5250_UNII-2A	15.38	≤23.98	PASS
	Ant3	5250_UNII-2A	13.18	≤23.98	PASS
	Ant4	5250_UNII-2A	13.26	≤23.98	PASS
	total	5250_UNII-2A	20.02	≤23.98	PASS
	Ant1	5570	16.66	≤23.98	PASS
	Ant2	5570	17.90	≤23.98	PASS
	Ant3	5570	17.07	≤23.98	PASS
	Ant4	5570	16.28	≤23.98	PASS
	total	5570	23.04	≤23.98	PASS

Note：The Duty Cycle Factor is compensated in the test result.

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

11.4.2. Test Graphs



11AX160-CDD_Ant1_5250_UNII-1



11AX160-CDD_Ant2_5250_UNII-1



11AX160-CDD_Ant3_5250_UNII-1

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11AX160-CDD_Ant4_5250_UNII-1



11AX160-CDD_Ant1_5250_UNII-2A



11AX160-CDD_Ant2_5250_UNII-2A

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11AX160-CDD_Ant3_5250_UNII-2A



11AX160-CDD_Ant4_5250_UNII-2A



11BE160-CDD_Ant1_5250_UNII-1

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11BE160-CDD_Ant2_5250_UNII-1



11BE160-CDD_Ant3_5250_UNII-1



11BE160-CDD_Ant4_5250_UNII-1

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11BE160-CDD_Ant1_5250_UNII-2A

11BE160-CDD_Ant2_5250_UNII-2A



11BE160-CDD_Ant3_5250_UNII-2A

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11BE160-CDD_Ant4_5250_UNII-2A

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY

11.5.1. Test Result

Test Mode	Antenna	Channel	Power [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A-CDD	Ant1	5180	9.01	≤14.98	PASS
	Ant2	5180	7.77	≤14.98	PASS
	Ant3	5180	8.4	≤14.98	PASS
	Ant4	5180	9.02	≤14.98	PASS
	total	5180	14.60	≤14.98	PASS
	Ant1	5200	8.71	≤14.98	PASS
	Ant2	5200	8.13	≤14.98	PASS
	Ant3	5200	8.51	≤14.98	PASS
	Ant4	5200	8.79	≤14.98	PASS
	total	5200	14.56	≤14.98	PASS
	Ant1	5240	8.58	≤14.98	PASS
	Ant2	5240	7.93	≤14.98	PASS
	Ant3	5240	8.37	≤14.98	PASS
	Ant4	5240	8.32	≤14.98	PASS
	total	5240	14.33	≤14.98	PASS
	Ant1	5260	3.53	≤8.98	PASS
	Ant2	5260	2.81	≤8.98	PASS
	Ant3	5260	2.06	≤8.98	PASS
	Ant4	5260	2.72	≤8.98	PASS
	total	5260	8.83	≤8.98	PASS
	Ant1	5280	3.01	≤8.98	PASS
	Ant2	5280	2.57	≤8.98	PASS
	Ant3	5280	2.35	≤8.98	PASS
	Ant4	5280	2.42	≤8.98	PASS
	total	5280	8.62	≤8.98	PASS
	Ant1	5320	2.62	≤8.98	PASS
	Ant2	5320	2.57	≤8.98	PASS
	Ant3	5320	2.54	≤8.98	PASS
	Ant4	5320	2.67	≤8.98	PASS
	total	5320	8.62	≤8.98	PASS
	Ant1	5500	2.75	≤8.98	PASS
	Ant2	5500	2.15	≤8.98	PASS
	Ant3	5500	2.75	≤8.98	PASS
	Ant4	5500	2.66	≤8.98	PASS
	total	5500	8.61	≤8.98	PASS
	Ant1	5580	3.38	≤8.98	PASS
	Ant2	5580	2.68	≤8.98	PASS
	Ant3	5580	2.93	≤8.98	PASS
	Ant4	5580	2.64	≤8.98	PASS
	total	5580	8.94	≤8.98	PASS
	Ant1	5700	2.55	≤8.98	PASS
	Ant2	5700	1.89	≤8.98	PASS
	Ant3	5700	3.53	≤8.98	PASS
	Ant4	5700	2.45	≤8.98	PASS
	total	5700	8.67	≤8.98	PASS
	Ant1	5745	8.41	≤27.98	PASS
	Ant2	5745	7.44	≤27.98	PASS
	Ant3	5745	8.7	≤27.98	PASS
	Ant4	5745	8.34	≤27.98	PASS
	total	5745	14.27	≤27.98	PASS
	Ant1	5785	8.4	≤27.98	PASS
	Ant2	5785	7.65	≤27.98	PASS
	Ant3	5785	8.73	≤27.98	PASS
	Ant4	5785	7.83	≤27.98	PASS
	total	5785	14.19	≤27.98	PASS
	Ant1	5825	7.68	≤27.98	PASS
	Ant2	5825	7.24	≤27.98	PASS

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

	Ant3	5825	8.7	≤27.98	PASS
	Ant4	5825	7.79	≤27.98	PASS
	total	5825	13.91	≤27.98	PASS
11AX20-CDD	Ant1	5180	8.84	≤14.98	PASS
	Ant2	5180	7.87	≤14.98	PASS
	Ant3	5180	8.42	≤14.98	PASS
	Ant4	5180	8.88	≤14.98	PASS
	total	5180	14.54	≤14.98	PASS
	Ant1	5200	8.68	≤14.98	PASS
	Ant2	5200	7.92	≤14.98	PASS
	Ant3	5200	8.51	≤14.98	PASS
	Ant4	5200	8.56	≤14.98	PASS
	total	5200	14.45	≤14.98	PASS
	Ant1	5240	8.28	≤14.98	PASS
	Ant2	5240	7.89	≤14.98	PASS
	Ant3	5240	8.78	≤14.98	PASS
	Ant4	5240	7.91	≤14.98	PASS
	total	5240	14.25	≤14.98	PASS
	Ant1	5260	3.24	≤8.98	PASS
	Ant2	5260	2.48	≤8.98	PASS
	Ant3	5260	2.16	≤8.98	PASS
	Ant4	5260	2.57	≤8.98	PASS
	total	5260	8.65	≤8.98	PASS
	Ant1	5280	2.91	≤8.98	PASS
	Ant2	5280	2.36	≤8.98	PASS
	Ant3	5280	2.32	≤8.98	PASS
	Ant4	5280	2.39	≤8.98	PASS
	total	5280	8.52	≤8.98	PASS
	Ant1	5320	2.06	≤8.98	PASS
	Ant2	5320	2.24	≤8.98	PASS
	Ant3	5320	2.59	≤8.98	PASS
	Ant4	5320	2.36	≤8.98	PASS
	total	5320	8.34	≤8.98	PASS
	Ant1	5500	2.37	≤8.98	PASS
	Ant2	5500	2.06	≤8.98	PASS
	Ant3	5500	2.49	≤8.98	PASS
	Ant4	5500	2.45	≤8.98	PASS
	total	5500	8.37	≤8.98	PASS
	Ant1	5580	2.84	≤8.98	PASS
	Ant2	5580	2.17	≤8.98	PASS
	Ant3	5580	2.7	≤8.98	PASS
	Ant4	5580	1.91	≤8.98	PASS
	total	5580	8.44	≤8.98	PASS
	Ant1	5700	2.32	≤8.98	PASS
	Ant2	5700	1.66	≤8.98	PASS
	Ant3	5700	3.72	≤8.98	PASS
	Ant4	5700	2.12	≤8.98	PASS
	total	5700	8.55	≤8.98	PASS
	Ant1	5745	7.61	≤27.98	PASS
	Ant2	5745	6.11	≤27.98	PASS
	Ant3	5745	7.88	≤27.98	PASS
	Ant4	5745	7.18	≤27.98	PASS
	total	5745	13.27	≤27.98	PASS
	Ant1	5785	7.11	≤27.98	PASS
	Ant2	5785	6.38	≤27.98	PASS
	Ant3	5785	7.73	≤27.98	PASS
	Ant4	5785	7.67	≤27.98	PASS
	total	5785	13.28	≤27.98	PASS
	Ant1	5825	6.94	≤27.98	PASS
	Ant2	5825	6.35	≤27.98	PASS
	Ant3	5825	7.82	≤27.98	PASS
	Ant4	5825	6.82	≤27.98	PASS
	total	5825	13.04	≤27.98	PASS

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

11AX40-CDD	Ant1	5190	6.66	≤14.98	PASS
	Ant2	5190	7.3	≤14.98	PASS
	Ant3	5190	5.86	≤14.98	PASS
	Ant4	5190	6.45	≤14.98	PASS
	total	5190	12.62	≤14.98	PASS
	Ant1	5230	8.24	≤14.98	PASS
	Ant2	5230	9.54	≤14.98	PASS
	Ant3	5230	7.5	≤14.98	PASS
	Ant4	5230	7.86	≤14.98	PASS
	total	5230	14.38	≤14.98	PASS
	Ant1	5270	3.18	≤8.98	PASS
	Ant2	5270	2.18	≤8.98	PASS
	Ant3	5270	1.93	≤8.98	PASS
	Ant4	5270	1.74	≤8.98	PASS
	total	5270	8.31	≤8.98	PASS
	Ant1	5310	2.43	≤8.98	PASS
	Ant2	5310	2.1	≤8.98	PASS
	Ant3	5310	2.65	≤8.98	PASS
	Ant4	5310	2.16	≤8.98	PASS
	total	5310	8.36	≤8.98	PASS
	Ant1	5510	2.64	≤8.98	PASS
	Ant2	5510	2.21	≤8.98	PASS
	Ant3	5510	2.7	≤8.98	PASS
	Ant4	5510	2.02	≤8.98	PASS
	total	5510	8.42	≤8.98	PASS
	Ant1	5550	1.91	≤8.98	PASS
	Ant2	5550	2.74	≤8.98	PASS
	Ant3	5550	3.15	≤8.98	PASS
	Ant4	5550	1.85	≤8.98	PASS
	total	5550	8.47	≤8.98	PASS
	Ant1	5670	2.64	≤8.98	PASS
	Ant2	5670	2.02	≤8.98	PASS
	Ant3	5670	3.25	≤8.98	PASS
	Ant4	5670	1.9	≤8.98	PASS
	total	5670	8.51	≤8.98	PASS
	Ant1	5755	6.33	≤27.98	PASS
	Ant2	5755	5.07	≤27.98	PASS
	Ant3	5755	6.86	≤27.98	PASS
	Ant4	5755	6.28	≤27.98	PASS
	total	5755	12.20	≤27.98	PASS
	Ant1	5795	5.82	≤27.98	PASS
	Ant2	5795	4.8	≤27.98	PASS
	Ant3	5795	6.42	≤27.98	PASS
	Ant4	5795	5.87	≤27.98	PASS
	total	5795	11.79	≤27.98	PASS
11AX80-CDD	Ant1	5210	3.08	≤14.98	PASS
	Ant2	5210	4.1	≤14.98	PASS
	Ant3	5210	2.42	≤14.98	PASS
	Ant4	5210	2.59	≤14.98	PASS
	total	5210	9.12	≤14.98	PASS
	Ant1	5290	-0.36	≤8.98	PASS
	Ant2	5290	-0.63	≤8.98	PASS
	Ant3	5290	-0.56	≤8.98	PASS
	Ant4	5290	-1.03	≤8.98	PASS
	total	5290	5.38	≤8.98	PASS
	Ant1	5530	-0.55	≤8.98	PASS
	Ant2	5530	-0.09	≤8.98	PASS
	Ant3	5530	0.12	≤8.98	PASS
	Ant4	5530	-0.99	≤8.98	PASS
	total	5530	5.66	≤8.98	PASS
	Ant1	5610	0.25	≤8.98	PASS
	Ant2	5610	-1.11	≤8.98	PASS
	Ant3	5610	-0.01	≤8.98	PASS

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

	Ant4	5610	-0.9	≤8.98	PASS
	total	5610	5.62	≤8.98	PASS
	Ant1	5775	2.06	≤27.98	PASS
	Ant2	5775	2.82	≤27.98	PASS
	Ant3	5775	1.37	≤27.98	PASS
	Ant4	5775	2.47	≤27.98	PASS
	total	5775	8.23	≤27.98	PASS
11AX160-CDD	Ant1	5250_UNII-1	-0.68	≤14.98	PASS
	Ant2	5250_UNII-1	0.74	≤14.98	PASS
	Ant3	5250_UNII-1	-1.57	≤14.98	PASS
	Ant4	5250_UNII-1	-1.12	≤14.98	PASS
	total	5250_UNII-1	5.45	≤14.98	PASS
	Ant1	5250_UNII-2A	-0.76	≤8.98	PASS
	Ant2	5250_UNII-2A	0.71	≤8.98	PASS
	Ant3	5250_UNII-2A	-1.58	≤8.98	PASS
	Ant4	5250_UNII-2A	-1.35	≤8.98	PASS
	total	5250_UNII-2A	5.37	≤8.98	PASS
	Ant1	5570	-3.6	≤8.98	PASS
	Ant2	5570	-2.41	≤8.98	PASS
	Ant3	5570	-3.01	≤8.98	PASS
	Ant4	5570	-4.02	≤8.98	PASS
	total	5570	2.80	≤8.98	PASS
11BE20-CDD	Ant1	5180	8.52	≤14.98	PASS
	Ant2	5180	8.24	≤14.98	PASS
	Ant3	5180	9.1	≤14.98	PASS
	Ant4	5180	9.24	≤14.98	PASS
	total	5180	14.81	≤14.98	PASS
	Ant1	5200	8.28	≤14.98	PASS
	Ant2	5200	8.38	≤14.98	PASS
	Ant3	5200	9.32	≤14.98	PASS
	Ant4	5200	8.9	≤14.98	PASS
	total	5200	14.76	≤14.98	PASS
	Ant1	5240	7.62	≤14.98	PASS
	Ant2	5240	8.32	≤14.98	PASS
	Ant3	5240	9.21	≤14.98	PASS
	Ant4	5240	8.45	≤14.98	PASS
	total	5240	14.46	≤14.98	PASS
	Ant1	5260	2.99	≤8.98	PASS
	Ant2	5260	2.83	≤8.98	PASS
	Ant3	5260	2.8	≤8.98	PASS
	Ant4	5260	2.89	≤8.98	PASS
	total	5260	8.90	≤8.98	PASS
	Ant1	5280	3.08	≤8.98	PASS
	Ant2	5280	2.75	≤8.98	PASS
	Ant3	5280	3	≤8.98	PASS
	Ant4	5280	2.58	≤8.98	PASS
	total	5280	8.88	≤8.98	PASS
	Ant1	5320	2.95	≤8.98	PASS
	Ant2	5320	2.32	≤8.98	PASS
	Ant3	5320	3.14	≤8.98	PASS
	Ant4	5320	2.47	≤8.98	PASS
	total	5320	8.75	≤8.98	PASS
	Ant1	5500	2.94	≤8.98	PASS
	Ant2	5500	2.42	≤8.98	PASS
	Ant3	5500	3.02	≤8.98	PASS
	Ant4	5500	2.68	≤8.98	PASS
	total	5500	8.79	≤8.98	PASS
	Ant1	5580	2.62	≤8.98	PASS
	Ant2	5580	2.51	≤8.98	PASS
	Ant3	5580	2.91	≤8.98	PASS
	Ant4	5580	2.37	≤8.98	PASS
	total	5580	8.63	≤8.98	PASS
	Ant1	5700	2.21	≤8.98	PASS

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

	Ant2	5700	1.55	≤8.98	PASS
	Ant3	5700	3.5	≤8.98	PASS
	Ant4	5700	2.11	≤8.98	PASS
	total	5700	8.42	≤8.98	PASS
	Ant1	5745	6.71	≤27.98	PASS
	Ant2	5745	6.45	≤27.98	PASS
	Ant3	5745	8.3	≤27.98	PASS
	Ant4	5745	7.73	≤27.98	PASS
	total	5745	13.38	≤27.98	PASS
	Ant1	5785	7.04	≤27.98	PASS
	Ant2	5785	6.72	≤27.98	PASS
	Ant3	5785	8.11	≤27.98	PASS
	Ant4	5785	7.53	≤27.98	PASS
	total	5785	13.40	≤27.98	PASS
	Ant1	5825	6.48	≤27.98	PASS
	Ant2	5825	6.88	≤27.98	PASS
	Ant3	5825	7.64	≤27.98	PASS
	Ant4	5825	7.38	≤27.98	PASS
	total	5825	13.14	≤27.98	PASS
11BE40-CDD	Ant1	5190	6.68	≤14.98	PASS
	Ant2	5190	7.17	≤14.98	PASS
	Ant3	5190	5.6	≤14.98	PASS
	Ant4	5190	6.29	≤14.98	PASS
	total	5190	12.49	≤14.98	PASS
	Ant1	5230	8.08	≤14.98	PASS
	Ant2	5230	9.57	≤14.98	PASS
	Ant3	5230	7.63	≤14.98	PASS
	Ant4	5230	7.98	≤14.98	PASS
	total	5230	14.40	≤14.98	PASS
	Ant1	5270	2.39	≤8.98	PASS
	Ant2	5270	2.1	≤8.98	PASS
	Ant3	5270	2.4	≤8.98	PASS
	Ant4	5270	1.83	≤8.98	PASS
	total	5270	8.21	≤8.98	PASS
	Ant1	5310	2.84	≤8.98	PASS
	Ant2	5310	2.19	≤8.98	PASS
	Ant3	5310	2.92	≤8.98	PASS
	Ant4	5310	2.42	≤8.98	PASS
	total	5310	8.62	≤8.98	PASS
	Ant1	5510	2.46	≤8.98	PASS
	Ant2	5510	2.11	≤8.98	PASS
	Ant3	5510	2.82	≤8.98	PASS
	Ant4	5510	1.94	≤8.98	PASS
	total	5510	8.37	≤8.98	PASS
	Ant1	5550	2.04	≤8.98	PASS
	Ant2	5550	2.76	≤8.98	PASS
	Ant3	5550	3.07	≤8.98	PASS
	Ant4	5550	1.35	≤8.98	PASS
	total	5550	8.38	≤8.98	PASS
	Ant1	5670	2.45	≤8.98	PASS
	Ant2	5670	1.7	≤8.98	PASS
	Ant3	5670	3.02	≤8.98	PASS
	Ant4	5670	2.29	≤8.98	PASS
	total	5670	8.41	≤8.98	PASS
	Ant1	5755	5.38	≤27.98	PASS
	Ant2	5755	5.62	≤27.98	PASS
	Ant3	5755	7.27	≤27.98	PASS
	Ant4	5755	6.19	≤27.98	PASS
	total	5755	12.20	≤27.98	PASS
	Ant1	5795	5.06	≤27.98	PASS
	Ant2	5795	4.9	≤27.98	PASS
	Ant3	5795	6.46	≤27.98	PASS
	Ant4	5795	5.34	≤27.98	PASS

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

	total	5795	11.51	≤27.98	PASS
11BE80-CDD	Ant1	5210	2.85	≤14.98	PASS
	Ant2	5210	3.65	≤14.98	PASS
	Ant3	5210	2.31	≤14.98	PASS
	Ant4	5210	2.46	≤14.98	PASS
	total	5210	8.87	≤14.98	PASS
	Ant1	5290	0.12	≤8.98	PASS
	Ant2	5290	1.06	≤8.98	PASS
	Ant3	5290	-0.24	≤8.98	PASS
	Ant4	5290	-0.39	≤8.98	PASS
	total	5290	6.20	≤8.98	PASS
	Ant1	5530	-0.37	≤8.98	PASS
	Ant2	5530	-0.32	≤8.98	PASS
	Ant3	5530	0.44	≤8.98	PASS
	Ant4	5530	-1.4	≤8.98	PASS
	total	5530	5.66	≤8.98	PASS
	Ant1	5610	-0.65	≤8.98	PASS
	Ant2	5610	-1.01	≤8.98	PASS
	Ant3	5610	0.2	≤8.98	PASS
	Ant4	5610	-0.54	≤8.98	PASS
	total	5610	5.54	≤8.98	PASS
	Ant1	5775	2.22	≤27.98	PASS
	Ant2	5775	2.86	≤27.98	PASS
	Ant3	5775	1.4	≤27.98	PASS
	Ant4	5775	2.32	≤27.98	PASS
	total	5775	8.25	≤27.98	PASS
11BE160-CDD	Ant1	5250_UNII-1	-1.37	≤14.98	PASS
	Ant2	5250_UNII-1	0.02	≤14.98	PASS
	Ant3	5250_UNII-1	-2.19	≤14.98	PASS
	Ant4	5250_UNII-1	-2.07	≤14.98	PASS
	total	5250_UNII-1	4.71	≤14.98	PASS
	Ant1	5250_UNII-2A	-1.29	≤8.98	PASS
	Ant2	5250_UNII-2A	0.15	≤8.98	PASS
	Ant3	5250_UNII-2A	-2.57	≤8.98	PASS
	Ant4	5250_UNII-2A	-1.82	≤8.98	PASS
	total	5250_UNII-2A	4.76	≤8.98	PASS
	Ant1	5570	-4.15	≤8.98	PASS
	Ant2	5570	-3.17	≤8.98	PASS
	Ant3	5570	-3.72	≤8.98	PASS
	Ant4	5570	-4.56	≤8.98	PASS
	total	5570	2.15	≤8.98	PASS

Note：1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

11.5.2. Test Graphs



11A-CDD_Ant1_5180

11A-CDD_Ant2_5180

11A-CDD_Ant3_5180

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

11A-CDD_Ant4_5180

11A-CDD_Ant1_5200

11A-CDD_Ant2_5200

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11A-CDD_Ant3_5200



11A-CDD_Ant4_5200

11A-CDD_Ant1_5240

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11A-CDD_Ant2_5240

11A-CDD_Ant3_5240



11A-CDD_Ant4_5240

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11A-CDD_Ant1_5260

11A-CDD_Ant2_5260

11A-CDD_Ant3_5260

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

11A-CDD_Ant4_5260

11A-CDD_Ant1_5280



11A-CDD_Ant2_5280

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11A-CDD_Ant3_5280

11A-CDD_Ant4_5280



11A-CDD_Ant1_5320

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11A-CDD_Ant2_5320



11A-CDD_Ant3_5320



11A-CDD_Ant4_5320

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11A-CDD_Ant1_5500



11A-CDD_Ant2_5500



11A-CDD_Ant3_5500

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11A-CDD_Ant4_5500

11A-CDD_Ant1_5580



11A-CDD_Ant2_5580

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

11A-CDD_Ant3_5580

11A-CDD_Ant4_5580



11A-CDD_Ant1_5700

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11A-CDD_Ant2_5700



11A-CDD_Ant3_5700



11A-CDD_Ant4_5700

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11A-CDD_Ant1_5745



11A-CDD_Ant2_5745



11A-CDD_Ant3_5745

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11A-CDD_Ant4_5745



11A-CDD_Ant1_5785



11A-CDD_Ant2_5785

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11A-CDD_Ant3_5785

11A-CDD_Ant4_5785



11A-CDD_Ant1_5825

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



11A-CDD_Ant2_5825

11A-CDD_Ant3_5825



11A-CDD_Ant4_5825

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.