



Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.39	16.60	500	Complies
157	5785	16.45	16.60	500	Complies
165	5825	16.09	16.60	500	Complies


CH149






CH157
6 dB Bandwidth



CH165




99 % Emission Bandwidth




Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	44.79	36.80
46	5230	48.50	36.80



CH38



CH46
26 dB Bandwidth




99 % Emission Bandwidth




Test Mode	UNII-1_TX AC (VHT80) Mode		
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	93.99	76.00

CH42 26 dB Bandwidth



Date: 3.MAR.2021 15:09:55

99 % Emission Bandwidth




Date: 3.MAR.2021 15:08:25


Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.55	17.80	500	Complies
157	5785	17.55	17.80	500	Complies
165	5825	17.65	17.80	500	Complies


CH149






CH157
6 dB Bandwidth



CH165




99 % Emission Bandwidth



Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.20	36.60	500	Complies
159	5795	36.50	36.80	500	Complies

CH151




Date: 3.MAR.2021 15:05:04

CH159
6 dB Bandwidth




Date: 3.MAR.2021 15:06:14

99 % Emission Bandwidth



Date: 3.MAR.2021 15:04:34




Date: 3.MAR.2021 15:06:06

Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	76.00	76.00	500	Complies

CH155 6 dB Bandwidth



Date: 3.MAR.2021 15:11:41

99 % Emission Bandwidth




Date: 3.MAR.2021 15:11:05

Test Mode	UNII-1_TX AX (HE20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	22.99	19.00
40	5200	23.50	19.10
48	5240	23.00	19.10


CH36




Test Mode	UNII-1_TX AX (HE40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	45.10	38.40
46	5230	43.41	38.40



CH38



CH46
26 dB Bandwidth




99 % Emission Bandwidth




Test Mode	UNII-1_TX AX (HE80) Mode		
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	104.39	78.00

CH42
26 dB Bandwidth



Date: 3.MAR.2021 15:32:04

99 % Emission Bandwidth




Date: 3.MAR.2021 15:30:50


Test Mode	UNII-3_TX AX (HE20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	18.50	19.00	500	Complies
157	5785	18.40	19.10	500	Complies
165	5825	18.80	19.00	500	Complies

CH149




Date: 3.MAR.2021 15:19:13

CH157
6 dB Bandwidth



Date: 3.MAR.2021 15:20:43

CH165




Date: 3.MAR.2021 15:22:07


99 % Emission Bandwidth



Date: 3.MAR.2021 15:19:45



Date: 3.MAR.2021 15:20:14




Date: 3.MAR.2021 15:21:40

Test Mode	UNII-3_TX AX (HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	38.20	38.40	500	Complies
159	5795	37.90	38.40	500	Complies

CH151




Date: 3.MAR.2021 15:27:57

CH159 6 dB Bandwidth




Date: 3.MAR.2021 15:29:17

99 % Emission Bandwidth



Date: 3.MAR.2021 15:27:29




Date: 3.MAR.2021 15:28:50

Test Mode	UNII-3_TX AX (HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	73.59	77.60	500	Complies

CH155 6 dB Bandwidth



Date: 3.MAR.2021 15:34:34

99 % Emission Bandwidth



Date: 3.MAR.2021 15:33:45

APPENDIX F - MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.15	0.32	22.47	30.00	1.00	Complies
40	5200	22.23	0.32	22.55	30.00	1.00	Complies
48	5240	22.18	0.32	22.50	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.35	0.32	22.67	30.00	1.00	Complies
40	5200	22.37	0.32	22.69	30.00	1.00	Complies
48	5240	22.09	0.32	22.41	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.58	30.00	1.00	Complies
40	5200	25.63	30.00	1.00	Complies
48	5240	25.47	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.98	0.32	22.30	30.00	1.00	Complies
157	5785	21.95	0.32	22.27	30.00	1.00	Complies
165	5825	21.83	0.32	22.15	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.63	0.32	22.95	30.00	1.00	Complies
157	5785	22.57	0.32	22.89	30.00	1.00	Complies
165	5825	22.55	0.32	22.87	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.65	30.00	1.00	Complies
157	5785	25.60	30.00	1.00	Complies
165	5825	25.54	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.93	0.32	22.25	30.00	1.00	Complies
40	5200	21.81	0.32	22.13	30.00	1.00	Complies
48	5240	21.79	0.32	22.11	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.32	0.32	22.64	30.00	1.00	Complies
40	5200	22.29	0.32	22.61	30.00	1.00	Complies
48	5240	21.96	0.32	22.28	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.46	30.00	1.00	Complies
40	5200	25.39	30.00	1.00	Complies
48	5240	25.21	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.08	0.34	21.42	30.00	1.00	Complies
46	5230	22.05	0.34	22.39	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.43	0.34	21.77	30.00	1.00	Complies
46	5230	22.18	0.34	22.52	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	24.61	30.00	1.00	Complies
46	5230	25.47	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.21	0.27	21.48	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	22.68	0.27	22.95	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	25.28	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.98	0.32	22.30	30.00	1.00	Complies
157	5785	21.86	0.32	22.18	30.00	1.00	Complies
165	5825	21.87	0.32	22.19	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.37	0.32	22.69	30.00	1.00	Complies
157	5785	22.24	0.32	22.56	30.00	1.00	Complies
165	5825	22.03	0.32	22.35	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.51	30.00	1.00	Complies
157	5785	25.39	30.00	1.00	Complies
165	5825	25.29	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.79	0.34	22.13	30.00	1.00	Complies
159	5795	21.88	0.34	22.22	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.27	0.34	22.61	30.00	1.00	Complies
159	5795	22.35	0.34	22.69	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.39	30.00	1.00	Complies
159	5795	25.47	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.81	0.27	22.08	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.25	0.27	22.52	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.31	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.85	0.19	22.04	30.00	1.00	Complies
40	5200	21.74	0.19	21.93	30.00	1.00	Complies
48	5240	22.13	0.19	22.32	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.13	0.19	22.32	30.00	1.00	Complies
40	5200	22.09	0.19	22.28	30.00	1.00	Complies
48	5240	22.37	0.19	22.56	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.19	30.00	1.00	Complies
40	5200	25.12	30.00	1.00	Complies
48	5240	25.45	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.16	0.25	21.41	30.00	1.00	Complies
46	5230	21.84	0.25	22.09	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.21	0.25	21.46	30.00	1.00	Complies
46	5230	22.03	0.25	22.28	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	24.45	30.00	1.00	Complies
46	5230	25.20	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.03	0.22	21.25	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.27	0.22	21.49	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	24.38	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.79	0.19	21.98	30.00	1.00	Complies
157	5785	21.65	0.19	21.84	30.00	1.00	Complies
165	5825	21.99	0.19	22.18	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.15	0.19	22.34	30.00	1.00	Complies
157	5785	21.98	0.19	22.17	30.00	1.00	Complies
165	5825	22.36	0.19	22.55	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.17	30.00	1.00	Complies
157	5785	25.01	30.00	1.00	Complies
165	5825	25.38	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.92	0.25	22.17	30.00	1.00	Complies
159	5795	22.07	0.25	22.32	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.25	0.25	22.50	30.00	1.00	Complies
159	5795	22.39	0.25	22.64	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.35	30.00	1.00	Complies
159	5795	25.49	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.71	0.22	21.93	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.09	0.22	22.31	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.13	30.00	1.00	Complies

Beamforming

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.05	0.32	21.37	30.00	1.00	Complies
40	5200	20.93	0.32	21.25	30.00	1.00	Complies
48	5240	20.91	0.32	21.23	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.58	0.32	21.90	30.00	1.00	Complies
40	5200	21.55	0.32	21.87	30.00	1.00	Complies
48	5240	21.22	0.32	21.54	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.66	30.00	1.00	Complies
40	5200	24.59	30.00	1.00	Complies
48	5240	24.40	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.26	0.34	20.60	30.00	1.00	Complies
46	5230	21.17	0.34	21.51	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.69	0.34	21.03	30.00	1.00	Complies
46	5230	21.44	0.34	21.78	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.83	30.00	1.00	Complies
46	5230	24.66	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.33	0.27	19.60	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.94	0.27	21.21	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	23.49	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.18	0.32	21.50	30.00	1.00	Complies
157	5785	20.98	0.32	21.30	30.00	1.00	Complies
165	5825	20.99	0.32	21.31	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.63	0.32	21.95	30.00	1.00	Complies
157	5785	21.52	0.32	21.84	30.00	1.00	Complies
165	5825	21.29	0.32	21.61	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.75	30.00	1.00	Complies
157	5785	24.59	30.00	1.00	Complies
165	5825	24.48	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.91	0.34	21.25	30.00	1.00	Complies
159	5795	21.13	0.34	21.47	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.53	0.34	21.87	30.00	1.00	Complies
159	5795	21.61	0.34	21.95	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.58	30.00	1.00	Complies
159	5795	24.73	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.93	0.27	21.20	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.51	0.27	21.78	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.51	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.97	0.19	21.16	30.00	1.00	Complies
40	5200	20.86	0.19	21.05	30.00	1.00	Complies
48	5240	21.25	0.19	21.44	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.39	0.19	21.58	30.00	1.00	Complies
40	5200	21.35	0.19	21.54	30.00	1.00	Complies
48	5240	21.63	0.19	21.82	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.38	30.00	1.00	Complies
40	5200	24.31	30.00	1.00	Complies
48	5240	24.64	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.28	0.25	20.53	30.00	1.00	Complies
46	5230	20.96	0.25	21.21	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.47	0.25	20.72	30.00	1.00	Complies
46	5230	21.29	0.25	21.54	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.64	30.00	1.00	Complies
46	5230	24.39	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.15	0.22	20.37	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.53	0.22	20.75	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	23.57	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.91	0.19	21.10	30.00	1.00	Complies
157	5785	20.77	0.19	20.96	30.00	1.00	Complies
165	5825	21.11	0.19	21.30	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.41	0.19	21.60	30.00	1.00	Complies
157	5785	21.24	0.19	21.43	30.00	1.00	Complies
165	5825	21.62	0.19	21.81	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.36	30.00	1.00	Complies
157	5785	24.21	30.00	1.00	Complies
165	5825	24.57	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.04	0.25	21.29	30.00	1.00	Complies
159	5795	21.19	0.25	21.44	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.51	0.25	21.76	30.00	1.00	Complies
159	5795	21.65	0.25	21.90	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.54	30.00	1.00	Complies
159	5795	24.69	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.83	0.22	21.05	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.35	0.22	21.57	30.00	1.00	Complies


Test Mode	UNII-3_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.33	30.00	1.00	Complies

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.94	0.32	12.26	17.00	Complies
40	5200	11.97	0.32	12.29	17.00	Complies
48	5240	12.14	0.32	12.46	17.00	Complies



Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.71	0.32	12.03	17.00	Complies
40	5200	11.61	0.32	11.93	17.00	Complies
48	5240	11.69	0.32	12.01	17.00	Complies




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	15.16	16.99	Complies
40	5200	15.13	16.99	Complies
48	5240	15.25	16.99	Complies


Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.35	0.32	10.67	30.00	Complies
157	5785	10.24	0.32	10.56	30.00	Complies
165	5825	10.13	0.32	10.45	30.00	Complies



Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.34	0.32	10.66	30.00	Complies
157	5785	10.17	0.32	10.49	30.00	Complies
165	5825	10.11	0.32	10.43	30.00	Complies




Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.68	29.99	Complies
157	5785	13.54	29.99	Complies
165	5825	13.45	29.99	Complies


Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.96	0.32	11.28	17.00	Complies
40	5200	10.78	0.32	11.10	17.00	Complies
48	5240	10.77	0.32	11.09	17.00	Complies



Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.36	0.32	11.68	17.00	Complies
40	5200	11.36	0.32	11.68	17.00	Complies
48	5240	11.51	0.32	11.83	17.00	Complies




Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.50	16.99	Complies
40	5200	14.41	16.99	Complies
48	5240	14.49	16.99	Complies


Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.32	0.34	8.66	17.00	Complies
46	5230	8.39	0.34	8.73	17.00	Complies

CH38




CH46




Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.72	0.34	9.06	17.00	Complies
46	5230	9.12	0.34	9.46	17.00	Complies

CH38



CH46




Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	11.88	16.99	Complies
46	5230	12.12	16.99	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.95	0.27	5.22	17.00	Complies


CH42



Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.49	0.27	5.76	17.00	Complies

CH42




Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	8.51	16.99	Complies


Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.68	0.32	10.00	30.00	Complies
157	5785	9.68	0.32	10.00	30.00	Complies
165	5825	9.67	0.32	9.99	30.00	Complies



Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.80	0.32	10.12	30.00	Complies
157	5785	9.40	0.32	9.72	30.00	Complies
165	5825	9.58	0.32	9.90	30.00	Complies




Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.08	29.99	Complies
157	5785	12.88	29.99	Complies
165	5825	12.96	29.99	Complies


Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.54	0.34	6.88	30.00	Complies
159	5795	6.53	0.34	6.87	30.00	Complies

CH151




CH159




Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.73	0.34	7.07	30.00	Complies
159	5795	6.57	0.34	6.91	30.00	Complies

CH151



CH159




Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.99	29.99	Complies
159	5795	9.90	29.99	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.98	0.27	3.25	30.00	Complies


CH155



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.27	0.27	3.54	30.00	Complies

CH155




Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	6.40	29.99	Complies


Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.45	0.19	10.64	17.00	Complies
40	5200	10.59	0.19	10.78	17.00	Complies
48	5240	10.92	0.19	11.11	17.00	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.12	0.19	11.31	17.00	Complies
40	5200	11.13	0.19	11.32	17.00	Complies
48	5240	11.17	0.19	11.36	17.00	Complies


CH36



CH40



CH48




Test Mode	UNII-1_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.99	16.99	Complies
40	5200	14.07	16.99	Complies
48	5240	14.24	16.99	Complies


Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.12	0.25	8.37	17.00	Complies
46	5230	8.16	0.25	8.41	17.00	Complies

CH38




CH46




Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.17	0.25	8.42	17.00	Complies
46	5230	8.68	0.25	8.93	17.00	Complies

CH38



CH46




Test Mode	UNII-1_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	11.41	16.99	Complies
46	5230	11.69	16.99	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.58	0.22	5.80	17.00	Complies


CH42



Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.44	0.22	5.66	17.00	Complies

CH42



Test Mode	UNII-1_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	8.74	16.99	Complies