



Test Mode TX N(HT40) Mode_Ant. 2

Reference Level-CH03




Date: 26.OCT.2021 13:53:33

Reference Level-CH06




Date: 26.OCT.2021 13:54:21

Reference Level-CH09




Date: 26.OCT.2021 13:54:40

Bandedge-CH03




Date: 26.OCT.2021 14:51:46

Bandedge-CH09




Date: 26.OCT.2021 14:52:55


CH03 – 10th Harmonic of the fundamental frequency



Date: 26.OCT.2021 16:18:48




Date: 26.OCT.2021 16:18:55




Date: 26.OCT.2021 16:19:13


CH06 – 10th Harmonic of the fundamental frequency



Date: 26.OCT.2021 16:19:47




Date: 26.OCT.2021 16:19:55




Date: 26.OCT.2021 16:20:13


CH09 – 10th Harmonic of the fundamental frequency



Date: 26.OCT.2021 16:20:49




Date: 26.OCT.2021 16:20:57



Date: 26.OCT.2021 16:21:15


Test Mode TX AX(HE20) Mode_Ant. 1

Reference Level-CH01




Date: 26.OCT.2021 13:41:36

Reference Level-CH06




Date: 26.OCT.2021 13:41:57

Reference Level-CH11




Date: 26.OCT.2021 13:43:04

Bandedge-CH01




Date: 26.OCT.2021 14:23:12

Bandedge-CH11




Date: 26.OCT.2021 14:33:25


CH01 – 10th Harmonic of the fundamental frequency



Date: 26.OCT.2021 15:36:49




Date: 26.OCT.2021 15:36:57




Date: 26.OCT.2021 15:37:05


CH06 – 10th Harmonic of the fundamental frequency



Date: 26.OCT.2021 15:37:27




Date: 26.OCT.2021 15:37:35




Date: 26.OCT.2021 15:37:43


CH11 – 10th Harmonic of the fundamental frequency



Date: 26.OCT.2021 15:38:17




Date: 26.OCT.2021 15:38:25



Date: 26.OCT.2021 15:38:33


Test Mode TX AX(HE20) Mode_Ant. 2

Reference Level-CH01




Date: 26.OCT.2021 13:55:16

Reference Level-CH06




Date: 26.OCT.2021 13:55:43

Reference Level-CH11




Date: 26.OCT.2021 13:56:35

Bandedge-CH01




Date: 26.OCT.2021 14:53:56

Bandedge-CH11




Date: 26.OCT.2021 14:55:38


CH01 – 10th Harmonic of the fundamental frequency



Date: 26.OCT.2021 16:21:47




Date: 26.OCT.2021 16:21:55




Date: 26.OCT.2021 16:22:03


CH06 – 10th Harmonic of the fundamental frequency



Date: 26.OCT.2021 16:22:31




Date: 26.OCT.2021 16:22:39




Date: 26.OCT.2021 16:22:47


CH11 – 10th Harmonic of the fundamental frequency



Date: 26.OCT.2021 16:23:12




Date: 26.OCT.2021 16:23:21




Date: 26.OCT.2021 16:23:29

Test Mode TX AX(HE40) Mode_Ant. 1


Reference Level-CH03




Reference Level-CH06




Reference Level-CH09




Bandedge-CH03




Bandedge-CH09




CH03 – 10th Harmonic of the fundamental frequency



Date: 26.OCT.2021 15:39:02




Date: 26.OCT.2021 15:39:10




Date: 26.OCT.2021 15:39:28


CH06 – 10th Harmonic of the fundamental frequency



Date: 26.OCT.2021 15:39:51




Date: 26.OCT.2021 15:39:59




Date: 26.OCT.2021 15:40:17


CH09 – 10th Harmonic of the fundamental frequency



Date: 26.OCT.2021 15:40:44




Date: 26.OCT.2021 15:40:52



Date: 26.OCT.2021 15:41:10


Test Mode TX AX(HE40) Mode_Ant. 2

Reference Level-CH03




Date: 26.OCT.2021 13:58:29

Reference Level-CH06




Date: 26.OCT.2021 13:58:45

Reference Level-CH09




Date: 26.OCT.2021 13:59:03

Bandedge-CH03




Date: 26.OCT.2021 14:57:17

Bandedge-CH09




Date: 26.OCT.2021 14:58:26


CH03 – 10th Harmonic of the fundamental frequency



Date: 26.OCT.2021 16:24:18




Date: 26.OCT.2021 16:24:26




Date: 26.OCT.2021 16:24:44


CH06 – 10th Harmonic of the fundamental frequency



Date: 26.OCT.2021 16:25:10




Date: 26.OCT.2021 16:25:17




Date: 26.OCT.2021 16:25:35


CH09 – 10th Harmonic of the fundamental frequency



Date: 26.OCT.2021 16:25:59



Date: 26.OCT.2021 16:26:07




Date: 26.OCT.2021 16:26:24


APPENDIX H - POWER SPECTRAL DENSITY

Test Mode	TX B Mode_Ant. 1
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-4.22	8.00	Complies
06	2437	-4.73	8.00	Complies
11	2462	-3.88	8.00	Complies



Date: 26.OCT.2021 11:26:34




Date: 26.OCT.2021 11:27:06




Date: 26.OCT.2021 11:27:42

Test Mode	TX B Mode_Ant. 2
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-3.65	8.00	Complies
06	2437	-3.89	8.00	Complies
11	2462	-3.99	8.00	Complies



Date: 26.OCT.2021 11:43:38



Date: 26.OCT.2021 11:44:01




Date: 26.OCT.2021 11:44:16

Test Mode	TX B Mode_Total
-----------	-----------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-0.92	8.00	Complies
06	2437	-1.28	8.00	Complies
11	2462	-0.92	8.00	Complies


Test Mode	TX G Mode_Ant. 1
-----------	------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-4.63	8.00	Complies
06	2437	-5.87	8.00	Complies
11	2462	-5.83	8.00	Complies



Test Mode	TX G Mode_Ant. 2
-----------	------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-5.01	8.00	Complies
06	2437	-5.86	8.00	Complies
11	2462	-4.25	8.00	Complies




Test Mode	TX G Mode_Total
-----------	-----------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-1.81	8.00	Complies
06	2437	-2.85	8.00	Complies
11	2462	-1.96	8.00	Complies

Test Mode	TX N(HT20) Mode_Ant. 1
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-3.41	8.00	Complies
06	2437	-3.95	8.00	Complies
11	2462	-4.83	8.00	Complies



Date: 26.OCT.2021 11:30:24




Date: 26.OCT.2021 11:30:42




Date: 26.OCT.2021 11:31:05

Test Mode	TX N(HT20) Mode_Ant. 2
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-3.95	8.00	Complies
06	2437	-4.39	8.00	Complies
11	2462	-4.92	8.00	Complies



Date: 26.OCT.2021 11:46:11



Date: 26.OCT.2021 11:46:28




Date: 26.OCT.2021 11:46:43

Test Mode	TX N(HT20) Mode_Total
-----------	-----------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-0.66	8.00	Complies
06	2437	-1.15	8.00	Complies
11	2462	-1.86	8.00	Complies

Test Mode	TX N(HT40) Mode_Ant. 1
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-5.09	8.00	Complies
06	2437	-6.93	8.00	Complies
09	2452	-6.92	8.00	Complies



Date: 26.OCT.2021 11:33:42




Date: 26.OCT.2021 11:34:03




Date: 26.OCT.2021 11:34:27

Test Mode	TX N(HT40) Mode_Ant. 2
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-5.89	8.00	Complies
06	2437	-6.77	8.00	Complies
09	2452	-6.50	8.00	Complies



Date: 26.OCT.2021 11:47:21



Date: 26.OCT.2021 11:47:40




Date: 26.OCT.2021 11:47:59

Test Mode	TX N(HT40) Mode_Total
-----------	-----------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-2.46	8.00	Complies
06	2437	-3.84	8.00	Complies
09	2452	-3.69	8.00	Complies

Test Mode	TX AX(HE20) Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-4.35	8.00	Complies
06	2437	-5.95	8.00	Complies
11	2462	-6.18	8.00	Complies



Date: 26.OCT.2021 11:35:08




Date: 26.OCT.2021 11:35:35




Date: 26.OCT.2021 11:36:28

Test Mode	TX AX(HE20) Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-5.18	8.00	Complies
06	2437	-5.10	8.00	Complies
11	2462	-4.57	8.00	Complies



Date: 26.OCT.2021 11:48:52



Date: 26.OCT.2021 11:49:09




Date: 26.OCT.2021 11:49:28

Test Mode	TX AX(HE20) Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-1.73	8.00	Complies
06	2437	-2.49	8.00	Complies
11	2462	-2.29	8.00	Complies

Test Mode	TX AX(HE40) Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-6.92	8.00	Complies
06	2437	-8.05	8.00	Complies
09	2452	-7.07	8.00	Complies



Date: 26.OCT.2021 11:37:40




Date: 26.OCT.2021 11:38:19




Date: 26.OCT.2021 11:39:22

Test Mode	TX AX(HE40) Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-7.10	8.00	Complies
06	2437	-6.75	8.00	Complies
09	2452	-7.40	8.00	Complies



Date: 26.OCT.2021 11:50:05



Date: 26.OCT.2021 11:50:24



Date: 26.OCT.2021 11:50:43

Test Mode	TX AX(HE40) Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-4.00	8.00	Complies
06	2437	-4.34	8.00	Complies
09	2452	-4.22	8.00	Complies

End of Test Report