Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	0.89	0.51	1.40	10.99	Complies

CH50



Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	1.36	0.51	1.87	10.99	Complies

CH50



Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	4.65	10.99	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.68	0.23	7.91	10.99	Complies
116	5580	7.66	0.23	7.89	10.99	Complies
140	5700	6.96	0.23	7.19	10.99	Complies
144	5720	7.05	0.23	7.28	10.99	Complies

CH100



CH116



CH140



CH144



Test Mode	UNII-2C_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.45	0.23	7.68	10.99	Complies
116	5580	7.68	0.23	7.91	10.99	Complies
140	5700	7.69	0.23	7.92	10.99	Complies
144	5720	7.63	0.23	7.86	10.99	Complies

CH100



CH116



CH140



CH144



Test Mode	UNII-2C_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.81	10.99	Complies
116	5580	10.91	10.99	Complies
140	5700	10.58	10.99	Complies
144	5720	10.59	10.99	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.91	0.00	7.91	10.99	Complies
116	5580	7.76	0.00	7.76	10.99	Complies
140	5700	6.50	0.00	6.50	10.99	Complies
144	5720	7.67	0.00	7.67	10.99	Complies

CH100



CH116



CH140



CH144



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.87	0.00	7.87	10.99	Complies
116	5580	7.73	0.00	7.73	10.99	Complies
140	5700	7.73	0.00	7.73	10.99	Complies
144	5720	7.77	0.00	7.77	10.99	Complies

CH100



CH116



CH140



CH144



Test Mode	UNII-2C_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.90	10.99	Complies
116	5580	10.76	10.99	Complies
140	5700	10.17	10.99	Complies
144	5720	10.73	10.99	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.87	0.13	6.00	10.99	Complies
110	5550	6.03	0.13	6.16	10.99	Complies
134	5670	3.50	0.13	3.63	10.99	Complies
142	5710	7.05	0.13	7.18	10.99	Complies

CH102



CH110



CH134



CH142



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.90	0.13	6.03	10.99	Complies
110	5550	5.87	0.13	6.00	10.99	Complies
134	5670	3.62	0.13	3.75	10.99	Complies
142	5710	7.61	0.13	7.74	10.99	Complies

CH102



CH110



CH134



CH142



Test Mode	UNII-2C_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	9.03	10.99	Complies
110	5550	9.09	10.99	Complies
134	5670	6.70	10.99	Complies
142	5710	10.48	10.99	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.62	0.27	2.89	10.99	Complies
122	5610	1.70	0.27	1.97	10.99	Complies
138	5690	7.25	0.27	7.52	10.99	Complies

CH106



CH122



CH138



Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.35	0.27	2.62	10.99	Complies
122	5610	2.12	0.27	2.39	10.99	Complies
138	5690	7.58	0.27	7.85	10.99	Complies

CH106



CH122



CH138



Test Mode	UNII-2C_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.77	10.99	Complies
122	5610	5.20	10.99	Complies
138	5690	10.70	10.99	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-0.16	0.48	0.32	10.99	Complies

CH114



Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	0.59	0.48	1.07	10.99	Complies

CH114



Test Mode	UNII-2C_TX AC(VHT160) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	3.72	10.99	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.17	0.09	7.26	10.99	Complies
116	5580	7.86	0.09	7.95	10.99	Complies
140	5700	6.23	0.09	6.32	10.99	Complies
144	5720	7.30	0.09	7.39	10.99	Complies

CH100



CH116



CH140



CH144



Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.72	0.09	7.81	10.99	Complies
116	5580	7.76	0.09	7.85	10.99	Complies
140	5700	6.58	0.09	6.67	10.99	Complies
144	5720	7.85	0.09	7.94	10.99	Complies

CH100



CH116



CH140



CH144



Test Mode	UNII-2C_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.56	10.99	Complies
116	5580	10.91	10.99	Complies
140	5700	9.51	10.99	Complies
144	5720	10.69	10.99	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.55	0.16	5.71	10.99	Complies
110	5550	6.02	0.16	6.18	10.99	Complies
134	5670	3.31	0.16	3.47	10.99	Complies
142	5710	7.00	0.16	7.16	10.99	Complies

CH102



CH110



CH134



CH142



Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.59	0.16	5.75	10.99	Complies
110	5550	5.68	0.16	5.84	10.99	Complies
134	5670	3.31	0.16	3.47	10.99	Complies
142	5710	7.39	0.16	7.55	10.99	Complies

CH102



CH110



CH134



CH142



Test Mode	UNII-2C_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	8.74	10.99	Complies
110	5550	9.03	10.99	Complies
134	5670	6.48	10.99	Complies
142	5710	10.37	10.99	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.21	0.35	2.56	10.99	Complies
122	5610	2.46	0.35	2.81	10.99	Complies
138	5690	7.33	0.35	7.68	10.99	Complies

CH106



CH122



CH138



Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.24	0.35	2.59	10.99	Complies
122	5610	2.50	0.35	2.85	10.99	Complies
138	5690	7.59	0.35	7.94	10.99	Complies

CH106



CH122



CH138



Test Mode	UNII-2C_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.59	10.99	Complies
122	5610	5.84	10.99	Complies
138	5690	10.82	10.99	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-0.97	0.51	-0.46	10.99	Complies

CH114



Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-0.39	0.51	0.12	10.99	Complies

CH114



Test Mode	UNII-2C_TX AX(HE160) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	2.85	10.99	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.57	0.23	10.80	29.99	Complies
157	5785	9.99	0.23	10.22	29.99	Complies
165	5825	11.06	0.23	11.29	29.99	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.39	0.23	11.62	29.99	Complies
157	5785	10.84	0.23	11.07	29.99	Complies
165	5825	11.21	0.23	11.44	29.99	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.24	29.99	Complies
157	5785	13.67	29.99	Complies
165	5825	14.37	29.99	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.52	0.00	11.52	29.99	Complies
157	5785	11.64	0.00	11.64	29.99	Complies
165	5825	10.73	0.00	10.73	29.99	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.85	0.00	11.85	29.99	Complies
157	5785	11.42	0.00	11.42	29.99	Complies
165	5825	10.81	0.00	10.81	29.99	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.70	29.99	Complies
157	5785	14.54	29.99	Complies
165	5825	13.78	29.99	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.76	0.13	5.89	29.99	Complies
159	5795	5.96	0.13	6.09	29.99	Complies

CH151



CH159



Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.97	0.13	5.10	29.99	Complies
159	5795	5.43	0.13	5.56	29.99	Complies

CH151



CH159



Test Mode	UNII-3_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.53	29.99	Complies
159	5795	8.85	29.99	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.31	0.27	-1.04	29.99	Complies

CH155



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.38	0.27	-1.11	29.99	Complies

CH155



Test Mode	UNII-3_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.94	29.99	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.25	0.09	8.34	29.99	Complies
157	5785	7.09	0.09	7.18	29.99	Complies
165	5825	7.65	0.09	7.74	29.99	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.41	0.09	7.50	29.99	Complies
157	5785	7.07	0.09	7.16	29.99	Complies
165	5825	7.31	0.09	7.40	29.99	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.95	29.99	Complies
157	5785	10.18	29.99	Complies
165	5825	10.59	29.99	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.99	0.16	5.15	29.99	Complies
159	5795	4.53	0.16	4.69	29.99	Complies

CH151



CH159



Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.55	0.16	4.71	29.99	Complies
159	5795	4.35	0.16	4.51	29.99	Complies

CH151



CH159



Test Mode	UNII-3_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.95	29.99	Complies
159	5795	7.61	29.99	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.28	0.35	-0.93	29.99	Complies

CH155



Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.98	0.35	-0.63	29.99	Complies

CH155



Test Mode	UNII-3_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.23	29.99	Complies

End of Test Report