


Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.750	17.300
40	5200	40.299	19.800
48	5240	39.590	19.500

CH36




Date: 1.MAR.2021 11:31:43

CH40
26 dB Bandwidth




Date: 1.MAR.2021 11:33:11

CH48




Date: 1.MAR.2021 11:34:10


99 % Occupied Bandwidth



Date: 1.MAR.2021 11:31:09



Date: 1.MAR.2021 11:32:51




Date: 1.MAR.2021 11:33:50

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	22.150	18.200
40	5200	36.788	19.400
48	5240	42.590	19.600

CH36




Date: 1.MAR.2021 11:51:19

CH40
26 dB Bandwidth




Date: 1.MAR.2021 11:52:58

CH48




Date: 1.MAR.2021 11:54:11


99 % Occupied Bandwidth



Date: 1.MAR.2021 11:50:40



Date: 1.MAR.2021 11:52:30




Date: 6.MAR.2021 16:52:45

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	40.100	36.800
46	5230	49.900	37.400

CH38




Date: 1.MAR.2021 14:12:27

CH46
26 dB Bandwidth




Date: 1.MAR.2021 14:15:26

99 % Occupied Bandwidth



Date: 1.MAR.2021 14:11:32




Date: 1.MAR.2021 14:14:22

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	82.600	76.000

CH42 26 dB Bandwidth



Date: 1.MAR.2021 14:21:31

99 % Occupied Bandwidth




Date: 1.MAR.2021 14:20:41

Test Mode	UNII-1_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.909	19.300
40	5200	37.898	19.800
48	5240	44.990	20.200

CH36




Date: 1.MAR.2021 13:48:47

CH40
26 dB Bandwidth




Date: 1.MAR.2021 13:51:26

CH48




Date: 1.MAR.2021 13:52:41


99 % Occupied Bandwidth



Date: 1.MAR.2021 13:47:59



Date: 1.MAR.2021 13:50:47




Date: 6.MAR.2021 16:54:21

Test Mode	UNII-1_TX AX(HE40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	40.100	36.800
46	5230	41.100	38.000


CH38



Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	83.000	77.600

CH42 26 dB Bandwidth



Date: 1.MAR.2021 14:27:58

99 % Occupied Bandwidth




Date: 1.MAR.2021 14:27:07

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.400	20.600	0.5	Complies
157	5785	16.450	22.000	0.5	Complies
165	5825	16.400	22.800	0.5	Complies

CH149




Date: 1.MAR.2021 11:35:29

CH157
6 dB Bandwidth




Date: 1.MAR.2021 11:36:39

CH165




Date: 1.MAR.2021 11:38:53


99 % Occupied Bandwidth



Date: 1.MAR.2021 11:34:43



Date: 1.MAR.2021 11:35:55




Date: 1.MAR.2021 11:38:10

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.650	20.300	0.5	Complies
157	5785	17.750	22.800	0.5	Complies
165	5825	17.650	23.900	0.5	Complies

CH149




Date: 1.MAR.2021 11:58:55

CH157
6 dB Bandwidth




Date: 1.MAR.2021 12:00:05

CH165




Date: 1.MAR.2021 13:41:55


99 % Occupied Bandwidth



Date: 1.MAR.2021 11:58:11



Date: 1.MAR.2021 11:59:23




Date: 1.MAR.2021 13:41:11

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	74.796	83.200	0.5	Complies

CH155 6 dB Bandwidth



Date: 1.MAR.2021 14:24:17

99 % Occupied Bandwidth




Date: 1.MAR.2021 14:23:20

Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	19.050	21.200	0.5	Complies
157	5785	19.089	21.800	0.5	Complies
165	5825	18.949	22.400	0.5	Complies

CH149




Date: 1.MAR.2021 13:55:56

CH157
6 dB Bandwidth




Date: 1.MAR.2021 13:57:33

CH165




Date: 1.MAR.2021 13:59:51


99 % Occupied Bandwidth



Date: 1.MAR.2021 13:55:09



Date: 1.MAR.2021 13:56:41



Date: 1.MAR.2021 13:58:59

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	76.200	82.800	0.5	Complies

Date: 1.MAR.2021 14:29:21

3.75 GHz

Ref 30 dBm *Att 40 dB SWF 20 ms

Marker 1 [T1] -12.10 dBm 6.476500000 GHz

1.0

10 0dBm 1.3 dB

Temp 1 [T1] 0dBm

Temp 2 [T1] 0dBm

Temp 3 [T1] 0dBm

Temp 4 [T1] 0dBm

Temp 5 [T1] 0dBm

Temp 6 [T1] 0dBm

Temp 7 [T1] 0dBm

Temp 8 [T1] 0dBm

Temp 9 [T1] 0dBm

Temp 10 [T1] 0dBm

Temp 11 [T1] 0dBm

Temp 12 [T1] 0dBm

Temp 13 [T1] 0dBm

Temp 14 [T1] 0dBm

Temp 15 [T1] 0dBm

Temp 16 [T1] 0dBm

Temp 17 [T1] 0dBm

Temp 18 [T1] 0dBm

Temp 19 [T1] 0dBm

Temp 20 [T1] 0dBm

Temp 21 [T1] 0dBm

Temp 22 [T1] 0dBm

Temp 23 [T1] 0dBm

Temp 24 [T1] 0dBm

Temp 25 [T1] 0dBm

Temp 26 [T1] 0dBm

Temp 27 [T1] 0dBm

Temp 28 [T1] 0dBm

Temp 29 [T1] 0dBm

Temp 30 [T1] 0dBm

Temp 31 [T1] 0dBm

Temp 32 [T1] 0dBm

Temp 33 [T1] 0dBm

Temp 34 [T1] 0dBm

Temp 35 [T1] 0dBm

Temp 36 [T1] 0dBm

Temp 37 [T1] 0dBm

Temp 38 [T1] 0dBm

Temp 39 [T1] 0dBm

Temp 40 [T1] 0dBm

Temp 41 [T1] 0dBm

Temp 42 [T1] 0dBm

Temp 43 [T1] 0dBm

Temp 44 [T1] 0dBm

Temp 45 [T1] 0dBm

Temp 46 [T1] 0dBm

Temp 47 [T1] 0dBm

Temp 48 [T1] 0dBm

Temp 49 [T1] 0dBm

Temp 50 [T1] 0dBm

Temp 51 [T1] 0dBm

Temp 52 [T1] 0dBm

Temp 53 [T1] 0dBm

Temp 54 [T1] 0dBm

Temp 55 [T1] 0dBm

Temp 56 [T1] 0dBm

Temp 57 [T1] 0dBm

Temp 58 [T1] 0dBm

Temp 59 [T1] 0dBm

Temp 60 [T1] 0dBm

Temp 61 [T1] 0dBm

Temp 62 [T1] 0dBm

Temp 63 [T1] 0dBm

Temp 64 [T1] 0dBm

Temp 65 [T1] 0dBm

Temp 66 [T1] 0dBm

Temp 67 [T1] 0dBm

Temp 68 [T1] 0dBm

Temp 69 [T1] 0dBm

Temp 70 [T1] 0dBm

Temp 71 [T1] 0dBm

Temp 72 [T1] 0dBm

Temp 73 [T1] 0dBm

Temp 74 [T1] 0dBm

Temp 75 [T1] 0dBm

Temp 76 [T1] 0dBm

Temp 77 [T1] 0dBm

Temp 78 [T1] 0dBm

Temp 79 [T1] 0dBm

Temp 80 [T1] 0dBm

Temp 81 [T1] 0dBm

Temp 82 [T1] 0dBm

Temp 83 [T1] 0dBm

Temp 84 [T1] 0dBm

Temp 85 [T1] 0dBm

Temp 86 [T1] 0dBm

Temp 87 [T1] 0dBm

Temp 88 [T1] 0dBm

Temp 89 [T1] 0dBm

Temp 90 [T1] 0dBm

Temp 91 [T1] 0dBm

Temp 92 [T1] 0dBm

Temp 93 [T1] 0dBm

Temp 94 [T1] 0dBm

Temp 95 [T1] 0dBm

Temp 96 [T1] 0dBm

Temp 97 [T1] 0dBm

Temp 98 [T1] 0dBm

Temp 99 [T1] 0dBm

Temp 100 [T1] 0dBm

Center 3.750 GHz 20 MHz Span 200 MHz

Date: 1.MAR.2021 14:28:26

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.58	0.21	20.79	30.00	1.0000	Complies
40	5200	24.79	0.21	25.00	30.00	1.0000	Complies
48	5240	24.89	0.21	25.10	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.34	0.21	20.55	30.00	1.0000	Complies
40	5200	24.26	0.21	24.47	30.00	1.0000	Complies
48	5240	24.41	0.21	24.62	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.68	30.00	1.0000	Complies
40	5200	27.76	30.00	1.0000	Complies
48	5240	27.88	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.61	0.00	20.61	30.00	1.0000	Complies
40	5200	24.53	0.00	24.53	30.00	1.0000	Complies
48	5240	24.79	0.00	24.79	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.23	0.00	20.23	30.00	1.0000	Complies
40	5200	24.12	0.00	24.12	30.00	1.0000	Complies
48	5240	24.48	0.00	24.48	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.43	30.00	1.0000	Complies
40	5200	27.34	30.00	1.0000	Complies
48	5240	27.65	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.99	0.13	18.12	30.00	1.0000	Complies
46	5230	22.48	0.13	22.61	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.28	0.13	17.41	30.00	1.0000	Complies
46	5230	22.28	0.13	22.41	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.79	30.00	1.0000	Complies
46	5230	25.53	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.91	0.27	17.18	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.66	0.27	16.93	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.07	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.96	0.00	19.96	30.00	1.0000	Complies
40	5200	23.99	0.00	23.99	30.00	1.0000	Complies
48	5240	24.64	0.00	24.64	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.86	0.00	19.86	30.00	1.0000	Complies
40	5200	23.85	0.00	23.85	30.00	1.0000	Complies
48	5240	24.12	0.00	24.12	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.92	30.00	1.0000	Complies
40	5200	26.93	30.00	1.0000	Complies
48	5240	27.40	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.44	0.16	17.60	30.00	1.0000	Complies
46	5230	22.16	0.16	22.32	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.83	0.16	16.99	30.00	1.0000	Complies
46	5230	22.04	0.16	22.20	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.32	30.00	1.0000	Complies
46	5230	25.28	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.75	0.36	17.11	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.78	0.36	17.14	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.14	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.65	0.21	23.86	30.00	1.0000	Complies
157	5785	24.09	0.21	24.30	30.00	1.0000	Complies
165	5825	24.02	0.21	24.23	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.98	0.21	24.19	30.00	1.0000	Complies
157	5785	24.37	0.21	24.58	30.00	1.0000	Complies
165	5825	24.25	0.21	24.46	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.04	30.00	1.0000	Complies
157	5785	27.46	30.00	1.0000	Complies
165	5825	27.36	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.75	0.00	23.75	30.00	1.0000	Complies
157	5785	24.04	0.00	24.04	30.00	1.0000	Complies
165	5825	23.96	0.00	23.96	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.99	0.00	23.99	30.00	1.0000	Complies
157	5785	24.32	0.00	24.32	30.00	1.0000	Complies
165	5825	24.38	0.00	24.38	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.88	30.00	1.0000	Complies
157	5785	27.19	30.00	1.0000	Complies
165	5825	27.19	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.55	0.13	23.68	30.00	1.0000	Complies
159	5795	23.58	0.13	23.71	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.29	0.13	24.42	30.00	1.0000	Complies
159	5795	24.17	0.13	24.30	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.08	30.00	1.0000	Complies
159	5795	27.03	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.66	0.27	23.93	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.03	0.27	24.30	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	27.13	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.81	0.00	23.81	30.00	1.0000	Complies
157	5785	24.19	0.00	24.19	30.00	1.0000	Complies
165	5825	23.67	0.00	23.67	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.03	0.00	24.03	30.00	1.0000	Complies
157	5785	24.22	0.00	24.22	30.00	1.0000	Complies
165	5825	24.14	0.00	24.14	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.93	30.00	1.0000	Complies
157	5785	27.22	30.00	1.0000	Complies
165	5825	26.92	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.69	0.16	23.85	30.00	1.0000	Complies
159	5795	23.67	0.16	23.83	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.11	0.16	24.27	30.00	1.0000	Complies
159	5795	24.06	0.16	24.22	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.08	30.00	1.0000	Complies
159	5795	27.04	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.78	0.36	24.14	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.15	0.36	24.51	30.00	1.0000	Complies


Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	27.34	30.00	1.0000	Complies

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.41	0.21	12.62	17.00	Complies
40	5200	13.48	0.21	13.69	17.00	Complies
48	5240	13.30	0.21	13.51	17.00	Complies



Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.66	0.21	10.87	17.00	Complies
40	5200	12.15	0.21	12.36	17.00	Complies
48	5240	11.78	0.21	11.99	17.00	Complies




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.85	17.00	Complies
40	5200	16.09	17.00	Complies
48	5240	15.83	17.00	Complies


Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.21	0.00	12.21	17.00	Complies
40	5200	13.86	0.00	13.86	17.00	Complies
48	5240	13.94	0.00	13.94	17.00	Complies



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.06	0.00	11.06	17.00	Complies
40	5200	12.82	0.00	12.82	17.00	Complies
48	5240	12.82	0.00	12.82	17.00	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.68	17.00	Complies
40	5200	16.38	17.00	Complies
48	5240	16.43	17.00	Complies


Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.88	0.13	7.01	17.00	Complies
46	5230	10.89	0.13	11.02	17.00	Complies

CH38




CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.95	0.13	6.08	17.00	Complies
46	5230	10.07	0.13	10.20	17.00	Complies

CH38



CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.58	17.00	Complies
46	5230	13.64	17.00	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.66	0.27	4.93	17.00	Complies


CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.52	0.27	3.79	17.00	Complies

CH42




Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.41	17.00	Complies


Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.40	0.00	12.40	17.00	Complies
40	5200	13.44	0.00	13.44	17.00	Complies
48	5240	13.96	0.00	13.96	17.00	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.90	0.00	11.90	17.00	Complies
40	5200	13.09	0.00	13.09	17.00	Complies
48	5240	13.47	0.00	13.47	17.00	Complies


CH36



CH40



CH48




Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	15.17	17.00	Complies
40	5200	16.28	17.00	Complies
48	5240	16.73	17.00	Complies


Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.74	0.16	6.90	17.00	Complies
46	5230	11.25	0.16	11.41	17.00	Complies

CH38




CH46




Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.22	0.16	5.38	17.00	Complies
46	5230	10.78	0.16	10.94	17.00	Complies

CH38



CH46




Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.22	17.00	Complies
46	5230	14.20	17.00	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.45	0.36	4.81	17.00	Complies


CH42



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.47	0.36	3.83	17.00	Complies

CH42




Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.36	17.00	Complies


Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.42	0.21	11.63	30.00	Complies
157	5785	11.71	0.21	11.92	30.00	Complies
165	5825	11.56	0.21	11.77	30.00	Complies


CH149



CH157




CH165




Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.86	0.21	12.07	30.00	Complies
157	5785	11.62	0.21	11.83	30.00	Complies
165	5825	11.60	0.21	11.81	30.00	Complies


CH149



CH157



CH165




Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.87	30.00	Complies
157	5785	14.89	30.00	Complies
165	5825	14.80	30.00	Complies


Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.08	0.00	12.08	30.00	Complies
157	5785	12.09	0.00	12.09	30.00	Complies
165	5825	11.87	0.00	11.87	30.00	Complies



Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.18	0.00	11.18	30.00	Complies
157	5785	10.99	0.00	10.99	30.00	Complies
165	5825	10.91	0.00	10.91	30.00	Complies




Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.66	30.00	Complies
157	5785	14.59	30.00	Complies
165	5825	14.43	30.00	Complies


Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.44	0.13	9.57	30.00	Complies
159	5795	8.91	0.13	9.04	30.00	Complies

CH151




CH159




Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.90	0.13	9.03	30.00	Complies
159	5795	8.31	0.13	8.44	30.00	Complies

CH151



CH159




Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	12.32	30.00	Complies
159	5795	11.76	30.00	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.95	0.27	6.22	30.00	Complies


CH155



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.41	0.27	4.68	30.00	Complies

CH155



Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.53	30.00	Complies