

BP310 Label define

1. Label for BCR
2. Label for Docking
3. Label for Box

Label for BCR

1.Guts Label

23mm

15mm

WIRELESS BARCODE READER



82000071

2.Product Label

40mm

50mm

Model:BP310(BCR) IGT

PN:WIRELESS BARCODE READER

Input Rating: 5V 500mA

CE

UL

US

LISTED

EXXXXXX

UK

CA

ICFC

FCC ID: 2AXLP-BP310READER

IC NO: 1641A-BP310READER

3.BT Mac address Label

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1)This device may not cause harmful interference, and(2)this device must accept any interference received, including interference that may cause undesired operation. CANICES-3(A) / NMB-3(A)

Factory address:
No.200, Sec.2, Changxing Rd., Luzhu Dist., Taoyuan City, 338020, Taiwan(R.O.C)





MADE IN TAIWAN

CB:5E:3B:97:98:76

8/23update

#FCC , IC ID from Ennoconn

Trade name : IGT



FCC ID : 2AXLP-BP310READER

IC No : 1641A-BP310READER

BT Mac address label

Label for Docking

8/23 update
#ID from Ennoconn
FCC ID : 2AXLP-BP310MOUNT
IC No: 1641A-BP310MOUNT



Label for Box

After

