








NTNV_802.11n(20M)_5785_MCS0_ANT1






Date: 17-SEP-2026 17:51:14

NTNV_802.11n(20M)_5825_MCS0_ANT1




Date: 17-SEP-2026 17:52:08




Date: 17-SEP-2026 17:52:28

NTNV_802.11n(40M)_5190_MCS0_ANT1




Date: 17.SEP.2026 16:53:25




Date: 17.SEP.2026 16:53:43

NTNV_802.11n(40M)_5230_MCS0_ANT1




Date: 17.SEP.2026 16:54:22




Date: 17-SEP-2026 16:54:39

NTNV_802.11n(40M)_5270_MCS0_ANT1




Date: 17-SEP-2026 17:14:05




Date: 17-SEP-2026 17:14:18

NTNV_802.11n(40M)_5310_MCS0_ANT1




Date: 17.SEP.2026 17:15:35




Date: 17.SEP.2026 17:15:48

NTNV_802.11n(40M)_5510_MCS0_ANT1




Date: 17.SEP.2026 17:34:50




Date: 17-SEP-2026 17:35:02

NTNV_802.11n(40M)_5550_MCS0_ANT1




Date: 17-SEP-2026 17:35:52




Date: 17-SEP-2026 17:36:04

NTNV_802.11n(40M)_5670_MCS0_ANT1




Date: 17.SEP.2026 17:36:55




Date: 17.SEP.2026 17:37:07



NTNV_802.11n(40M)_5755_MCS0_ANT1





Date: 17.SEP.2026 17:57:56




NTNV_802.11n(40M)_5795_MCS0_ANT1




NTNV_802.11ax(20M)_5180_MCS0_ANT1




NTNV_802.11ax(20M)_5200_MCS0_ANT1






Date: 17-SEP-2026 16:50:32

NTNV_802.11ax(20M)_5240_MCS0_ANT1





Date: 17-SEP-2026 16:51:45





Date: 17-SEP-2026 16:52:02

NTNV_802.11ax(20M)_5260_MCS0_ANT1




NTNV_802.11ax(20M)_5280_MCS0_ANT1






Date: 17-SEP-2026 17:11:04

NTNV_802.11ax(20M)_5320_MCS0_ANT1




Date: 17-SEP-2026 17:11:54




Date: 17-SEP-2026 17:12:07

NTNV_802.11ax(20M)_5500_MCS0_ANT1




Date: 17.SEP.2026 17:30:25




Date: 17.SEP.2026 17:30:38

NTNV_802.11ax(20M)_5580_MCS0_ANT1




Date: 17.SEP.2026 17:31:57




Date: 17-SEP-2026 17:32:10

NTNV_802.11ax(20M)_5700_MCS0_ANT1




Date: 17-SEP-2026 17:33:08




Date: 17-SEP-2026 17:33:20

NTNV_802.11ax(20M)_5745_MCS0_ANT1




Date: 17.SEP.2026 17:53:31




Date: 17.SEP.2026 17:53:49

NTNV_802.11ax(20M)_5785_MCS0_ANT1




Date: 17.SEP.2026 17:54:48




Date: 17-SEP-2026 17:55:06

NTNV_802.11ax(20M)_5825_MCS0_ANT1




Date: 17-SEP-2026 17:56:15




Date: 17-SEP-2026 17:56:33

NTNV_802.11ax(40M)_5190_MCS0_ANT1




Date: 17.SEP.2026 16:55:47




Date: 17.SEP.2026 16:56:04

NTNV_802.11ax(40M)_5230_MCS0_ANT1




Date: 17.SEP.2026 16:57:07




Date: 17-SEP-2026 16:57:24

NTNV_802.11ax(40M)_5270_MCS0_ANT1




Date: 17-SEP-2026 17:17:17




Date: 17-SEP-2026 17:17:30

NTNV_802.11ax(40M)_5310_MCS0_ANT1




Date: 17.SEP.2026 17:18:17




Date: 17.SEP.2026 17:18:29

NTNV_802.11ax(40M)_5510_MCS0_ANT1




Date: 17.SEP.2026 17:39:23




Date: 17-SEP-2026 17:39:36

NTNV_802.11ax(40M)_5550_MCS0_ANT1





Date: 17-SEP-2026 17:40:55





Date: 17-SEP-2026 17:41:07

NTNV_802.11ax(40M)_5670_MCS0_ANT1




NTNV_802.11ax(40M)_5755_MCS0_ANT1






Date: 17.SEP.2026 18:00:34

NTNV_802.11ax(40M)_5795_MCS0_ANT1



Date: 17.SEP.2026 18:01:20



Date: 17.SEP.2026 18:01:37

Appendix G: Frequency Stability

Test Result

Frequency Stability Versus Temp.			
Operating Frequency: 5240 MHz			
Temp	Voltage	Measured Frequency	Limit
(°C)		(MHz)	(MHz)
50	VN	5240.21	5150-5250
40		5240.63	5150-5250
30		5240.51	5150-5250
20		5240.14	5150-5250
10		5240.52	5150-5250
0		5240.14	5150-5250
-10		5240.51	5150-5250
-30		5240.25	5150-5250

Frequency Stability Versus Temp.			
Operating Frequency: 5210 MHz			
Temp.	Voltage	Measured Frequency	Limit
		(MHz)	(MHz)
TN	VL	5210.11	5150-5250
	VN	5210.21	5150-5250
	VH	5210.41	5150-5250

Appendix H: Emissions in Restricted Bands

Test Result

TestMode	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Low	5180	AV	4500.000	-48.21	≤-41.20	46.99	≤54	PASS
			AV	5032.609	-44.79	≤-41.20	50.41	≤54	PASS
			AV	5150.000	-47.29	≤-41.20	47.91	≤54	PASS
			Peak	4500.000	-38.95	≤-21.20	56.25	≤74	PASS
			Peak	5065.072	-35.26	≤-21.20	59.94	≤74	PASS
			Peak	5150.000	-38.13	≤-21.20	57.07	≤74	PASS
	High	5320	AV	5350.000	-47.26	≤-41.20	47.94	≤54	PASS
			AV	5448.406	-44.84	≤-41.20	50.36	≤54	PASS
			AV	5460.000	-46.79	≤-41.20	48.41	≤54	PASS
			Peak	5350.000	-38.04	≤-21.20	57.16	≤74	PASS
			Peak	5447.246	-35.08	≤-21.20	60.12	≤74	PASS
			Peak	5460.000	-38.22	≤-21.20	56.98	≤74	PASS
	Low	5500	AV	5350.000	-47.41	≤-41.20	47.79	≤54	PASS
			AV	5454.913	-44.69	≤-41.20	50.51	≤54	PASS
			AV	5460.000	-45.36	≤-41.20	49.84	≤54	PASS
			Peak	5350.000	-37.41	≤-21.20	57.79	≤74	PASS
			Peak	5458.261	-33.8	≤-21.20	61.40	≤74	PASS
			Peak	5460.000	-34.48	≤-21.20	60.72	≤74	PASS
		5745	Peak	5650.000	-36.63	≤-27.00	---	---	PASS
			Peak	5700.000	-37.61	≤10.00	---	---	PASS
			Peak	5720.000	-36.46	≤15.60	---	---	PASS
			Peak	5725.000	-38.56	≤27.00	- - -	- - -	PASS
	High	5825	Peak	5850.000	-36.88	≤27.00	---	---	PASS
			Peak	5855.000	-36.81	≤15.60	---	---	PASS
			Peak	5875.000	-37.99	≤10.00	---	---	PASS
			Peak	5925.000	-37.28	≤-27.00	- - -	- - -	PASS
11N20SI SO	Low	5180	AV	4500.000	-47.97	≤-41.20	47.23	≤54	PASS
			AV	5033.623	-44.94	≤-41.20	50.26	≤54	PASS
			AV	5150.000	-47.32	≤-41.20	47.88	≤54	PASS
			Peak	4500.000	-38.67	≤-21.20	56.53	≤74	PASS
			Peak	4969.710	-34.54	≤-21.20	60.66	≤74	PASS
			Peak	5150.000	-38.14	≤-21.20	57.06	≤74	PASS
	High	5320	AV	5350.000	-47.16	≤-41.20	48.04	≤54	PASS
			AV	5447.478	-44.93	≤-41.20	50.27	≤54	PASS
			AV	5460.000	-46.7	≤-41.20	48.50	≤54	PASS
			Peak	5350.000	-39.14	≤-21.20	56.06	≤74	PASS
			Peak	5450.725	-33.81	≤-21.20	61.39	≤74	PASS

			Peak	5460.000	-38.61	≤-21.20	56.59	≤74	PASS
	Low	5500	AV	5350.000	-47.29	≤-41.20	47.91	≤54	PASS
			AV	5456.130	-44.67	≤-41.20	50.53	≤54	PASS
			AV	5460.000	-45.36	≤-41.20	49.84	≤54	PASS
			Peak	5350.000	-38.05	≤-21.20	57.15	≤74	PASS
			Peak	5456.130	-34.51	≤-21.20	60.69	≤74	PASS
			Peak	5460.000	-37.05	≤-21.20	58.15	≤74	PASS
		5745	Peak	5650.000	-37.25	≤-27.00	---	---	PASS
			Peak	5700.000	-38.16	≤10.00	---	---	PASS
			Peak	5720.000	-37.75	≤15.60	---	---	PASS
			Peak	5725.000	-34.77	≤27.00	- --	- --	PASS
	High	5825	Peak	5850.000	-36.6	≤27.00	---	---	PASS
			Peak	5855.000	-36.25	≤15.60	---	---	PASS
			Peak	5875.000	-37.26	≤10.00	---	---	PASS
			Peak	5925.000	-38.36	≤-27.00	- --	- --	PASS
11N40SI SO	Low	5190	AV	4500.000	-47.61	≤-41.20	47.59	≤54	PASS
			AV	5032.609	-44.61	≤-41.20	50.59	≤54	PASS
			AV	5150.000	-46.99	≤-41.20	48.21	≤54	PASS
			Peak	4500.000	-38.94	≤-21.20	56.26	≤74	PASS
			Peak	4916.957	-34.86	≤-21.20	60.34	≤74	PASS
			Peak	5150.000	-36.48	≤-21.20	58.72	≤74	PASS
	High	5310	AV	5350.000	-46.69	≤-41.20	48.51	≤54	PASS
			AV	5450.493	-44.75	≤-41.20	50.45	≤54	PASS
			AV	5460.000	-46.35	≤-41.20	48.85	≤54	PASS
			Peak	5350.000	-36.1	≤-21.20	59.10	≤74	PASS
			Peak	5449.565	-34.35	≤-21.20	60.85	≤74	PASS
			Peak	5460.000	-36.9	≤-21.20	58.30	≤74	PASS
	Low	5510	AV	5350.000	-47.04	≤-41.20	48.16	≤54	PASS
			AV	5452.725	-44.44	≤-41.20	50.76	≤54	PASS
			AV	5460.000	-45.73	≤-41.20	49.47	≤54	PASS
			Peak	5350.000	-37.96	≤-21.20	57.24	≤74	PASS
			Peak	5361.855	-34.84	≤-21.20	60.36	≤74	PASS
			Peak	5460.000	-36.57	≤-21.20	58.63	≤74	PASS
		5755	Peak	5650.000	-38.06	≤-27.00	---	---	PASS
			Peak	5700.000	-38.22	≤10.00	---	---	PASS
			Peak	5720.000	-34.38	≤15.60	---	---	PASS
			Peak	5725.000	-37.28	≤27.00	- --	- --	PASS
	High	5795	Peak	5850.000	-38.13	≤27.00	---	---	PASS
			Peak	5855.000	-37.61	≤15.60	---	---	PASS
			Peak	5875.000	-35.21	≤10.00	---	---	PASS
			Peak	5925.000	-37.63	≤-27.00	- --	- --	PASS
11AX20S ISO	Low	5180	AV	4500.000	-47.95	≤-41.20	47.25	≤54	PASS
			AV	5032.609	-44.97	≤-41.20	50.23	≤54	PASS

			AV	5150.000	-47.35	≤-41.20	47.85	≤54	PASS
			Peak	4500.000	-37.78	≤-21.20	57.42	≤74	PASS
			Peak	5126.957	-35.09	≤-21.20	60.11	≤74	PASS
			Peak	5150.000	-36.71	≤-21.20	58.49	≤74	PASS
	High	5320	AV	5350.000	-47.28	≤-41.20	47.92	≤54	PASS
			AV	5448.174	-44.84	≤-41.20	50.36	≤54	PASS
			AV	5460.000	-46.59	≤-41.20	48.61	≤54	PASS
			Peak	5350.000	-38.67	≤-21.20	56.53	≤74	PASS
			Peak	5453.971	-35.28	≤-21.20	59.92	≤74	PASS
			Peak	5460.000	-36.26	≤-21.20	58.94	≤74	PASS
	Low	5500	AV	5350.000	-47.3	≤-41.20	47.90	≤54	PASS
			AV	5440.609	-44.61	≤-41.20	50.59	≤54	PASS
			AV	5460.000	-45.3	≤-41.20	49.90	≤54	PASS
			Peak	5350.000	-37.05	≤-21.20	58.15	≤74	PASS
			Peak	5446.696	-32.87	≤-21.20	62.33	≤74	PASS
			Peak	5460.000	-35.09	≤-21.20	60.11	≤74	PASS
		5745	Peak	5650.000	-36.64	≤-27.00	---	---	PASS
			Peak	5700.000	-37.2	≤10.00	---	---	PASS
			Peak	5720.000	-37.92	≤15.60	---	---	PASS
			Peak	5725.000	-36.55	≤27.00	- - -	- - -	PASS
	High	5825	Peak	5850.000	-36.82	≤27.00	---	---	PASS
			Peak	5855.000	-35.25	≤15.60	---	---	PASS
			Peak	5875.000	-37.51	≤10.00	---	---	PASS
			Peak	5925.000	-35.23	≤-27.00	- - -	- - -	PASS
11AX40S ISO	Low	5190	AV	4500.000	-47.89	≤-41.20	47.31	≤54	PASS
			AV	5032.609	-44.53	≤-41.20	50.67	≤54	PASS
			AV	5150.000	-47.22	≤-41.20	47.98	≤54	PASS
			Peak	4500.000	-37.78	≤-21.20	57.42	≤74	PASS
			Peak	4976.812	-35.04	≤-21.20	60.16	≤74	PASS
			Peak	5150.000	-37.66	≤-21.20	57.54	≤74	PASS
	High	5310	AV	5350.000	-46.58	≤-41.20	48.62	≤54	PASS
			AV	5449.565	-44.41	≤-41.20	50.79	≤54	PASS
			AV	5460.000	-46.34	≤-41.20	48.86	≤54	PASS
			Peak	5350.000	-38.57	≤-21.20	56.63	≤74	PASS
			Peak	5448.174	-34.48	≤-21.20	60.72	≤74	PASS
			Peak	5460.000	-37.22	≤-21.20	57.98	≤74	PASS
	Low	5510	AV	5350.000	-47.04	≤-41.20	48.16	≤54	PASS
			AV	5453.681	-44.37	≤-41.20	50.83	≤54	PASS
			AV	5460.000	-45.53	≤-41.20	49.67	≤54	PASS
			Peak	5350.000	-38.78	≤-21.20	56.42	≤74	PASS
			Peak	5453.681	-34.14	≤-21.20	61.06	≤74	PASS
			Peak	5460.000	-36.71	≤-21.20	58.49	≤74	PASS
		5755	Peak	5650.000	-37.1	≤-27.00	---	---	PASS

			Peak	5700.000	-37.16	≤ 10.00	---	---	PASS
			Peak	5720.000	-36.9	≤ 15.60	---	---	PASS
			Peak	5725.000	-35.42	≤ 27.00	- -	- -	PASS
	High	5795	Peak	5850.000	-35.45	≤ 27.00	---	---	PASS
			Peak	5855.000	-34.56	≤ 15.60	---	---	PASS
			Peak	5875.000	-36.42	≤ 10.00	---	---	PASS
			Peak	5925.000	-36.42	≤ 27.00	- -	- -	PASS

1. Note:


1.The Antenna Gain is compensated in the graph.


2.The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a).

The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

3.Offset=Attenuator+Gain(2dBi)


Test Graphs






Date: 18 AUG.2026 18:09:14

11A_Ant1_High_5320_Peak




Date: 18 AUG.2026 18:09:07

11A_Ant1_Low_5500_AV




Date: 18 AUG.2026 18:10:48

11A_Ant1_Low_5500_Peak




Date: 18.AUG.2026 18:10:40

11A_Ant1_Low_5745_Peak




Date: 18.AUG.2026 18:15:29

11A_Ant1_High_5825_Peak




Date: 18 AUG.2026 18:18:28

11N20SISO_Ant1_Low_5180_AV




Date: 18 AUG.2026 18:31:08

11N20SISO_Ant1_Low_5180_Peak



Date: 18 AUG.2026 18:30:51

11N20SISO_Ant1_High_5320_AV




Date: 18.AUG.2026 18:38:55

11N20SISO_Ant1_High_5320_Peak




Date: 18.AUG.2026 18:38:48

11N20SISO_Ant1_Low_5500_AV



Date: 18 AUG.2026 18:40:17

11N20SISO_Ant1_Low_5500_Peak




Date: 18 AUG.2026 18:40:09

11N20SISO_Ant1_Low_5745_Peak




Date: 18 AUG.2026 18:44:04

11N20SISO_Ant1_High_5825_Peak




Date: 18.AUG.2026 18:48:04

11N40SISO_Ant1_Low_5190_AV




Date: 18.AUG.2026 18:50:13

11N40SISO_Ant1_Low_5190_Peak




Date: 18 AUG.2026 18:49:59

11N40SISO_Ant1_High_5310_AV




Date: 18 AUG.2026 19:56:32

11N40SISO_Ant1_High_5310_Peak



Date: 18 AUG.2026 19:56:26

11N40SISO_Ant1_Low_5510_AV




Date: 18.AUG.2026 19:58:10

11N40SISO_Ant1_Low_5510_Peak




Date: 18.AUG.2026 19:58:02

11N40SISO_Ant1_Low_5755_Peak




Date: 18 AUG.2026 20:10:41

11N40SISO_Ant1_High_5795_Peak




Date: 18 AUG.2026 20:12:04

11AX20SISO_Ant1_Low_5180_AV




Date: 18 AUG.2026 20:14:15

11AX20SISO_Ant1_Low_5180_Peak




Date: 18.AUG.2026 20:13:58

11AX20SISO_Ant1_High_5320_AV




Date: 18.AUG.2026 20:20:35

11AX20SISO_Ant1_High_5320_Peak




Date: 18 AUG.2026 20:20:27

11AX20ISO_Ant1_Low_5500_AV




Date: 18 AUG.2026 20:29:11

11AX20ISO_Ant1_Low_5500_Peak




Date: 18 AUG.2026 20:29:03

11AX20SISO_Ant1_Low_5745_Peak




Date: 18 AUG.2026 20:34:07

11AX20SISO_Ant1_High_5825_Peak




Date: 18 AUG.2026 20:37:17

11AX40SISO_Ant1_Low_5190_AV




Date: 18 AUG.2026 20:42:21

11AX40SISO_Ant1_Low_5190_Peak




Date: 18 AUG.2026 20:42:07

11AX40SISO_Ant1_High_5310_AV




Date: 18 AUG.2026 20:46:40

11AX40SISO_Ant1_High_5310_Peak



Date: 18.AUG.2026 20:46:34

11AX40SISO_Ant1_Low_5510_AV




Date: 18.AUG.2026 20:48:03

11AX40SISO_Ant1_Low_5510_Peak




Date: 18 AUG.2026 20:47:56

11AX40SISO_Ant1_Low_5755_Peak



Date: 18 AUG.2026 20:52:58

11AX40SISO_Ant1_High_5795_Peak




Date: 18 AUG.2026 20:54:54

Appendix I: DFS Detection Thresholds

Test Result

TestMode	Frequency[dbm]	Radar Type	Result	Limit[dbm]	Verdict
11AX40SIO	5270	Type0	-62.28	-62.00	PASS
11AX40SIO	5510	Type0	-62.35	-62.00	PASS

Test Graphs



Appendix J: Channel Move Time and Channel Closing

Transmission Time

Test Result

TestMode	Frequency[MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11AX40SISO	5270	200+18.1	200+60	1177.2	10000	PASS
11AX40SISO	5510	200+42.3	200+60	1452.2	10000	PASS

Test Graphs

