


CQASZ20260701407E-01


Appendix A: DTS Bandwidth

Test Result

TestMode	Freq(MHz)	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	2402	0.66	2401.59	2402.25	0.5	PASS
	2440	0.65	2439.59	2440.24	0.5	PASS
	2480	0.66	2479.58	2480.24	0.5	PASS
BLE_2M	2402	1.21	2401.29	2402.50	0.5	PASS
	2440	1.21	2439.28	2440.50	0.5	PASS
	2480	1.16	2479.34	2480.49	0.5	PASS


Test Graphs






Date: 22 JUL 2026 22:53:09

BLE_2M_Ant1_2402




Date: 22 JUL 2026 22:55:58

BLE_2M_Ant1_2440



Date: 22 JUL 2026 23:00:07

BLE_2M_Ant1_2480




Date: 22 JUL 2026 23:02:01


Appendix B: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.039	2401.4006	2402.4396	---	---
		2440	1.035	2439.4046	2440.4396	---	---
		2480	1.035	2479.4006	2480.4356	---	---
BLE_2M	Ant1	2402	2.062	2400.9011	2402.9630	---	---
		2440	2.054	2438.9051	2440.9590	---	---
		2480	2.058	2478.9011	2480.9590	---	---


Test Graphs






Date: 22 JUL 2026 22:53:15

BLE_2M_Ant1_2402




Date: 22 JUL 2026 22:56:04

BLE_2M_Ant1_2440



Date: 22 JUL 2026 23:00:14

BLE_2M_Ant1_2480




Date: 22 JUL 2026 23:02:08


Appendix C: Maximum conducted output power

Test Result Peak

TestMode	Freq(MHz)	Conducted Peak Power[dBm]	Conducted Limit[dBm]	EIRP[dBm]	EIRP Limit[dBm]	Verdict
BLE_1M	2402	2.19	≤30	5.56	≤36	PASS
	2440	3.53	≤30	6.90	≤36	PASS
	2480	3.61	≤30	6.98	≤36	PASS
BLE_2M	2402	2.41	≤30	5.78	≤36	PASS
	2440	3.73	≤30	7.10	≤36	PASS
	2480	3.89	≤30	7.26	≤36	PASS


Test Graphs Peak






Date: 22 JUL 2026 22:53:20

BLE_2M_Ant1_2402




Date: 22 JUL 2026 22:56:09

BLE_2M_Ant1_2440



Date: 22 JUL 2026 23:00:18

BLE_2M_Ant1_2480




Date: 22 JUL 2026 23:02:12


Appendix D: Maximum power spectral density

Test Result

TestMode	Freq(MHz)	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	2402	-14.56	≤8.00	PASS
	2440	-13.42	≤8.00	PASS
	2480	-13.13	≤8.00	PASS
BLE_2M	2402	-17.62	≤8.00	PASS
	2440	-15.99	≤8.00	PASS
	2480	-16.15	≤8.00	PASS


Test Graphs






Date: 22 JUL 2026 22:53:25

BLE_2M_Ant1_2402




Date: 22 JUL 2026 22:56:14

BLE_2M_Ant1_2440



Date: 22 JUL 2026 23:00:24

BLE_2M_Ant1_2480




Date: 22 JUL 2026 23:02:18


Appendix F: Band edge measurements

Test Result

TestMode	ChName	Freq(MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Low	2402	1.89	-39.76	≤-18.11	PASS
	High	2480	2.15	-42.55	≤-17.85	PASS
BLE_2M	Low	2402	0.91	-32.83	≤-19.09	PASS
	High	2480	2.45	-41.17	≤-17.55	PASS


Test Graphs





Date: 22 JUL 2026 22:56:20

BLE_2M_Ant1_High_2480




Date: 22 JUL 2026 23:02:24




Appendix G: Conducted Spurious Emission

Test Result


NO.	Test Condition	Test Mode	Freq (MHz)	Rate	Antenna	Frequency Range (MHz)	Ref Level (MHz)	Max Power (dBm)	Limit (dBm)	Verdict
1	NTNV	BLE	2402	1Mbps	ANT1	Reference	0.1	1.48	/	/
						30~1000	0.1	-47.49	≤-28.52	Pass
						1000~26500	0.1	-36.99	≤-28.52	Pass
2	NTNV	BLE	2440	1Mbps	ANT1	Reference	0.1	1.32	/	/
						30~1000	0.1	-47.15	≤-28.68	Pass
						1000~26500	0.1	-35.68	≤-28.68	Pass
3	NTNV	BLE	2480	1Mbps	ANT1	Reference	0.1	1.86	/	/
						30~1000	0.1	-45.69	≤-28.14	Pass
						1000~26500	0.1	-36.95	≤-28.14	Pass
4	NTNV	BLE	2402	2Mbps	ANT1	Reference	0.1	0.72	/	/
						30~1000	0.1	-47.80	≤-29.28	Pass
						1000~26500	0.1	-36.33	≤-29.28	Pass
5	NTNV	BLE	2440	2Mbps	ANT1	Reference	0.1	0.61	/	/
						30~1000	0.1	-48.47	≤-29.39	Pass
						1000~26500	0.1	-36.82	≤-29.39	Pass
6	NTNV	BLE	2480	2Mbps	ANT1	Reference	0.1	1.16	/	/
						30~1000	0.1	-47.34	≤-28.84	Pass
						1000~26500	0.1	-35.65	≤-28.84	Pass

Test Graphs







NTNV_BLE_2480_1Mbps



Date: 15 SEP 2026 12:30:36




Date: 15 SEP 2026 12:30:42




Date: 15 SEP 2026 12:30:56


NTNV_BLE_2402_2Mbps



Date: 15 SEP 2026 12:33:43




Date: 15 SEP 2026 12:33:49




Date: 15 SEP 2026 12:34:03


NTNV_BLE_2440_2Mbps



Date: 15 SEP 2026 12:34:54




Date: 15 SEP 2026 12:35:01




Date: 15 SEP 2026 12:35:15


NTNV_BLE_2480_2Mbps



Date: 15 SEP 2026 12:35:50



Date: 15 SEP 2026 12:35:56




Date: 15 SEP 2026 12:36:10


Appendix H: Duty Cycle

Test Result

TestMode	Freq(MHz)	ON Time [ms]	Period [ms]	X	DC [%]	xFactor	Limit	Verdict
BLE_1M	2402	2.13	2.50	0.8520	85.20	0.70	---	---
	2440	2.13	2.50	0.8520	85.20	0.70	---	---
	2480	2.13	2.50	0.8520	85.20	0.70	---	---
BLE_2M	2402	1.07	2.50	0.4280	42.80	3.69	---	---
	2440	1.07	2.50	0.4280	42.80	3.69	---	---
	2480	1.08	2.51	0.4303	43.03	3.66	---	---


Test Graphs






Date: 22 JUL 2026 23:16:21

BLE_2M_Ant1_2402




Date: 22 JUL 2026 23:18:18

BLE_2M_Ant1_2440



Date: 22 JUL 2026 23:19:10

BLE_2M_Ant1_2480



Date: 22 JUL 2026 23:19:34