






Band5-4233-1-0.15~30MHz-PASS




Band5-4233-1-30~1000MHz-PASS




Band5-4233-1-1000~10000MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Band5-4132-2-0.009~0.15MHz-PASS




Band5-4132-2-0.15~30MHz-PASS




Band5-4132-2-30~1000MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Band5-4132-2-1000~10000MHz-PASS




Band5-4182-2-0.009~0.15MHz-PASS




Band5-4182-2-0.15~30MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Band5-4182-2-30~1000MHz-PASS




Band5-4182-2-1000~10000MHz-PASS




Band5-4233-2-0.009~0.15MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Band5-4233-2-0.15~30MHz-PASS




Band5-4233-2-30~1000MHz-PASS




Band5-4233-2-1000~10000MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Band5-4132-3-0.009~0.15MHz-PASS




Band5-4132-3-0.15~30MHz-PASS




Band5-4132-3-30~1000MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Band5-4132-3-1000~10000MHz-PASS




Band5-4182-3-0.009~0.15MHz-PASS




Band5-4182-3-0.15~30MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Band5-4182-3-30~1000MHz-PASS




Band5-4182-3-1000~10000MHz-PASS




Band5-4233-3-0.009~0.15MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Band5-4233-3-0.15~30MHz-PASS




Band5-4233-3-30~1000MHz-PASS




Band5-4233-3-1000~10000MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Band5-4132-4-0.009~0.15MHz-PASS




Band5-4132-4-0.15~30MHz-PASS




Band5-4132-4-30~1000MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Band5-4132-4-1000~10000MHz-PASS




Band5-4182-4-0.009~0.15MHz-PASS




Band5-4182-4-0.15~30MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Band5-4182-4-30~1000MHz-PASS




Band5-4182-4-1000~10000MHz-PASS




Band5-4233-4-0.009~0.15MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Band5-4233-4-0.15~30MHz-PASS




Band5-4233-4-30~1000MHz-PASS




Band5-4233-4-1000~10000MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Band5-4132-5-0.009~0.15MHz-PASS




Band5-4132-5-0.15~30MHz-PASS




Band5-4132-5-30~1000MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Band5-4132-5-1000~10000MHz-PASS




Band5-4182-5-0.009~0.15MHz-PASS




Band5-4182-5-0.15~30MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Band5-4182-5-30~1000MHz-PASS




Band5-4182-5-1000~10000MHz-PASS




Band5-4233-5-0.009~0.15MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Band5-4233-5-0.15~30MHz-PASS



Band5-4233-5-30~1000MHz-PASS



Band5-4233-5-1000~10000MHz-PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Appendix F: Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	-3670.00	-1.981214	±NA	PASS
Band2	9262	VL	NT	-2670.00	-1.441373	±NA	PASS
Band2	9262	VH	NT	170.00	0.091773	±NA	PASS
Band2	9400	VN	NT	4570.00	2.430851	±NA	PASS
Band2	9400	VL	NT	4800.00	2.553191	±NA	PASS
Band2	9400	VH	NT	6130.00	3.260638	±NA	PASS
Band2	9538	VN	NT	-3530.00	-1.850493	±NA	PASS
Band2	9538	VL	NT	-6520.00	-3.417907	±NA	PASS
Band2	9538	VH	NT	-4040.00	-2.117844	±NA	PASS
Band5	4132	VN	NT	-1.37	-0.001658	±2.5	PASS
Band5	4132	VL	NT	-1.07	-0.001295	±2.5	PASS
Band5	4132	VH	NT	0.72	0.000871	±2.5	PASS
Band5	4182	VN	NT	-1.05	-0.001255	±2.5	PASS
Band5	4182	VL	NT	-0.78	-0.000933	±2.5	PASS
Band5	4182	VH	NT	-1.99	-0.002379	±2.5	PASS
Band5	4233	VN	NT	-1.78	-0.002103	±2.5	PASS
Band5	4233	VL	NT	1.19	0.001406	±2.5	PASS
Band5	4233	VH	NT	1.60	0.001890	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	NV	-30	-0.79	-0.000956	±2.5	PASS
Band5	4132	NV	-20	-0.24	-0.000290	±2.5	PASS
Band5	4132	NV	-10	-0.28	-0.000339	±2.5	PASS
Band5	4132	NV	0	-0.83	-0.001004	±2.5	PASS
Band5	4132	NV	10	-0.64	-0.000774	±2.5	PASS
Band5	4132	NV	20	0.62	0.000750	±2.5	PASS
Band5	4132	NV	30	-0.24	-0.000290	±2.5	PASS
Band5	4132	NV	40	-1.44	-0.001742	±2.5	PASS
Band5	4132	NV	50	-0.62	-0.000750	±2.5	PASS
Band5	4182	NV	-30	-1.72	-0.002056	±2.5	PASS
Band5	4182	NV	-20	-0.87	-0.001040	±2.5	PASS
Band5	4182	NV	-10	0.10	0.000120	±2.5	PASS
Band5	4182	NV	0	-1.95	-0.002331	±2.5	PASS
Band5	4182	NV	10	-0.29	-0.000347	±2.5	PASS
Band5	4182	NV	20	-0.62	-0.000741	±2.5	PASS
Band5	4182	NV	30	-0.89	-0.001064	±2.5	PASS
Band5	4182	NV	40	-0.21	-0.000251	±2.5	PASS
Band5	4182	NV	50	0.49	0.000586	±2.5	PASS
Band5	4233	NV	-30	0.80	0.000945	±2.5	PASS
Band5	4233	NV	-20	-0.39	-0.000461	±2.5	PASS
Band5	4233	NV	-10	3.38	0.003992	±2.5	PASS
Band5	4233	NV	0	3.02	0.003567	±2.5	PASS
Band5	4233	NV	10	1.46	0.001725	±2.5	PASS
Band5	4233	NV	20	0.92	0.001087	±2.5	PASS
Band5	4233	NV	30	0.46	0.000543	±2.5	PASS
Band5	4233	NV	40	2.11	0.002492	±2.5	PASS
Band5	4233	NV	50	0.81	0.000957	±2.5	PASS
Band5	4132	NV	-30	-0.79	-0.000956	±2.5	PASS
Band5	4132	NV	-20	-0.24	-0.000290	±2.5	PASS
Band5	4132	NV	-10	-0.28	-0.000339	±2.5	PASS
Band5	4132	NV	0	-0.83	-0.001004	±2.5	PASS
Band5	4132	NV	10	-0.64	-0.000774	±2.5	PASS
Band5	4132	NV	20	0.62	0.000750	±2.5	PASS
Band5	4132	NV	30	-0.24	-0.000290	±2.5	PASS
Band5	4132	NV	40	-1.44	-0.001742	±2.5	PASS
Band5	4132	NV	50	-0.62	-0.000750	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band5	4182	NV	-30	-1.72	-0.002056	±2.5	PASS
Band5	4182	NV	-20	-0.87	-0.001040	±2.5	PASS
Band5	4182	NV	-10	0.10	0.000120	±2.5	PASS
Band5	4182	NV	0	-1.95	-0.002331	±2.5	PASS
Band5	4182	NV	10	-0.29	-0.000347	±2.5	PASS
Band5	4182	NV	20	-0.62	-0.000741	±2.5	PASS
Band5	4182	NV	30	-0.89	-0.001064	±2.5	PASS
Band5	4182	NV	40	-0.21	-0.000251	±2.5	PASS
Band5	4182	NV	50	0.49	0.000586	±2.5	PASS
Band5	4233	NV	-30	0.80	0.000945	±2.5	PASS
Band5	4233	NV	-20	-0.39	-0.000461	±2.5	PASS
Band5	4233	NV	-10	3.38	0.003992	±2.5	PASS
Band5	4233	NV	0	3.02	0.003567	±2.5	PASS
Band5	4233	NV	10	1.46	0.001725	±2.5	PASS
Band5	4233	NV	20	0.92	0.001087	±2.5	PASS
Band5	4233	NV	30	0.46	0.000543	±2.5	PASS
Band5	4233	NV	40	2.11	0.002492	±2.5	PASS
Band5	4233	NV	50	0.81	0.000957	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-6030.00	-3.255236	±NA	PASS
Band2	9262	1	VL	NT	-6130.00	-3.309220	±NA	PASS
Band2	9262	1	VH	NT	-10490.00	-5.662924	±NA	PASS
Band2	9262	2	VN	NT	-8530.00	-4.604837	±NA	PASS
Band2	9262	2	VL	NT	-5200.00	-2.807169	±NA	PASS
Band2	9262	2	VH	NT	-7530.00	-4.064997	±NA	PASS
Band2	9262	3	VN	NT	-7600.00	-4.102786	±NA	PASS
Band2	9262	3	VL	NT	-8360.00	-4.513064	±NA	PASS
Band2	9262	3	VH	NT	-7520.00	-4.059598	±NA	PASS
Band2	9262	4	VN	NT	-8010.00	-4.324120	±NA	PASS
Band2	9262	4	VL	NT	-12120.00	-6.542863	±NA	PASS
Band2	9262	4	VH	NT	-8870.00	-4.788383	±NA	PASS
Band2	9400	1	VN	NT	2180.00	1.159574	±NA	PASS
Band2	9400	1	VL	NT	-2440.00	-1.297872	±NA	PASS
Band2	9400	1	VH	NT	-500.00	-0.265957	±NA	PASS
Band2	9400	2	VN	NT	-2990.00	-1.590426	±NA	PASS
Band2	9400	2	VL	NT	-2490.00	-1.324468	±NA	PASS
Band2	9400	2	VH	NT	-3780.00	-2.010638	±NA	PASS
Band2	9400	3	VN	NT	-5450.00	-2.898936	±NA	PASS
Band2	9400	3	VL	NT	-420.00	-0.223404	±NA	PASS
Band2	9538	1	VN	NT	-13560.00	-7.108408	±NA	PASS
Band2	9400	3	VH	NT	-5300.00	-2.819149	±NA	PASS
Band2	9400	4	VN	NT	-7550.00	-4.015957	±NA	PASS
Band2	9400	4	VL	NT	-4880.00	-2.595745	±NA	PASS
Band2	9400	4	VH	NT	-7790.00	-4.143617	±NA	PASS
Band2	9538	1	VL	NT	-12680.00	-6.647096	±NA	PASS
Band2	9538	1	VH	NT	-15960.00	-8.366534	±NA	PASS
Band2	9538	2	VN	NT	-15900.00	-8.335081	±NA	PASS
Band2	9538	2	VL	NT	-18850.00	-9.881527	±NA	PASS
Band2	9538	2	VH	NT	-14990.00	-7.858042	±NA	PASS
Band2	9538	3	VN	NT	-13200.00	-6.919690	±NA	PASS
Band2	9538	3	VL	NT	-11190.00	-5.866010	±NA	PASS
Band2	9538	3	VH	NT	-11080.00	-5.808346	±NA	PASS
Band2	9538	4	VN	NT	-14190.00	-7.438666	±NA	PASS
Band2	9538	4	VL	NT	-13980.00	-7.328580	±NA	PASS
Band2	9538	4	VH	NT	-14040.00	-7.360034	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VN	NT	-2.46	-0.002977	±2.5	PASS
Band5	4132	1	VL	NT	-1.27	-0.001537	±2.5	PASS
Band5	4132	1	VH	NT	-0.52	-0.000629	±2.5	PASS
Band5	4132	2	VN	NT	1.22	0.001476	±2.5	PASS
Band5	4132	2	VL	NT	-0.29	-0.000351	±2.5	PASS
Band5	4132	2	VH	NT	1.24	0.001500	±2.5	PASS
Band5	4132	3	VN	NT	1.73	0.002093	±2.5	PASS
Band5	4132	3	VL	NT	-2.09	-0.002529	±2.5	PASS
Band5	4132	3	VH	NT	1.17	0.001416	±2.5	PASS
Band5	4132	4	VN	NT	0.97	0.001174	±2.5	PASS
Band5	4132	4	VL	NT	-0.46	-0.000557	±2.5	PASS
Band5	4132	4	VH	NT	3.58	0.004332	±2.5	PASS
Band5	4182	1	VN	NT	-1.90	-0.002272	±2.5	PASS
Band5	4182	1	VL	NT	3.98	0.004758	±2.5	PASS
Band5	4182	1	VH	NT	-2.97	-0.003551	±2.5	PASS
Band5	4182	2	VN	NT	0.53	0.000634	±2.5	PASS
Band5	4182	2	VL	NT	1.34	0.001602	±2.5	PASS
Band5	4182	2	VH	NT	1.17	0.001399	±2.5	PASS
Band5	4182	3	VN	NT	2.52	0.003013	±2.5	PASS
Band5	4182	3	VL	NT	1.52	0.001817	±2.5	PASS
Band5	4182	3	VH	NT	2.38	0.002846	±2.5	PASS
Band5	4182	4	VN	NT	-0.10	-0.000120	±2.5	PASS
Band5	4182	4	VL	NT	-0.01	-0.000012	±2.5	PASS
Band5	4182	4	VH	NT	0.13	0.000155	±2.5	PASS
Band5	4233	1	VN	NT	4.50	0.005315	±2.5	PASS
Band5	4233	1	VL	NT	-1.24	-0.001465	±2.5	PASS
Band5	4233	1	VH	NT	-0.04	-0.000047	±2.5	PASS
Band5	4233	2	VN	NT	1.14	0.001347	±2.5	PASS
Band5	4233	2	VL	NT	-0.57	-0.000673	±2.5	PASS
Band5	4233	2	VH	NT	0.49	0.000579	±2.5	PASS
Band5	4233	3	VN	NT	-0.03	-0.000035	±2.5	PASS
Band5	4233	3	VL	NT	0.53	0.000626	±2.5	PASS
Band5	4233	3	VH	NT	-1.67	-0.001973	±2.5	PASS
Band5	4233	4	VN	NT	0.78	0.000921	±2.5	PASS
Band5	4233	4	VL	NT	0.20	0.000236	±2.5	PASS
Band5	4233	4	VH	NT	1.24	0.001465	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-6170.00	-3.330814	±NA	PASS
Band2	9262	1	NV	-20	-10380.00	-5.603541	±NA	PASS
Band2	9262	1	NV	-10	-1750.00	-0.944720	±NA	PASS
Band2	9262	1	NV	0	-6480.00	-3.498165	±NA	PASS
Band2	9262	1	NV	10	-3980.00	-2.148564	±NA	PASS
Band2	9262	1	NV	20	-3380.00	-1.824660	±NA	PASS
Band2	9262	1	NV	30	-7660.00	-4.135176	±NA	PASS
Band2	9262	1	NV	40	-7800.00	-4.210754	±NA	PASS
Band2	9262	1	NV	50	-5080.00	-2.742388	±NA	PASS
Band2	9262	2	NV	-30	-8360.00	-4.513064	±NA	PASS
Band2	9262	2	NV	-20	-5190.00	-2.801771	±NA	PASS
Band2	9262	2	NV	-10	-7200.00	-3.886849	±NA	PASS
Band2	9262	2	NV	0	-7830.00	-4.226949	±NA	PASS
Band2	9262	2	NV	10	-5700.00	-3.077089	±NA	PASS
Band2	9262	2	NV	20	-6160.00	-3.325416	±NA	PASS
Band2	9262	2	NV	30	-6150.00	-3.320017	±NA	PASS
Band2	9262	2	NV	40	-4300.00	-2.321313	±NA	PASS
Band2	9262	2	NV	50	-10300.00	-5.560354	±NA	PASS
Band2	9262	3	NV	-30	-9520.00	-5.139279	±NA	PASS
Band2	9262	3	NV	-20	-11410.00	-6.159577	±NA	PASS
Band2	9262	3	NV	-10	-9950.00	-5.371410	±NA	PASS
Band2	9262	3	NV	0	-8660.00	-4.675016	±NA	PASS
Band2	9262	3	NV	10	-6530.00	-3.525157	±NA	PASS
Band2	9262	3	NV	20	-9570.00	-5.166271	±NA	PASS
Band2	9262	3	NV	30	-9280.00	-5.009717	±NA	PASS
Band2	9262	3	NV	40	-6050.00	-3.266033	±NA	PASS
Band2	9262	3	NV	50	-5290.00	-2.855755	±NA	PASS
Band2	9262	4	NV	-30	-7590.00	-4.097387	±NA	PASS
Band2	9262	4	NV	-20	-10480.00	-5.657525	±NA	PASS
Band2	9262	4	NV	-10	-9230.00	-4.982725	±NA	PASS
Band2	9262	4	NV	0	-10230.00	-5.522565	±NA	PASS
Band2	9262	4	NV	10	-6640.00	-3.584539	±NA	PASS
Band2	9262	4	NV	20	-12050.00	-6.505074	±NA	PASS
Band2	9262	4	NV	30	-8380.00	-4.523861	±NA	PASS
Band2	9262	4	NV	40	-6630.00	-3.579141	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band2	9262	4	NV	50	-8980.00	-4.847765	±NA	PASS
Band2	9400	1	NV	-30	4080.00	2.170213	±NA	PASS
Band2	9400	1	NV	-20	3700.00	1.968085	±NA	PASS
Band2	9400	1	NV	-10	3930.00	2.090426	±NA	PASS
Band2	9400	1	NV	0	1910.00	1.015957	±NA	PASS
Band2	9400	1	NV	10	780.00	0.414894	±NA	PASS
Band2	9400	1	NV	20	-640.00	-0.340426	±NA	PASS
Band2	9400	1	NV	30	4310.00	2.292553	±NA	PASS
Band2	9400	1	NV	40	-2550.00	-1.356383	±NA	PASS
Band2	9400	1	NV	50	320.00	0.170213	±NA	PASS
Band2	9400	2	NV	-30	-1860.00	-0.989362	±NA	PASS
Band2	9400	2	NV	-20	-1590.00	-0.845745	±NA	PASS
Band2	9400	2	NV	-10	-540.00	-0.287234	±NA	PASS
Band2	9400	2	NV	0	-980.00	-0.521277	±NA	PASS
Band2	9400	2	NV	10	-1190.00	-0.632979	±NA	PASS
Band2	9400	2	NV	20	-4920.00	-2.617021	±NA	PASS
Band2	9400	2	NV	30	-3430.00	-1.824468	±NA	PASS
Band2	9400	2	NV	40	160.00	0.085106	±NA	PASS
Band2	9400	2	NV	50	-3380.00	-1.797872	±NA	PASS
Band2	9400	3	NV	-30	-1370.00	-0.728723	±NA	PASS
Band2	9400	3	NV	-20	-2080.00	-1.106383	±NA	PASS
Band2	9400	3	NV	-10	-4120.00	-2.191489	±NA	PASS
Band2	9400	3	NV	0	-3790.00	-2.015957	±NA	PASS
Band2	9400	3	NV	10	-4280.00	-2.276596	±NA	PASS
Band2	9400	3	NV	20	-1190.00	-0.632979	±NA	PASS
Band2	9400	3	NV	30	-5920.00	-3.148936	±NA	PASS
Band2	9400	3	NV	40	-3570.00	-1.898936	±NA	PASS
Band2	9400	3	NV	50	-3820.00	-2.031915	±NA	PASS
Band2	9400	4	NV	-30	-2410.00	-1.281915	±NA	PASS
Band2	9400	4	NV	-20	-4690.00	-2.494681	±NA	PASS
Band2	9400	4	NV	-10	-6670.00	-3.547872	±NA	PASS
Band2	9400	4	NV	0	-4580.00	-2.436170	±NA	PASS
Band2	9400	4	NV	10	-5090.00	-2.707447	±NA	PASS
Band2	9400	4	NV	20	-4470.00	-2.377660	±NA	PASS
Band2	9400	4	NV	30	-3650.00	-1.941489	±NA	PASS
Band2	9400	4	NV	40	-4310.00	-2.292553	±NA	PASS
Band2	9400	4	NV	50	-6590.00	-3.505319	±NA	PASS
Band2	9538	1	NV	-30	-13710.00	-7.187041	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band2	9538	1	NV	-20	-14160.00	-7.422940	±NA	PASS
Band2	9538	1	NV	-10	-16640.00	-8.723003	±NA	PASS
Band2	9538	1	NV	0	-12760.00	-6.689033	±NA	PASS
Band2	9538	1	NV	10	-15920.00	-8.345565	±NA	PASS
Band2	9538	1	NV	20	-20430.00	-10.709792	±NA	PASS
Band2	9538	1	NV	30	-14760.00	-7.737471	±NA	PASS
Band2	9538	1	NV	40	-13830.00	-7.249948	±NA	PASS
Band2	9538	1	NV	50	-15160.00	-7.947159	±NA	PASS
Band2	9538	2	NV	-30	-20170.00	-10.573495	±NA	PASS
Band2	9538	2	NV	-20	-19070.00	-9.996855	±NA	PASS
Band2	9538	2	NV	-10	-17790.00	-9.325854	±NA	PASS
Band2	9538	2	NV	0	-15410.00	-8.078213	±NA	PASS
Band2	9538	2	NV	10	-14940.00	-7.831831	±NA	PASS
Band2	9538	2	NV	20	-14880.00	-7.800377	±NA	PASS
Band2	9538	2	NV	30	-20540.00	-10.767456	±NA	PASS
Band2	9538	2	NV	40	-17580.00	-9.215769	±NA	PASS
Band2	9538	2	NV	50	-19180.00	-10.054519	±NA	PASS
Band2	9538	3	NV	-30	-17740.00	-9.299644	±NA	PASS
Band2	9538	3	NV	-20	-16500.00	-8.649612	±NA	PASS
Band2	9538	3	NV	-10	-8130.00	-4.261900	±NA	PASS
Band2	9538	3	NV	0	-13740.00	-7.202768	±NA	PASS
Band2	9538	3	NV	10	-11470.00	-6.012791	±NA	PASS
Band2	9538	3	NV	20	-5740.00	-3.009017	±NA	PASS
Band2	9538	3	NV	30	-13970.00	-7.323338	±NA	PASS
Band2	9538	3	NV	40	-12660.00	-6.636611	±NA	PASS
Band2	9538	3	NV	50	-9840.00	-5.158314	±NA	PASS
Band2	9538	4	NV	-30	-11290.00	-5.918432	±NA	PASS
Band2	9538	4	NV	-20	-15840.00	-8.303628	±NA	PASS
Band2	9538	4	NV	-10	-14390.00	-7.543510	±NA	PASS
Band2	9538	4	NV	0	-10790.00	-5.656322	±NA	PASS
Band2	9538	4	NV	10	-11800.00	-6.185783	±NA	PASS
Band2	9538	4	NV	20	-11330.00	-5.939400	±NA	PASS
Band2	9538	4	NV	30	-12190.00	-6.390229	±NA	PASS
Band2	9538	4	NV	40	-14540.00	-7.622143	±NA	PASS
Band2	9538	4	NV	50	-12780.00	-6.699518	±NA	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band5	4132	1	NV	-30	-0.80	-0.000968	±2.5	PASS
Band5	4132	1	NV	-20	-1.92	-0.002323	±2.5	PASS
Band5	4132	1	NV	-10	-1.59	-0.001924	±2.5	PASS
Band5	4132	1	NV	0	-1.55	-0.001876	±2.5	PASS
Band5	4132	1	NV	10	-1.09	-0.001319	±2.5	PASS
Band5	4132	1	NV	20	-0.01	-0.000012	±2.5	PASS
Band5	4132	1	NV	30	1.21	0.001464	±2.5	PASS
Band5	4132	1	NV	40	-2.10	-0.002541	±2.5	PASS
Band5	4132	1	NV	50	-0.82	-0.000992	±2.5	PASS
Band5	4132	2	NV	-30	1.49	0.001803	±2.5	PASS
Band5	4132	2	NV	-20	2.10	0.002541	±2.5	PASS
Band5	4132	2	NV	-10	-2.56	-0.003098	±2.5	PASS
Band5	4132	2	NV	0	1.68	0.002033	±2.5	PASS
Band5	4132	2	NV	10	-1.01	-0.001222	±2.5	PASS
Band5	4132	2	NV	20	1.04	0.001258	±2.5	PASS
Band5	4132	2	NV	30	-2.25	-0.002723	±2.5	PASS
Band5	4132	2	NV	40	0.35	0.000424	±2.5	PASS
Band5	4132	2	NV	50	-0.06	-0.000073	±2.5	PASS
Band5	4132	3	NV	-30	0.96	0.001162	±2.5	PASS
Band5	4132	3	NV	-20	-0.67	-0.000811	±2.5	PASS
Band5	4132	3	NV	-10	2.89	0.003497	±2.5	PASS
Band5	4132	3	NV	0	-0.39	-0.000472	±2.5	PASS
Band5	4132	3	NV	10	-0.72	-0.000871	±2.5	PASS
Band5	4132	3	NV	20	-0.74	-0.000895	±2.5	PASS
Band5	4132	3	NV	30	0.94	0.001137	±2.5	PASS
Band5	4132	3	NV	40	1.33	0.001609	±2.5	PASS
Band5	4132	3	NV	50	-2.42	-0.002928	±2.5	PASS
Band5	4132	4	NV	-30	-1.14	-0.001379	±2.5	PASS
Band5	4132	4	NV	-20	0.63	0.000762	±2.5	PASS
Band5	4132	4	NV	-10	2.70	0.003267	±2.5	PASS
Band5	4132	4	NV	0	-2.08	-0.002517	±2.5	PASS
Band5	4132	4	NV	10	-1.91	-0.002311	±2.5	PASS
Band5	4132	4	NV	20	-0.14	-0.000169	±2.5	PASS
Band5	4132	4	NV	30	-0.34	-0.000411	±2.5	PASS
Band5	4132	4	NV	40	3.18	0.003848	±2.5	PASS
Band5	4132	4	NV	50	2.43	0.002940	±2.5	PASS
Band5	4182	1	NV	-30	-0.30	-0.000359	±2.5	PASS
Band5	4182	1	NV	-20	0.17	0.000203	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band5	4182	1	NV	-10	2.27	0.002714	±2.5	PASS
Band5	4182	1	NV	0	1.52	0.001817	±2.5	PASS
Band5	4182	1	NV	10	1.77	0.002116	±2.5	PASS
Band5	4182	1	NV	20	-0.77	-0.000921	±2.5	PASS
Band5	4182	1	NV	30	-0.41	-0.000490	±2.5	PASS
Band5	4182	1	NV	40	3.28	0.003922	±2.5	PASS
Band5	4182	1	NV	50	-2.50	-0.002989	±2.5	PASS
Band5	4182	2	NV	-30	0.77	0.000921	±2.5	PASS
Band5	4182	2	NV	-20	2.42	0.002893	±2.5	PASS
Band5	4182	2	NV	-10	1.42	0.001698	±2.5	PASS
Band5	4182	2	NV	0	1.22	0.001459	±2.5	PASS
Band5	4182	2	NV	10	-2.47	-0.002953	±2.5	PASS
Band5	4182	2	NV	20	0.09	0.000108	±2.5	PASS
Band5	4182	2	NV	30	-1.63	-0.001949	±2.5	PASS
Band5	4182	2	NV	40	-3.13	-0.003742	±2.5	PASS
Band5	4182	2	NV	50	-1.15	-0.001375	±2.5	PASS
Band5	4182	3	NV	-30	-3.12	-0.003730	±2.5	PASS
Band5	4182	3	NV	-20	1.04	0.001243	±2.5	PASS
Band5	4182	3	NV	-10	-0.11	-0.000132	±2.5	PASS
Band5	4182	3	NV	0	1.12	0.001339	±2.5	PASS
Band5	4182	3	NV	10	3.76	0.004495	±2.5	PASS
Band5	4182	3	NV	20	-2.90	-0.003467	±2.5	PASS
Band5	4182	3	NV	30	0.94	0.001124	±2.5	PASS
Band5	4182	3	NV	40	1.36	0.001626	±2.5	PASS
Band5	4182	3	NV	50	-0.41	-0.000490	±2.5	PASS
Band5	4182	4	NV	-30	0.79	0.000945	±2.5	PASS
Band5	4182	4	NV	-20	2.28	0.002726	±2.5	PASS
Band5	4182	4	NV	-10	1.47	0.001758	±2.5	PASS
Band5	4182	4	NV	0	-1.78	-0.002128	±2.5	PASS
Band5	4182	4	NV	10	-0.51	-0.000610	±2.5	PASS
Band5	4182	4	NV	20	1.38	0.001650	±2.5	PASS
Band5	4182	4	NV	30	0.06	0.000072	±2.5	PASS
Band5	4182	4	NV	40	1.32	0.001578	±2.5	PASS
Band5	4182	4	NV	50	0.71	0.000849	±2.5	PASS
Band5	4233	1	NV	-30	-0.51	-0.000602	±2.5	PASS
Band5	4233	1	NV	-20	3.86	0.004559	±2.5	PASS
Band5	4233	1	NV	-10	-0.28	-0.000331	±2.5	PASS
Band5	4233	1	NV	0	1.02	0.001205	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band5	4233	1	NV	10	0.16	0.000189	±2.5	PASS
Band5	4233	1	NV	20	-1.07	-0.001264	±2.5	PASS
Band5	4233	1	NV	30	1.41	0.001665	±2.5	PASS
Band5	4233	1	NV	40	2.90	0.003425	±2.5	PASS
Band5	4233	1	NV	50	0.34	0.000402	±2.5	PASS
Band5	4233	2	NV	-30	-0.14	-0.000165	±2.5	PASS
Band5	4233	2	NV	-20	2.48	0.002929	±2.5	PASS
Band5	4233	2	NV	-10	2.94	0.003473	±2.5	PASS
Band5	4233	2	NV	0	1.37	0.001618	±2.5	PASS
Band5	4233	2	NV	10	2.70	0.003189	±2.5	PASS
Band5	4233	2	NV	20	-0.30	-0.000354	±2.5	PASS
Band5	4233	2	NV	30	-1.12	-0.001323	±2.5	PASS
Band5	4233	2	NV	40	-2.60	-0.003071	±2.5	PASS
Band5	4233	2	NV	50	0.45	0.000532	±2.5	PASS
Band5	4233	3	NV	-30	0.27	0.000319	±2.5	PASS
Band5	4233	3	NV	-20	-0.04	-0.000047	±2.5	PASS
Band5	4233	3	NV	-10	1.65	0.001949	±2.5	PASS
Band5	4233	3	NV	0	-2.02	-0.002386	±2.5	PASS
Band5	4233	3	NV	10	-1.14	-0.001347	±2.5	PASS
Band5	4233	3	NV	20	1.43	0.001689	±2.5	PASS
Band5	4233	3	NV	30	1.98	0.002339	±2.5	PASS
Band5	4233	3	NV	40	2.25	0.002658	±2.5	PASS
Band5	4233	3	NV	50	0.87	0.001028	±2.5	PASS
Band5	4233	4	NV	-30	-1.43	-0.001689	±2.5	PASS
Band5	4233	4	NV	-20	1.62	0.001914	±2.5	PASS
Band5	4233	4	NV	-10	0.39	0.000461	±2.5	PASS
Band5	4233	4	NV	0	0.13	0.000154	±2.5	PASS
Band5	4233	4	NV	10	1.37	0.001618	±2.5	PASS
Band5	4233	4	NV	20	1.65	0.001949	±2.5	PASS
Band5	4233	4	NV	30	1.72	0.002032	±2.5	PASS
Band5	4233	4	NV	40	0.69	0.000815	±2.5	PASS
Band5	4233	4	NV	50	0.72	0.000850	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-2590.00	-1.398186	±NA	PASS
Band2	9262	1	VL	NT	-5850.00	-3.158065	±NA	PASS
Band2	9262	1	VH	NT	-1970.00	-1.063485	±NA	PASS
Band2	9262	2	VN	NT	-1380.00	-0.744979	±NA	PASS
Band2	9262	2	VL	NT	-7360.00	-3.973224	±NA	PASS
Band2	9262	2	VH	NT	-3750.00	-2.024401	±NA	PASS
Band2	9262	3	VN	NT	-3320.00	-1.792269	±NA	PASS
Band2	9262	3	VL	NT	-1700.00	-0.917728	±NA	PASS
Band2	9262	3	VH	NT	-7010.00	-3.784280	±NA	PASS
Band2	9262	4	VN	NT	-5820.00	-3.141870	±NA	PASS
Band2	9262	4	VL	NT	-6680.00	-3.606133	±NA	PASS
Band2	9262	4	VH	NT	-5070.00	-2.736990	±NA	PASS
Band2	9262	5	VN	NT	-5930.00	-3.201252	±NA	PASS
Band2	9262	5	VL	NT	-1350.00	-0.728784	±NA	PASS
Band2	9262	5	VH	NT	-870.00	-0.469661	±NA	PASS
Band2	9400	1	VN	NT	-60.00	-0.031915	±NA	PASS
Band2	9400	1	VL	NT	3750.00	1.994681	±NA	PASS
Band2	9400	1	VH	NT	2490.00	1.324468	±NA	PASS
Band2	9400	2	VN	NT	6530.00	3.473404	±NA	PASS
Band2	9400	2	VL	NT	1220.00	0.648936	±NA	PASS
Band2	9400	2	VH	NT	4350.00	2.313830	±NA	PASS
Band2	9400	3	VN	NT	290.00	0.154255	±NA	PASS
Band2	9400	3	VL	NT	2640.00	1.404255	±NA	PASS
Band2	9400	3	VH	NT	-700.00	-0.372340	±NA	PASS
Band2	9400	4	VN	NT	3540.00	1.882979	±NA	PASS
Band2	9400	4	VL	NT	-3260.00	-1.734043	±NA	PASS
Band2	9400	4	VH	NT	-1250.00	-0.664894	±NA	PASS
Band2	9400	5	VN	NT	3320.00	1.765957	±NA	PASS
Band2	9400	5	VL	NT	750.00	0.398936	±NA	PASS
Band2	9400	5	VH	NT	1130.00	0.601064	±NA	PASS
Band2	9538	1	VN	NT	-11990.00	-6.285385	±NA	PASS
Band2	9538	1	VL	NT	-12310.00	-6.453135	±NA	PASS
Band2	9538	1	VH	NT	-2580.00	-1.352485	±NA	PASS
Band2	9538	2	VN	NT	-3710.00	-1.944852	±NA	PASS
Band2	9538	2	VL	NT	-9790.00	-5.132103	±NA	PASS
Band2	9538	2	VH	NT	-6150.00	-3.223946	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band2	9538	3	VN	NT	-1730.00	-0.906899	±NA	PASS
Band2	9538	3	VL	NT	-5130.00	-2.689243	±NA	PASS
Band2	9538	3	VH	NT	-8690.00	-4.555462	±NA	PASS
Band2	9538	4	VN	NT	-10690.00	-5.603900	±NA	PASS
Band2	9538	4	VL	NT	-9900.00	-5.189767	±NA	PASS
Band2	9538	4	VH	NT	-8910.00	-4.670791	±NA	PASS
Band2	9538	5	VN	NT	-6060.00	-3.176767	±NA	PASS
Band2	9538	5	VL	NT	-7810.00	-4.094150	±NA	PASS
Band2	9538	5	VH	NT	-9130.00	-4.786119	±NA	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VN	NT	-2.89	-0.003497	±2.5	PASS
Band5	4132	1	VL	NT	2.88	0.003485	±2.5	PASS
Band5	4132	1	VH	NT	-0.83	-0.001004	±2.5	PASS
Band5	4132	2	VN	NT	3.19	0.003860	±2.5	PASS
Band5	4132	2	VL	NT	1.90	0.002299	±2.5	PASS
Band5	4132	2	VH	NT	0.57	0.000690	±2.5	PASS
Band5	4132	3	VN	NT	-0.68	-0.000823	±2.5	PASS
Band5	4132	3	VL	NT	-0.69	-0.000835	±2.5	PASS
Band5	4132	3	VH	NT	2.11	0.002553	±2.5	PASS
Band5	4132	4	VN	NT	1.57	0.001900	±2.5	PASS
Band5	4132	4	VL	NT	2.45	0.002965	±2.5	PASS
Band5	4132	4	VH	NT	-0.22	-0.000266	±2.5	PASS
Band5	4182	1	VN	NT	0.96	0.001148	±2.5	PASS
Band5	4182	1	VL	NT	-0.19	-0.000227	±2.5	PASS
Band5	4182	1	VH	NT	0.00	0.000000	±2.5	PASS
Band5	4182	2	VN	NT	-0.57	-0.000681	±2.5	PASS
Band5	4182	2	VL	NT	1.69	0.002021	±2.5	PASS
Band5	4182	2	VH	NT	0.14	0.000167	±2.5	PASS
Band5	4182	3	VN	NT	0.19	0.000227	±2.5	PASS
Band5	4182	3	VL	NT	0.89	0.001064	±2.5	PASS
Band5	4182	3	VH	NT	-0.13	-0.000155	±2.5	PASS
Band5	4182	4	VN	NT	-0.67	-0.000801	±2.5	PASS
Band5	4182	4	VL	NT	0.01	0.000012	±2.5	PASS
Band5	4182	4	VH	NT	0.69	0.000825	±2.5	PASS
Band5	4233	1	VN	NT	-1.12	-0.001323	±2.5	PASS
Band5	4233	1	VL	NT	-0.74	-0.000874	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band5	4233	1	VH	NT	0.17	0.000201	±2.5	PASS
Band5	4233	2	VN	NT	-0.80	-0.000945	±2.5	PASS
Band5	4233	2	VL	NT	0.04	0.000047	±2.5	PASS
Band5	4233	2	VH	NT	-0.19	-0.000224	±2.5	PASS
Band5	4233	3	VN	NT	-0.70	-0.000827	±2.5	PASS
Band5	4233	3	VL	NT	0.54	0.000638	±2.5	PASS
Band5	4233	3	VH	NT	-0.17	-0.000201	±2.5	PASS
Band5	4233	4	VN	NT	-0.47	-0.000555	±2.5	PASS
Band5	4233	4	VL	NT	-0.44	-0.000520	±2.5	PASS
Band5	4233	4	VH	NT	0.31	0.000366	±2.5	PASS
Band5	4132	5	VN	NT	-0.09	-0.000109	±2.5	PASS
Band5	4132	5	VL	NT	-0.39	-0.000472	±2.5	PASS
Band5	4132	5	VH	NT	0.27	0.000327	±2.5	PASS
Band5	4182	5	VN	NT	-0.21	-0.000251	±2.5	PASS
Band5	4182	5	VL	NT	0.26	0.000311	±2.5	PASS
Band5	4182	5	VH	NT	-0.15	-0.000179	±2.5	PASS
Band5	4233	5	VN	NT	0.35	0.000413	±2.5	PASS
Band5	4233	5	VL	NT	-0.41	-0.000484	±2.5	PASS
Band5	4233	5	VH	NT	-0.28	-0.000331	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-4620.00	-2.494062	±NA	PASS
Band2	9262	1	NV	-20	-1640.00	-0.885338	±NA	PASS
Band2	9262	1	NV	-10	-3560.00	-1.921831	±NA	PASS
Band2	9262	1	NV	0	1380.00	0.744979	±NA	PASS
Band2	9262	1	NV	10	-3660.00	-1.975815	±NA	PASS
Band2	9262	1	NV	20	-5410.00	-2.920536	±NA	PASS
Band2	9262	1	NV	30	-2290.00	-1.236234	±NA	PASS
Band2	9262	1	NV	40	-1310.00	-0.707191	±NA	PASS
Band2	9262	1	NV	50	-3720.00	-2.008206	±NA	PASS
Band2	9262	2	NV	-30	-7520.00	-4.059598	±NA	PASS
Band2	9262	2	NV	-20	-7460.00	-4.027208	±NA	PASS
Band2	9262	2	NV	-10	-330.00	-0.178147	±NA	PASS
Band2	9262	2	NV	0	-5230.00	-2.823364	±NA	PASS
Band2	9262	2	NV	10	-5300.00	-2.861153	±NA	PASS
Band2	9262	2	NV	20	-6680.00	-3.606133	±NA	PASS
Band2	9262	2	NV	30	-4270.00	-2.305118	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band2	9262	2	NV	40	-5050.00	-2.726193	±NA	PASS
Band2	9262	2	NV	50	-2680.00	-1.446772	±NA	PASS
Band2	9262	3	NV	-30	-4030.00	-2.175556	±NA	PASS
Band2	9262	3	NV	-20	-4990.00	-2.693803	±NA	PASS
Band2	9262	3	NV	-10	-3870.00	-2.089182	±NA	PASS
Band2	9262	3	NV	0	-2070.00	-1.117469	±NA	PASS
Band2	9262	3	NV	10	-1820.00	-0.982509	±NA	PASS
Band2	9262	3	NV	20	-3600.00	-1.943425	±NA	PASS
Band2	9262	3	NV	30	-4640.00	-2.504859	±NA	PASS
Band2	9262	3	NV	40	-1170.00	-0.631613	±NA	PASS
Band2	9262	3	NV	50	-6260.00	-3.379400	±NA	PASS
Band2	9262	4	NV	-30	-7550.00	-4.075794	±NA	PASS
Band2	9262	4	NV	-20	-6300.00	-3.400993	±NA	PASS
Band2	9262	4	NV	-10	-5610.00	-3.028504	±NA	PASS
Band2	9262	4	NV	0	-7330.00	-3.957029	±NA	PASS
Band2	9262	4	NV	10	-4990.00	-2.693803	±NA	PASS
Band2	9262	4	NV	20	-7110.00	-3.838264	±NA	PASS
Band2	9262	4	NV	30	-3800.00	-2.051393	±NA	PASS
Band2	9262	4	NV	40	-4730.00	-2.553444	±NA	PASS
Band2	9262	4	NV	50	-3650.00	-1.970417	±NA	PASS
Band2	9262	5	NV	-30	-3070.00	-1.657309	±NA	PASS
Band2	9262	5	NV	-20	-5910.00	-3.190456	±NA	PASS
Band2	9262	5	NV	-10	-3960.00	-2.137767	±NA	PASS
Band2	9262	5	NV	0	-3590.00	-1.938026	±NA	PASS
Band2	9262	5	NV	10	-3980.00	-2.148564	±NA	PASS
Band2	9262	5	NV	20	-970.00	-0.523645	±NA	PASS
Band2	9262	5	NV	30	-2230.00	-1.203844	±NA	PASS
Band2	9262	5	NV	40	-240.00	-0.129562	±NA	PASS
Band2	9262	5	NV	50	-2680.00	-1.446772	±NA	PASS
Band2	9400	1	NV	-30	2300.00	1.223404	±NA	PASS
Band2	9400	1	NV	-20	2320.00	1.234043	±NA	PASS
Band2	9400	1	NV	-10	-1050.00	-0.558511	±NA	PASS
Band2	9400	1	NV	0	2330.00	1.239362	±NA	PASS
Band2	9400	1	NV	10	-4760.00	-2.531915	±NA	PASS
Band2	9400	1	NV	20	-1810.00	-0.962766	±NA	PASS
Band2	9400	1	NV	30	3450.00	1.835106	±NA	PASS
Band2	9400	1	NV	40	490.00	0.260638	±NA	PASS
Band2	9400	1	NV	50	310.00	0.164894	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band2	9400	2	NV	-30	1000.00	0.531915	±NA	PASS
Band2	9400	2	NV	-20	1660.00	0.882979	±NA	PASS
Band2	9400	2	NV	-10	1440.00	0.765957	±NA	PASS
Band2	9400	2	NV	0	4070.00	2.164894	±NA	PASS
Band2	9400	2	NV	10	10.00	0.005319	±NA	PASS
Band2	9400	2	NV	20	-660.00	-0.351064	±NA	PASS
Band2	9400	2	NV	30	1830.00	0.973404	±NA	PASS
Band2	9400	2	NV	40	-2520.00	-1.340426	±NA	PASS
Band2	9400	2	NV	50	600.00	0.319149	±NA	PASS
Band2	9400	3	NV	-30	580.00	0.308511	±NA	PASS
Band2	9400	3	NV	-20	-780.00	-0.414894	±NA	PASS
Band2	9400	3	NV	-10	1350.00	0.718085	±NA	PASS
Band2	9400	3	NV	0	1870.00	0.994681	±NA	PASS
Band2	9400	3	NV	10	-430.00	-0.228723	±NA	PASS
Band2	9400	3	NV	20	-90.00	-0.047872	±NA	PASS
Band2	9400	3	NV	30	1450.00	0.771277	±NA	PASS
Band2	9400	3	NV	40	-1000.00	-0.531915	±NA	PASS
Band2	9400	3	NV	50	3260.00	1.734043	±NA	PASS
Band2	9400	4	NV	-30	-260.00	-0.138298	±NA	PASS
Band2	9400	4	NV	-20	1450.00	0.771277	±NA	PASS
Band2	9400	4	NV	-10	-820.00	-0.436170	±NA	PASS
Band2	9400	4	NV	0	1630.00	0.867021	±NA	PASS
Band2	9400	4	NV	10	140.00	0.074468	±NA	PASS
Band2	9400	4	NV	20	3000.00	1.595745	±NA	PASS
Band2	9400	4	NV	30	-240.00	-0.127660	±NA	PASS
Band2	9400	4	NV	40	2130.00	1.132979	±NA	PASS
Band2	9400	4	NV	50	-3500.00	-1.861702	±NA	PASS
Band2	9400	5	NV	-30	3870.00	2.058511	±NA	PASS
Band2	9400	5	NV	-20	3430.00	1.824468	±NA	PASS
Band2	9400	5	NV	-10	-450.00	-0.239362	±NA	PASS
Band2	9400	5	NV	0	2720.00	1.446809	±NA	PASS
Band2	9400	5	NV	10	5640.00	3.000000	±NA	PASS
Band2	9400	5	NV	20	3450.00	1.835106	±NA	PASS
Band2	9400	5	NV	30	-500.00	-0.265957	±NA	PASS
Band2	9400	5	NV	40	1380.00	0.734043	±NA	PASS
Band2	9400	5	NV	50	8480.00	4.510638	±NA	PASS
Band2	9538	1	NV	-30	-6790.00	-3.559446	±NA	PASS
Band2	9538	1	NV	-20	-10880.00	-5.703502	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band2	9538	1	NV	-10	-7640.00	-4.005033	±NA	PASS
Band2	9538	1	NV	0	-9300.00	-4.875236	±NA	PASS
Band2	9538	1	NV	10	-6780.00	-3.554204	±NA	PASS
Band2	9538	1	NV	20	-6940.00	-3.638079	±NA	PASS
Band2	9538	1	NV	30	-11710.00	-6.138603	±NA	PASS
Band2	9538	1	NV	40	-10440.00	-5.472845	±NA	PASS
Band2	9538	1	NV	50	-11500.00	-6.028518	±NA	PASS
Band2	9538	2	NV	-30	-12110.00	-6.348291	±NA	PASS
Band2	9538	2	NV	-20	-7070.00	-3.706228	±NA	PASS
Band2	9538	2	NV	-10	-4870.00	-2.552946	±NA	PASS
Band2	9538	2	NV	0	-8350.00	-4.377228	±NA	PASS
Band2	9538	2	NV	10	-6430.00	-3.370728	±NA	PASS
Band2	9538	2	NV	20	-9670.00	-5.069197	±NA	PASS
Band2	9538	2	NV	30	-4750.00	-2.490040	±NA	PASS
Band2	9538	2	NV	40	-5130.00	-2.689243	±NA	PASS
Band2	9538	2	NV	50	-6090.00	-3.192493	±NA	PASS
Band2	9538	3	NV	-30	-6570.00	-3.444118	±NA	PASS
Band2	9538	3	NV	-20	-4640.00	-2.432376	±NA	PASS
Band2	9538	3	NV	-10	-6630.00	-3.475571	±NA	PASS
Band2	9538	3	NV	0	-3110.00	-1.630321	±NA	PASS
Band2	9538	3	NV	10	-3910.00	-2.049696	±NA	PASS
Band2	9538	3	NV	20	-9730.00	-5.100650	±NA	PASS
Band2	9538	3	NV	30	-5370.00	-2.815056	±NA	PASS
Band2	9538	3	NV	40	-7010.00	-3.674775	±NA	PASS
Band2	9538	3	NV	50	-6420.00	-3.365485	±NA	PASS
Band2	9538	4	NV	-30	-8810.00	-4.618369	±NA	PASS
Band2	9538	4	NV	-20	-6780.00	-3.554204	±NA	PASS
Band2	9538	4	NV	-10	-8960.00	-4.697001	±NA	PASS
Band2	9538	4	NV	0	-8670.00	-4.544978	±NA	PASS
Band2	9538	4	NV	10	-9600.00	-5.032502	±NA	PASS
Band2	9538	4	NV	20	-13310.00	-6.977354	±NA	PASS
Band2	9538	4	NV	30	-12850.00	-6.736213	±NA	PASS
Band2	9538	4	NV	40	-7470.00	-3.915915	±NA	PASS
Band2	9538	4	NV	50	-9520.00	-4.990564	±NA	PASS
Band2	9538	5	NV	-30	-9390.00	-4.922416	±NA	PASS
Band2	9538	5	NV	-20	-9990.00	-5.236947	±NA	PASS
Band2	9538	5	NV	-10	-9300.00	-4.875236	±NA	PASS
Band2	9538	5	NV	0	-6910.00	-3.622353	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band2	9538	5	NV	10	-11780.00	-6.175299	±NA	PASS
Band2	9538	5	NV	20	-10580.00	-5.546236	±NA	PASS
Band2	9538	5	NV	30	-9440.00	-4.948627	±NA	PASS
Band2	9538	5	NV	40	-11150.00	-5.845041	±NA	PASS
Band2	9538	5	NV	50	-6350.00	-3.328790	±NA	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	-0.30	-0.000363	±2.5	PASS
Band5	4132	1	NV	-20	-0.14	-0.000169	±2.5	PASS
Band5	4132	1	NV	-10	1.09	0.001319	±2.5	PASS
Band5	4132	1	NV	0	-0.91	-0.001101	±2.5	PASS
Band5	4132	1	NV	10	-2.84	-0.003437	±2.5	PASS
Band5	4132	1	NV	20	0.74	0.000895	±2.5	PASS
Band5	4132	1	NV	30	0.10	0.000121	±2.5	PASS
Band5	4132	1	NV	40	0.44	0.000532	±2.5	PASS
Band5	4132	1	NV	50	0.11	0.000133	±2.5	PASS
Band5	4132	2	NV	-30	2.51	0.003037	±2.5	PASS
Band5	4132	2	NV	-20	-1.27	-0.001537	±2.5	PASS
Band5	4132	2	NV	-10	0.11	0.000133	±2.5	PASS
Band5	4132	2	NV	0	1.61	0.001948	±2.5	PASS
Band5	4132	2	NV	10	0.67	0.000811	±2.5	PASS
Band5	4132	2	NV	20	-0.59	-0.000714	±2.5	PASS
Band5	4132	2	NV	30	-0.28	-0.000339	±2.5	PASS
Band5	4132	2	NV	40	-4.06	-0.004913	±2.5	PASS
Band5	4132	2	NV	50	-2.72	-0.003291	±2.5	PASS
Band5	4132	3	NV	-30	0.38	0.000460	±2.5	PASS
Band5	4132	3	NV	-20	0.97	0.001174	±2.5	PASS
Band5	4132	3	NV	-10	-0.28	-0.000339	±2.5	PASS
Band5	4132	3	NV	0	0.99	0.001198	±2.5	PASS
Band5	4132	3	NV	10	1.58	0.001912	±2.5	PASS
Band5	4132	3	NV	20	-1.76	-0.002130	±2.5	PASS
Band5	4132	3	NV	30	-1.45	-0.001755	±2.5	PASS
Band5	4132	3	NV	40	-0.44	-0.000532	±2.5	PASS
Band5	4132	3	NV	50	-1.62	-0.001960	±2.5	PASS
Band5	4132	4	NV	-30	-1.51	-0.001827	±2.5	PASS
Band5	4132	4	NV	-20	2.08	0.002517	±2.5	PASS
Band5	4132	4	NV	-10	0.57	0.000690	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band5	4132	4	NV	0	-1.34	-0.001621	±2.5	PASS
Band5	4132	4	NV	10	1.12	0.001355	±2.5	PASS
Band5	4132	4	NV	20	3.83	0.004635	±2.5	PASS
Band5	4132	4	NV	30	0.34	0.000411	±2.5	PASS
Band5	4132	4	NV	40	2.71	0.003279	±2.5	PASS
Band5	4132	4	NV	50	1.26	0.001525	±2.5	PASS
Band5	4182	1	NV	-30	0.45	0.000538	±2.5	PASS
Band5	4182	1	NV	-20	0.95	0.001136	±2.5	PASS
Band5	4182	1	NV	-10	2.05	0.002451	±2.5	PASS
Band5	4182	1	NV	0	1.18	0.001411	±2.5	PASS
Band5	4182	1	NV	10	0.34	0.000407	±2.5	PASS
Band5	4182	1	NV	20	-0.42	-0.000502	±2.5	PASS
Band5	4182	1	NV	30	-1.62	-0.001937	±2.5	PASS
Band5	4182	1	NV	40	-1.13	-0.001351	±2.5	PASS
Band5	4182	1	NV	50	0.14	0.000167	±2.5	PASS
Band5	4182	2	NV	-30	-0.64	-0.000765	±2.5	PASS
Band5	4182	2	NV	-20	-1.15	-0.001375	±2.5	PASS
Band5	4182	2	NV	-10	-0.86	-0.001028	±2.5	PASS
Band5	4182	2	NV	0	0.48	0.000574	±2.5	PASS
Band5	4182	2	NV	10	-0.38	-0.000454	±2.5	PASS
Band5	4182	2	NV	20	0.96	0.001148	±2.5	PASS
Band5	4182	2	NV	30	1.49	0.001781	±2.5	PASS
Band5	4182	2	NV	40	0.41	0.000490	±2.5	PASS
Band5	4182	2	NV	50	-0.29	-0.000347	±2.5	PASS
Band5	4182	3	NV	-30	1.34	0.001602	±2.5	PASS
Band5	4182	3	NV	-20	0.44	0.000526	±2.5	PASS
Band5	4182	3	NV	-10	-1.09	-0.001303	±2.5	PASS
Band5	4182	3	NV	0	-1.64	-0.001961	±2.5	PASS
Band5	4182	3	NV	10	-0.85	-0.001016	±2.5	PASS
Band5	4182	3	NV	20	-1.04	-0.001243	±2.5	PASS
Band5	4182	3	NV	30	-0.07	-0.000084	±2.5	PASS
Band5	4182	3	NV	40	-0.09	-0.000108	±2.5	PASS
Band5	4182	3	NV	50	-1.08	-0.001291	±2.5	PASS
Band5	4182	4	NV	-30	2.52	0.003013	±2.5	PASS
Band5	4182	4	NV	-20	1.72	0.002056	±2.5	PASS
Band5	4182	4	NV	-10	1.54	0.001841	±2.5	PASS
Band5	4182	4	NV	0	1.72	0.002056	±2.5	PASS
Band5	4182	4	NV	10	1.72	0.002056	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band5	4182	4	NV	20	0.90	0.001076	±2.5	PASS
Band5	4182	4	NV	30	0.24	0.000287	±2.5	PASS
Band5	4182	4	NV	40	0.80	0.000956	±2.5	PASS
Band5	4182	4	NV	50	0.73	0.000873	±2.5	PASS
Band5	4233	1	NV	-30	-0.82	-0.000969	±2.5	PASS
Band5	4233	1	NV	-20	-2.17	-0.002563	±2.5	PASS
Band5	4233	1	NV	-10	-2.48	-0.002929	±2.5	PASS
Band5	4233	1	NV	0	-2.73	-0.003225	±2.5	PASS
Band5	4233	1	NV	10	-2.12	-0.002504	±2.5	PASS
Band5	4233	1	NV	20	-0.52	-0.000614	±2.5	PASS
Band5	4233	1	NV	30	0.46	0.000543	±2.5	PASS
Band5	4233	1	NV	40	-1.03	-0.001217	±2.5	PASS
Band5	4233	1	NV	50	-0.47	-0.000555	±2.5	PASS
Band5	4233	2	NV	-30	1.53	0.001807	±2.5	PASS
Band5	4233	2	NV	-20	2.80	0.003307	±2.5	PASS
Band5	4233	2	NV	-10	3.32	0.003922	±2.5	PASS
Band5	4233	2	NV	0	1.68	0.001984	±2.5	PASS
Band5	4233	2	NV	10	0.94	0.001110	±2.5	PASS
Band5	4233	2	NV	20	1.57	0.001854	±2.5	PASS
Band5	4233	2	NV	30	0.70	0.000827	±2.5	PASS
Band5	4233	2	NV	40	1.05	0.001240	±2.5	PASS
Band5	4233	2	NV	50	1.29	0.001524	±2.5	PASS
Band5	4233	3	NV	-30	-1.78	-0.002103	±2.5	PASS
Band5	4233	3	NV	-20	-1.40	-0.001654	±2.5	PASS
Band5	4233	3	NV	-10	-2.05	-0.002421	±2.5	PASS
Band5	4233	3	NV	0	0.96	0.001134	±2.5	PASS
Band5	4233	3	NV	10	0.18	0.000213	±2.5	PASS
Band5	4233	3	NV	20	2.32	0.002740	±2.5	PASS
Band5	4233	3	NV	30	3.06	0.003614	±2.5	PASS
Band5	4233	3	NV	40	1.52	0.001795	±2.5	PASS
Band5	4233	3	NV	50	0.14	0.000165	±2.5	PASS
Band5	4233	4	NV	-30	-0.74	-0.000874	±2.5	PASS
Band5	4233	4	NV	-20	-0.21	-0.000248	±2.5	PASS
Band5	4233	4	NV	-10	0.06	0.000071	±2.5	PASS
Band5	4233	4	NV	0	-0.57	-0.000673	±2.5	PASS
Band5	4233	4	NV	10	0.05	0.000059	±2.5	PASS
Band5	4233	4	NV	20	-0.20	-0.000236	±2.5	PASS
Band5	4233	4	NV	30	0.98	0.001158	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band5	4233	4	NV	40	-1.65	-0.001949	±2.5	PASS
Band5	4233	4	NV	50	-0.19	-0.000224	±2.5	PASS
Band5	4132	5	NV	-30	-0.67	-0.000811	±2.5	PASS
Band5	4132	5	NV	-20	-0.21	-0.000254	±2.5	PASS
Band5	4132	5	NV	-10	0.07	0.000085	±2.5	PASS
Band5	4132	5	NV	0	0.44	0.000532	±2.5	PASS
Band5	4132	5	NV	10	-0.29	-0.000351	±2.5	PASS
Band5	4132	5	NV	20	0.19	0.000230	±2.5	PASS
Band5	4132	5	NV	30	0.04	0.000048	±2.5	PASS
Band5	4132	5	NV	40	-0.09	-0.000109	±2.5	PASS
Band5	4132	5	NV	50	-0.45	-0.000545	±2.5	PASS
Band5	4182	5	NV	-30	-0.94	-0.001124	±2.5	PASS
Band5	4182	5	NV	-20	-0.56	-0.000670	±2.5	PASS
Band5	4182	5	NV	-10	-0.05	-0.000060	±2.5	PASS
Band5	4182	5	NV	0	-0.41	-0.000490	±2.5	PASS
Band5	4182	5	NV	10	-0.65	-0.000777	±2.5	PASS
Band5	4182	5	NV	20	-0.06	-0.000072	±2.5	PASS
Band5	4182	5	NV	30	-0.27	-0.000323	±2.5	PASS
Band5	4182	5	NV	40	-0.54	-0.000646	±2.5	PASS
Band5	4182	5	NV	50	-0.38	-0.000454	±2.5	PASS
Band5	4233	5	NV	-30	0.29	0.000343	±2.5	PASS
Band5	4233	5	NV	-20	0.16	0.000189	±2.5	PASS
Band5	4233	5	NV	-10	-0.27	-0.000319	±2.5	PASS
Band5	4233	5	NV	0	-0.31	-0.000366	±2.5	PASS
Band5	4233	5	NV	10	0.01	0.000012	±2.5	PASS
Band5	4233	5	NV	20	0.18	0.000213	±2.5	PASS
Band5	4233	5	NV	30	0.25	0.000295	±2.5	PASS
Band5	4233	5	NV	40	-0.51	-0.000602	±2.5	PASS
Band5	4233	5	NV	50	0.08	0.000094	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.