



30 MHz – 1GHz WCDMA (Rel 99) Mode, High channel




ProjectNo. RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 11:21:43

1 GHz – 19.076 GHz WCDMA (Rel 99) Mode, High channel




ProjectNo. RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 11:22:42

30 MHz – 1GHz WCDMA (HSDPA) Mode, High channel




ProjectNo. RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 12:27:15

1 GHz – 19.076 GHz WCDMA (HSDPA) Mode, High channel




ProjectNo. RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 12:28:15

30 MHz – 1GHz WCDMA (HSUPA) Mode, High channel




ProjectNo. RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 13:44:03

1 GHz – 19.076 GHz WCDMA (HSUPA) Mode, High channel




ProjectNo. RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 13:45:25

30 MHz – 1GHz WCDMA (HSPA+) Mode, High channel



ProjectNo: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 14:21:29


1 GHz – 19.076 GHz WCDMA (HSPA+) Mode, High channel



ProjectNo: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 14:22:28


WCDMA Band IV:

30 MHz – 1GHz WCDMA (Rel 99) Mode, Low channel




ProjectNo. RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 11:23:15

1 GHz – 17.124 GHz WCDMA (Rel 99) Mode, Low channel




ProjectNo. RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 11:24:11

30 MHz – 1GHz WCDMA (HSDPA) Mode, Low channel




ProjectNo. RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 12:28:47

1 GHz – 17.124 GHz WCDMA (HSDPA) Mode, Low channel




ProjectNo. RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 12:29:43

30 MHz – 1GHz WCDMA (HSUPA) Mode, Low channel




ProjectNo. RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 13:48:19

1 GHz – 17.124 GHz WCDMA (HSUPA) Mode, Low channel




ProjectNo. RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 13:47:14

30 MHz – 1GHz WCDMA (HSPA+) Mode, Low channel




ProjectNo: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 14:23:01

1 GHz – 17.124 GHz WCDMA (HSPA+) Mode, Low channel




ProjectNo: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 14:23:57

30 MHz – 1GHz WCDMA (Rel 99) Mode, Middle channel




ProjectNo: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 11:24:40

1 GHz – 17.326 GHz WCDMA (Rel 99) Mode, Middle channel




ProjectNo: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 11:25:34

30 MHz – 1GHz WCDMA (HSDPA) Mode, Middle channel




ProjectNo: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 12:30:12

1 GHz – 17.326 GHz WCDMA (HSDPA) Mode, Middle channel




ProjectNo: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 12:31:07

30 MHz – 1GHz WCDMA (HSUPA) Mode, Middle channel




ProjectNo: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 13:47:44

1 GHz – 17.326 GHz WCDMA (HSUPA) Mode, Middle channel




ProjectNo: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 13:48:38

30 MHz – 1GHz WCDMA (HSPA+) Mode, Middle channel




ProjectNo. RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 14:24:25

1 GHz – 17.326 GHz WCDMA (HSPA+) Mode, Middle channel




ProjectNo. RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 14:25:20

30 MHz – 1GHz WCDMA (Rel 99) Mode, High channel




ProjectNo. RKSA260311002 Tester:Neil Zhou
 Date: 26 MAR 2026 11:26:04

1 GHz – 17.526 GHz WCDMA (Rel 99) Mode, High channel




ProjectNo. RKSA260311002 Tester:Neil Zhou
 Date: 26 MAR 2026 11:27:00

30 MHz – 1GHz WCDMA (HSDPA) Mode, High channel




ProjectNo. RKSA260311002 Tester:Neil Zhou
 Date: 26 MAR 2026 12:31:36

1 GHz – 17.526 GHz WCDMA (HSDPA) Mode, High channel




ProjectNo. RKSA260311002 Tester:Neil Zhou
 Date: 26 MAR 2026 12:32:32

30 MHz – 1GHz WCDMA (HSUPA) Mode, High channel




ProjectNo. RKSA260311002 Tester:Neil Zhou
 Date: 26 MAR 2026 13:49:08

1 GHz – 17.526 GHz WCDMA (HSUPA) Mode, High channel




ProjectNo. RKSA260311002 Tester:Neil Zhou
 Date: 26 MAR 2026 13:50:04

30 MHz – 1GHz WCDMA (HSPA+) Mode, High channel



ProjectNo: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 14:25:50

1 GHz – 17.526 GHz WCDMA (HSPA+) Mode, High channel



ProjectNo: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 14:26:46

SPURIOUS RADIATED EMISSIONS**Environmental Conditions & Test Information**

Test Date:	2026-03-25	2026-03-26
Temperature:	21.4°C	24.5°C
Relative Humidity:	51%	51%
ATM Pressure:	102.0 kPa	102.5 kPa
Test Result:	Pass	Pass
Test Engineer:	Neil Zhou	Neil Zhou

Test mode: Transmitting (Pre-scan with all the bandwidth, and worst case as below)
After pre-scan in the X, Y and Z axes of orientation, the worst case at Y axis is below:

30 MHz - 10 GHz:**GPRS 850 Band**

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
GPRS Mode, Low channel								
62.86	50.59	H	-55.59	0.27	-9.39	-65.26	-13	52.26
62.86	58.16	V	-56.85	0.27	-9.39	-66.52	-13	53.52
1648.40	64.58	H	-48.77	0.84	8.44	-41.17	-13	28.17
1648.40	62.13	V	-51.22	0.84	8.44	-43.62	-13	30.62
GPRS Mode, Middle channel								
62.86	50.29	H	-55.89	0.27	-9.39	-65.56	-13	52.56
62.86	57.91	V	-57.10	0.27	-9.39	-66.77	-13	53.77
1673.20	64.60	H	-48.57	0.84	8.48	-40.93	-13	27.93
1673.20	61.57	V	-51.60	0.84	8.48	-43.96	-13	30.96
GPRS Mode, High channel								
62.86	50.55	H	-55.63	0.27	-9.39	-65.30	-13	52.30
62.86	57.94	V	-57.07	0.27	-9.39	-66.74	-13	53.74
1697.60	64.47	H	-48.53	0.84	8.52	-40.85	-13	27.85
1697.60	61.40	V	-51.60	0.84	8.52	-43.92	-13	30.92

WCDMA Band V

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
Low channel								
62.98	50.73	H	-55.45	0.27	-9.38	-65.11	-13	52.11
62.98	57.85	V	-57.11	0.27	-9.38	-66.77	-13	53.77
1652.80	64.77	H	-48.54	0.84	8.44	-40.94	-13	27.94
1652.80	61.74	V	-51.57	0.84	8.44	-43.97	-13	30.97
Middle channel								
62.98	50.44	H	-55.74	0.27	-9.38	-65.40	-13	52.40
62.98	57.78	V	-57.18	0.27	-9.38	-66.84	-13	53.84
1673.20	64.49	H	-48.68	0.84	8.48	-41.04	-13	28.04
1673.20	61.68	V	-51.49	0.84	8.48	-43.85	-13	30.85
High channel								
62.98	50.63	H	-55.55	0.27	-9.38	-65.21	-13	52.21
62.98	57.78	V	-57.18	0.27	-9.38	-66.84	-13	53.84
1693.20	64.54	H	-48.49	0.84	8.51	-40.82	-13	27.82
1693.20	61.38	V	-51.65	0.84	8.51	-43.98	-13	30.98

30 MHz ~ 20 GHz:**PCS 1900 Band**

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
Low channel								
229.94	46.80	H	-56.31	0.43	-2.93	-59.67	-13	46.67
229.94	50.94	V	-56.91	0.43	-2.93	-60.27	-13	47.27
3700.40	52.74	H	-54.23	0.95	9.78	-45.40	-13	32.40
3700.40	51.89	V	-55.08	0.95	9.78	-46.25	-13	33.25
Middle channel								
229.94	46.63	H	-56.48	0.43	-2.93	-59.84	-13	46.84
229.94	51.05	V	-56.80	0.43	-2.93	-60.16	-13	47.16
3760.00	52.63	H	-54.15	0.95	9.74	-45.36	-13	32.36
3760.00	51.54	V	-55.24	0.95	9.74	-46.45	-13	33.45
High channel								
229.94	46.88	H	-56.23	0.43	-2.93	-59.59	-13	46.59
229.94	50.78	V	-57.07	0.43	-2.93	-60.43	-13	47.43
3819.60	52.28	H	-54.31	0.96	9.71	-45.56	-13	32.56
3819.60	51.58	V	-55.01	0.96	9.71	-46.26	-13	33.26

WCDMA Band II

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
Low channel								
183.75	46.00	H	-59.34	0.40	-4.67	-64.41	-13	51.41
183.75	43.01	V	-60.63	0.40	-4.67	-65.70	-13	52.70
3704.80	54.99	H	-51.96	0.95	9.78	-43.13	-13	30.13
3704.80	53.34	V	-53.61	0.95	9.78	-44.78	-13	31.78
Middle channel								
183.75	45.97	H	-59.37	0.40	-4.67	-64.44	-13	51.44
183.75	42.92	V	-60.72	0.40	-4.67	-65.79	-13	52.79
3760.00	54.59	H	-52.19	0.95	9.74	-43.40	-13	30.40
3760.00	52.98	V	-53.80	0.95	9.74	-45.01	-13	32.01
High channel								
183.75	45.78	H	-59.56	0.40	-4.67	-64.63	-13	51.63
183.75	43.07	V	-60.57	0.40	-4.67	-65.64	-13	52.64
3815.20	54.41	H	-52.19	0.96	9.71	-43.44	-13	30.44
3815.20	53.04	V	-53.56	0.96	9.71	-44.81	-13	31.81

WCDMA Band IV

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
Low channel								
280.02	46.05	H	-58.85	0.45	-2.19	-61.49	-13	48.49
280.02	47.65	V	-59.85	0.45	-2.19	-62.49	-13	49.49
3424.80	52.96	H	-54.96	0.93	9.83	-46.06	-13	33.06
3424.80	51.82	V	-56.10	0.93	9.83	-47.20	-13	34.20
Middle channel								
280.02	46.15	H	-58.75	0.45	-2.19	-61.39	-13	48.39
280.02	47.86	V	-59.64	0.45	-2.19	-62.28	-13	49.28
3465.20	52.95	H	-54.80	0.93	9.87	-45.86	-13	32.86
3465.20	51.70	V	-56.05	0.93	9.87	-47.11	-13	34.11
High channel								
280.02	45.88	H	-59.02	0.45	-2.19	-61.66	-13	48.66
280.02	47.96	V	-59.54	0.45	-2.19	-62.18	-13	49.18
3505.20	52.87	H	-54.71	0.93	9.90	-45.74	-13	32.74
3505.20	51.58	V	-56.00	0.93	9.90	-47.03	-13	34.03

Test mode: Transmitting (Pre-scan with 1RB of all the bandwidth, and worst case as below)

30 MHz ~ 10 GHz:

LTE Band 5:

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4MHz Bandwidth Low Channel								
64.44	50.88	H	-55.36	0.28	-9.25	-64.89	-13	51.89
64.44	57.26	V	-57.05	0.28	-9.25	-66.58	-13	53.58
1649.40	62.10	H	-51.24	0.84	8.44	-43.64	-13	30.64
1649.40	60.93	V	-52.41	0.84	8.44	-44.81	-13	31.81
16-QAM 1.4MHz Bandwidth Low Channel								
64.44	50.91	H	-55.33	0.28	-9.25	-64.86	-13	51.86
64.44	57.31	V	-57.00	0.28	-9.25	-66.53	-13	53.53
1649.40	62.00	H	-51.34	0.84	8.44	-43.74	-13	30.74
1649.40	61.05	V	-52.29	0.84	8.44	-44.69	-13	31.69
QPSK 1.4MHz Bandwidth Middle Channel								
64.44	50.93	H	-55.31	0.28	-9.25	-64.84	-13	51.84
64.44	57.25	V	-57.06	0.28	-9.25	-66.59	-13	53.59
1673.00	61.98	H	-51.19	0.84	8.48	-43.55	-13	30.55
1673.00	60.76	V	-52.41	0.84	8.48	-44.77	-13	31.77
16-QAM 1.4MHz Bandwidth Middle Channel								
64.44	50.76	H	-55.48	0.28	-9.25	-65.01	-13	52.01
64.44	57.18	V	-57.13	0.28	-9.25	-66.66	-13	53.66
1673.00	61.96	H	-51.21	0.84	8.48	-43.57	-13	30.57
1673.00	60.89	V	-52.28	0.84	8.48	-44.64	-13	31.64
QPSK 1.4MHz Bandwidth High Channel								
64.44	50.81	H	-55.43	0.28	-9.25	-64.96	-13	51.96
64.44	57.35	V	-56.96	0.28	-9.25	-66.49	-13	53.49
1696.60	61.78	H	-51.23	0.84	8.52	-43.55	-13	30.55
1696.60	60.58	V	-52.43	0.84	8.52	-44.75	-13	31.75
16-QAM 1.4MHz Bandwidth High Channel								
64.44	50.82	H	-55.42	0.28	-9.25	-64.95	-13	51.95
64.44	57.36	V	-56.95	0.28	-9.25	-66.48	-13	53.48
1696.60	61.82	H	-51.19	0.84	8.52	-43.51	-13	30.51
1696.60	60.63	V	-52.38	0.84	8.52	-44.70	-13	31.70

LTE Band 12:

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4MHz Bandwidth Low Channel								
65.28	52.31	H	-53.96	0.28	-9.17	-63.41	-13	50.41
65.28	59.47	V	-54.46	0.28	-9.17	-63.91	-13	50.91
1399.40	57.71	H	-56.46	0.82	7.92	-49.36	-13	36.36
1399.40	56.44	V	-57.73	0.82	7.92	-50.63	-13	37.63
16-QAM 1.4MHz Bandwidth Low Channel								
65.28	52.54	H	-53.73	0.28	-9.17	-63.18	-13	50.18
65.28	59.18	V	-54.75	0.28	-9.17	-64.20	-13	51.20
1399.40	57.66	H	-56.51	0.82	7.92	-49.41	-13	36.41
1399.40	56.61	V	-57.56	0.82	7.92	-50.46	-13	37.46
QPSK 1.4MHz Bandwidth Middle Channel								
65.28	52.52	H	-53.75	0.28	-9.17	-63.20	-13	50.20
65.28	59.53	V	-54.40	0.28	-9.17	-63.85	-13	50.85
1415.00	57.69	H	-56.51	0.82	7.96	-49.37	-13	36.37
1415.00	56.62	V	-57.58	0.82	7.96	-50.44	-13	37.44
16-QAM 1.4MHz Bandwidth Middle Channel								
65.28	52.44	H	-53.83	0.28	-9.17	-63.28	-13	50.28
65.28	59.48	V	-54.45	0.28	-9.17	-63.90	-13	50.90
1415.00	57.59	H	-56.61	0.82	7.96	-49.47	-13	36.47
1415.00	56.44	V	-57.76	0.82	7.96	-50.62	-13	37.62
QPSK 1.4MHz Bandwidth High Channel								
65.28	52.59	H	-53.68	0.28	-9.17	-63.13	-13	50.13
65.28	59.42	V	-54.51	0.28	-9.17	-63.96	-13	50.96
1430.60	57.63	H	-56.60	0.82	8.01	-49.41	-13	36.41
1430.60	56.44	V	-57.79	0.82	8.01	-50.60	-13	37.60
16-QAM 1.4MHz Bandwidth High Channel								
65.28	52.30	H	-53.97	0.28	-9.17	-63.42	-13	50.42
65.28	59.17	V	-54.76	0.28	-9.17	-64.21	-13	51.21
1430.60	57.51	H	-56.72	0.82	8.01	-49.53	-13	36.53
1430.60	56.47	V	-57.76	0.82	8.01	-50.57	-13	37.57

LTE Band 17:

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 5MHz Bandwidth Low Channel								
187.26	47.92	H	-57.49	0.41	-4.51	-62.41	-13	49.41
187.26	45.87	V	-58.08	0.41	-4.51	-63.00	-13	50.00
1413.00	57.78	H	-56.42	0.82	7.96	-49.28	-13	36.28
1413.00	56.51	V	-57.69	0.82	7.96	-50.55	-13	37.55
16-QAM 5MHz Bandwidth Low Channel								
187.26	48.14	H	-57.27	0.41	-4.51	-62.19	-13	49.19
187.26	45.99	V	-57.96	0.41	-4.51	-62.88	-13	49.88
1413.00	57.82	H	-56.38	0.82	7.96	-49.24	-13	36.24
1413.00	56.41	V	-57.79	0.82	7.96	-50.65	-13	37.65
QPSK 5MHz Bandwidth Middle Channel								
187.26	47.97	H	-57.44	0.41	-4.51	-62.36	-13	49.36
187.26	45.71	V	-58.24	0.41	-4.51	-63.16	-13	50.16
1420.00	57.72	H	-56.49	0.82	7.98	-49.33	-13	36.33
1420.00	56.71	V	-57.50	0.82	7.98	-50.34	-13	37.34
16-QAM 5MHz Bandwidth Middle Channel								
187.26	48.11	H	-57.30	0.41	-4.51	-62.22	-13	49.22
187.26	45.70	V	-58.25	0.41	-4.51	-63.17	-13	50.17
1420.00	57.60	H	-56.61	0.82	7.98	-49.45	-13	36.45
1420.00	56.72	V	-57.49	0.82	7.98	-50.33	-13	37.33
QPSK 5MHz Bandwidth High Channel								
187.26	47.97	H	-57.44	0.41	-4.51	-62.36	-13	49.36
187.26	45.80	V	-58.15	0.41	-4.51	-63.07	-13	50.07
1427.00	57.49	H	-56.73	0.82	8.00	-49.55	-13	36.55
1427.00	56.69	V	-57.53	0.82	8.00	-50.35	-13	37.35
16-QAM 5MHz Bandwidth High Channel								
187.26	47.97	H	-57.44	0.41	-4.51	-62.36	-13	49.36
187.26	45.84	V	-58.11	0.41	-4.51	-63.03	-13	50.03
1427.00	57.73	H	-56.49	0.82	8.00	-49.31	-13	36.31
1427.00	56.57	V	-57.65	0.82	8.00	-50.47	-13	37.47

LTE Band 26(Lower)

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4MHz Bandwidth Low Channel								
94.21	54.02	H	-53.35	0.32	-6.57	-60.24	-13	47.24
94.21	47.99	V	-52.97	0.32	-6.57	-59.86	-13	46.86
1629.40	64.90	H	-48.58	0.84	8.41	-41.01	-13	28.01
1629.40	67.12	V	-46.36	0.84	8.41	-38.79	-13	25.79
16-QAM 1.4MHz Bandwidth Low Channel								
94.21	53.99	H	-53.38	0.32	-6.57	-60.27	-13	47.27
94.21	48.06	V	-52.90	0.32	-6.57	-59.79	-13	46.79
1629.40	64.97	H	-48.51	0.84	8.41	-40.94	-13	27.94
1629.40	67.17	V	-46.31	0.84	8.41	-38.74	-13	25.74
QPSK 1.4MHz Bandwidth High Channel								
94.21	53.94	H	-53.43	0.32	-6.57	-60.32	-13	47.32
94.21	48.01	V	-52.95	0.32	-6.57	-59.84	-13	46.84
1646.6	64.32	H	-48.92	0.84	8.44	-41.32	-13	28.32
1646.6	66.79	V	-46.45	0.84	8.44	-38.85	-13	25.85
16-QAM 1.4MHz Bandwidth High Channel								
94.21	54.08	H	-53.29	0.32	-6.57	-60.18	-13	47.18
94.21	48.07	V	-52.89	0.32	-6.57	-59.78	-13	46.78
1646.6	64.46	H	-48.78	0.84	8.44	-41.18	-13	28.18
1646.6	66.75	V	-46.49	0.84	8.44	-38.89	-13	25.89
QPSK 1.4MHz Bandwidth Cross Channel								
94.21	54.05	H	-53.32	0.32	-6.57	-60.21	-13	47.21
94.21	48.11	V	-52.85	0.32	-6.57	-59.74	-13	46.74
1648	64.36	H	-48.65	0.84	8.44	-41.05	-13	28.05
1648	66.37	V	-46.64	0.84	8.44	-39.04	-13	26.04
16-QAM 1.4MHz Bandwidth Cross Channel								
94.21	53.97	H	-53.40	0.32	-6.57	-60.29	-13	47.29
94.21	48.08	V	-52.88	0.32	-6.57	-59.77	-13	46.77
1648	64.17	H	-48.84	0.84	8.44	-41.24	-13	28.24
1648	66.41	V	-46.60	0.84	8.44	-39.00	-13	26.00

LTE Band 26(Upper)

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4MHz Bandwidth Low Channel								
93.86	54.09	H	-53.27	0.32	-6.60	-60.19	-13	47.19
93.86	48.03	V	-53.09	0.32	-6.60	-60.01	-13	47.01
1649.40	64.41	H	-48.93	0.84	8.44	-41.33	-13	28.33
1649.40	66.88	V	-46.46	0.84	8.44	-38.86	-13	25.86
16-QAM 1.4MHz Bandwidth Low Channel								
93.86	53.81	H	-53.55	0.32	-6.60	-60.47	-13	47.47
93.86	48.06	V	-53.06	0.32	-6.60	-59.98	-13	46.98
1649.40	64.45	H	-48.89	0.84	8.41	-41.32	-13	28.32
1649.40	67.15	V	-46.19	0.84	8.41	-38.62	-13	25.62
QPSK 1.4MHz Bandwidth Middle Channel								
93.86	54.16	H	-53.20	0.32	-6.60	-60.12	-13	47.12
93.86	48.27	V	-52.85	0.32	-6.60	-59.77	-13	46.77
1673.00	64.31	H	-48.86	0.84	8.46	-41.24	-13	28.24
1673.00	66.67	V	-46.50	0.84	8.46	-38.88	-13	25.88
16-QAM 1.4MHz Bandwidth Middle Channel								
93.86	53.98	H	-53.38	0.32	-6.60	-60.30	-13	47.30
93.86	48.28	V	-52.84	0.32	-6.60	-59.76	-13	46.76
1673.00	64.06	H	-49.11	0.84	8.46	-41.49	-13	28.49
1673.00	66.70	V	-46.47	0.84	8.46	-38.85	-13	25.85
QPSK 1.4MHz Bandwidth High Channel								
93.86	54.07	H	-53.29	0.32	-6.60	-60.21	-13	47.21
93.86	48.19	V	-52.93	0.32	-6.60	-59.85	-13	46.85
1696.60	64.05	H	-48.96	0.84	8.51	-41.29	-13	28.29
1696.60	66.49	V	-46.52	0.84	8.51	-38.85	-13	25.85
16-QAM 1.4MHz Bandwidth High Channel								
93.86	54.12	H	-53.24	0.32	-6.60	-60.16	-13	47.16
93.86	48.20	V	-52.92	0.32	-6.60	-59.84	-13	46.84
1696.60	63.81	H	-49.20	0.84	8.51	-41.53	-13	28.53
1696.60	66.57	V	-46.44	0.84	8.51	-38.77	-13	25.77

30 MHz ~ 20 GHz:**LTE Band 2:**

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4MHz Bandwidth Low Channel								
291.38	48.66	H	-57.56	0.46	-2.17	-60.19	-13	47.19
291.38	49.22	V	-57.44	0.46	-2.17	-60.07	-13	47.07
3701.40	56.42	H	-50.54	0.95	9.78	-41.71	-13	28.71
3701.40	56.28	V	-50.68	0.95	9.78	-41.85	-13	28.85
16-QAM 1.4MHz Bandwidth Low Channel								
291.38	48.46	H	-57.76	0.46	-2.17	-60.39	-13	47.39
291.38	49.12	V	-57.54	0.46	-2.17	-60.17	-13	47.17
3701.40	56.11	H	-50.85	0.95	9.78	-42.02	-13	29.02
3701.40	56.05	V	-50.91	0.95	9.78	-42.08	-13	29.08
QPSK 1.4MHz Bandwidth Middle Channel								
291.38	48.44	H	-57.78	0.46	-2.17	-60.41	-13	47.41
291.38	49.17	V	-57.49	0.46	-2.17	-60.12	-13	47.12
3760.00	56.29	H	-50.49	0.95	9.74	-41.70	-13	28.70
3760.00	56.08	V	-50.70	0.95	9.74	-41.91	-13	28.91
16-QAM 1.4MHz Bandwidth Middle Channel								
291.38	48.42	H	-57.80	0.46	-2.17	-60.43	-13	47.43
291.38	49.19	V	-57.47	0.46	-2.17	-60.10	-13	47.10
3760.00	56.00	H	-50.78	0.95	9.74	-41.99	-13	28.99
3760.00	56.17	V	-50.61	0.95	9.74	-41.82	-13	28.82
QPSK 1.4MHz Bandwidth High Channel								
291.38	48.57	H	-57.65	0.46	-2.17	-60.28	-13	47.28
291.38	49.19	V	-57.47	0.46	-2.17	-60.10	-13	47.10
3818.60	55.75	H	-50.84	0.96	9.71	-42.09	-13	29.09
3818.60	55.95	V	-50.64	0.96	9.71	-41.89	-13	28.89
16-QAM 1.4MHz Bandwidth High Channel								
291.38	48.54	H	-57.68	0.46	-2.17	-60.31	-13	47.31
291.38	49.04	V	-57.62	0.46	-2.17	-60.25	-13	47.25
3818.60	56.57	H	-50.02	0.85	8.85	-42.02	-13	29.02
3818.60	56.66	V	-49.93	0.85	8.85	-41.93	-13	28.93

LTE Band 4:

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4MHz Bandwidth Low Channel								
184.59	47.92	H	-57.44	0.40	-4.63	-62.47	-13	49.47
184.59	45.84	V	-57.88	0.40	-4.63	-62.91	-13	49.91
3421.40	55.93	H	-52.01	0.93	9.82	-43.12	-13	30.12
3421.40	54.55	V	-53.39	0.93	9.82	-44.50	-13	31.50
16-QAM 1.4MHz Bandwidth Low Channel								
184.59	47.87	H	-57.49	0.40	-4.63	-62.52	-13	49.52
184.59	45.92	V	-57.80	0.40	-4.63	-62.83	-13	49.83
3421.40	55.96	H	-51.98	0.93	9.82	-43.09	-13	30.09
3421.40	54.43	V	-53.51	0.93	9.82	-44.62	-13	31.62
QPSK 1.4MHz Bandwidth Middle Channel								
184.59	47.97	H	-57.39	0.40	-4.63	-62.42	-13	49.42
184.59	43.37	V	-60.35	0.45	-2.22	-63.02	-13	50.02
3465.00	55.73	H	-52.02	0.93	9.87	-43.08	-13	30.08
3465.00	54.48	V	-53.27	0.93	9.87	-44.33	-13	31.33
16-QAM 1.4MHz Bandwidth Middle Channel								
184.59	48.23	H	-57.13	0.40	-4.63	-62.16	-13	49.16
184.59	45.76	V	-57.96	0.40	-4.63	-62.99	-13	49.99
3465.00	55.51	H	-52.24	0.93	9.87	-43.30	-13	30.30
3465.00	54.15	V	-53.60	0.93	9.87	-44.66	-13	31.66
QPSK 1.4MHz Bandwidth High Channel								
184.59	48.02	H	-57.34	0.40	-4.63	-62.37	-13	49.37
184.59	45.68	V	-58.04	0.40	-4.63	-63.07	-13	50.07
3508.60	55.44	H	-52.13	0.93	9.89	-43.17	-13	30.17
3508.60	53.96	V	-53.61	0.93	9.89	-44.65	-13	31.65
16-QAM 1.4MHz Bandwidth High Channel								
184.59	48.21	H	-57.15	0.40	-4.63	-62.18	-13	49.18
184.59	45.95	V	-57.77	0.40	-4.63	-62.80	-13	49.80
3508.60	55.17	H	-52.40	0.93	9.89	-43.44	-13	30.44
3508.60	54.13	V	-53.44	0.93	9.89	-44.48	-13	31.48

LTE Band 25:

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4MHz Bandwidth Low Channel								
288.24	41.28	H	-64.58	0.46	-2.17	-67.21	-13	54.21
288.24	40.91	V	-65.98	0.46	-2.17	-68.61	-13	55.61
3701.40	56.15	H	-50.81	0.95	9.78	-41.98	-13	28.98
3701.40	54.33	V	-52.63	0.95	9.78	-43.80	-13	30.80
16-QAM 1.4MHz Bandwidth Low Channel								
288.24	41.45	H	-64.41	0.46	-2.17	-67.04	-13	54.04
288.24	41.07	V	-65.82	0.46	-2.17	-68.45	-13	55.45
3701.40	55.83	H	-51.13	0.95	9.78	-42.30	-13	29.30
3701.40	54.48	V	-52.48	0.95	9.78	-43.65	-13	30.65
QPSK 1.4MHz Bandwidth Middle Channel								
288.24	41.44	H	-64.42	0.46	-2.17	-67.05	-13	54.05
288.24	40.99	V	-65.90	0.46	-2.17	-68.53	-13	55.53
3765.00	55.95	H	-50.83	0.95	9.74	-42.04	-13	29.04
3765.00	54.19	V	-52.59	0.95	9.74	-43.80	-13	30.80
16-QAM 1.4MHz Bandwidth Middle Channel								
288.24	41.27	H	-64.59	0.46	-2.17	-67.22	-13	54.22
288.24	41.03	V	-65.86	0.46	-2.17	-68.49	-13	55.49
3765.00	55.87	H	-50.91	0.95	9.74	-42.12	-13	29.12
3765.00	54.21	V	-52.57	0.95	9.74	-43.78	-13	30.78
QPSK 1.4MHz Bandwidth High Channel								
288.24	41.38	H	-64.48	0.46	-2.17	-67.11	-13	54.11
288.24	40.96	V	-65.93	0.46	-2.17	-68.56	-13	55.56
3828.60	55.83	H	-50.73	0.96	9.70	-41.99	-13	28.99
3828.60	54.04	V	-52.52	0.96	9.70	-43.78	-13	30.78
16-QAM 1.4MHz Bandwidth High Channel								
288.24	41.43	H	-64.43	0.46	-2.17	-67.06	-13	54.06
288.24	41.05	V	-65.84	0.46	-2.17	-68.47	-13	55.47
3828.60	55.80	H	-50.76	0.96	9.70	-42.02	-13	29.02
3828.60	54.34	V	-52.22	0.96	9.70	-43.48	-13	30.48

LTE Band 66:

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4MHz Bandwidth Low Channel								
125.61	49.20	H	-56.94	0.35	-6.10	-63.39	-13	50.39
125.61	41.99	V	-57.55	0.35	-6.10	-64.00	-13	51.00
3421.40	56.95	H	-50.99	0.93	9.82	-42.10	-13	29.10
3421.40	55.25	V	-52.69	0.93	9.82	-43.80	-13	30.80
16-QAM 1.4MHz Bandwidth Low Channel								
125.61	49.21	H	-56.93	0.35	-6.10	-63.38	-13	50.38
125.61	41.88	V	-57.66	0.35	-6.10	-64.11	-13	51.11
3421.40	56.95	H	-50.99	0.93	9.82	-42.10	-13	29.10
3421.40	55.55	V	-52.39	0.93	9.82	-43.50	-13	30.50
QPSK 1.4MHz Bandwidth Middle Channel								
125.61	49.37	H	-56.77	0.35	-6.10	-63.22	-13	50.22
125.61	42.03	V	-57.51	0.35	-6.10	-63.96	-13	50.96
3490.00	56.52	H	-51.12	0.93	9.89	-42.16	-13	29.16
3490.00	54.86	V	-52.78	0.93	9.89	-43.82	-13	30.82
16-QAM 1.4MHz Bandwidth Middle Channel								
125.61	49.41	H	-56.73	0.35	-6.10	-63.18	-13	50.18
125.61	42.14	V	-57.40	0.35	-6.10	-63.85	-13	50.85
3490.00	56.62	H	-51.02	0.93	9.89	-42.06	-13	29.06
3490.00	55.10	V	-52.54	0.93	9.89	-43.58	-13	30.58
QPSK 1.4MHz Bandwidth High Channel								
125.61	49.16	H	-56.98	0.35	-6.10	-63.43	-13	50.43
125.61	41.84	V	-57.70	0.35	-6.10	-64.15	-13	51.15
3558.60	56.34	H	-51.07	0.93	9.86	-42.14	-13	29.14
3558.60	54.75	V	-52.66	0.93	9.86	-43.73	-13	30.73
16-QAM 1.4MHz Bandwidth High Channel								
125.61	49.13	H	-57.01	0.35	-6.10	-63.46	-13	50.46
125.61	42.13	V	-57.41	0.35	-6.10	-63.86	-13	50.86
3558.60	56.34	H	-51.07	0.93	9.86	-42.14	-13	29.14
3558.60	54.68	V	-52.73	0.93	9.86	-43.80	-13	30.80

30 MHz ~ 26 GHz:**LTE Band 7:**

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 5MHz Bandwidth Low Channel								
280.02	47.54	H	-57.36	0.45	-2.19	-60.00	-25	35.00
280.02	49.28	V	-58.22	0.45	-2.19	-60.86	-25	35.86
5005.00	50.03	H	-55.96	1.08	10.30	-46.74	-25	21.74
5005.00	49.09	V	-56.90	1.08	10.30	-47.68	-25	22.68
16-QAM 5MHz Bandwidth Low Channel								
280.02	47.65	H	-57.25	0.45	-2.19	-59.89	-25	34.89
280.02	49.44	V	-58.06	0.45	-2.19	-60.70	-25	35.70
5005.00	49.93	H	-56.06	1.08	10.30	-46.84	-25	21.84
5005.00	49.12	V	-56.87	1.08	10.30	-47.65	-25	22.65
QPSK 5MHz Bandwidth Middle Channel								
280.02	47.37	H	-57.53	0.45	-2.19	-60.17	-25	35.17
280.02	49.27	V	-58.23	0.45	-2.19	-60.87	-25	35.87
5070.00	49.72	H	-55.91	1.09	10.30	-46.70	-25	21.70
5070.00	48.57	V	-57.06	1.09	10.30	-47.85	-25	22.85
16-QAM 5MHz Bandwidth Middle Channel								
280.02	47.68	H	-57.22	0.45	-2.19	-59.86	-25	34.86
280.02	49.40	V	-58.10	0.45	-2.19	-60.74	-25	35.74
5070.00	49.58	H	-56.05	1.09	10.30	-46.84	-25	21.84
5070.00	48.85	V	-56.78	1.09	10.30	-47.57	-25	22.57
QPSK 5MHz Bandwidth High Channel								
280.02	47.60	H	-57.30	0.45	-2.19	-59.94	-25	34.94
280.02	49.32	V	-58.18	0.45	-2.19	-60.82	-25	35.82
5135.00	49.47	H	-55.80	1.10	10.30	-46.60	-25	21.60
5135.00	48.43	V	-56.84	1.10	10.30	-47.64	-25	22.64
16-QAM 5MHz Bandwidth High Channel								
280.02	47.50	H	-57.40	0.45	-2.19	-60.04	-25	35.04
280.02	49.40	V	-58.10	0.45	-2.19	-60.74	-25	35.74
5135.00	49.50	H	-55.77	1.10	10.30	-46.57	-25	21.57
5135.00	48.32	V	-56.95	1.10	10.30	-47.75	-25	22.75

30 MHz ~ 27 GHz:**LTE Band 41:**

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 5MHz Bandwidth Low Channel								
123.81	48.38	H	-57.86	0.35	-6.10	-64.31	-25	39.31
123.81	41.19	V	-58.27	0.35	-6.10	-64.72	-25	39.72
4997.00	48.33	H	-57.70	1.08	10.30	-48.48	-25	23.48
4997.00	47.69	V	-58.34	1.08	10.30	-49.12	-25	24.12
16-QAM 5MHz Bandwidth Low Channel								
123.81	48.21	H	-58.03	0.35	-6.10	-64.48	-25	39.48
123.81	41.11	V	-58.35	0.35	-6.10	-64.80	-25	39.80
4997.00	48.43	H	-57.60	1.08	10.30	-48.38	-25	23.38
4997.00	47.53	V	-58.50	1.08	10.30	-49.28	-25	24.28
QPSK 5MHz Bandwidth Middle Channel								
123.81	48.19	H	-58.05	0.35	-6.10	-64.50	-25	39.50
123.81	41.03	V	-58.43	0.35	-6.10	-64.88	-25	39.88
5186.00	47.32	H	-57.67	1.10	10.30	-48.47	-25	23.47
5186.00	46.51	V	-58.48	1.10	10.30	-49.28	-25	24.28
16-QAM 5MHz Bandwidth Middle Channel								
123.81	48.22	H	-58.02	0.35	-6.10	-64.47	-25	39.47
123.81	41.34	V	-58.12	0.35	-6.10	-64.57	-25	39.57
5186.00	47.15	H	-57.84	1.10	10.30	-48.64	-25	23.64
5186.00	46.64	V	-58.35	1.10	10.30	-49.15	-25	24.15
QPSK 5MHz Bandwidth High Channel								
123.81	48.35	H	-57.89	0.35	-6.10	-64.34	-25	39.34
123.81	41.28	V	-58.18	0.35	-6.10	-64.63	-25	39.63
5375.00	46.31	H	-57.63	1.13	10.30	-48.46	-25	23.46
5375.00	45.56	V	-58.38	1.13	10.30	-49.21	-25	24.21
16-QAM 5MHz Bandwidth High Channel								
123.81	48.22	H	-58.02	0.35	-6.10	-64.47	-25	39.47
123.81	41.18	V	-58.28	0.35	-6.10	-64.73	-25	39.73
5375.00	46.45	H	-57.49	1.13	10.30	-48.32	-25	23.32
5375.00	45.85	V	-58.09	1.13	10.30	-48.92	-25	23.92

Note:

1) Absolute Level (dBm) = Submitted Level (dBm) - Cable loss (dB) + Antenna Gain (dBd/dBi)

2) Margin (dB) = Limit (dBm) - Absolute Level (dBm)

3) Antenna gain is dBd for frequency below 1GHz and is dBi for frequency above 1GHz


BAND EDGES**Environmental Conditions & Test Information**

Test Date:	2026-03-24	2026-03-25	2026-03-26	2026-04-30
Temperature:	17.5°C	21.4°C	24.5°C	21.5°C
Relative Humidity:	48%	51%	51%	53 %
ATM Pressure:	102.3 kPa	102.0 kPa	102.5 kPa	102.5 kPa
Test Result:	Pass	Pass	Pass	Pass
Test Engineer:	Neil Zhou	Neil Zhou	Neil Zhou	Neil Zhou


EUT operation mode: Transmitting

Test Result: Compliant.


LTE: Please check the APPENDIX C_Band edge for detail.

GPRS 850 Band:**GPRS Mode, Left Band Edge**


ProjectNo.: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 10:18:15

GPRS Mode, Right Band Edge

ProjectNo.: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 10:19:17

EDGE Mode, Left Band Edge


ProjectNo.: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 10:20:38

EDGE Mode, Right Band Edge

ProjectNo.: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 10:22:03


WCDMA Band V

WCDMA (Rel 99) Mode, Left Band Edge




ProjectNo.: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 11:16:30

WCDMA (Rel 99) Mode, Right Band Edge




ProjectNo.: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 11:17:04

WCDMA (HSDPA) Mode, Left Band Edge




ProjectNo.: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 11:44:18

WCDMA (HSDPA) Mode, Right Band Edge




ProjectNo.: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 11:44:50

WCDMA (HSUPA) Mode, Left Band Edge




ProjectNo.: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 14:05:40

WCDMA (HSUPA) Mode, Right Band Edge




ProjectNo.: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 14:06:12

WCDMA (HSPA+) Mode, Left Band Edge




ProjectNo: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 14:40:39


WCDMA (HSPA+) Mode, Right Band Edge




ProjectNo: RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 14:41:11

PCS 1900 Band:**GPRS Mode, Left Band Edge**


ProjectNo.: RKSA260311002 Tester: Neil Zhou
Date: 26 MAR 2026 10:28:39

GPRS Mode, Right Band Edge


ProjectNo.: RKSA260311002 Tester: Neil Zhou
Date: 26 MAR 2026 10:30:13

EDGE Mode, Left Band Edge


ProjectNo.: RKSA260311002 Tester: Neil Zhou
Date: 26 MAR 2026 10:31:49

EDGE Mode, Right Band Edge


ProjectNo.: RKSA260311002 Tester: Neil Zhou
Date: 26 MAR 2026 10:32:48

WCDMA Band II**WCDMA (Rel 99) Mode, Left Band Edge**


ProjectNo.: RKSA260311002 Tester:Neil Zhou
Date: 26.MAR.2026 11:02:21

WCDMA (Rel 99) Mode, Right Band Edge


ProjectNo.: RKSA260311002 Tester:Neil Zhou
Date: 26.MAR.2026 11:02:44

WCDMA (HSDPA) Mode, Left Band Edge


ProjectNo.: RKSA260311002 Tester:Neil Zhou
Date: 26.MAR.2026 11:55:50

WCDMA (HSDPA) Mode, Right Band Edge

ProjectNo.: RKSA260311002 Tester:Neil Zhou
Date: 26.MAR.2026 11:44:50


WCDMA (HSPA) Mode, Left Band Edge

ProjectNo.: RKSA260311002 Tester:Neil Zhou
Date: 26.MAR.2026 13:56:19

WCDMA (HSPA) Mode, Right Band Edge


ProjectNo.: RKSA260311002 Tester:Neil Zhou
Date: 26.MAR.2026 13:56:41

WCDMA (HSPA+) Mode, Left Band Edge



ProjectNo.:RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 14:32:47

WCDMA (HSPA+) Mode, Right Band Edge



ProjectNo.:RKSA260311002 Tester:Neil Zhou
Date: 26 MAR 2026 14:33:10