



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Work Light

Test Model: FSI 90-1680-8K

Environmental Conditions

Temperature:	23.7°C
Relative Humidity:	51.9%
ATM Pressure:	100.0 kPa
Test Engineer:	Jerry Chu
Supervised by:	Can Kun





A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.9517	No Limit	Pass
NVNT	1-DH5	2441	Ant1	0.9411	No Limit	Pass
NVNT	1-DH5	2480	Ant1	0.9885	No Limit	Pass
NVNT	2-DH5	2402	Ant1	1.287	No Limit	Pass
NVNT	2-DH5	2441	Ant1	1.277	No Limit	Pass
NVNT	2-DH5	2480	Ant1	1.282	No Limit	Pass
NVNT	3-DH5	2402	Ant1	1.289	No Limit	Pass
NVNT	3-DH5	2441	Ant1	1.301	No Limit	Pass
NVNT	3-DH5	2480	Ant1	1.291	No Limit	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1






-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1





-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1







A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit Conducted(dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-2.53	30	Pass
NVNT	1-DH5	2441	Ant1	0.53	30	Pass
NVNT	1-DH5	2480	Ant1	-0.33	30	Pass
NVNT	2-DH5	2402	Ant1	-3.19	30	Pass
NVNT	2-DH5	2441	Ant1	-0.11	30	Pass
NVNT	2-DH5	2480	Ant1	-0.83	30	Pass
NVNT	3-DH5	2402	Ant1	-2.79	30	Pass
NVNT	3-DH5	2441	Ant1	0.28	30	Pass
NVNT	3-DH5	2480	Ant1	-0.49	30	Pass






Peak Power NVNT 1-DH5 2402MHz Ant1




Peak Power NVNT 1-DH5 2441MHz Ant1






Peak Power NVNT 1-DH5 2480MHz Ant1




Peak Power NVNT 2-DH5 2402MHz Ant1






Peak Power NVNT 2-DH5 2441MHz Ant1




Peak Power NVNT 2-DH5 2480MHz Ant1






Peak Power NVNT 3-DH5 2402MHz Ant1



Peak Power NVNT 3-DH5 2441MHz Ant1





Peak Power NVNT 3-DH5 2480MHz Ant1





A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.842	2402.828	0.986	0.675	Pass
NVNT	2-DH5	Ant1	2402.032	2403.03	0.998	0.858	Pass
NVNT	3-DH5	Ant1	2402.036	2403.03	0.994	0.867	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1





CFS NVNT 3-DH5 2402MHz Ant1





A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.909	264.719	91	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.884	317.24	110	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.891	326.683	113	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated





Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Hopping No. NVNT 3-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-53.66	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-55.62	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-50.9	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-52.79	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-50.09	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-53.47	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission





Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-52.67	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-55.42	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-49.46	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-52.67	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-49.38	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-50.92	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Band Edge (Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge (Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge (Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge (Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge (Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge (Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge (Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge (Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge (Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge (Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission





Band Edge (Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge (Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-42.58	-20	Pass
NVNT	1-DH5	2441	Ant1	-45.69	-20	Pass
NVNT	1-DH5	2480	Ant1	-44.68	-20	Pass
NVNT	2-DH5	2402	Ant1	-40.24	-20	Pass
NVNT	2-DH5	2441	Ant1	-43.97	-20	Pass
NVNT	2-DH5	2480	Ant1	-43	-20	Pass
NVNT	3-DH5	2402	Ant1	-41	-20	Pass
NVNT	3-DH5	2441	Ant1	-44.24	-20	Pass
NVNT	3-DH5	2480	Ant1	-43.91	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission





Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.6	1.1	0.34
NVNT	2-DH5	2402	Ant1	99.78	0.01	0.36
NVNT	2-DH5	2441	Ant1	13.94	8.56	7.25
NVNT	2-DH5	2480	Ant1	99.78	0.01	0.36
NVNT	3-DH5	2402	Ant1	77.2	1.12	0.35
NVNT	3-DH5	2441	Ant1	13.94	8.56	7.25
NVNT	3-DH5	2480	Ant1	77.28	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1





Duty Cycle NVNT 2-DH5 2441MHz Ant1



Duty Cycle NVNT 2-DH5 2480MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1





Duty Cycle NVNT 3-DH5 2480MHz Ant1





A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-50.35	2.00	45.99	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-57.1	2.00	39.24	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2326.512	-47	2.00	49.34	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2330.928	-56.97	2.00	39.37	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-49.2	2.00	47.14	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-57.23	2.00	39.11	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-49.73	2.00	46.61	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-55.65	2.00	40.69	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.848	-42.67	2.00	53.67	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.512	-55.65	2.00	40.69	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-50.22	2.00	46.12	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-57.03	2.00	39.31	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-49.87	2.00	46.47	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-57.19	2.00	39.15	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2346.672	-47.08	2.00	49.26	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2315.76	-57.01	2.00	39.33	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-51.02	2.00	45.32	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-57.07	2.00	39.27	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-47.79	2.00	48.55	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-55.57	2.00	40.77	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2493.184	-46.61	2.00	49.73	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.512	-55.57	2.00	40.77	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-50.26	2.00	46.08	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-57.02	2.00	39.32	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-50.35	2.00	45.99	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-57.09	2.00	39.25	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2343.792	-46.69	2.00	49.65	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2317.872	-56.82	2.00	39.52	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-47.04	2.00	49.3	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-57.09	2.00	39.25	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-48.95	2.00	47.39	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-55.37	2.00	40.97	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2491.624	-46.34	2.00	50	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.512	-55.37	2.00	40.97	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-50.31	2.00	46.03	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-56.97	2.00	39.37	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average





Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak



Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

