








EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

EUT View 1	 A photograph showing a black circular device and a black cable with a white connector, placed on a blue textured surface next to a metal ruler. The ruler is oriented vertically on the left and horizontally at the bottom. The circular device is approximately 10 cm in diameter. The cable is coiled and is approximately 10 cm long.
EUT View 2	 A photograph showing the same black circular device from a different angle, placed on the same blue textured surface next to a metal ruler. The ruler is oriented vertically on the left and horizontally at the bottom. The circular device is approximately 10 cm in diameter.

EUT View 3	 A black circular component with four small circular features is shown next to a ruler for scale. The ruler is marked in centimeters (0 to 19) and millimeters (0.5 mm). The component is positioned on a blue textured surface.
EUT View 4	 A black circular component is shown next to a ruler for scale. The ruler is marked in centimeters (19 to 31) and millimeters. The component is positioned on a blue textured surface.

EUT View 5	 A photograph of a circular, black, flat electronic component. Below the component is a metal ruler with markings in millimeters. The ruler shows the numbers 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, and 32. The component's diameter is approximately 24 mm.
EUT View 6	 A photograph of the same circular, black, flat electronic component from a slightly different angle. Below it is a metal ruler showing markings from 20 to 34 mm. The numbers 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, and 34 are visible. The component's diameter is approximately 24 mm.

EUT View 7	
EUT View8	