1. Bandwidth

1.1 Test Result

Test Mode	Frequency (MHz)	TX Type	ANT No.	20dB Bandwidth Test Result (MHz)	Verdict
GFSK	2402	SISO	1	0.953	PASS
	2441	SISO	1	0.953	PASS
	2480	SISO	1	0.954	PASS
Pi/4DQPSK	2402	SISO	1	1.284	PASS
	2441	SISO	1	1.285	PASS
	2480	SISO	1	1.304	PASS
8DPSK	2402	SISO	1	1.304	PASS
	2441	SISO	1	1.296	PASS
	2480	SISO	1	1.303	PASS

Test Mode	Frequency (MHz)	TX Type	ANT No.	99% Occupied Bandwidth Test Result (MHz)	
GFSK	2402	SISO	1	0.850	Only for Report Use
	2441	SISO	1	0.852	Only for Report Use
	2480	SISO	1	0.851	Only for Report Use
Pi/4DQPSK	2402	SISO	1	1.172	Only for Report Use
	2441	SISO	1	1.172	Only for Report Use
	2480	SISO	1	1.169	Only for Report Use
8DPSK	2402	SISO	1	1.177	Only for Report Use
	2441	SISO	1	1.183	Only for Report Use
	2480	SISO	1	1.180	Only for Report Use

1.2 Test Graph - 20dB Bandwidth


Bandwidth NTNV_GFSK_SISO_DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.133ms
20dB: 0.953MHz
Marker:
1: 2401.551 MHz
-25.64dBm
2: 2402.504 MHz
-25.64dBm
3: 2402.016 MHz
-5.64dBm
Trace
Level (dBm)
Frequency (MHz)
2401.0
2403.0


Bandwidth NTNV_GFSK_SISO_DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.133ms
20dB: 0.953MHz
Marker:
1: 2440.552 MHz
-25.39dBm
2: 2441.505 MHz
-25.39dBm
3: 2441.010 MHz
-5.39dBm
Trace
Level (dBm)
Frequency (MHz)
2440.0
2442.0


Bandwidth NTNV_GFSK_SISO_DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.133ms
20dB: 0.954MHz
Marker:
1: 2479.552 MHz
-25.95dBm
2: 2480.505 MHz
-25.95dBm
3: 2480.008 MHz
-5.95dBm
Trace
Level (dBm)
Frequency (MHz)
2479.0
2481.0


Bandwidth NTNV_Pi/4DQPSK_SISO_2DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.533ms
20dB: 1.284MHz
Marker:
1: 2401.383 MHz
-25.64dBm
2: 2402.666 MHz
-25.64dBm
3: 2402.014 MHz
-5.64dBm
Trace
Level (dBm)
Frequency (MHz)
2400.8
2403.2


Bandwidth NTNV_Pi/4DQPSK_SISO_2DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.533ms
20dB: 1.285MHz
Marker:
1: 2440.382 MHz
-25.45dBm
2: 2441.668 MHz
-25.45dBm
3: 2441.007 MHz
-5.45dBm
Trace
Level (dBm)
Frequency (MHz)
2439.8
2442.2


Bandwidth NTNV_Pi/4DQPSK_SISO_2DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.533ms
20dB: 1.304MHz
Marker:
1: 2479.363 MHz
-25.94dBm
2: 2480.667 MHz
-25.94dBm
3: 2480.014 MHz
-5.94dBm
Trace
Level (dBm)
Frequency (MHz)
2478.8
2481.2


Bandwidth NTNV_8DPSK_SISO_3DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.533ms
20dB: 1.304MHz
Marker:
1: 2401.366 MHz
-25.64dBm
2: 2402.669 MHz
-25.64dBm
3: 2401.854 MHz
-5.64dBm
Trace
Level (dBm)
Frequency (MHz)
2400.8
2403.2


Bandwidth NTNV_8DPSK_SISO_3DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.533ms
20dB: 1.296MHz
Marker:
1: 2440.367 MHz
-25.34dBm
2: 2441.662 MHz
-25.34dBm
3: 2441.010 MHz
-5.34dBm
Trace
Level (dBm)
Frequency (MHz)
2439.8
2442.2



1.3 Test Graph - 99% Occupied Bandwidth




Bandwidth NTNV_GFSK_SISO_DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.133ms
99%OBW: 0.852MHz
Marker:
1: 2440.586 MHz
-23.02dBm
2: 2441.439 MHz
-24.14dBm
Trace
Level (dBm)
Frequency (MHz)
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
−100
2440.0
2442.0
1
2


Bandwidth NTNV_GFSK_SISO_DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.133ms
99%OBW: 0.851MHz
Marker:
1: 2479.589 MHz
-23.49dBm
2: 2480.439 MHz
-24.70dBm
Trace
Level (dBm)
Frequency (MHz)
2479.0
2481.0


Bandwidth NTNV_Pi/4DQPSK_SISO_2DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.533ms
99%OBW: 1.172MHz
Marker:
1: 2401.427 MHz
-20.46dBm
2: 2402.599 MHz
-22.08dBm
Trace
Level (dBm)
Frequency (MHz)
2400.8
2403.2


Bandwidth NTNV_Pi/4DQPSK_SISO_2DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.533ms
99%OBW: 1.172MHz
Marker:
1: 2440.429 MHz
-20.07dBm
2: 2441.600 MHz
-21.95dBm
Trace
Level (dBm)
Frequency (MHz)
2439.8
2442.2


Bandwidth NTNV_Pi/4DQPSK_SISO_2DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.533ms
99%OBW: 1.169MHz
Marker:
1: 2479.429 MHz
-20.38dBm
2: 2480.598 MHz
-21.81dBm
Trace
Level (dBm)
Frequency (MHz)
2478.8
2481.2


Bandwidth NTNV_8DPSK_SISO_3DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.533ms
99%OBW: 1.177MHz
Marker:
1: 2401.429 MHz
-21.37dBm
2: 2402.606 MHz
-20.94dBm
Trace
Level (dBm)
Frequency (MHz)
2400.8
2403.2


Bandwidth NTNV_8DPSK_SISO_3DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.533ms
99%OBW: 1.183MHz
Marker:
1: 2440.424 MHz
-21.99dBm
2: 2441.607 MHz
-20.53dBm
Trace
Level (dBm)
Frequency (MHz)
2439.8
2442.2



2. Maximum Conducted Output Power

2.1 Test Result

Test Mode	Frequency (MHz)	Tx Type	Measured Peak Output Power (dBm)	Limits (dBm)	Verdict
			Ant 1		
GFSK	2402	SISO	-3.16	30	PASS
	2441	SISO	-2.75	30	PASS
	2480	SISO	-3.49	30	PASS
Pi/4DQPSK	2402	SISO	-2.26	20.97	PASS
	2441	SISO	-1.91	20.97	PASS
	2480	SISO	-2.50	20.97	PASS
8DPSK	2402	SISO	-1.72	20.97	PASS
	2441	SISO	-1.37	20.97	PASS
	2480	SISO	-2.03	20.97	PASS

2.2 Test Graph


Maximum Conducted Output Power NTNV_GFSK_SISO_DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=3MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Power: -3.16 dBm
Marker:
1: 2401.740 MHz
-3.16dBm
Trace
Level (dBm)
Frequency (MHz)
2397.0
2407.0


Maximum Conducted Output Power NTNV_GFSK_SISO_DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=3MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Power: -2.75 dBm
Marker:
1: 2440.860 MHz
-2.75dBm
Trace
Level (dBm)
Frequency (MHz)
2436.0
2446.0


Maximum Conducted Output Power NTNV_GFSK_SISO_DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=3MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Power: -3.49 dBm
Marker:
1: 2479.780 MHz
-3.49dBm
Trace
Level (dBm)
Frequency (MHz)
2475.0
2485.0


Maximum Conducted Output Power NTNV_Pi/4DQPSK_SISO_2DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=3MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Power: -2.26 dBm
Marker:
1: 2401.860 MHz
-2.26dBm
Trace
Level (dBm)
Frequency (MHz)
2397.0
2407.0


Maximum Conducted Output Power NTNV_Pi/4DQPSK_SISO_2DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=3MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Power: -1.91 dBm
Marker:
1: 2440.640 MHz
-1.91dBm
Trace
Level (dBm)
Frequency (MHz)
2436.0
2446.0


Maximum Conducted Output Power NTNV_Pi/4DQPSK_SISO_2DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=3MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Power: -2.50 dBm
Marker:
1: 2479.710 MHz
-2.50dBm
Trace
Level (dBm)
Frequency (MHz)
2475.0
2485.0


Maximum Conducted Output Power NTNV_8DPSK_SISO_3DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=3MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Power: -1.72 dBm
Marker:
1: 2402.060 MHz
-1.72dBm
Trace
Level (dBm)
Frequency (MHz)
2397.0
2407.0


Maximum Conducted Output Power NTNV_8DPSK_SISO_3DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=3MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Power: -1.37 dBm
Marker:
1: 2441.070 MHz
-1.37dBm
Trace
Level (dBm)
Frequency (MHz)
2436.0
2446.0



3. Carrier frequency separation

3.1 Test Result

Test Mode	TX Type	ANT No.	Channel Separation (MHz)	20dB Bandwidth (MHz)	Limits (MHz)	Verdict
GFSK	SISO	1	0.992	0.954	≥0.954	PASS
Pi/4DQPSK	SISO	1	1.003	1.304	≥0.869	PASS
8DPSK	SISO	1	1.003	1.304	≥0.869	PASS

3.2 Test Graph


Carrier frequency separation NTNV_GFSK_SISO_DH5_HOPP_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=300kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
CSP=0.992MHz
Marker:
1: 2440.858 MHz
-3.09dBm
2: 2441.850 MHz
-3.05dBm
Trace
Level (dBm)
Frequency (MHz)
2440.25
2442.75


Carrier frequency separation NTNV_Pi/4DQPSK_SISO_2DH5_HOPP_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=300kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
CSP=1.003MHz
Marker:
1: 2440.852 MHz
-4.78dBm
2: 2441.855 MHz
-3.00dBm
Trace
Level (dBm)
Frequency (MHz)
2440.25
2442.75



4. Number of hopping frequencies

4.1 Test Result

Test Mode	TX Type	ANT No.	Num of Hopping Frequencies	Limits	Verdict
GFSK	SISO	1	79	≥15	PASS
Pi/4DQPSK	SISO	1	79	≥15	PASS
8DPSK	SISO	1	79	≥15	PASS

4.2 Test Graph


Number of hopping frequencies NTNV_GFSK_SISO_DH5_HOPP_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=270kHz
VBW=270kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=10001
Sweep Time=2ms
HOPP Num: 79
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
2398.0
2485.5
Frequency (MHz)


Number of hopping frequencies NTNV_Pi/4DQPSK_SISO_2DH5_HOPP_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=300kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=10001
Sweep Time=1.333ms
HOPP Num: 79
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
2398.0
2485.5
Frequency (MHz)



5. Time of Occupancy (Dwell Time)

5.1 Test Result

Test Mode	Packet Type	TX Type	ANT No.	Duration of Single Pulse (ms)	Obeservation Period (s)	Num of Pulse in Observation Period	Dwell Time (ms)	Limits (ms)	Verdict
GFSK	DH1	SISO	1	0.378	31.6	318	120.204	≤400	PASS
	DH3	SISO	1	1.633	31.6	159	259.647	≤400	PASS
	DH5	SISO	1	2.881	31.6	106	305.386	≤400	PASS
Pi/4DQPSK	2DH1	SISO	1	0.387	31.6	320	123.840	≤400	PASS
	2DH3	SISO	1	1.639	31.6	155	254.045	≤400	PASS
	2DH5	SISO	1	2.888	31.6	111	320.568	≤400	PASS
8DPSK	3DH1	SISO	1	0.382	31.6	320	122.240	≤400	PASS
	3DH3	SISO	1	1.639	31.6	163	267.157	≤400	PASS
	3DH5	SISO	1	2.890	31.6	112	323.680	≤400	PASS

5.2 Test Graph


Time of Occupancy (Dwell Time) NTNV_GFSK_SISO_DH1_HOPP_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
Center=2.441GHz
RBW=910kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=20ms
Time of Pulse:
0.378ms
Trace
Level (dBm)
Time (ms)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
−100
−110
0.0
20.0


Time of Occupancy (Dwell Time) NTNV_GFSK_SISO_DH1_HOPP_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
Center=2.441GHz
RBW=910kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=31.6s
Number of Pulse:
318
Dwell Time:
120.204ms
Trace
Level (dBm)
Time (s)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
0.0
31.6


Time of Occupancy (Dwell Time) NTNV_GFSK_SISO_DH3_HOPP_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
Center=2.441GHz
RBW=910kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=20ms
Time of Pulse:
1.633ms
Trace
Level (dBm)
Time (ms)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
−100
−110
0.0
20.0


Time of Occupancy (Dwell Time) NTNV_GFSK_SISO_DH3_HOPP_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
Center=2.441GHz
RBW=910kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=31.6s
Number of Pulse:
159
Dwell Time:
259.647ms
Trace
Level (dBm)
Time (s)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
0.0
31.6


Time of Occupancy (Dwell Time) NTNV_GFSK_SISO_DH5_HOPP_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
Center=2.441GHz
RBW=910kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=20ms
Time of Pulse:
2.881ms
Trace
Level (dBm)
Time (ms)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
−100
−110
0.0
20.0


Time of Occupancy (Dwell Time) NTNV_GFSK_SISO_DH5_HOPP_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
Center=2.441GHz
RBW=910kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=31.6s
Number of Pulse:
106
Dwell Time:
305.386ms
Trace
Level (dBm)
Time (s)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
0.0
31.6


Time of Occupancy (Dwell Time) NTNV_Pi/4DQPSK_SISO_2DH1_HOPP_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=20ms
Time of Pulse:
0.387ms
Trace
Level (dBm)
Time (ms)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
−100
−110
0.0
20.0


Time of Occupancy (Dwell Time) NTNV_Pi/4DQPSK_SISO_2DH1_HOPP_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=31.6s
Number of Pulse:
320
Dwell Time:
123.840ms
Trace
Level (dBm)
Time (s)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
0.0
31.6


Time of Occupancy (Dwell Time) NTNV_Pi/4DQPSK_SISO_2DH3_HOPP_ANT1
Level (dBm)
Time (ms)
ANT=1 (SISO)
ATT=15
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=20ms
Time of Pulse:
1.639ms
Trace


Time of Occupancy (Dwell Time) NTNV_Pi/4DQPSK_SISO_2DH3_HOPP_ANT1
Level (dBm)
Time (s)
ANT=1 (SISO)
ATT=15
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=31.6s
Number of Pulse:
155
Dwell Time:
254.045ms
Trace


Time of Occupancy (Dwell Time) NTNV_Pi/4DQPSK_SISO_2DH5_HOPP_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=20ms
Time of Pulse:
2.888ms
Trace
Level (dBm)
Time (ms)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
−100
−110
0.0
20.0


Time of Occupancy (Dwell Time) NTNV_Pi/4DQPSK_SISO_2DH5_HOPP_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=31.6s
Number of Pulse:
111
Dwell Time:
320.568ms
Trace
Level (dBm)
Time (s)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
0.0
31.6


Time of Occupancy (Dwell Time) NTNV_8DPSK_SISO_3DH1_HOPP_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=62ms
Time of Pulse:
0.382ms
Trace
Level (dBm)
Time (ms)
0.0
61.0


Time of Occupancy (Dwell Time) NTNV_8DPSK_SISO_3DH1_HOPP_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=31.6s
Number of Pulse:
320
Dwell Time:
122.240ms
Trace
Level (dBm)
Time (s)
0.0
31.6


Time of Occupancy (Dwell Time) NTNV_8DPSK_SISO_3DH3_HOPP_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=20ms
Time of Pulse:
1.639ms
Trace
Level (dBm)
Time (ms)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
−100
−110
0.0
20.0


Time of Occupancy (Dwell Time) NTNV_8DPSK_SISO_3DH3_HOPP_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=31.6s
Number of Pulse:
163
Dwell Time:
267.157ms
Trace
Level (dBm)
Time (s)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
0.0
31.6


Time of Occupancy (Dwell Time) NTNV_8DPSK_SISO_3DH5_HOPP_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=20ms
Time of Pulse:
2.890ms
Trace
Level (dBm)
Time (ms)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
−100
−110
0.0
20.0


Time of Occupancy (Dwell Time) NTNV_8DPSK_SISO_3DH5_HOPP_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=31.6s
Number of Pulse:
112
Dwell Time:
323.680ms
Trace
Level (dBm)
Time (s)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
0.0
31.6

6. Unwanted Emissions in Non-restricted Frequency Bands

6.1 Test Result

Test Mode	Frequency (MHz)	TX Type	ANT No.	Spurious Conducted Emission (dBm)	Limits (dBm)	Verdict
GFSK	2402	SISO	1	Refer to test graph	-23.24	PASS
	2441	SISO	1	Refer to test graph	-23.24	PASS
	2480	SISO	1	Refer to test graph	-23.24	PASS
	Hopping	SISO	1	Refer to test graph	-23.24	PASS
Pi/4DQPSK	2402	SISO	1	Refer to test graph	-23.20	PASS
	2441	SISO	1	Refer to test graph	-23.20	PASS
	2480	SISO	1	Refer to test graph	-23.20	PASS
	Hopping	SISO	1	Refer to test graph	-23.20	PASS
8DPSK	2402	SISO	1	Refer to test graph	-23.06	PASS
	2441	SISO	1	Refer to test graph	-23.06	PASS
	2480	SISO	1	Refer to test graph	-23.06	PASS
	Hopping	SISO	1	Refer to test graph	-23.06	PASS

6.2 Test Graph


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_GFSK_SISO_DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Marker:
1: 2440.863 MHz
-3.24dBm
Trace
Level (dBm)
Frequency (MHz)
2440.285
2441.715


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_GFSK_SISO_DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=2001
Sweep Time=9.6ms
Marker:
1: 2401.850 MHz
-3.26dBm
Limit: -23.240 dBm
Trace
Level (dBm)
Frequency (MHz)
2310.0
2410.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_GFSK_SISO_DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=40001
Sweep Time=2.387s
Marker:
1: 5744.385 MHz
-47.62dBm
2: 5752.500 MHz
-47.44dBm
Limit: -23.240 dBm
Trace
Level (dBm)
Frequency (MHz)
30.0
25000.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_GFSK_SISO_DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=40001
Sweep Time=2.387s
Marker:
1: 5762.488 MHz
-49.34dBm
2: 9758.312 MHz
-48.86dBm
Limit: -23.240 dBm
Trace
Level (dBm)
Frequency (MHz)
30.0
25000.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_GFSK_SISO_DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.733ms
Marker:
1: 2479.868 MHz
-3.60dBm
Limit: -23.240 dBm
Trace
Level (dBm)
Frequency (MHz)
2472.0
2500.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_GFSK_SISO_DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=40001
Sweep Time=2.387s
Marker:
1: 5743.760 MHz
-46.61dBm
2: 9914.374 MHz
-46.24dBm
Limit: -23.240 dBm
Trace
Level (dBm)
Frequency (MHz)
30.0
25000.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_GFSK_SISO_DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.733ms
Marker:
1: 2408.900 MHz
-3.16dBm
Limit: -23.240 dBm
Trace
Level (dBm)
Frequency (MHz)
2310.0
2410.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_GFSK_SISO_DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.733ms
Marker:
1: 2473.064 MHz
-3.66dBm
Limit: -23.240 dBm
Trace
Level (dBm)
Frequency (MHz)
2472.0
2500.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_Pi/4DQPSK_SISO_2DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Marker:
1: 2441.175 MHz
-3.20dBm
Trace
Level (dBm)
Frequency (MHz)
2440.036
2441.964


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_Pi/4DQPSK_SISO_2DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=2001
Sweep Time=9.6ms
Marker:
1: 2402.200 MHz
-3.44dBm
Limit: -23.200 dBm
Trace
Level (dBm)
Frequency (MHz)
2310.0
2410.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_Pi/4DQPSK_SISO_2DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=40001
Sweep Time=2.387s
Marker:
1: 4801.143 MHz
-55.84dBm
2: 9602.249 MHz
-49.16dBm
Limit: -23.200 dBm
Trace
Level (dBm)
Frequency (MHz)
30.0
25000.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_Pi/4DQPSK_SISO_2DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=40001
Sweep Time=2.387s
Marker:
1: 5748.754 MHz
-47.20dBm
2: 9758.312 MHz
-48.70dBm
Limit: -23.200 dBm
Trace
Level (dBm)
Frequency (MHz)
30.0
25000.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_Pi/4DQPSK_SISO_2DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.733ms
Marker:
1: 2480.176 MHz
-3.58dBm
Limit: -23.200 dBm
Trace
Level (dBm)
Frequency (MHz)
2472.0
2500.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_Pi/4DQPSK_SISO_2DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=10
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=40001
Sweep Time=2.387s
Marker:
1: 5749.378 MHz
-48.82dBm
2: 9914.374 MHz
-45.91dBm
Limit: -23.200 dBm
Trace
Level (dBm)
Frequency (MHz)
30.0
25000.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_Pi/4DQPSK_SISO_2DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.733ms
Marker:
1: 2402.050 MHz
-4.33dBm
Limit: -23.200 dBm
Trace
Level (dBm)
Frequency (MHz)
2310.0
2410.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_Pi/4DQPSK_SISO_2DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.733ms
Marker:
1: 2472.868 MHz
-3.15dBm
Limit: -23.200 dBm
Trace
Level (dBm)
Frequency (MHz)
2472.0
2500.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_8DPSK_SISO_3DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Marker:
1: 2440.858 MHz
-3.06dBm
Trace
Level (dBm)
Frequency (MHz)
2440.028
2441.972


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_8DPSK_SISO_3DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=2001
Sweep Time=9.6ms
Marker:
1: 2401.850 MHz
-3.15dBm
Limit: -23.060 dBm
Trace
Level (dBm)
Frequency (MHz)
2310.0
2410.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_8DPSK_SISO_3DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=40001
Sweep Time=2.387s
Marker:
1: 9602.249 MHz
-48.99dBm
2: 24425.066 MHz
-51.74dBm
Limit: -23.060 dBm
Trace
Level (dBm)
Frequency (MHz)
30.0
25000.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_8DPSK_SISO_3DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=40001
Sweep Time=2.387s
Marker:
1: 9758.312 MHz
-48.76dBm
2: 24192.845 MHz
-51.82dBm
Limit: -23.060 dBm
Trace
Level (dBm)
Frequency (MHz)
30.0
25000.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_8DPSK_SISO_3DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.733ms
Marker:
1: 2479.868 MHz
-3.54dBm
Limit: -23.060 dBm
Trace
Level (dBm)
Frequency (MHz)
2472.0
2500.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_8DPSK_SISO_3DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=40001
Sweep Time=2.387s
Marker:
1: 5804.312 MHz
-50.41dBm
2: 9914.374 MHz
-45.72dBm
Limit: -23.060 dBm
Trace
Level (dBm)
Frequency (MHz)
30.0
25000.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_8DPSK_SISO_3DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.733ms
Marker:
1: 2401.850 MHz
-3.59dBm
Limit: -23.060 dBm
Trace
Level (dBm)
Frequency (MHz)
2310.0
2410.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_8DPSK_SISO_3DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.733ms
Marker:
1: 2475.024 MHz
-3.62dBm
Limit: -23.060 dBm
Trace
Level (dBm)
Frequency (MHz)
2472.0
2500.0